

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on January 22, 2020, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	NH 0050(100)411 (PCN 023V)	Clay, Union SWPPP = 75.00 AC	5.038	Grading and PCC Surfacing	SD50 WBL from Vermillion to the divided lanes west of I29
2.	NH-P 0042(65)344 (PCN 05F0)	McCook, Minnehaha SWPPP = 120.00 AC	16.047	Cold Milling Asphalt Concrete, Full Depth Reclamation, Asphalt Concrete Surfacing, & Intersection Improvements	SD42 from west of SD19 to the Tea/Ellis Road
3.	NH 0014(220)230 (PCN 05HX)	Hughes	5.709	Crack & Seat PCCP, & Asphalt Concrete Surfacing	US14 from 7 miles east of Pierre, east 5.7 miles
4.	P 0248(11)145 (PCN 05V5)	Jackson SWPPP = 5.70 AC	---	Replace Structures (3-12'x12' CIP or Precast RCBCs) & Approach Grading	SD248 Structures 1.0 mile east of Cactus Flats over Big Buffalo Creek & 1.4 miles west of Kadoka over White Willow Creek
5.	IM 0907(85)334 (PCN 06DJ)	Davison, Hanson SWPPP = 6.10 AC	0.611	Remove & Relace PCC Pavement & Pipe Work	I90 from east of Mitchell to east of the James River
6.	IM-NH-P 0022(77) (PCN 06Y8)	Brookings, Minnehaha, Moody	98.383	Asphalt Surface Treatment	Various Routes in the Sioux Falls Area
7.	P 0011(00)81 (PCN 03KD)	Minnehaha SWPPP = 0.60	---	Landslide Repair	SD 11 just north of Interstate 90

* Indicates combination bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	NH 0050(100)411	Area Engineer: Rod Gall, 1306 W 31st St, Yankton, SD, 57078-9662	Phone: 605/668-2929
	Work Type 2 or Work Type 3	DBE Goal: Not Specified	Contract Id: 8010 See Special Provisions for Completion Requirements
1	Maintenance of Traffic Diversion(s)	LS	1.000
2	Remove Traffic Diversion(s)	LS	1.000
3	Mobilization	LS	1.000
4	Reestablish Property Corner	Each	138.000
5	Grade Staking	Mile	20.745
6	Final Cross Section Survey	Mile	5.233
7	Miscellaneous Staking	Mile	5.233
8	Slope Staking	Mile	5.233
9	Three Man Survey Crew	Hour	40.000
10	Construction Schedule, Category II	LS	1.000
11	Training Program	Hour	1,500.000
12	Clearing	LS	1.000
13	Remove Traffic Sign	Each	70.000
14	Remove Delineator	Each	149.000
15	Remove Drop Inlet	Each	5.000
16	Remove Fence	Ft	5,175.000
17	Remove Asphalt Concrete Pavement	SqYd	196.000
18	Remove Concrete Pavement	SqYd	59,111.000
19	Remove Sediment	CuYd	2.000
20	Remove Silt Fence	Ft	600.000
21	Salvage Riprap	Ton	580.000
22	Unclassified Excavation	CuYd	168,492.000
23	Contractor Furnished Borrow Excavation	CuYd	5,498.000
24	Muck Excavation	CuYd	2,859.000
25	Reprofiling Ditch	Sta	18.500
26	Water for Embankment	MGal	703.100
27	Water for Granular Material	MGal	1,606.100
28	Pit Run	Ton	1,111.000
29	Shoulder Shaping	Mile	9.800
30	Placing Topsoil	CuYd	25,348.000
31	Incidental Work, Grading	LS	1.000
32	Base Course	Ton	3,538.800
33	Base Course, Salvaged	Ton	7,250.000
34	Base Course, Salvaged, State Furnished	Ton	9,000.000
35	Gravel Cushion, Salvaged	Ton	42,452.200
36	Processed Subgrade Topping	CuYd	74,490.000
37	Granular Material, Furnish	Ton	24,851.100
38	Salvage and Stockpile Asphalt Mix Material	Ton	26,667.400
39	Blend and Stockpile Granular Material	Ton	49,702.200
40	PG 58-34 Asphalt Binder	Ton	252.600
41	Class HR Asphalt Concrete	Ton	6,306.800
42	Asphalt Concrete Composite	Ton	486.800
43	Compaction Sample	Each	3.000
44	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	4.900
45	MC-70 Asphalt for Prime	Ton	51.600
46	SS-1h or CSS-1h Asphalt for Tack	Ton	11.300
47	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	8.900
48	Sand for Flush Seal	Ton	20.500
49	9" Nonreinforced PCC Pavement	SqYd	78,219.900
50	Dowel Bar	Each	43,086.000
51	Structure Excavation, Miscellaneous	CuYd	4.000
52	Pipe Culvert Undercut	CuYd	1,229.000
53	18" RCP Class 2, Furnish	Ft	832.000

54	18" RCP, Install	Ft	832.000
55	24" RCP Class 2, Furnish	Ft	410.000
56	24" RCP Class 4, Furnish	Ft	56.000
57	24" RCP, Install	Ft	466.000
58	30" RCP Class 2, Furnish	Ft	98.000
59	30" RCP, Install	Ft	98.000
60	36" RCP Class 2, Furnish	Ft	156.000
61	36" RCP, Install	Ft	156.000
62	54" RCP Class 3, Furnish	Ft	8.000
63	54" RCP, Install	Ft	8.000
64	72" RCP Class 2, Furnish	Ft	60.000
65	72" RCP, Install	Ft	60.000
66	18" RCP Bend, Furnish	Each	4.000
67	18" RCP Bend, Install	Each	4.000
68	54" RCP Bend, Furnish	Each	2.000
69	54" RCP Bend, Install	Each	2.000
70	RCP Tee, Furnish	Each	3.000
71	RCP Tee, Install	Each	3.000
72	RCP Increaser, Furnish	Each	1.000
73	RCP Increaser, Install	Each	1.000
74	RCP Energy Dissipater Ring, Furnish	Each	5.000
75	RCP Energy Dissipater Ring, Install	Each	5.000
76	36" RCP Flared End, Furnish	Each	2.000
77	36" RCP Flared End, Install	Each	2.000
78	54" RCP Flared End, Furnish	Each	1.000
79	54" RCP Flared End, Install	Each	1.000
80	72" RCP Flared End, Furnish	Each	1.000
81	72" RCP Flared End, Install	Each	1.000
82	30" RCP Sloped End, Furnish	Each	1.000
83	30" RCP Sloped End, Install	Each	1.000
84	18" RCP Safety End, Furnish	Each	29.000
85	18" RCP Safety End, Install	Each	29.000
86	24" RCP Safety End, Furnish	Each	7.000
87	24" RCP Safety End with Bars, Furnish	Each	4.000
88	24" RCP Safety End, Install	Each	11.000
89	18" RCP Arch Class 2, Furnish	Ft	232.000
90	18" RCP Arch Class 4, Furnish	Ft	146.000
91	18" RCP Arch, Install	Ft	378.000
92	36" RCP Arch Class 2, Furnish	Ft	80.000
93	36" RCP Arch, Install	Ft	80.000
94	42" RCP Arch Class 2, Furnish	Ft	76.000
95	42" RCP Arch Class 4, Furnish	Ft	80.000
96	42" RCP Arch, Install	Ft	156.000
97	54" RCP Arch Class 4, Furnish	Ft	188.000
98	54" RCP Arch, Install	Ft	188.000
99	36" RCP Arch Flared End, Furnish	Each	1.000
100	36" RCP Arch Flared End, Install	Each	1.000
101	42" RCP Arch Flared End, Furnish	Each	2.000
102	42" RCP Arch Flared End, Install	Each	2.000
103	54" RCP Arch Flared End, Furnish	Each	2.000
104	54" RCP Arch Flared End, Install	Each	2.000
105	18" RCP Arch Safety End, Furnish	Each	7.000
106	18" RCP Arch Safety End, Install	Each	7.000
107	18" CMP 16 Gauge, Furnish	Ft	1,298.000
108	18" CMP, Install	Ft	1,298.000
109	24" CMP 14 Gauge, Furnish	Ft	150.000

110	24" CMP 16 Gauge, Furnish	Ft	70.000
111	24" CMP, Install	Ft	220.000
112	30" CMP 16 Gauge, Furnish	Ft	116.000
113	30" CMP, Install	Ft	116.000
114	36" CMP 14 Gauge, Furnish	Ft	208.000
115	36" CMP, Install	Ft	208.000
116	24" CMP Elbow, Furnish	Each	2.000
117	24" CMP Elbow, Install	Each	2.000
118	36" CMP Elbow, Furnish	Each	4.000
119	36" CMP Elbow, Install	Each	4.000
120	24" CMP Flared End, Furnish	Each	1.000
121	24" CMP Flared End, Install	Each	1.000
122	36" CMP Flared End, Furnish	Each	4.000
123	36" CMP Flared End, Install	Each	4.000
124	18" CMP Safety End, Furnish	Each	38.000
125	18" CMP Safety End, Install	Each	38.000
126	24" CMP Safety End, Furnish	Each	3.000
127	24" CMP Safety End, Install	Each	3.000
128	30" CMP Safety End with Bars, Furnish	Each	4.000
129	30" CMP Safety End, Install	Each	4.000
130	18" CMP Arch 16 Gauge, Furnish	Ft	172.000
131	18" CMP Arch, Install	Ft	172.000
132	18" CMP Arch Safety End, Furnish	Each	2.000
133	18" CMP Arch Safety End, Install	Each	2.000
134	54" Steel Pipe, Furnish	Ft	260.000
135	54" Concrete/Steel Pipe Transition, Furnish	Each	2.000
136	54" Pipe Transition, Install	Each	2.000
137	Cleanout Pipe Culvert	Each	35.000
138	Reset Pipe End Section	Each	1.000
139	Bore and Jack 54" Pipe	Ft	260.000
140	Class M6 Concrete	CuYd	26.200
141	Cellular Grout	CuYd	140.000
142	Controlled Density Fill	CuYd	11.700
143	Reinforcing Steel	Lb	4,378.000
144	Type III Field Laboratory	Each	1.000
145	Type 2 Right-of-Way Fence	Ft	1,136.000
146	Type 6 Right-of-Way Fence	Ft	2,271.000
147	Modified Type 6 Right-of-Way Fence	Ft	1,561.000
148	2 Post Panel	Each	18.000
149	3 Post Panel	Each	16.000
150	1.25' Diameter Breakaway Support Concrete Footing	Ft	36.000
151	1.5' Diameter Breakaway Support Concrete Footing	Ft	12.000
152	2.0"x2.0" Perforated Tube Post	Ft	624.700
153	2.5"x2.5" Perforated Tube Post	Ft	223.100
154	4.0"x4.0" Tubular Post	Ft	46.500
155	4"x4" Amber Delineator with 1.12 Lb/Ft Post	Each	5.000
156	4"x4" White Delineator with 1.12 Lb/Ft Post	Each	55.000
157	Type 2 Object Marker Back to Back	Each	53.000
158	Type 2 Object Marker	Each	36.000
159	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	423.400
160	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	294.900
161	Remove, Salvage, Relocate, and Reset Traffic Sign	Each	23.000
162	Pavement Marking Paint, White	Gal	113.000
163	Pavement Marking Paint, Yellow	Gal	255.000
164	Durable Pavement Marking, 4" White	Ft	33,250.000
165	Durable Pavement Marking, 4" Yellow	Ft	26,600.000

166	Durable Pavement Marking, 12" White	Ft	400.000
167	Grooving for Durable Pavement Marking, 4"	Ft	59,850.000
168	Grooving for Durable Pavement Marking, 12"	Ft	400.000
169	Mobile Retroreflectorometer Measurements	Mile	15.500
170	Flagging	Hour	200.000
171	Traffic Control Signs	SqFt	1,467.100
172	Traffic Control, Miscellaneous	LS	1.000
173	Type 3 Barricade	Each	60.000
174	Tubular Marker	Each	456.000
175	Replace Tubular Marker	Each	46.000
176	Type C Advance Warning Arrow Board	Each	2.000
177	Remove Pavement Marking, 4" or Equivalent	Ft	2,020.000
178	Remove Pavement Marking, Area	SqFt	200.000
179	Temporary Pavement Marking	Mile	5.800
180	Detour Signing	SqFt	460.000
181	Temporary Business Signing	SqFt	96.000
182	Type C Frame and Grate	Each	3.000
183	Type M Frame and Grate Assembly	Each	4.000
184	Type C Manhole Frame and Lid	Each	10.000
185	Class C Riprap	Ton	187.000
186	Place Riprap	Ton	580.000
187	Special Permanent Seed Mixture 1	Lb	998.000
188	Special Permanent Seed Mixture 2	Lb	27.000
189	Mulching	Ton	86.000
190	Type 2 Erosion Control Blanket	SqYd	1,695.000
191	Type 2 Turf Reinforcement Mat	SqYd	2,870.000
192	12" Diameter Erosion Control Wattle	Ft	860.000
193	Remove and Reset Erosion Control Wattle	Ft	220.000
194	Shaping for Erosion Control Blanket	Ft	2,054.000
195	High Flow Silt Fence	Ft	2,400.000
196	Mucking Silt Fence	CuYd	167.000
197	Repair Silt Fence	Ft	600.000
198	Type B Drainage Fabric	SqYd	738.000
199	Non-woven Separator Fabric	SqYd	1,067.000
200	Reinforcement Fabric (MSE)	SqYd	1,836.000
201	Refurbish Single Mailbox	Each	16.000
202	Refurbish Double Mailbox	Each	2.000
203	Remove and Reset Historical Marker	Each	2.000
204	Construction Entrance	Each	2.000

2. **NH-P 0042(65)344** **Area Engineer: Travis Dressen, 5316 W 60th St N, Sioux Falls, SD, 57107** **Phone: 605/367-5680**
Work Type 5 **DBE Goal: Not Specified** **Contract Id: 8145** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Grade Staking	Mile	2.078
3	Miscellaneous Staking	Mile	1.331
4	Slope Staking	Mile	1.331
5	Three Man Survey Crew	Hour	40.000
6	Training Program	Hour	1,000.000
7	Remove Delineator	Each	320.000
8	Remove Concrete Curb and/or Gutter	Ft	234.000
9	Remove Fence	Ft	80.000
10	Remove Concrete Pavement	SqYd	169.800
11	Remove Silt Fence	Ft	714.000
12	Remove Sign for Reset	Each	22.000
13	Unclassified Excavation	CuYd	25,427.000
14	Unclassified Excavation, Digouts	CuYd	123.000

15	Contractor Furnished Borrow Excavation	CuYd	12,351.000
16	Contaminated Material Excavation	CuYd	100.000
17	Undercutting	CuYd	19,183.000
18	Water for Dust Control	MGal	320.000
19	Water for Embankment	MGal	378.000
20	Water for Granular Material	MGal	2,513.000
21	Dust Control Chloride	Lb	197,120.000
22	Shoulder Clearing	Mile	4.900
23	Shoulder Preparation	Mile	4.900
24	Contractor Furnished Topsoil	CuYd	33.000
25	Remove and Replace Topsoil	LS	1.000
26	Incidental Work, Grading	LS	1.000
27	Base Course	Ton	5,596.100
28	Base Course, Salvaged	Ton	16,865.400
29	Granular Material, Furnish	Ton	8,432.700
30	Blend, Haul, and Stockpile Granular Material	Ton	16,865.400
31	Full Depth Reclamation	SqYd	396,178.000
32	PG 58-34 Asphalt Binder	Ton	4,866.200
33	Class Q3R Hot Mixed Asphalt Concrete	Ton	103,753.400
34	Hydrated Lime	Ton	1,042.700
35	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	26.200
36	Grind Sinusoidal Centerline Rumble Stripe in Asphalt Concrete	Mile	13.100
37	Asphalt Joint Adhesive	Ft	69,168.000
38	MC-70 Asphalt for Prime	Ton	276.000
39	SS-1h or CSS-1h Asphalt for Tack	Ton	287.400
40	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	78.500
41	Blotting Sand for Prime	Ton	914.600
42	Sand for Flush Seal	Ton	782.300
43	Cold Milling Asphalt Concrete	SqYd	253,819.000
44	Reseal PCC Pavement Joint - Hot Pour	Ft	27,012.000
45	12" RCP Class 2, Furnish	Ft	6.000
46	12" RCP, Install	Ft	6.000
47	18" RCP Class 2, Furnish	Ft	32.000
48	18" RCP, Install	Ft	32.000
49	24" RCP Class 2, Furnish	Ft	18.000
50	24" RCP, Install	Ft	18.000
51	30" RCP Class 2, Furnish	Ft	44.000
52	30" RCP, Install	Ft	44.000
53	12" RCP Bend, Furnish	Each	1.000
54	12" RCP Bend, Install	Each	1.000
55	12" RCP Flared End, Furnish	Each	1.000
56	12" RCP Flared End, Install	Each	1.000
57	18" RCP Flared End, Furnish	Each	1.000
58	18" RCP Flared End, Install	Each	1.000
59	24" RCP Sloped End, Furnish	Each	2.000
60	24" RCP Sloped End, Install	Each	2.000
61	30" RCP Sloped End, Furnish	Each	4.000
62	30" RCP Sloped End, Install	Each	4.000
63	Type III Field Laboratory	Each	1.000
64	Type 2 Right-of-Way Fence	Ft	80.000
65	2 Post Panel	Each	4.000
66	2.0"x2.0" Perforated Tube Post	Ft	367.000
67	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	320.000
68	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	56.000
69	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	22.400
70	Reset Sign	Each	22.000

71	Remove, Salvage, Relocate, and Reset Traffic Sign	Each	17.000
72	Pavement Marking Paint, White	Gal	524.000
73	Pavement Marking Paint, Yellow	Gal	231.000
74	Flagging	Hour	1,148.000
75	Pilot Car	Hour	524.000
76	Traffic Control Signs	SqFt	1,054.800
77	Traffic Control, Miscellaneous	LS	1.000
78	Type 3 Barricade	Each	10.000
79	Temporary Pavement Marking	Mile	78.600
80	Contractor Furnished Portable Changeable Message Sign	Each	2.000
81	Type B69 Concrete Curb and Gutter	Ft	293.000
82	Type G Permanent Seed Mixture	Lb	986.000
83	Mulching	Ton	84.500
84	Low Flow Silt Fence	Ft	2,662.000
85	High Flow Silt Fence	Ft	192.000
86	Mucking Silt Fence	CuYd	198.000
87	Repair Silt Fence	Ft	714.000
88	Sediment Control at Inlet with Frame and Grate	Each	2.000
89	Refurbish Single Mailbox	Each	36.000
90	Refurbish Double Mailbox	Each	3.000
91	Remove and Reset Historical Marker	Each	1.000
92	Storage Unit	Each	1.000
93	Blading	Hour	200.000

3. **NH 0014(220)230** **Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405** **Phone: 605/773-5294**
Work Type 5 **DBE Goal: Not Specified** **Contract Id: 8025** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Miscellaneous Staking	Mile	10.457
3	Three Man Survey Crew	Hour	40.000
4	Checker	LS	1.000
5	Remove Delineator	Each	115.000
6	Remove Asphalt Concrete Pavement	SqYd	2,217.000
7	Unclassified Excavation, Digouts	CuYd	517.000
8	Base Course	Ton	1,735.700
9	Granular Material, Furnish	Ton	3,500.000
10	Blend, Haul, and Stockpile Granular Material	Ton	7,000.000
11	Haul and Stockpile Granular Material	Ton	1,355.900
12	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	20.900
13	SS-1h or CSS-1h Asphalt for Tack	Ton	110.600
14	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	56.600
15	Sand for Flush Seal	Ton	552.000
16	Cold Milling Asphalt Concrete	SqYd	96,944.000
17	Planing PCC Pavement	SqYd	1,338.000
18	Cracking and Seating PCC Pavement	SqYd	92,976.000
19	Type III Field Laboratory	Each	1.000
20	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	115.000
21	High Build Waterborne Pavement Marking Paint, White	Gal	591.000
22	High Build Waterborne Pavement Marking Paint, Yellow	Gal	218.000
23	Flagging	Hour	658.000
24	Pilot Car	Hour	264.000
25	Traffic Control Signs	SqFt	1,475.500
26	Traffic Control, Miscellaneous	LS	1.000
27	Type C Advance Warning Arrow Board	Each	3.000
28	Temporary Pavement Marking	Mile	31.000
29	Refurbish Single Mailbox	Each	1.000
30	Refurbish Double Mailbox	Each	1.000

31	Storage Unit	Each	1.000
32	PG 58-34 Asphalt Binder	Ton	2,019.200
33	Class Q3R Hot Mixed Asphalt Concrete	Ton	43,097.900
34	Hydrated Lime	Ton	430.200
35	PG 58-34 Asphalt Binder	Ton	1,820.000
36	Class Q3R Hot Mixed Asphalt Concrete	Ton	44,227.700
37	Hydrated Lime	Ton	440.800

4. P 0248(11)145

Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771

Phone: 605/842-0810

Work Type 9 or Work Type 12

DBE Goal: Not Specified

Contract Id: 8062

See Special Provisions for Completion Requirements

1	Maintenance of Traffic Diversion(s)	LS	1.000
2	Remove Traffic Diversion(s)	LS	1.000
3	Mobilization	LS	1.000
4	Grade Staking	Mile	0.641
5	Miscellaneous Staking	Mile	0.641
6	Slope Staking	Mile	0.641
7	Structure Staking	Each	2.000
8	Three Man Survey Crew	Hour	40.000
9	Training Program	Hour	500.000
10	Clear and Grub Tree	Each	4.000
11	Clearing	LS	1.000
12	Remove Fence	Ft	1,443.000
13	Remove Beam Guardrail	Ft	302.000
14	Remove Sediment	CuYd	4.300
15	Remove Erosion Control Wattle	Ft	467.000
16	Remove Silt Fence	Ft	844.000
17	Remove Sign for Reset	Each	1.000
18	Unclassified Excavation	CuYd	32,789.000
19	Contractor Furnished Borrow Excavation	CuYd	6,152.000
20	Undercutting	CuYd	10,200.000
21	Water for Embankment	MGal	485.800
22	Water for Granular Material	MGal	70.900
23	Placing Topsoil	CuYd	2,201.000
24	Incidental Work, Grading	LS	1.000
25	Incidental Work, Structure	LS	1.000
26	Base Course	Ton	1,232.900
27	Base Course, Salvaged	Ton	4,636.000
28	Granular Material, Furnish	Ton	2,429.300
29	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	2,206.700
30	Blend and Stockpile Granular Material	Ton	4,636.000
31	Asphalt Concrete Composite	Ton	1,842.900
32	18" CMP 14 Gauge, Furnish	Ft	74.000
33	18" CMP, Install	Ft	74.000
34	24" CMP 14 Gauge, Furnish	Ft	88.000
35	24" CMP, Install	Ft	88.000
36	18" CMP Sloped End, Furnish	Each	2.000
37	18" CMP Sloped End, Install	Each	2.000
38	24" CMP Sloped End, Furnish	Each	2.000
39	24" CMP Sloped End, Install	Each	2.000
40	Type III Field Laboratory	Each	1.000
41	Type 2 Right-of-Way Fence	Ft	1,399.000
42	Type 1A Temporary Fence	Ft	1,613.000
43	2 Post Panel	Each	10.000
44	3 Post Panel	Each	7.000
45	Reset Sign	Each	1.000
46	Pavement Marking Paint, 4" White	Ft	3,218.000

47	Pavement Marking Paint, 4" Yellow	Ft	663.000
48	Flagging	Hour	500.000
49	Traffic Control Signs	SqFt	552.400
50	Traffic Control, Miscellaneous	LS	1.000
51	Type 3 Barricade	Each	20.000
52	Remove Pavement Marking, 4" or Equivalent	Ft	202.000
53	Temporary Pavement Marking	Ft	6,428.000
54	Class B Riprap	Ton	532.400
55	Type F Permanent Seed Mixture	Lb	110.000
56	Fertilizing	Lb	6,375.000
57	Mulching	Ton	10.000
58	Fiber Mulching	Lb	8,500.000
59	Type 3 Erosion Control Blanket	SqYd	277.000
60	Type 3 Turf Reinforcement Mat	SqYd	2,240.000
61	12" Diameter Erosion Control Wattle	Ft	1,842.000
62	Remove and Reset Erosion Control Wattle	Ft	461.000
63	Surface Roughening	Acre	2.900
64	Shaping for Erosion Control Blanket	Ft	1,099.000
65	High Flow Silt Fence	Ft	844.000
66	Mucking Silt Fence	CuYd	59.000
67	Repair Silt Fence	Ft	211.000
68	Woven Separator Fabric	SqYd	691.000
69	Construction Entrance	Each	4.000
70	Structure Excavation, Box Culvert	CuYd	238.000
71	Box Culvert Undercut	CuYd	565.000
72	Class A45 Concrete, Box Culvert	CuYd	535.800
73	Reinforcing Steel	Lb	73,255.000
74	Class B Riprap	Ton	74.400
75	Type B Drainage Fabric	SqYd	92.000
76	Structure Excavation, Box Culvert	CuYd	200.000
77	Box Culvert Undercut	CuYd	536.000
78	Controlled Density Fill	CuYd	48.500
79	13'x12' Precast Concrete Box Culvert, Furnish	Ft	96.000
80	13'x12' Precast Concrete Box Culvert, Install	Ft	96.000
81	13'x12' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
82	13'x12' Precast Concrete Box Culvert End Section, Install	Each	2.000
83	2-13'x12' Precast Concrete Box Culvert, Furnish	Ft	96.000
84	2-13'x12' Precast Concrete Box Culvert, Install	Ft	96.000
85	2-13'x12' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
86	2-13'x12' Precast Concrete Box Culvert End Section, Install	Each	2.000
87	Class B Riprap	Ton	82.100
88	Type B Drainage Fabric	SqYd	101.000
89	Structure Excavation, Box Culvert	CuYd	259.000
90	Box Culvert Undercut	CuYd	608.000
91	Class A45 Concrete, Box Culvert	CuYd	592.200
92	Reinforcing Steel	Lb	81,279.000
93	Class B Riprap	Ton	74.400
94	Type B Drainage Fabric	SqYd	92.000
95	Structure Excavation, Box Culvert	CuYd	219.000
96	Box Culvert Undercut	CuYd	586.000
97	Controlled Density Fill	CuYd	53.800
98	13'x12' Precast Concrete Box Culvert, Furnish	Ft	110.000
99	13'x12' Precast Concrete Box Culvert, Install	Ft	110.000
100	13'x12' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
101	13'x12' Precast Concrete Box Culvert End Section, Install	Each	2.000
102	2-13'x12' Precast Concrete Box Culvert, Furnish	Ft	110.000

103	2-13'x12' Precast Concrete Box Culvert, Install	Ft	110.000
104	2-13'x12' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
105	2-13'x12' Precast Concrete Box Culvert End Section, Install	Each	2.000
106	Class B Riprap	Ton	82.100
107	Type B Drainage Fabric	SqYd	101.000

5. **IM 0907(85)3334** **Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206** **Phone: 605/995-8120**
Work Type 2 or Work Type 3 **DBE Goal: Not Specified** **Contract Id: 8141** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Grade Staking	Mile	1.222
3	Graded Centerline Staking	Mile	0.611
4	Miscellaneous Staking	Mile	0.611
5	Slope Staking	Mile	0.611
6	Three Man Survey Crew	Hour	40.000
7	Checker	LS	1.000
8	Construction Schedule, Category II	LS	1.000
9	Project Management, Category II	LS	1.000
10	Remove Concrete Footing(s)	LS	1.000
11	Remove Traffic Sign	Each	1.000
12	Remove Pipe Culvert	Ft	164.000
13	Remove Pipe End Section	Each	2.000
14	Remove 3 Cable Guardrail	Ft	1,116.000
15	Remove Beam Guardrail	Ft	1,273.000
16	Remove 3 Cable Guardrail Anchor Assembly	Each	4.000
17	Remove 3 Cable Guardrail Slip Base Anchor Assembly	Each	4.000
18	Remove Concrete Pavement	SqYd	13,478.200
19	Remove Granular Material	CuYd	2,593.400
20	Remove Sediment	CuYd	2.000
21	Remove Silt Fence	Ft	50.000
22	Remove Crossover Closure for Reset	Ft	448.000
23	Unclassified Excavation	CuYd	11,776.000
24	Contractor Furnished Borrow Excavation	CuYd	1,047.000
25	Reprofiling Ditch	Sta	12.400
26	Water for Embankment	MGal	10.600
27	Water for Granular Material	MGal	207.100
28	Remove and Replace Topsoil	LS	1.000
29	Base Course	Ton	1,216.900
30	Gravel Cushion	Ton	6,245.200
31	Processed Subgrade Topping	CuYd	11,736.000
32	Asphalt Concrete Composite	Ton	270.000
33	11" Nonreinforced PCC Pavement	SqYd	9,316.300
34	PCC Shoulder Pavement	SqYd	4,055.100
35	Dowel Bar	Each	5,064.000
36	Insert Steel Bar in PCC Pavement	Each	96.000
37	Grind 12" Rumble Strip or Stripe in PCC Pavement	Mile	1.200
38	Membrane Sealant Expansion Joint	Ft	135.200
39	24" RCP Class 2, Furnish	Ft	58.000
40	24" RCP, Install	Ft	58.000
41	24" RCP Sloped End, Furnish	Each	1.000
42	24" RCP Sloped End, Install	Each	1.000
43	24" CMP 14 Gauge, Furnish	Ft	98.000
44	24" CMP, Install	Ft	98.000
45	24" CMP Elbow, Furnish	Each	2.000
46	24" CMP Elbow, Install	Each	2.000
47	24" CMP Flared End, Furnish	Each	1.000
48	24" CMP Flared End, Install	Each	1.000

49	24" RCP to CMP Transition, Furnish	Each	1.000
50	24" Pipe Transition, Install	Each	1.000
51	Cleanout Pipe Culvert	Each	1.000
52	Type III Field Laboratory	Each	1.000
53	Reset Crossover Closure	Ft	448.000
54	Type 1 MGS	Ft	1,600.000
55	Type 1 Retrofit Guardrail Transition	Each	6.000
56	Type 3 Guardrail Transition	Each	2.000
57	MGS MASH Flared End Terminal	Each	2.000
58	MGS MASH Tangent End Terminal	Each	6.000
59	1.25' Diameter Breakaway Support Concrete Footing	Ft	16.000
60	4" Diameter Steel Post, .237" Shell	Ft	11.800
61	Miscellaneous Post Hardware	LS	1.000
62	Guardrail Delineator	Each	52.000
63	Remove, Salvage, Relocate, and Reset Traffic Sign	Each	3.000
64	Pavement Marking Paint, White	Gal	19.000
65	Pavement Marking Paint, Yellow	Gal	15.000
66	Flagging	Hour	20.000
67	Traffic Control Signs	SqFt	761.900
68	Traffic Control, Miscellaneous	LS	1.000
69	Type 3 Barricade	Each	7.000
70	Temporary Raised Pavement Markers	Mile	5.000
71	Type C Advance Warning Arrow Board	Each	2.000
72	Detour Signing	SqFt	248.000
73	Contractor Furnished Portable Changeable Message Sign	Each	2.000
74	Cutoff Drain	Each	2.000
75	Cover Crop Seeding	Bu	1.000
76	Type G Permanent Seed Mixture	Lb	159.000
77	Mulching	Ton	12.200
78	12" Diameter Erosion Control Wattle	Ft	200.000
79	Remove and Reset Erosion Control Wattle	Ft	50.000
80	High Flow Silt Fence	Ft	200.000
81	Mucking Silt Fence	CuYd	14.000
82	Repair Silt Fence	Ft	50.000

6. IM-NH-P 0022(77) Area Engineer: Travis Dressen, 5316 W 60th St N, Sioux Falls, SD, 57107 Phone: 605/367-5680
Work Type 6 DBE Goal: Not Specified Contract Id: 8163 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	387.200
3	Sand for Fog Seal	Ton	60.000
4	CRS-2P Asphalt for Surface Treatment	Ton	1,937.700
5	Type 2B Cover Aggregate	Ton	2,810.300
6	Type 2B Cover Aggregate	Ton	541.000
7	Type 2B Cover Aggregate	Ton	1,059.600
8	Type 2B Cover Aggregate	Ton	3,409.500
9	Type 2B Cover Aggregate	Ton	1,615.400
10	Type 2B Cover Aggregate	Ton	2,849.300
11	Pavement Marking Paint, White	Gal	1,936.000
12	Pavement Marking Paint, Yellow	Gal	656.000
13	Durable Pavement Marking, 4" White	Ft	250.000
14	Durable Pavement Marking, 4" Yellow	Ft	2,462.000
15	Grooving for Durable Pavement Marking, 4"	Ft	2,712.000
16	Flagging	Hour	940.000
17	Pilot Car	Hour	200.000
18	Traffic Control Signs	SqFt	4,268.000
19	Traffic Control, Miscellaneous	LS	1.000

20	Type C Advance Warning Arrow Board	Each	4.000
21	Temporary Pavement Marking	Mile	81.100

7. **P 0011(00)81** **Area Engineer: Travis Dressen, 5316 W 60th St N, Sioux Falls, SD, 57107** **Phone: 605/367-5680**
Work Type 2 **DBE Goal: Not Specified** **Contract Id: 3987** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Clearing	LS	1.000
3	Remove Fence for Reset	Ft	285.000
4	Unclassified Excavation	CuYd	17,753.000
5	Contractor Furnished Borrow	CuYd	4,802.000
6	Water for Embankment	MGal	160.000
7	Placing Topsoil	CuYd	336.000
8	Reset Fence	Ft	285.000
9	Flagging	Hour	100.000
10	Traffic Control Signs	SqFt	179.000
11	Traffic Control, Miscellaneous	LS	1.000
12	4" Corrugated Polyethylene Drainage Tubing	Ft	50.000
13	8" Corrugated Polyethylene Drainage Tubing	Ft	50.000
14	4" Slotted Corrugated Polyethylene Drainage Tubing	Ft	300.000
15	Concrete Headwall for Underdrain	Each	1.000
16	Porous Backfill	Ton	84.000
17	Special Permanent Seed Mixture 1	Lb	17.000
18	Fiber Reinforced Matrix	Lb	1,880.000
19	12" Diameter Erosion Control Wattle	Ft	100.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1 through 6 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations. Minimum wage rates for 7 have been predetermined by the Department of Transportation, and are set forth in the advertised specification.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The Department of Transportation in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, national origin, sex, age or disability in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Environmental & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Darin Bergquist
SECRETARY OF TRANSPORTATION