

**Advertisement of Highway Bid Letting**

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on March 20, 2019, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	P 00SW(63), P 00SW(00) (PCN 065G)	Turner SWPPP = 30.54 AC	---	Wetland Bank Site Construction	3 miles east & 0.5 mile north of Davis
2.	NH-P 0040(316) (PCN 05XV)	Butte, Harding, Pennington	42.715	Asphalt Concrete Crack Sealing	Various Routes in the Rapid City Region
3.	P 0010(159)321 (PCN 06QG)	Marshall	11.185	Cold Milling Asphalt Concrete & Asphalt Concrete Resurfacing	SD10 from Britton east 11 miles
4.	NH 0012(207)248 (PCN 05E2)	Edmunds SWPPP = 6.50 AC	14.293	Cold Milling Asphalt Concrete, Asphalt Concrete Resurfacing, & Culvert Repair	US12 from Roscoe to Ipswich
5.	IM-P 0012(217) (PCN 05Y9)	Brookings, Clark, Codington, Grant, Hamlin, Roberts	79.200	Asphalt Surface Treatment (Chip Seal)	Various Routes in the Watertown Area
6.	NH-P 0031(38) (PCN 05Y7)	Haakon, Hughes, Jackson, Potter, Stanley, Sully	111.402	Asphalt Surface Treatment (Chip Seal)	Various Routes in the Pierre Area
7.	PH 000S(392) (PCN 06NE)	Day, Minnehaha	---	High Friction Surface Treatment & Durable Pavement Marking	Various Locations in the Aberdeen and Mitchell Regions
8.	NH-P 0023(37) (PCN 041Q)	Bon Homme, Charles Mix, Hutchinson, Yankton SWPPP = 1.67 AC	---	Culvert Repair	Various Locations in the Yankton Area
9.	IM-NH-P 0022(44) (PCN 041K)	Lake, Minnehaha, Moody SWPPP = 2.91 AC	---	Culvert Repair	Various Locations in the Sioux Falls Area

\* Indicates combination bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

<b>1.</b>	<b>P 00SW(63), P 00SW(00)</b>	<b>Area Engineer: Travis Dressen, 5316 W 60th St N, Sioux Falls, SD, 57107</b>	<b>Phone: 605/367-5680</b>	
	<b>Work Type 2</b>	<b>DBE Goal: NONE</b>	<b>Contract Id: 7535</b>	<b>See Special Provisions for Completion Requirements</b>
	1 Mobilization		LS	1.000
	2 Miscellaneous Staking		LS	1.000
	3 As-Built Survey		LS	1.000
	4 Remove Fence		Ft	2,271.000
	5 Unclassified Excavation		CuYd	20,429.000
	6 Placing Topsoil		CuYd	4,458.000
	7 Incidental Work, Grading		LS	1.000
	8 Type 2 Right-of-Way Fence		Ft	12,627.000
	9 2 Post Panel		Each	48.000
	10 Special Permanent Seed Mixture 1		Lb	278.000
	11 Special Permanent Seed Mixture 2		Lb	656.000
	12 Special Permanent Seed Mixture 3		Lb	578.000
	13 Mulching		Ton	80.300
	14 Type 2 Erosion Control Blanket		SqYd	4,120.000
	15 Erosion Bale		Each	48.000
	16 12" Diameter Erosion Control Wattle		Ft	4,927.000
	17 Remove and Reset Erosion Control Wattle		Ft	1,232.000
	18 Shaping for Erosion Control Blanket		Ft	4,606.000
19 Construction Entrance		Each	2.000	
<b>2.</b>	<b>NH-P 0040(316)</b>	<b>Area Engineer: John Matthesen, W Hwy 34, Belle Fourche, SD, 57717-0786</b>	<b>Phone: 605/892-2872</b>	
	<b>Work Type 6</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 7871</b>	<b>See Special Provisions for Completion Requirements</b>
	1 Mobilization		LS	1.000
	2 Asphalt Concrete Crack Sealing		Lb	84,589.000
	3 Flagging		Hour	800.000
	4 Pilot Car		Hour	400.000
	5 Traffic Control Signs		SqFt	505.000
	6 Traffic Control, Miscellaneous		LS	1.000
	7 Type 3 Barricade		Each	2.000
8 Type C Advance Warning Arrow Board		Each	2.000	
<b>3.</b>	<b>P 0010(159)321</b>	<b>Area Engineer: Phil Dwight, West Highway 12, Aberdeen, SD, 57402-1767</b>	<b>Phone: 605/626-7885</b>	
	<b>Work Type 5</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 7864</b>	<b>See Special Provisions for Completion Requirements</b>
	1 Mobilization		LS	1.000
	2 Unclassified Excavation, Digouts		CuYd	559.000
	3 Water for Granular Material		MGal	112.100
	4 Base Course		Ton	1,388.500
	5 Base Course, Salvaged Asphalt Mix		Ton	565.000
	6 Base Course, Salvaged, State Furnished		Ton	9,143.000
	7 PG 58-34 Asphalt Binder		Ton	1,645.400
	8 Class Q3R Hot Mixed Asphalt Concrete		Ton	32,022.000
	9 Hydrated Lime		Ton	318.600
	10 Grind 12" Rumble Strip or Stripe in Asphalt Concrete		Mile	19.900
	11 SS-1h or CSS-1h Asphalt for Tack		Ton	97.700
	12 SS-1h or CSS-1h Asphalt for Flush Seal		Ton	51.700
	13 Sand for Flush Seal		Ton	586.400
	14 Cold Milling Asphalt Concrete		SqYd	107,918.000
	15 Cold Milling Asphalt Concrete and Placing Cold Milled Material		SqYd	85,502.000
	16 Type III Field Laboratory		Each	1.000
	17 Cold Applied Plastic Pavement Marking, 24"		Ft	396.000
	18 Cold Applied Plastic Pavement Marking, Area		SqFt	168.000
	19 Preformed Thermoplastic Pavement Marking, 24"		Ft	12.000
20 Preformed Thermoplastic Pavement Marking, Arrow		Each	4.000	
21 Pavement Marking Paint, White		Gal	42.000	

22	Pavement Marking Paint, Yellow	Gal	126.000
23	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	408.000
24	Grooving for Cold Applied Plastic Pavement Marking, Area	SqFt	168.000
25	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	4.000
26	Flagging	Hour	500.000
27	Pilot Car	Hour	200.000
28	Traffic Control Signs	SqFt	542.200
29	Traffic Control, Miscellaneous	LS	1.000
30	Temporary Pavement Marking	Mile	33.600
31	Refurbish Single Mailbox	Each	19.000
32	Refurbish Double Mailbox	Each	1.000
33	Storage Unit	Each	1.000

**4. NH 0012(207)248**

**Area Engineer: Phil Dwight, West Highway 12, Aberdeen, SD, 57402-1767**

**Phone: 605/626-7885**

**Work Type 5**

**DBE Goal: Not Specified**

**Contract Id: 7789**

**See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Training Program	Hour	500.000
3	Remove Traffic Sign	Each	53.000
4	Remove Pipe Culvert	Ft	56.000
5	Remove Pipe End Section	Each	2.000
6	Remove 3 Cable Guardrail	Ft	966.000
7	Remove Beam Guardrail	Ft	353.000
8	Remove 3 Cable Guardrail Anchor Assembly	Each	6.000
9	Remove Erosion Control Wattle	Ft	25.000
10	Salvage Riprap	Ton	675.000
11	Remove Sign for Reset	Each	7.000
12	Remove Pipe for Reset	Ft	92.000
13	Remove Pipe End Section for Reset	Each	19.000
14	Unclassified Excavation, Digouts	CuYd	715.000
15	Contractor Furnished Borrow Excavation	CuYd	11,610.000
16	Contractor Furnished Topsoil	CuYd	3,362.000
17	Base Course	Ton	1,809.300
18	Base Course, Salvaged	Ton	5,944.000
19	Granular Material, Furnish	Ton	3,398.300
20	Blend, Haul, and Stockpile Granular Material	Ton	2,551.700
21	Blend and Stockpile Granular Material	Ton	5,944.000
22	PG 64-34 Asphalt Binder	Ton	2,064.000
23	Class Q3R Hot Mixed Asphalt Concrete	Ton	36,635.800
24	Asphalt Concrete Leveling Lift	Ton	5,762.200
25	Asphalt Concrete Curb	Ft	59.000
26	Intelligent Compaction Equipment	LS	1.000
27	Hydrated Lime	Ton	424.900
28	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	27.800
29	Asphalt Joint Adhesive	Ft	75,760.000
30	SS-1h or CSS-1h Asphalt for Tack	Ton	169.200
31	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	68.300
32	Sand for Flush Seal	Ton	743.100
33	Cold Milling Asphalt Concrete	SqYd	242,238.000
34	18" RCP Flared End, Furnish	Each	1.000
35	18" RCP Flared End, Install	Each	1.000
36	24" RCP Flared End, Furnish	Each	1.000
37	24" RCP Flared End, Install	Each	1.000
38	24" CMP Flared End, Furnish	Each	4.000
39	24" CMP Flared End, Install	Each	4.000
40	Cleanout Pipe Culvert	Each	5.000
41	Reset Pipe	Ft	92.000

42	Reset Pipe End Section	Each	19.000
43	Type III Field Laboratory	Each	1.000
44	Type 1 MGS	Ft	825.000
45	Type 1 Retrofit Guardrail Transition	Each	4.000
46	MGS Tangent End Terminal	Each	4.000
47	2.0"x2.0" Perforated Tube Post	Ft	514.000
48	Guardrail Delineator	Each	27.000
49	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	82.500
50	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	232.400
51	Reset Sign	Each	7.000
52	Preformed Thermoplastic Pavement Marking, 24"	Ft	74.000
53	Pavement Marking Paint, White	Gal	483.000
54	Pavement Marking Paint, Yellow	Gal	112.000
55	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	74.000
56	Flagging	Hour	800.000
57	Pilot Car	Hour	350.000
58	Traffic Control Signs	SqFt	490.600
59	Traffic Control, Miscellaneous	LS	1.000
60	Temporary Pavement Marking	Mile	57.400
61	Adjust Drop Inlet	Each	4.000
62	Place Riprap	Ton	675.000
63	Cover Crop Seeding	Bu	3.000
64	Type G Permanent Seed Mixture	Lb	169.000
65	Fiber Mulching	Ton	9.400
66	12" Diameter Erosion Control Wattle	Ft	100.000
67	Type B Drainage Fabric	SqYd	1,545.000
68	Refurbish Single Mailbox	Each	7.000
69	Storage Unit	Each	1.000
70	Railroad Protective Insurance	LS	1.000

**5. IM-P 0012(217) Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201 Phone: 605/882-5166**  
**Work Type 6 DBE Goal: Not Specified Contract Id: 7839 See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	332.400
3	Sand for Fog Seal	Ton	60.000
4	CRS-2P Asphalt for Surface Treatment	Ton	1,802.400
5	Type 1A Cover Aggregate	Ton	1,134.200
6	Type 1A Cover Aggregate	Ton	3,555.700
7	Type 1A Cover Aggregate	Ton	1,817.400
8	Type 1A Cover Aggregate	Ton	2,363.500
9	Type 1A Cover Aggregate	Ton	2,269.900
10	Type 1A Cover Aggregate	Ton	1,135.100
11	Cold Applied Plastic Pavement Marking, 24"	Ft	322.000
12	Cold Applied Plastic Pavement Marking, Arrow	Each	5.000
13	Pavement Marking Paint, White	Gal	2,245.000
14	Pavement Marking Paint, Yellow	Gal	1,489.000
15	Pavement Marking Masking, 25"	Ft	644.000
16	Pavement Marking Masking, Arrow	Each	10.000
17	Flagging	Hour	1,040.000
18	Pilot Car	Hour	260.000
19	Traffic Control Signs	SqFt	2,584.400
20	Traffic Control, Miscellaneous	LS	1.000
21	Type 3 Barricade	Each	2.000
22	Type C Advance Warning Arrow Board	Each	2.000
23	Temporary Pavement Marking	Mile	100.000
24	Railroad Protective Insurance	LS	1.000

<b>6.</b>	<b>NH-P 0031(38)</b>	<b>Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405</b>	<b>Phone: 605/773-5294</b>
	<b>Work Type 6</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 7863 See Special Provisions for Completion Requirements</b>
	1 Mobilization	LS	1.000
	2 SS-1h or CSS-1h Asphalt for Fog Seal	Ton	425.700
	3 Sand for Fog Seal	Ton	195.000
	4 AE150S Asphalt for Surface Treatment	Ton	1,818.100
	5 CRS-2P Asphalt for Surface Treatment	Ton	279.800
	6 Type 1A Cover Aggregate	Ton	1,859.800
	7 Type 1A Cover Aggregate	Ton	699.300
	8 Type 1B Cover Aggregate	Ton	29.000
	9 Type 1B Cover Aggregate	Ton	3,433.300
	10 Type 1B Cover Aggregate	Ton	5,724.500
	11 Type 1B Cover Aggregate	Ton	1,068.300
	12 Type 1B Cover Aggregate	Ton	4,208.900
	13 Type 1B Cover Aggregate	Ton	1,623.500
	14 Waterborne Pavement Marking Paint with High Grade Polymer, White	Gal	5,470.000
	15 Waterborne Pavement Marking Paint with High Grade Polymer, Yellow	Gal	1,540.000
	16 Pavement Marking Masking, 5"	Ft	46,200.000
	17 Pavement Marking Masking, 25"	Ft	490.000
	18 Pavement Marking Masking, Arrow	Each	24.000
	19 Pavement Marking Masking, Railroad Crossing	Each	4.000
	20 Flagging	Hour	1,075.000
	21 Pilot Car	Hour	280.000
	22 Traffic Control Signs	SqFt	4,347.900
	23 Traffic Control, Miscellaneous	LS	1.000
	24 Temporary Pavement Marking	Mile	222.700
	25 Railroad Protective Insurance	LS	1.000

<b>7.</b>	<b>PH 000S(392)</b>	<b>Area Engineer: Travis Dressen, 5316 W 60th St N, Sioux Falls, SD, 57107</b>	<b>Phone: 605/367-5680</b>
	<b>Specialty Work</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 7826 See Special Provisions for Completion Requirements</b>
	1 Mobilization	LS	1.000
	2 Nonreinforced PCC Pavement Repair	SqYd	114.400
	3 Dowel Bar	Each	14.000
	4 Insert Steel Bar in PCC Pavement	Each	558.000
	5 Grinding PCC Pavement	SqYd	27,925.000
	6 Two Coat Bridge Deck Polymer High Friction Chip Seal	SqYd	3,838.300
	7 Abrasive Blasting of Bridge Deck	SqYd	3,838.300
	8 Bridge Deck Grinding	SqYd	3,838.300
	9 Concrete Removal, Class A	SqYd	12.000
	10 Concrete Removal, Class B	SqYd	12.000
	11 Concrete Patching Material, Bridge Deck	CuFt	76.400
	12 Durable Pavement Marking, 4" White	Ft	30,988.000
	13 Durable Pavement Marking, 4" Yellow	Ft	31,636.000
	14 Durable Pavement Marking, 12" White	Ft	400.000
	15 Flagging	Hour	160.000
	16 Pilot Car	Hour	80.000
	17 Traffic Control Signs	SqFt	1,597.600
	18 Traffic Control, Miscellaneous	LS	1.000
	19 Type 3 Barricade	Each	14.000
	20 Type C Advance Warning Arrow Board	Each	8.000
	21 4"x8" Delineator, Barrier Mounted	Each	16.000
	22 Temporary Pavement Marking	Mile	3.000
	23 Detour Signing	SqFt	853.900
	24 Contractor Furnished Portable Changeable Message Sign	Each	2.000
	25 High Friction Surface Treatment	SqYd	35,075.800
	26 Abrasive Blasting of PCC Pavement	SqYd	27,925.000

27	Abrasive Blasting of AC Pavement	SqYd	6,454.000
28	Railroad Protective Insurance	LS	1.000

<b>8.</b>	<b>NH-P 0023(37)</b>	<b>Area Engineer: Rod Gall, 1306 W 31st St, Yankton, SD, 57078-9662</b>		<b>Phone: 605/668-2929</b>
	<b>Work Type 2 or Work Type 12</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 6262</b>	<b>See Special Provisions for Completion Requirements</b>
1	Construction and Maintenance of Detour(s)	LS	1.000	
2	Mobilization	LS	1.000	
3	Clearing	LS	1.000	
4	Remove Pipe Culvert	Ft	90.000	
5	Remove Pipe End Section	Each	9.000	
6	Remove Fence	Ft	1,989.000	
7	Remove Asphalt Concrete Pavement	SqYd	256.000	
8	Remove Sediment	CuYd	1.100	
9	Remove Silt Fence	Ft	409.000	
10	Remove Gate for Reset	Each	2.000	
11	Remove Cattle Pass for Reset	Ft	42.000	
12	Remove Cattle Pass End Section for Reset	Each	4.000	
13	Remove Fence for Reset	Ft	57.000	
14	Unclassified Excavation	CuYd	2,839.000	
15	Contractor Furnished Borrow Excavation	CuYd	747.000	
16	Reprofiling Ditch	Sta	7.000	
17	Placing Topsoil	CuYd	796.000	
18	Incidental Work, Grading	LS	1.000	
19	Base Course	Ton	404.400	
20	Asphalt Concrete Composite	Ton	66.400	
21	Structure Excavation, Miscellaneous	CuYd	23.000	
22	Pipe Culvert Undercut	CuYd	48.000	
23	24" CMP 14 Gauge, Furnish	Ft	88.000	
24	24" CMP, Install	Ft	88.000	
25	24" CMP Elbow, Furnish	Each	2.000	
26	24" CMP Elbow, Install	Each	2.000	
27	24" CMP Flared End, Furnish	Each	4.000	
28	24" CMP Flared End, Install	Each	4.000	
29	48" CMP Flared End, Furnish	Each	2.000	
30	48" CMP Flared End, Install	Each	2.000	
31	96" CMP Step Beveled End, Furnish	Each	2.000	
32	96" CMP Step Beveled End, Install	Each	2.000	
33	114" CMP Step Beveled End, Furnish	Each	1.000	
34	114" CMP Step Beveled End, Install	Each	1.000	
35	Cleanout Pipe Culvert	Each	4.000	
36	Slipline 24" Pipe	Ft	160.000	
37	Slipline 48" Pipe	Ft	134.000	
38	Class A45 Concrete, Miscellaneous	CuYd	7.300	
39	Class A60 Concrete, Miscellaneous	CuYd	81.300	
40	Cellular Grout	CuYd	20.300	
41	Reinforcing Steel	Lb	3,280.000	
42	4'x6' Reinforced Concrete Cattle Pass, Furnish	Ft	24.000	
43	4'x6' Reinforced Concrete Cattle Pass, Install	Ft	24.000	
44	Reset Reinforced Concrete Cattle Pass	Ft	42.000	
45	Reset Reinforced Concrete Cattle Pass End Section	Each	4.000	
46	Type 2 Right-of-Way Fence	Ft	1,279.000	
47	Type 1 Temporary Fence	Ft	710.000	
48	Type 1A Temporary Fence	Ft	1,436.000	
49	Type 2 Temporary Fence	Ft	271.000	
50	2 Post Panel	Each	16.000	
51	Reset Gate	Each	2.000	

52	Reset Fence	Ft	57.000
53	Flagging	Hour	80.000
54	Traffic Control Signs	SqFt	460.000
55	Traffic Control, Miscellaneous	LS	1.000
56	Type 3 Barricade, 8' Double Sided	Each	1.000
57	4" Temporary Pavement Marking Tape Type I	Ft	2,144.000
58	Class A Riprap	Ton	1,365.000
59	PVC Coated Bank and Channel Protection Gabion	CuYd	9.000
60	Type G Permanent Seed Mixture	Lb	94.000
61	Mulching	Ton	9.000
62	Type 3 Erosion Control Blanket	SqYd	400.000
63	Type 1 Turf Reinforcement Mat	SqYd	285.000
64	12" Diameter Erosion Control Wattle	Ft	475.000
65	Remove and Reset Erosion Control Wattle	Ft	119.000
66	Shaping for Erosion Control Blanket	Ft	225.000
67	Low Flow Silt Fence	Ft	1,633.000
68	Mucking Silt Fence	CuYd	113.000
69	Repair Silt Fence	Ft	409.000
70	Type B Drainage Fabric	SqYd	1,575.000

9. **IM-NH-P 0022(44)** **Area Engineer: Travis Dressen, 5316 W 60th St N, Sioux Falls, SD, 57107** **Phone: 605/367-5680**  
**Work Type 2 or Work Type 12** **DBE Goal: Not Specified** **Contract Id: 6261** **See Special Provisions for Completion Requirements**

1	Construction and Maintenance of Detour(s)	LS	1.000
2	Mobilization	LS	1.000
3	Clearing	LS	1.000
4	Remove Pipe Culvert	Ft	129.000
5	Remove Pipe End Section	Each	2.000
6	Remove Cattle Pass	Ft	183.000
7	Remove Cattle Pass End Section	Each	10.000
8	Remove Fence	Ft	3,763.000
9	Remove Asphalt Concrete Pavement	SqYd	1,784.000
10	Remove Sediment	CuYd	6.000
11	Remove Silt Fence	Ft	1,054.000
12	Salvage Fence	Ft	30.000
13	Remove Pipe for Reset	Ft	116.000
14	Remove Pipe End Section for Reset	Each	6.000
15	Remove Cattle Pass for Reset	Ft	54.000
16	Remove Cattle Pass End Section for Reset	Each	2.000
17	Remove Fence for Reset	Ft	565.000
18	Unclassified Excavation	CuYd	10,331.000
19	Contractor Furnished Borrow Excavation	CuYd	5,858.000
20	Water for Embankment	MGal	161.900
21	Placing Topsoil	CuYd	1,418.000
22	Incidental Work, Grading	LS	1.000
23	Base Course	Ton	4,971.100
24	Asphalt Concrete Composite	Ton	464.500
25	Pipe Culvert Undercut	CuYd	987.000
26	54" RCP Class 2, Furnish	Ft	84.000
27	54" RCP, Install	Ft	84.000
28	60" RCP Class 2, Furnish	Ft	336.000
29	60" RCP, Install	Ft	336.000
30	72" RCP Class 2, Furnish	Ft	6.000
31	72" RCP, Install	Ft	6.000
32	84" RCP Class 2, Furnish	Ft	142.000
33	84" RCP, Install	Ft	142.000
34	48" RCP Flared End, Furnish	Each	1.000

35	48" RCP Flared End, Install	Each	1.000
36	54" RCP Flared End, Furnish	Each	2.000
37	54" RCP Flared End, Install	Each	2.000
38	60" RCP Flared End, Furnish	Each	8.000
39	60" RCP Flared End, Install	Each	8.000
40	84" RCP Flared End, Furnish	Each	4.000
41	84" RCP Flared End, Install	Each	4.000
42	36" CMP Flared End, Furnish	Each	2.000
43	36" CMP Flared End, Install	Each	2.000
44	36" High Density Polyethylene Pipe, Furnish	Ft	86.000
45	36" High Density Polyethylene Pipe, Install	Ft	86.000
46	Reset Pipe	Ft	116.000
47	Reset Pipe End Section	Each	6.000
48	Controlled Density Fill	CuYd	60.000
49	4'x6' Reinforced Concrete Cattle Pass, Furnish	Ft	12.000
50	4'x6' Reinforced Concrete Cattle Pass, Install	Ft	12.000
51	Reset Reinforced Concrete Cattle Pass	Ft	54.000
52	Reset Reinforced Concrete Cattle Pass End Section	Each	2.000
53	Type 2 Right-of-Way Fence	Ft	1,435.000
54	Type 6 Right-of-Way Fence	Ft	300.000
55	Type 1 Temporary Fence	Ft	1,843.000
56	Type 1A Temporary Fence	Ft	427.000
57	2 Post Panel	Each	28.000
58	Reset Fence	Ft	565.000
59	Type 2 Object Marker Back to Back	Each	28.000
60	Flagging	Hour	250.000
61	Traffic Control Signs	SqFt	1,305.000
62	Traffic Control, Miscellaneous	LS	1.000
63	Type 3 Barricade	Each	3.000
64	Type C Advance Warning Arrow Board	Each	1.000
65	4" Temporary Pavement Marking Tape Type I	Ft	2,144.000
66	Class B Riprap	Ton	57.400
67	Class C Riprap	Ton	40.400
68	PVC Coated Bank and Channel Protection Gabion	CuYd	119.000
69	Type G Permanent Seed Mixture	Lb	201.000
70	Mulching	Ton	19.400
71	Type 3 Erosion Control Blanket	SqYd	2,359.000
72	12" Diameter Erosion Control Wattle	Ft	2,620.000
73	Remove and Reset Erosion Control Wattle	Ft	655.000
74	Shaping for Erosion Control Blanket	Ft	1,325.000
75	Low Flow Silt Fence	Ft	4,215.000
76	Mucking Silt Fence	CuYd	293.000
77	Repair Silt Fence	Ft	1,054.000
78	Type B Drainage Fabric	SqYd	475.000



**Instructions**

**PROPOSALS, PLANS AND SPECIFICATIONS:** Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

**MINIMUM WAGE RATES:** Minimum wage rates for 2 through 9 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations. Minimum wage rates for 1 have been predetermined by the Department of Transportation, and are set forth in the advertised specification.

**BID PREPARATION:** Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

**NONDISCRIMINATION ASSURANCE:** The Department of Transportation in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, national origin, sex, age or disability in consideration for an award.

**EXECUTION OF CONTRACT:** In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

**GENERALLY:** A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Environmental & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Darin Bergquist  
SECRETARY OF TRANSPORTATION