

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on April 17, 2019, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	P 000S(00)229 (PCN 04LW)	Regionwide	---	County Pavement Marking	Various Locations in the Mitchell Region
2.	P 000S(00)226 (PCN 04LX)	Regionwide	---	County Pavement Marking	Various Locations in the Pierre Region
3.	BRO 8052(00)16-1 (PCN 05R1)	Pennington	---	Bridge Deck Overlay, Structure Repair & Sidewalk	Structure 0.1 mile north of Omaha St over Rapid Creek in Rapid City
4.	BRF 6472(00)17-1 (PCN 06HU)	Brown SWPPP = 1.55 AC	---	Structure (239' Prestressed Girder Bridge) & Approach Grading	Structure 3 miles south & 1 mile east of Westport on 123rd St. over the Elm River
5.	P 0ENH(216) (PCN 03L2)	Pennington SWPPP = 0.23 AC	---	Grading, Curb & Gutter, PCC Surfacing, Sidewalk & Retaining Wall	Main Street in Hill City
6.	NH 0014(213)415, NH 014B(172)419, P 0022(59)379 (PCN 05DA, 05DC, 05DD)	Brookings, Deuel	---	Bridge Deck Polymer Chip Seal, Repair Approach Slabs, Replace Joints, & Weld Repair	Structures on US14, 1.9 miles east of Volga; US14B near Brookings & SD22 8.7, 9.3, & 11.4 miles east of SD15
7.	NH 0014(209)190, NH 0034(186)154, P 0063(58)142 (PCN 04WK, 05TN, 05DY)	Haakon, Stanley SWPPP = 7.54 AC	12.910	Cold Milling Asphalt Concrete, Asphalt Concrete Resurfacing, Structures (CIP or Precast RCBC) & Culvert Repair	US14 from SD34 to east of Hayes, SD34 16 miles west of US14, SD34 at the junction of US14, & SD63 2.1 miles south of the Ziebach Co. Line
* 8.	NH-P 0011(110) (PCN 05XU)	Brown, Day, Edmunds, McPherson	46.617	Asphalt Concrete Crack Sealing	Various Routes in the Aberdeen Area
* 9.	P 0013(48) (PCN 05XW)	Buffalo, Hand	13.116	Asphalt Concrete Crack Sealing	SD Highway 45 from 1 mile south of the County Line north to the Jct with 208th Street
10.	NH 0083(82)25, NH 0018(208)175 (PCN 03RR, 05TM)	Bennett, Mellette, Todd SWPPP = 1.60 AC	47.510	Cold Milling Asphalt Concrete, Asphalt Concrete Resurfacing, Asphalt Concrete Surfacing of Shoulders & Bridge Approach Reconstruction	US83 from the west junction of US18 to the north junction of SD44, & US18 from the Bennett Co. Line to east of Mission.

11. IM 0908(96)334 (PCN 06J4)

Davison, Hanson,
McCook
SWPPP = 5.00 AC

--- Mill & Asphalt Concrete
Resurfacing of Existing
Crossovers, & Construct
Crossovers & Ramp Crossovers

I90 at Various Locations from east of
the Davision/Hanson County Line to
west of the Humboldt Exit

* Indicates combination bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	P 000S(00)229	Area Engineer: Travis Dressen, 5316 W 60th St N, Sioux Falls, SD, 57107	Phone: 605/367-5680
	Work Type 11	DBE Goal: NONE	Contract Id: 7905 See Special Provisions for Completion Requirements
	1 Mobilization		LS 1.000
	2 Pavement Marking Paint, White		Gal 42,195.000
	3 Pavement Marking Paint, Yellow		Gal 15,729.000
4 Traffic Control, Miscellaneous		LS 1.000	
2.	P 000S(00)226	Area Engineer: John Villbrandt, PO Box 488, Mobridge, SD, 57601-0488	Phone: 605/845-3844
	Work Type 11	DBE Goal: NONE	Contract Id: 7906 See Special Provisions for Completion Requirements
	1 Mobilization		LS 1.000
	2 Pavement Marking Paint, White		Gal 2,141.000
	3 Pavement Marking Paint, Yellow		Gal 818.000
4 Traffic Control, Miscellaneous		LS 1.000	
3.	BRO 8052(00)16-1	Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970	Phone: 605/394-2248
	Work Type 8	DBE Goal: NONE	Contract Id: 7799 See Special Provisions for Completion Requirements
	1 Mobilization		LS 1.000
	2 Bridge Elevation Survey		LS 1.000
	3 Remove Concrete Curb and/or Gutter		Ft 128.000
	4 Remove Drop Inlet		Each 2.000
	5 Remove Asphalt Concrete Pavement		SqYd 279.000
	6 Remove Concrete Sidewalk		SqYd 81.000
	7 Remove Sediment		CuYd 0.500
	8 Remove Erosion Control Wattle		Ft 233.000
	9 Salvage Bridge Railing		Ft 137.000
	10 Incidental Work, Grading		LS 1.000
	11 Base Course		Ton 118.200
	12 Asphalt Concrete Composite		Ton 60.800
	13 Structural Steel, Miscellaneous		LS 1.000
	14 Bridge Repainting, Class II		LS 1.000
	15 Paint Residue Containment		LS 1.000
	16 24" RCP Class 2, Furnish		Ft 8.000
	17 24" RCP, Install		Ft 8.000
	18 24" RCP Bend, Furnish		Each 1.000
	19 24" RCP Bend, Install		Each 1.000
	20 Adjust Water Valve Box		Each 3.000
	21 Class A45 Concrete, Bridge Repair		CuYd 20.100
	22 Concrete Approach Slab for Bridge		SqYd 47.000
	23 Breakout Structural Concrete		CuYd 5.400
	24 Install Dowel in Concrete		Each 72.000
	25 Class M6 Concrete		CuYd 1.700
	26 Reset Steel Railing		Ft 137.000
	27 Modify Bridge Rail		Ft 137.000
	28 Reinforcing Steel		Lb 2,388.000
	29 Bridge Deck Polymer Chip Seal		SqYd 176.900
	30 Low Slump Dense Concrete Bridge Deck Overlay		CuYd 29.000
	31 Concrete Removal Type 1A		SqYd 564.000
	32 Concrete Removal Type 1B		SqYd 56.400
	33 Concrete Removal Type 1C		SqYd 28.200
	34 Concrete Removal Type 1D		SqYd 28.200
	35 Concrete Removal Type B		Ft 10.000
	36 Class A45 Concrete Fill		CuYd 14.000
	37 Finishing and Curing		SqYd 484.700
	38 Flagging		Hour 20.000
	39 Traffic Control Signs		SqFt 121.500
40 Traffic Control, Miscellaneous		LS 1.000	

39	Porous Backfill	Ton	22.800
40	Class B Riprap	Ton	1,754.600
41	Erosion Control	LS	1.000
42	Type 2 Erosion Control Blanket	SqYd	1,600.000
43	12" Diameter Erosion Control Wattle	Ft	80.000
44	Remove and Reset Erosion Control Wattle	Ft	20.000
45	Shaping for Erosion Control Blanket	Ft	610.000
46	High Flow Silt Fence	Ft	1,200.000
47	Mucking Silt Fence	CuYd	84.000
48	Repair Silt Fence	Ft	300.000
49	Floating Silt Curtain	Ft	360.000
50	Remove and Reset Floating Silt Curtain	Ft	90.000
51	Type B Drainage Fabric	SqYd	1,813.000

5. **P 0ENH(216)** **Area Engineer: Rich Zacher, PO Box 431, Custer, SD, 57730-0431** **Phone: 605/673-4948**
Work Type 14 **DBE Goal: Not Specified** **Contract Id: 6244** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Construction Staking	LS	1.000
3	Grade Staking	Mile	0.050
4	Miscellaneous Staking	Mile	0.030
5	Structure Staking	Each	30.000
6	Clearing	LS	1.000
7	Remove Concrete Footing(s)	LS	1.000
8	Remove Traffic Sign	Each	11.000
9	Remove Concrete Curb and/or Gutter	Ft	221.000
10	Remove Curb Stop	Each	18.000
11	Remove Concrete Pavement	SqYd	256.500
12	Remove Concrete Driveway Pavement	SqYd	26.600
13	Remove Concrete Sidewalk	SqYd	748.000
14	Remove Luminaire Pole Footing	Each	6.000
15	Remove Sediment	CuYd	0.800
16	Remove Sediment Filter Bag	Ft	105.000
17	Remove Valve Box	Each	1.000
18	Remove Gravity Segmental Block Wall for Reset	SqFt	76.000
19	Unclassified Excavation	CuYd	326.000
20	Water for Granular Material	MGal	0.500
21	Placing Topsoil	CuYd	5.000
22	Incidental Work, Grading	LS	1.000
23	Gravel Cushion	Ton	39.600
24	8" Nonreinforced PCC Pavement	SqYd	121.500
25	Dowel Bar	Each	39.000
26	Insert Steel Bar in PCC Pavement	Each	188.000
27	Adjust Curb Stop Box	Each	2.000
28	Adjust Water Valve Box	Each	2.000
29	Form Liner	SqFt	1,715.000
30	Class M6 Concrete	CuYd	74.400
31	Pipe Handrail	Ft	67.300
32	Steel Pedestrian Railing	Ft	671.400
33	Steel Pedestrian Railing on Sidewalk	Ft	17.100
34	Reinforcing Steel	Lb	6,586.000
35	Epoxy Coated Reinforcing Steel	Lb	728.000
36	Reset Gravity Segmental Block Wall	SqFt	76.000
37	2.0"x2.0" Perforated Tube Post	Ft	34.800
38	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	4.200
39	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	23.800
40	Remove, Salvage, Relocate, and Reset Traffic Sign	Each	2.000

41	Cold Applied Plastic Pavement Marking, 24"	Ft	50.000
42	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	50.000
43	Flagging	Hour	10.000
44	Traffic Control Signs	SqFt	218.900
45	Traffic Control, Miscellaneous	LS	1.000
46	Type 3 Barricade	Each	1.000
47	Temporary Raised Pavement Markers	Ft	1,720.000
48	Tubular Marker	Each	30.000
49	Replace Tubular Marker	Each	30.000
50	Remove Pavement Marking, 4" or Equivalent	Ft	60.000
51	Temporary Business Signing	SqFt	60.000
52	Longitudinal Pedestrian Barricade	Ft	40.000
53	Temporary Pedestrian Access Route	LS	1.000
54	Temporary Curb Ramp	Each	10.000
55	1' Diameter Footing	Ft	140.000
56	2' Diameter Footing	Ft	36.000
57	Remove and Reset Luminaire Pole	Each	6.000
58	2" Rigid Conduit, Schedule 40	Ft	150.000
59	1/C #4 AWG Copper Wire	Ft	2,464.000
60	Type B68 Concrete Curb and Gutter	Ft	96.000
61	Type BL68 Concrete Curb and Gutter	Ft	119.000
62	Type P8 Concrete Gutter	Ft	32.000
63	4" Concrete Sidewalk	SqFt	8,112.000
64	4" Colored Concrete Sidewalk	SqFt	76.000
65	Sidewalk Drain	Ft	75.800
66	Type 1 Detectable Warnings	SqFt	60.000
67	Type 2 Detectable Warnings	SqFt	10.000
68	4" Corrugated Polyethylene Drainage Tubing	Ft	33.000
69	4" Slotted Corrugated Polyethylene Drainage Tubing	Ft	693.000
70	Erosion Control	LS	1.000
71	Sediment Filter Bag	Ft	105.000
72	Sediment Control at Inlet with Frame and Grate	Each	3.000
73	Sweeping	Hour	5.000
74	Curb Stop	Each	18.000
75	Orange Plastic Safety Fence	Ft	260.000
76	Concrete Washout Facility	Each	1.000

6. **NH 0014(213)415, NH** **Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201** **Phone: 605/882-5166**
014B(172)419, P 0022(59)379 **DBE Goal: Not Specified** **Contract Id: 7873** **See Special Provisions for Completion Requirements**
Work Type 8

1	Mobilization	LS	1.000
2	Remove Steel Diaphragm	Each	1.000
3	Remove Asphalt Concrete Pavement	SqYd	58.700
4	Remove Concrete Pavement	SqYd	64.000
5	Remove W Beam Guardrail for Reset	Ft	62.500
6	Asphalt Concrete Composite	Ton	5.000
7	10" Nonreinforced PCC Pavement	SqYd	122.700
8	Dowel Bar	Each	24.000
9	Insert Steel Bar in PCC Pavement	Each	16.000
10	Membrane Sealant Expansion Joint	Ft	92.000
11	Class A45 Concrete, Bridge Repair	CuYd	4.000
12	Breakout Structural Concrete	CuYd	4.000
13	Epoxy Coated Reinforcing Steel	Lb	194.000
14	No. 4 Rebar Splice	Each	1.000
15	No. 5 Rebar Splice	Each	2.000
16	No. 6 Rebar Splice	Each	1.000
17	Two Coat Bridge Deck Polymer Chip Seal	SqYd	8,886.000

18	Abrasive Blasting of Bridge Deck	SqYd	8,886.000
19	Bridge Deck Grinding	SqYd	8,885.900
20	Concrete Removal, Class A	SqYd	41.700
21	Concrete Removal, Class B	SqYd	41.700
22	Concrete Patching Material, Bridge Deck	CuFt	384.600
23	Reset W Beam Guardrail with Wood Posts	Ft	62.500
24	Guardrail Delineator	Each	2.000
25	Preformed Thermoplastic Pavement Marking, 24"	Ft	420.000
26	Preformed Thermoplastic Pavement Marking, Arrow	Each	3.000
27	Pavement Marking Paint, 4" White	Ft	3,223.000
28	Pavement Marking Paint, 4" Yellow	Ft	1,997.000
29	Surface Preparation for Pavement Marking	SqFt	840.000
30	Surface Preparation for Pavement Marking	Each	3.000
31	Flagging	Hour	40.000
32	Traffic Control Signs	SqFt	1,266.200
33	Traffic Control, Miscellaneous	LS	1.000
34	Type 3 Barricade	Each	18.000
35	Type C Advance Warning Arrow Board	Each	2.000
36	Remove Pavement Marking, Arrow	Each	3.000
37	Remove Pavement Marking, Area	SqFt	840.000
38	4" Temporary Pavement Marking Tape Type I	Ft	24,280.000
39	Temporary Pavement Marking	Ft	12,140.000
40	Portable Temporary Traffic Control Signal	Unit	4.000

7. **NH 0014(209)190, NH** **Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405** **Phone: 605/773-5294**
0034(186)154, P 0063(58)142 **DBE Goal: Not Specified** **Contract Id: 7872** **See Special Provisions for Completion Requirements**
Work Type 5

1	Maintenance of Traffic Diversion(s)	LS	1.000
2	Remove Traffic Diversion(s)	LS	1.000
3	Mobilization	LS	1.000
4	Construction Staking	LS	1.000
5	Structure Staking	Each	4.000
6	Three Man Survey Crew	Hour	40.000
7	Checker	LS	1.000
8	Training Program	Hour	500.000
9	Clear and Grub Tree	Each	1.000
10	Remove Concrete Bridge Approach Slab	SqYd	3.600
11	Remove Pipe Culvert	Ft	16.000
12	Remove Pipe End Section	Each	16.000
13	Remove Fence	Ft	7,482.000
14	Remove Beam Guardrail	Ft	732.000
15	Remove Asphalt Concrete Pavement	SqYd	5,578.000
16	Remove Sediment	CuYd	15.500
17	Remove Erosion Control Wattle	Ft	8,280.000
18	Remove Silt Fence	Ft	483.000
19	Remove Pipe for Reset	Ft	472.000
20	Remove Pipe End Section for Reset	Each	56.000
21	Unclassified Excavation	CuYd	39,707.000
22	Unclassified Excavation, Digouts	CuYd	651.000
23	Contractor Furnished Borrow Excavation	CuYd	44,739.000
24	Water for Embankment	MGal	671.100
25	Placing Topsoil	CuYd	13,877.000
26	Incidental Work, Grading	LS	1.000
27	Base Course	Ton	4,720.600
28	Gravel Surfacing	Ton	3,761.000
29	Asphalt Concrete Composite	Ton	1,727.900
30	Asphalt Concrete Blade Laid	Ton	1,961.400

31	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	25.900
32	SS-1h or CSS-1h Asphalt for Tack	Ton	203.000
33	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	64.700
34	Sand for Flush Seal	Ton	673.300
35	Cold Milling Asphalt Concrete	SqYd	228,807.000
36	Structure Excavation, Box Culvert	CuYd	80.000
37	Pipe Culvert Undercut	CuYd	72.000
38	Box Culvert Undercut	CuYd	221.000
39	Precast Concrete Headwall for Drain	Each	2.000
40	18" RCP Flared End, Furnish	Each	10.000
41	18" RCP Flared End, Install	Each	10.000
42	24" RCP Flared End, Furnish	Each	5.000
43	24" RCP Flared End, Install	Each	5.000
44	30" RCP Flared End, Furnish	Each	1.000
45	30" RCP Flared End, Install	Each	1.000
46	48" RCP Flared End, Furnish	Each	2.000
47	48" RCP Flared End, Install	Each	2.000
48	30" RCP Arch Class 2, Furnish	Ft	116.000
49	30" RCP Arch, Install	Ft	116.000
50	30" RCP Arch Flared End, Furnish	Each	4.000
51	30" RCP Arch Flared End, Install	Each	4.000
52	Tie Bolts for RCP	Each	146.000
53	Culvert Joint Cleaning	Ft	1,205.000
54	Repair Culvert Joint	Ft	1,205.000
55	Chemical Grout Void Fill	Gal	305.000
56	Cleanout Pipe Culvert	Each	11.000
57	Reset Pipe	Ft	472.000
58	Reset Pipe End Section	Each	56.000
59	3" PVC Encasement Pipe	Ft	130.000
60	Class A45 Concrete, Box Culvert	CuYd	165.000
61	Concrete Patching Material, Miscellaneous	CuFt	5.500
62	Breakout Structural Concrete	CuYd	17.000
63	Class M6 Concrete	CuYd	17.000
64	Reinforcing Steel	Lb	32,044.000
65	Type III Field Laboratory	Each	1.000
66	Type 1 Right-of-Way Fence	Ft	3,131.000
67	Type 2 Right-of-Way Fence	Ft	916.000
68	Type 1 Temporary Fence	Ft	3,698.000
69	Type 1A Temporary Fence	Ft	1,658.000
70	2 Post Panel	Each	64.000
71	3 Post Panel	Each	35.000
72	Type 1 MGS	Ft	200.000
73	Type 1 Retrofit Guardrail Transition	Each	4.000
74	MGS Flared End Terminal	Each	4.000
75	Guardrail Delineator	Each	16.000
76	Type 2 Object Marker Back to Back	Each	118.000
77	Cold Applied Plastic Pavement Marking, 4"	Ft	6,203.000
78	Cold Applied Plastic Pavement Marking, 24"	Ft	144.000
79	Cold Applied Plastic Pavement Marking, Arrow	Each	2.000
80	Pavement Marking Paint, White	Gal	476.000
81	Pavement Marking Paint, Yellow	Gal	345.000
82	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	6,203.000
83	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	144.000
84	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	2.000
85	Flagging	Hour	580.000
86	Pilot Car	Hour	260.000

87	Traffic Control Signs	SqFt	2,456.600
88	Traffic Control, Miscellaneous	LS	1.000
89	Type 3 Barricade	Each	18.000
90	4" Temporary Pavement Marking Tape Type I	Ft	52,512.000
91	Temporary Pavement Marking	Mile	51.600
92	4" Corrugated Polyethylene Drainage Tubing	Ft	20.000
93	4" Slotted Corrugated Polyethylene Drainage Tubing	Ft	42.000
94	Porous Backfill	Ton	12.000
95	Class B Riprap	Ton	1,776.100
96	PVC Coated Bank and Channel Protection Gabion	CuYd	71.500
97	Type F Permanent Seed Mixture	Lb	670.000
98	Mulching	Ton	64.500
99	Type 2 Erosion Control Blanket	SqYd	5,060.000
100	12" Diameter Erosion Control Wattle	Ft	8,280.000
101	Remove and Reset Erosion Control Wattle	Ft	2,070.000
102	Shaping for Erosion Control Blanket	Ft	2,168.000
103	High Flow Silt Fence	Ft	1,930.000
104	Mucking Silt Fence	CuYd	135.000
105	Repair Silt Fence	Ft	483.000
106	Type B Drainage Fabric	SqYd	803.000
107	Non-woven Separator Fabric	SqYd	22,776.000
108	Impermeable Plastic Membrane	SqYd	24.000
109	Storage Unit	Each	1.000
110	Miscellaneous Work	Site	1.000
111	Structure Excavation, Box Culvert	CuYd	117.000
112	Box Culvert Undercut	CuYd	349.000
113	Class A45 Concrete, Box Culvert	CuYd	288.300
114	Reinforcing Steel	Lb	43,173.000
115	Class B Riprap	Ton	58.400
116	Type B Drainage Fabric	SqYd	71.000
117	Structure Excavation, Box Culvert	CuYd	90.000
118	Box Culvert Undercut	CuYd	326.000
119	9'x8' Precast Concrete Box Culvert, Furnish	Ft	140.000
120	9'x8' Precast Concrete Box Culvert, Install	Ft	140.000
121	9'x8' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
122	9'x8' Precast Concrete Box Culvert End Section, Install	Each	2.000
123	Class B Riprap	Ton	56.500
124	Type B Drainage Fabric	SqYd	70.000
125	Base Course, Salvaged	Ton	8,369.400
126	Granular Material, Furnish	Ton	4,184.700
127	Blend, Haul, and Stockpile Granular Material	Ton	8,369.400
128	PG 58-34 Asphalt Binder	Ton	1,787.700
129	Class Q3R Hot Mixed Asphalt Concrete	Ton	34,888.800
130	Hydrated Lime	Ton	367.600
131	Base Course, Salvaged	Ton	7,857.000
132	Granular Material, Furnish	Ton	3,927.500
133	Blend, Haul, and Stockpile Granular Material	Ton	7,857.000
134	PG 58-34 Asphalt Binder	Ton	1,396.000
135	Class Q3R Hot Mixed Asphalt Concrete	Ton	35,765.300
136	Hydrated Lime	Ton	380.300
137	Structure Excavation, Box Culvert	CuYd	51.000
138	Box Culvert Undercut	CuYd	191.000
139	Class A45 Concrete, Box Culvert	CuYd	126.700
140	Reinforcing Steel	Lb	20,874.000
141	Class B Riprap	Ton	38.500
142	Type B Drainage Fabric	SqYd	50.000

143	Structure Excavation, Box Culvert	CuYd	36.000
144	Box Culvert Undercut	CuYd	153.000
145	10'x9' Precast Concrete Box Culvert, Furnish	Ft	84.000
146	10'x9' Precast Concrete Box Culvert, Install	Ft	84.000
147	10'x9' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
148	10'x9' Precast Concrete Box Culvert End Section, Install	Each	2.000
149	Class B Riprap	Ton	31.900
150	Type B Drainage Fabric	SqYd	43.000
151	Base Course, Salvaged	Ton	8.200
152	Granular Material, Furnish	Ton	4.100
153	Blend, Haul, and Stockpile Granular Material	Ton	8.200
154	PG 58-34 Asphalt Binder	Ton	12.700
155	Class Q3R Hot Mixed Asphalt Concrete	Ton	249.400
156	Hydrated Lime	Ton	2.600
157	Base Course, Salvaged	Ton	8.200
158	Granular Material, Furnish	Ton	4.100
159	Blend, Haul, and Stockpile Granular Material	Ton	8.200
160	PG 58-34 Asphalt Binder	Ton	9.800
161	Class Q3R Hot Mixed Asphalt Concrete	Ton	255.800
162	Hydrated Lime	Ton	2.700

8. NH-P 0011(110) Area Engineer: Phil Dwight, West Highway 12, Aberdeen, SD, 57402-1767 Phone: 605/626-7885
Work Type 6 DBE Goal: Not Specified Contract Id: 7847 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Asphalt Concrete Crack Sealing	Lb	42,047.000
3	Flagging	Hour	450.000
4	Pilot Car	Hour	210.000
5	Traffic Control Signs	SqFt	1,028.000
6	Traffic Control, Miscellaneous	LS	1.000
7	Type C Advance Warning Arrow Board	Each	2.000
8	Railroad Protective Insurance	LS	1.000

9. P 0013(48) Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940 Phone: 605/353-7140
Work Type 6 DBE Goal: Not Specified Contract Id: 7901 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Asphalt Concrete Crack Sealing	Lb	13,440.000
3	Flagging	Hour	140.000
4	Pilot Car	Hour	70.000
5	Traffic Control Signs	SqFt	137.000
6	Traffic Control, Miscellaneous	LS	1.000

10. NH 0083(82)25, NH 0018(208)175 Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771 Phone: 605/842-0810
Work Type 5 DBE Goal: Not Specified Contract Id: 7879 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Training Program	Hour	1,000.000
3	Remove Beam Guardrail	Ft	626.000
4	Remove W Beam Guardrail End Terminal	Each	8.000
5	Remove Silt Fence	Ft	300.000
6	Unclassified Excavation	CuYd	3,265.000
7	Unclassified Excavation, Digouts	CuYd	2,538.000
8	Contractor Furnished Borrow Excavation	CuYd	1,495.000
9	Water for Granular Material	MGal	439.700
10	Shoulder Preparation	Mile	29.100
11	Placing Topsoil	CuYd	484.000
12	Base Course	Ton	758.000
13	Base Course, Salvaged	Ton	9,689.000
14	Granular Material, Furnish	Ton	4,844.500

15	Salvage Granular Material	Ton	24,802.000
16	Haul and Stockpile Granular Material	Ton	24,802.000
17	Blend and Stockpile Granular Material	Ton	9,689.000
18	Asphalt Concrete Blade Laid	Ton	2,760.500
19	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	36.800
20	MC-70 Asphalt for Prime	Ton	170.600
21	SS-1h or CSS-1h Asphalt for Tack	Ton	225.800
22	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	120.600
23	Sand for Flush Seal	Ton	637.100
24	Cold Milling Asphalt Concrete	SqYd	411,694.000
25	Type III Field Laboratory	Each	1.000
26	Type 1 MGS	Ft	600.000
27	Type 1 Retrofit Guardrail Transition	Each	8.000
28	MGS Tangent End Terminal	Each	8.000
29	Guardrail Delineator	Each	32.000
30	Cold Applied Plastic Pavement Marking, 4"	Ft	28,765.000
31	Cold Applied Plastic Pavement Marking, 24"	Ft	580.000
32	Cold Applied Plastic Pavement Marking, Area	SqFt	255.000
33	Cold Applied Plastic Pavement Marking, Arrow	Each	17.000
34	Waterborne Pavement Marking Paint with High Grade Polymer, White	Gal	1,885.000
35	Waterborne Pavement Marking Paint with High Grade Polymer, Yellow	Gal	393.000
36	Pavement Marking Paint, White	Gal	625.000
37	Pavement Marking Paint, Yellow	Gal	239.000
38	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	28,765.000
39	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	580.000
40	Grooving for Cold Applied Plastic Pavement Marking, Area	SqFt	255.000
41	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	17.000
42	Grooving for Durable Pavement Marking, 4"	Ft	426,750.000
43	Flagging	Hour	600.000
44	Pilot Car	Hour	300.000
45	Traffic Control Signs	SqFt	1,363.100
46	Traffic Control, Miscellaneous	LS	1.000
47	Type 3 Barricade	Each	6.000
48	4" Temporary Pavement Marking Tape Type I	Ft	5,088.000
49	Temporary Pavement Marking	Mile	73.600
50	Type F Permanent Seed Mixture	Lb	40.000
51	Mulching	Ton	5.200
52	Low Flow Silt Fence	Ft	1,200.000
53	Mucking Silt Fence	CuYd	84.000
54	Repair Silt Fence	Ft	300.000
55	Reinforcement Fabric (MSE)	SqYd	1,132.000
56	Refurbish Single Mailbox	Each	14.000
57	Refurbish Double Mailbox	Each	2.000
58	Storage Unit	Each	1.000
59	Granular Material, Furnish	Ton	11,775.700
60	Blend, Haul, and Stockpile Granular Material	Ton	23,551.500
61	Granular Material, Furnish	Ton	11,250.800
62	Blend, Haul, and Stockpile Granular Material	Ton	22,501.500
63	PG 58-34 Asphalt Binder	Ton	2,650.800
64	Class Q3R Hot Mixed Asphalt Concrete	Ton	52,908.500
65	Hydrated Lime	Ton	554.800
66	PG 58-34 Asphalt Binder	Ton	2,217.900
67	Class Q3R Hot Mixed Asphalt Concrete	Ton	54,244.900
68	Hydrated Lime	Ton	570.900
69	PG 58-34 Asphalt Binder	Ton	827.200
70	Class HR Asphalt Concrete	Ton	20,950.300

71	PG 58-34 Asphalt Binder	Ton	768.200
72	Class HR Asphalt Concrete	Ton	21,504.400

11.	IM 0908(96)334	Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206		Phone: 605/995-8120
	Work Type 2 or Work Type 5	DBE Goal: Not Specified	Contract Id: 7874	See Special Provisions for Completion Requirements
1	Mobilization	LS	1.000	
2	Miscellaneous Staking	Mile	0.950	
3	Three Man Survey Crew	Hour	40.000	
4	Remove Pipe End Section	Each	1.000	
5	Remove Silt Fence	Ft	250.000	
6	Remove Crossover Closure for Reset	Ft	224.000	
7	Remove Interim Crossover Closure for Reset	Ft	224.000	
8	Unclassified Excavation	CuYd	7,238.000	
9	Water for Granular Material	MGal	249.300	
10	Pit Run	Ton	12,059.600	
11	Remove and Replace Topsoil	LS	1.000	
12	Base Course	Ton	8,729.800	
13	PG 64-28 Asphalt Binder	Ton	285.400	
14	Class E Asphalt Concrete	Ton	4,918.900	
15	Compaction Sample	Each	9.000	
16	MC-70 Asphalt for Prime	Ton	14.400	
17	SS-1h or CSS-1h Asphalt for Tack	Ton	4.500	
18	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	3.300	
19	Sand for Flush Seal	Ton	60.000	
20	Cold Milling Asphalt Concrete	SqYd	5,153.000	
21	15" CMP 16 Gauge, Furnish	Ft	434.000	
22	15" CMP, Install	Ft	434.000	
23	18" CMP 16 Gauge, Furnish	Ft	8.000	
24	18" CMP, Install	Ft	8.000	
25	15" CMP Elbow, Furnish	Each	3.000	
26	15" CMP Elbow, Install	Each	3.000	
27	CMP Tee, Furnish	Each	1.000	
28	CMP Tee, Install	Each	1.000	
29	15" CMP Safety End, Furnish	Each	3.000	
30	15" CMP Safety End, Install	Each	3.000	
31	18" CMP Safety End, Furnish	Each	1.000	
32	18" CMP Safety End, Install	Each	1.000	
33	15" Slotted CMP 16 Gauge, Furnish	Ft	260.000	
34	15" Slotted CMP, Install	Ft	260.000	
35	Class M6 Concrete	CuYd	25.600	
36	Controlled Density Fill	CuYd	9.600	
37	Type II Field Laboratory	Each	1.000	
38	Crossover Closure	Ft	448.000	
39	Interim Crossover Closure	Ft	512.000	
40	Reset Crossover Closure	Ft	224.000	
41	Reset Interim Crossover Closure	Ft	224.000	
42	4"x4" Amber Delineator with 1.12 Lb/Ft Post	Each	48.000	
43	4"x4" White Delineator with 1.12 Lb/Ft Post	Each	24.000	
44	Flagging	Hour	40.000	
45	Traffic Control Signs	SqFt	1,119.800	
46	Traffic Control, Miscellaneous	LS	1.000	
47	Type 3 Barricade	Each	4.000	
48	Type C Advance Warning Arrow Board	Each	4.000	
49	4" Temporary Pavement Marking Tape Type I	Ft	11,520.000	
50	Type G Permanent Seed Mixture	Lb	130.000	
51	Mulching	Ton	10.000	

52	High Flow Silt Fence	Ft	1,000.000
53	Mucking Silt Fence	CuYd	70.000
54	Repair Silt Fence	Ft	250.000
55	Non-woven Separator Fabric	SqYd	15,453.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 5 through 11 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations. Minimum wage rates for 1 through 4 have been predetermined by the Department of Transportation, and are set forth in the advertised specification.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 8 must also submit a bid on Item 9. Award of these combinations (Items 8 & 9) will be to the same bidder based on the total combined two projects.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The Department of Transportation in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, national origin, sex, age or disability in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Environmental & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Darin Bergquist
SECRETARY OF TRANSPORTATION