

**Advertisement of Highway Bid Letting**

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on May 01, 2019, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
* 1.	PH 1400(17) (PCN 00YE)	Minnehaha SWPPP = 4.50 AC	0.362	Grading, Curb & Gutter, Storm Sewer, Lighting, Traffic Signals, Asphalt Concrete Surfacing & PCC Surfacing	Intersection of Western & 41st St. in Sioux Falls
* 2.	CIP 11012( ) (PCN X04U)	Minnehaha	---	Sanitary Sewer and Watermain	City of Sioux Falls at the intersection of Western Ave & 41st St
** 3.	P TAPR(06) (PCN 04UD)	Jones SWPPP = 0.57 AC	0.320	Sidewalk, Curb & Gutter, Permanent Signing, & Pavement Marking	Various locations along 4th Street, Cleveland Avenue, and Jackson Avenue in Murdo
** 4.	P TAPR(21) (PCN 05N0)	Jones SWPPP = 0.48 AC	0.280	Sidewalk, Curb & Gutter, Permanent Signing & Pavement Marking	Various Locations on Cleveland Avenue, 3rd Street & Jackson Avenue in Murdo
5.	P TAPU(21) (PCN 06N6)	Union SWPPP = 0.92 AC	0.410	Shared Use Path Reconstruction & Grading	North Sioux City along Streeter Drive between River Drive & Bruneau Drive
6.	NH 0014(214)346 (PCN 05DE)	Beadle	---	Bridge Deck Polymer Chip Seals, Approach Slabs & Approach Pavement	US14, 14E & 14W; Structures 0.5 miles east of SD37 Over Ravine Lake (2), 1.3 miles east of SD37 over the James River, 1.4 miles east of SD37 (Commercial Route), 2.8 miles east of Cavour over Pearl Crk, & 2.7 miles west of Iroquois
7.	IM-NH-P 0021(151) (PCN 041F)	Davison, McCook SWPPP = 0.62 AC	---	Culvert Replacement, Repair & Slipline	Various Locations in the Mitchell Area
8.	IM 0901(199)10 (PCN 072C)	Lawrence, Meade, Pennington SWPPP = 12.60 AC	52.000	Erosion Repair	Various locations on I90 in the Rapid City Region
9.	PH 0020(164) (PCN 05G3)	Aurora, Clay, Hutchinson, Lincoln, McCook, Minnehaha, Sanborn	---	Intersection Improvements	Mitchell Region
10.	PH 8039(16) (PCN 02UM)	Kingsbury	---	Signing & Delineation	Various County Roads in Kingsbury County

11. P 0030(43) (PCN 070F)	Dewey, Haakon, Stanley, Ziebach	47.521	MicroSurfacing	SD63 from SD34 to US212
12. NH-P 0040(315) (PCN 05YE)	Custer, Fall River, Lawrence, Pennington	45.900	PCC Pavement Restoration & Asphalt Concrete Resurfacing of Crossovers	Various Routes in the Rapid City Region
13. NH 0033(27) (PCN 05YJ)	Tripp	7.860	PCC Pavement Repair, PCC Grinding & Joint Rehabilitation	US Hwy 18 from Carter east to the south Jct of SD Hwy 53
14. PH 0020(200) (PCN 0751)	Lincoln, Union	28.887	Durable Pavement Marking	Interstate 29 from north of the SD48 Jct to south of the US18 Jct

---

\* Indicates combination bids

SWPPP = Storm Water Pollution Prevention Plan

---

ITEMS INVOLVED ARE AS FOLLOWS

---

1. PH 1400(17)  
Work Type 3

Area Engineer: Travis Dressen, 5316 W 60th St N, Sioux Falls, SD, 57107

Phone: 605/367-5680

DBE Goal: Not Specified

Contract Id: 7780

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Grade Staking	Mile	1.943
3	Miscellaneous Staking	Mile	0.343
4	Slope Staking	Mile	0.343
5	Structure Staking	Each	1.000
6	Three Man Survey Crew	Hour	140.000
7	Clear and Grub Tree	Each	13.000
8	Clearing	LS	1.000
9	Remove Concrete Footing(s)	LS	1.000
10	Remove Concrete Curb and/or Gutter	Ft	3,345.000
11	Remove Drop Inlet	Each	15.000
12	Remove Storm Sewer Pipe	Ft	500.000
13	Remove Chain Link Fence	Ft	80.000
14	Remove Asphalt Concrete Pavement	SqYd	3,767.000
15	Remove Concrete Pavement	SqYd	9,116.000
16	Remove Concrete Driveway Pavement	SqYd	1,259.000
17	Remove Concrete Sidewalk	SqYd	1,841.000
18	Remove Paving Brick	SqYd	297.000
19	Remove Signal Pole Footing	Each	4.000
20	Remove Luminaire Pole Footing	Each	9.000
21	Remove Silt Fence	Ft	2,400.000
22	Salvage Traffic Sign	Each	15.000
23	Salvage Luminaire Pole	Each	7.000
24	Salvage Signal Equipment	LS	1.000
25	Salvage Curb Stop	Each	28.000
26	Unclassified Excavation	CuYd	6,270.000
27	Unclassified Excavation, Digouts	CuYd	300.000
28	Contractor Furnished Borrow Excavation	CuYd	1,000.000
29	Contaminated Material Excavation	Ton	1,000.000
30	Water for Dust Control	MGal	40.000
31	Water for Embankment	MGal	30.000
32	Water for Granular Material	MGal	152.000
33	Water for Vegetation	MGal	103.700
34	Select Granular Backfill	Ton	1,000.000
35	Contractor Furnished Topsoil	CuYd	320.000
36	Incidental Work	LS	1.000
37	Gravel Cushion	Ton	12,500.000
38	Granular Material	Ton	1,500.000
39	Asphalt Concrete Composite	Ton	1,174.000
40	Temporary Asphalt	Ton	350.000
41	Cold Milling Asphalt Concrete	SqYd	543.000
42	9.5" Nonreinforced PCC Pavement	SqYd	11,336.000
43	6" Reinforced PCC Driveway Pavement	SqYd	655.000
44	6" PCC Approach Pavement	SqYd	64.000
45	9.5" PCC Fillet Section	SqYd	290.000
46	Dowel Bar	Each	8,920.000
47	Insert Steel Bar in PCC Pavement	Each	396.000
48	12" RCP Class 5, Furnish	Ft	18.000
49	12" RCP, Install	Ft	18.000
50	15" RCP Class 5, Furnish	Ft	18.000
51	15" RCP, Install	Ft	18.000
52	18" RCP Class 3, Furnish	Ft	518.000
53	18" RCP, Install	Ft	518.000

54	RCP Tee, Furnish	Each	2.000
55	RCP Tee, Install	Each	2.000
56	18" RCP Arch Class 3, Furnish	Ft	158.000
57	18" RCP Arch, Install	Ft	158.000
58	30" RCP Arch Class 3, Furnish	Ft	118.000
59	30" RCP Arch, Install	Ft	118.000
60	Trench Dewatering	Ft	830.000
61	Exploratory Excavation	Hour	100.000
62	Class M6 Concrete	CuYd	34.000
63	Controlled Density Fill	CuYd	100.000
64	Reinforcing Steel	Lb	6,662.000
65	Gravity Segmental Block Wall	SqFt	400.000
66	Type II Field Laboratory	Each	1.000
67	2.0"x2.0" Perforated Tube Post	Ft	76.300
68	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	107.300
69	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	40.500
70	Remove, Salvage, Relocate, and Reset Traffic Sign	Each	36.000
71	Cold Applied Plastic Pavement Marking, 4"	Ft	5,513.000
72	Cold Applied Plastic Pavement Marking (Contrast), 7"	Ft	556.000
73	Cold Applied Plastic Pavement Marking, 8"	Ft	700.000
74	Cold Applied Plastic Pavement Marking, 24"	Ft	768.000
75	Cold Applied Plastic Pavement Marking, Arrow	Each	30.000
76	Cold Applied Plastic Pavement Marking, Lane Reduction Arrow	Each	2.000
77	Pavement Marking Paint, 4" Yellow	Ft	1,470.000
78	Pavement Marking Paint, Symbol	Each	2.000
79	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	5,513.000
80	Grooving for Cold Applied Plastic Pavement Marking (Contrast), 7"	Ft	556.000
81	Grooving for Cold Applied Plastic Pavement Marking, 8"	Ft	700.000
82	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	768.000
83	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	30.000
84	Grooving for Cold Applied Plastic Pavement Marking, Lane Reduction Arrow	Each	2.000
85	Flagging	Hour	200.000
86	Traffic Control Signs	SqFt	943.500
87	Traffic Control, Miscellaneous	LS	1.000
88	Type 3 Barricade	Each	30.000
89	Tubular Marker	Each	50.000
90	Replace Tubular Marker	Each	10.000
91	Type C Advance Warning Arrow Board	Each	3.000
92	Linear Delineation System Panel, Barrier Mounted	Each	12.000
93	Remove Pavement Marking, 4" or Equivalent	Ft	6,773.000
94	Remove Pavement Marking, Arrow	Each	20.000
95	Temporary Pavement Marking	Ft	22,000.000
96	Contractor Supplied Traffic Control Movable Concrete Barrier	Each	12.000
97	Remove and Reset Traffic Control Movable Concrete Barrier	Each	12.000
98	Portable Temporary Traffic Control Signal	Unit	1.000
99	Short Term Temporary Traffic Control Signal	Site	1.000
100	Detour Signing	SqFt	1,395.100
101	Temporary Business Signing	SqFt	2,160.400
102	Contractor Furnished Portable Changeable Message Sign	Each	4.000
103	Longitudinal Pedestrian Barricade	Ft	114.000
104	Temporary Curb Ramp	Each	2.000
105	Longitudinal Pedestrian Barrier	Ft	50.000
106	Temporary Sidewalk	SqFt	300.000
107	Breakaway Base Luminaire Pole with Arm, 40' Mounting Height	Each	7.000
108	Signal Pole with 55' Mast Arm and Luminaire Arm	Each	2.000
109	Signal Pole with 60' Mast Arm and Luminaire Arm	Each	2.000

110	Roadway Luminaire, LED with Photoelectric Cell	Each	11.000
111	3 Section Vehicle Signal Head	Each	10.000
112	4 Section Vehicle Signal Head	Each	8.000
113	5 Section Vehicle Signal Head	Each	2.000
114	2' Diameter Footing	Ft	63.000
115	3' Diameter Footing	Ft	58.000
116	Special Electrical Junction Box	Each	19.000
117	Electrical Service Cabinet	Each	1.000
118	Traffic Signal Controller	Each	1.000
119	Side Mounted Cabinet	Each	2.000
120	Battery Backup System for Traffic Signal	Each	1.000
121	Emergency Vehicle Preemption Unit	Each	1.000
122	Optical Detector	Each	4.000
123	Surveillance Camera	Each	1.000
124	Miscellaneous Signal Parts	LS	1.000
125	Accessible Pedestrian Signal	Each	8.000
126	Pedestrian Push Button Pole	Each	8.000
127	Pedestrian Signal Head with Countdown Timer	Each	8.000
128	Pedestrian Crossing Sign	Each	8.000
129	Miscellaneous, Electrical	LS	1.000
130	Remove and Reset Luminaire Pole	Each	2.000
131	Maintenance of Traffic Signal(s)	Hour	150.000
132	Locator Ball	Each	1.000
133	1" Rigid Conduit, Schedule 40	Ft	160.000
134	2" Rigid Conduit, Schedule 40	Ft	200.000
135	2" Rigid Conduit, Schedule 80	Ft	3,255.000
136	2.5" Rigid Conduit, Schedule 80	Ft	745.000
137	3" Rigid Conduit, Schedule 80	Ft	370.000
138	4" Rigid Conduit, Schedule 80	Ft	80.000
139	3/4" Innerduct, SDR 13.5	Ft	8,010.000
140	1.5" Innerduct, SDR 13.5	Ft	70.000
141	2/2/2/4 Aluminum Wire	Ft	3,810.000
142	3/C #0000 AWG Aluminum Wire	Ft	160.000
143	1/C #4 AWG Copper Wire	Ft	280.000
144	1/C #6 AWG Copper Wire	Ft	210.000
145	1/C #12 AWG Copper Wire	Ft	2,870.000
146	1/C #14 AWG Copper Wire	Ft	40.000
147	2/C #14 AWG IMSA Copper Cable, K1	Ft	220.000
148	4/C #14 AWG IMSA Copper Cable, K1	Ft	590.000
149	5/C #14 AWG IMSA Copper Cable, K1	Ft	620.000
150	7/C #14 AWG IMSA Copper Cable, K1	Ft	30.000
151	25/C #14 AWG IMSA Copper Cable, K1	Ft	890.000
152	2/C #10 AWG Copper Pole and Bracket Cable	Ft	605.000
153	Preemption Cable	Ft	2,320.000
154	60 Strand Fiber Optic Cable	Ft	7,160.000
155	Modified Type B66 Concrete Curb and Gutter	Ft	647.000
156	Modified Type B69.5 Concrete Curb and Gutter	Ft	1,897.000
157	Type B6 Concrete Curb	Ft	248.000
158	Modified Type P6 Concrete Gutter	Ft	54.000
159	Modified Type P9.5 Concrete Gutter	Ft	481.000
160	6" Concrete Valley Gutter	SqYd	55.000
161	6" Concrete Sidewalk	SqFt	19,103.000
162	6" Colored Concrete Sidewalk	SqFt	755.000
163	Sidewalk Drain	Ft	18.000
164	Type 1 Detectable Warnings	SqFt	268.000
165	Type B Frame and Grate Assembly	Each	41.000

166	Precast Drop Inlet Collar	Each	41.000
167	Adjust Junction Box	Each	8.000
168	Type A7 Manhole Frame and Lid	Each	2.000
169	Type A10 Manhole Frame and Lid	Each	7.000
170	Cover Crop Seeding	Bu	2.200
171	Special Permanent Seed Mixture 1	Lb	48.000
172	Fertilizing	Lb	76.000
173	Fiber Mulching	Ton	1.400
174	Bonded Fiber Matrix	Ton	0.800
175	Sodding	SqYd	715.000
176	Soil Stabilizer	Acre	2.000
177	12" Diameter Erosion Control Wattle	Ft	1,400.000
178	High Flow Silt Fence	Ft	2,400.000
179	Mucking Silt Fence	CuYd	72.000
180	Repair Silt Fence	Ft	480.000
181	Sediment Control at Type B Reinforced Concrete Drop Inlet	Each	50.000
182	Sediment Control at Inlet with Frame and Grate	Each	5.000
183	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	250.000
184	Sweeping	Hour	40.000
185	2.5" Caliper Deciduous Tree, Furnish and Plant	Each	12.000
186	Woven Separator Fabric	SqYd	14,188.000
187	Concrete Washout Facility	Each	4.000
188	Construction Entrance	Each	9.000
189	Temporary Surfacing	SqFt	1,500.000
190	Miscellaneous Work, Electrical	LS	1.000
191	Miscellaneous Work	Site	1.000
192	Landscaping Rock	CuYd	9.600
193	Weed Barrier Fabric	SqYd	86.000

**2. CIP 11012( )  
Work Type 3**

**Area Engineer: Travis Dressen, 5316 W 60th St N, Sioux Falls, SD, 57107**

**Phone: 605/367-5680**

**DBE Goal: Not Specified**

**Contract Id: 7792**

**See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Manhole	Each	6.000
3	Remove Manhole	Each	4.000
4	Remove Sewer Pipe	Ft	133.000
5	Remove Fire Hydrant	Each	3.000
6	Remove Water Main	Ft	766.000
7	Select Granular Backfill	Ton	3,000.000
8	6" PVC Water Main	Ft	10.000
9	8" PVC Water Main	Ft	10.000
10	10" PVC Water Main	Ft	20.000
11	12" PVC Water Main	Ft	800.000
12	6" PVC Restrained Joint Water Main	Ft	121.000
13	8" PVC Restrained Joint Water Main	Ft	165.000
14	10" PVC Restrained Joint Water Main	Ft	80.000
15	12" PVC Restrained Joint Water Main	Ft	480.000
16	6" Water Main Restraining Device	Each	22.000
17	8" Water Main Restraining Device	Each	8.000
18	10" Water Main Restraining Device	Each	14.000
19	12" Water Main Restraining Device	Each	51.000
20	0.75" Copper Pipe	Ft	55.000
21	1" Copper Pipe	Ft	65.000
22	1.25" Copper Pipe	Ft	65.000
23	8" PVC Sewer Pipe	Ft	47.000
24	12" PVC Sewer Pipe	Ft	86.000
25	12"x6" Pipe Tee	Each	3.000

26	12"x8" Pipe Tee	Each	2.000
27	12"x10" Pipe Tee	Each	1.000
28	12"x12" Pipe Tee	Each	2.000
29	8"x6" Pipe Reducer	Each	2.000
30	12"x10" Pipe Reducer	Each	3.000
31	1" Corporation Stop with Tapping Saddle	Each	3.000
32	1.25" Corporation Stop with Tapping Saddle	Each	1.000
33	1.5" Corporation Stop with Tapping Saddle	Each	1.000
34	1" Curb Stop with Box	Each	3.000
35	1.25" Curb Stop with Box	Each	1.000
36	1.5" Curb Stop with Box	Each	1.000
37	6" Pipe Bend	Each	2.000
38	12" Pipe Bend	Each	6.000
39	6" Pipe Cap	Each	8.000
40	8" Pipe Cap	Each	2.000
41	10" Pipe Cap	Each	14.000
42	12" Pipe Cap	Each	12.000
43	6" Pipe Sleeve	Each	2.000
44	10" Pipe Sleeve	Each	4.000
45	12" Pipe Sleeve	Each	1.000
46	6" Gate Valve with Box	Each	3.000
47	8" Gate Valve with Box	Each	2.000
48	10" Gate Valve with Box	Each	1.000
49	12" Gate Valve with Box	Each	8.000
50	Pipe Insulation	SqFt	500.000
51	6" Fire Hydrant Extension	Each	2.000
52	12" Fire Hydrant Extension	Each	2.000
53	Standard Fire Hydrant	Each	3.000
54	Temporary Fire Hydrant	Each	5.000
55	Trench Stabilization Material	Ton	100.000
56	Water Main Bedding Material	Ft	1,871.000
57	8" Sewer Pipe Bedding Material	Ft	47.000
58	12" Sewer Pipe Bedding Material	Ft	86.000
59	Trench Dewatering, Water Main	Ft	1,871.000
60	Trench Dewatering, Sewer Main	Ft	133.000
61	Trench 6' to 8' Deep	Ft	27.000
62	Trench 8' to 10' Deep	Ft	106.000
63	Adjust Curb Stop Box	Each	5.000
64	Adjust Water Valve Box	Each	14.000
65	Reconnect Water Service	Each	5.000
66	Cut and Tie to Existing Water Main	Each	7.000
67	Connect to Existing Sewer Main	Each	13.000
68	Sewer Bypass Pumping	LS	1.000
69	Exploratory Excavation	Hour	100.000
70	PVC Pipe Deflection Test	Ft	133.000
71	Pipe Exfiltration Test	Ft	133.000
72	Controlled Density Fill	CuYd	100.000
73	Traffic Control, Miscellaneous	LS	1.000
74	Type 3 Barricade	Each	55.000
75	Detour Signing	SqFt	524.000
76	48" PVC Lined Manhole	Each	4.000
77	External Manhole Seal	Each	6.000
78	8" Manhole Boot	Each	4.000
79	12" Manhole Boot	Each	8.000
80	Manhole Drop Section	Each	1.000
81	Temporary Manhole Cover	Each	6.000

82	Type A7 Manhole Frame and Lid	Each	1.000
83	Type A10 Manhole Frame and Lid	Each	5.000
84	Adjust Manhole	Each	6.000
85	Connect Into Existing Manhole	Each	1.000
86	Manhole Exfiltration/Vacuum Test	Each	4.000

3. **P TAPR(06)** **Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771** **Phone: 605/842-0810**  
**Work Type 14** **DBE Goal: Not Specified** **Contract Id: 6060** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Miscellaneous Staking	LS	1.000
3	Structure Staking	Each	3.000
4	Three Man Survey Crew	Hour	16.000
5	Clearing	LS	1.000
6	Remove Concrete Curb and Gutter	Ft	69.000
7	Remove Asphalt Concrete Pavement	SqYd	65.300
8	Remove Concrete Pavement	SqYd	93.200
9	Remove Concrete Driveway Pavement	SqYd	84.200
10	Remove Concrete Sidewalk	SqYd	145.200
11	Remove Erosion Control Wattle	Ft	494.000
12	Remove Sign for Reset	Each	5.000
13	Unclassified Excavation	CuYd	171.000
14	Undercutting	CuYd	38.000
15	Placing Topsoil	CuYd	133.000
16	Gravel Cushion	Ton	27.000
17	8" Nonreinforced PCC Pavement	SqYd	80.700
18	6" Reinforced PCC Driveway Pavement	SqYd	42.000
19	6" Reinforced PCC Approach Pavement	SqYd	26.800
20	8" PCC Fillet Section	SqYd	93.200
21	Dowel Bar	Each	64.000
22	Insert Steel Bar in PCC Pavement	Each	82.000
23	Type C Concrete Retaining Wall	SqFt	81.000
24	MSE Segmental Block Wall	SqFt	1,446.000
25	2.0"x2.0" Perforated Tube Post	Ft	185.700
26	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	48.000
27	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	69.100
28	Reset Sign	Each	5.000
29	Pavement Marking Paint, 24" White	Ft	792.000
30	Pavement Marking Paint, Symbol	Each	24.000
31	Flagging	Hour	20.000
32	Traffic Control Signs	SqFt	232.000
33	Traffic Control, Miscellaneous	LS	1.000
34	Longitudinal Pedestrian Barricade	Ft	66.000
35	Type B68 Concrete Curb and Gutter	Ft	27.000
36	Type D46 Concrete Curb and Gutter	Ft	23.000
37	Type P8 Concrete Gutter	Ft	16.000
38	4" Reinforced Concrete Sidewalk	SqFt	1,278.000
39	6" Reinforced Concrete Sidewalk	SqFt	6,654.000
40	Grinding Miscellaneous Concrete	SqFt	39.000
41	Type 1 Detectable Warnings	SqFt	222.000
42	Type D Permanent Seed Mixture	Lb	67.000
43	Fiber Mulching	Lb	440.000
44	Type 2 Erosion Control Blanket	SqYd	375.000
45	9" Diameter Erosion Control Wattle	Ft	494.000
46	Sediment Control at Inlet with Frame and Grate	Each	9.000
47	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	13.000

<b>4.</b>	<b>P TAPR(21)</b>	<b>Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771</b>	<b>Phone: 605/842-0810</b>
	<b>Work Type 14</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 7377</b> <b>See Special Provisions for Completion Requirements</b>
	1 Mobilization	LS	1.000
	2 Reestablish Property Corner	Each	11.000
	3 Miscellaneous Staking	LS	1.000
	4 Structure Staking	Each	1.000
	5 Three Man Survey Crew	Hour	16.000
	6 Clearing	LS	1.000
	7 Remove Asphalt Concrete Pavement	SqYd	69.400
	8 Remove Concrete Pavement	SqYd	52.800
	9 Remove Concrete Sidewalk	SqYd	150.300
	10 Remove Concrete Retaining Wall	Ft	73.400
	11 Remove Sediment	CuYd	12.000
	12 Remove Erosion Control Wattle	Ft	535.000
	13 Remove Sediment Filter Bag	Ft	32.000
	14 Remove Sign for Reset	Each	4.000
	15 Unclassified Excavation	CuYd	320.000
	16 Undercutting	CuYd	12.000
	17 Placing Topsoil	CuYd	100.000
	18 Gravel Cushion	Ton	79.500
	19 8" Nonreinforced PCC Pavement	SqYd	73.200
	20 6" PCC Driveway Pavement	SqYd	129.900
	21 8" PCC Fillet Section	SqYd	36.600
	22 Adjust Curb Stop Box	Each	9.000
	23 Adjust Water Valve Box	Each	1.000
	24 Type C Concrete Retaining Wall	SqFt	84.000
	25 2.0"x2.0" Perforated Tube Post	Ft	435.600
	26 Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	87.000
	27 Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	124.800
	28 Reset Sign	Each	4.000
	29 Pavement Marking Paint, 24" White	Ft	1,736.000
	30 Pavement Marking Paint, Symbol	Each	34.000
	31 Flagging	Hour	20.000
	32 Traffic Control Signs	SqFt	315.000
	33 Traffic Control, Miscellaneous	LS	1.000
	34 Type 3 Barricade	Each	7.000
	35 Longitudinal Pedestrian Barricade	Ft	126.000
	36 Modified Type B68 Concrete Curb and Gutter	Ft	42.000
	37 4" Reinforced Concrete Sidewalk	SqFt	3,812.000
	38 6" Reinforced Concrete Sidewalk	SqFt	5,277.000
	39 Type 1 Detectable Warnings	SqFt	330.000
	40 Adjust Manhole	Each	1.000
	41 Type D Permanent Seed Mixture	Lb	75.000
	42 Fiber Mulching	Lb	328.000
	43 Type 2 Erosion Control Blanket	SqYd	364.000
	44 9" Diameter Erosion Control Wattle	Ft	535.000
	45 Sediment Filter Bag	Ft	32.000
	46 Sediment Control at Inlet with Frame and Grate	Each	4.000
	47 Sweeping	Hour	10.000
<b>5.</b>	<b>P TAPU(21)</b>	<b>Area Engineer: Rod Gall, 1306 W 31st St, Yankton, SD, 57078-9662</b>	<b>Phone: 605/668-2929</b>
	<b>Work Type 14</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 7808</b> <b>See Special Provisions for Completion Requirements</b>
	1 Mobilization	LS	1.000
	2 Remove Traffic Sign	Each	4.000
	3 Remove Asphalt Concrete Pavement	SqYd	2,302.400
	4 Remove Concrete Driveway Pavement	SqYd	23.400

5	Remove Concrete Sidewalk	SqYd	103.400
6	Remove Silt Fence	Ft	29.000
7	Unclassified Excavation	CuYd	1,325.000
8	Water for Vegetation	MGal	176.000
9	Placing Topsoil	CuYd	241.000
10	Contractor Furnished Topsoil	CuYd	241.000
11	Incidental Work, Grading	LS	1.000
12	Gravel Surfacing	Ton	3.000
13	6" PCC Approach Pavement	SqYd	22.700
14	2.0"x2.0" Perforated Tube Post	Ft	111.000
15	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	56.500
16	Pavement Marking Paint, 24" White	Ft	76.000
17	Flagging	Hour	4.000
18	Traffic Control Signs	SqFt	181.000
19	Traffic Control, Miscellaneous	LS	1.000
20	Longitudinal Pedestrian Barricade	Ft	80.000
21	6" Concrete Sidewalk	SqFt	21,668.000
22	Type 1 Detectable Warnings	SqFt	47.000
23	Type B Permanent Seed Mixture	Lb	11.000
24	Fertilizing	Lb	897.000
25	Bonded Fiber Matrix	Lb	2,326.000
26	High Flow Silt Fence	Ft	114.000
27	Mucking Silt Fence	CuYd	8.000
28	Repair Silt Fence	Ft	29.000
29	Sweeping	Hour	5.000
30	Concrete Washout Facility	Each	1.000

**6. NH 0014(214)346**

**Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940**

**Phone: 605/353-7140**

**Work Type 8**

**DBE Goal: Not Specified**

**Contract Id: 7920**

**See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Concrete Bridge Approach Slab	SqYd	196.300
3	Remove Asphalt Concrete Pavement	SqYd	63.300
4	Remove Concrete Pavement	SqYd	186.700
5	Remove 3 Cable Guardrail for Reset	Ft	166.000
6	Remove Thrie Beam Guardrail for Reset	Ft	62.500
7	Remove W Beam Guardrail for Reset	Ft	87.500
8	Remove W Beam to Thrie Beam Guardrail Transition for Reset	Each	3.000
9	Gravel Cushion	Ton	43.000
10	Asphalt Concrete Composite	Ton	10.500
11	10" Nonreinforced PCC Pavement	SqYd	250.000
12	Dowel Bar	Each	72.000
13	Insert Steel Bar in PCC Pavement	Each	36.000
14	Membrane Sealant Expansion Joint	Ft	127.600
15	Concrete Approach Slab for Bridge	SqYd	145.000
16	Concrete Approach Sleeper Slab for Bridge	SqYd	51.400
17	No. 4 Rebar Splice	Each	28.000
18	No. 5 Rebar Splice	Each	48.000
19	No. 6 Rebar Splice	Each	44.000
20	Two Coat Bridge Deck Polymer Chip Seal	SqYd	4,306.400
21	Bridge Deck Polymer Chip Seal	SqYd	502.400
22	Abrasive Blasting of Bridge Deck	SqYd	4,808.800
23	Bridge Deck Grinding	SqYd	4,808.800
24	Concrete Removal, Class A	SqYd	24.000
25	Concrete Removal, Class B	SqYd	24.000
26	Concrete Patching Material, Bridge Deck	CuFt	266.600
27	Reset 3 Cable Guardrail	Ft	166.000

28	Reset Thrie Beam Guardrail with Wood Posts	Ft	62.500
29	Reset W Beam Guardrail with Wood Posts	Ft	87.500
30	Reset W Beam to Thrie Beam Guardrail Transition	Each	3.000
31	Guardrail Delineator	Each	13.000
32	Pavement Marking Paint, 4" White	Ft	2,327.000
33	Pavement Marking Paint, 4" Yellow	Ft	1,201.000
34	Flagging	Hour	30.000
35	Traffic Control Signs	SqFt	816.000
36	Traffic Control, Miscellaneous	LS	1.000
37	Type 3 Barricade	Each	12.000
38	Type C Advance Warning Arrow Board	Each	4.000
39	4" Temporary Pavement Marking Tape Type I	Ft	13,218.000
40	Temporary Pavement Marking	Ft	6,609.000
41	Portable Temporary Traffic Control Signal	Unit	4.000
42	Special Grate	Each	1.000

7. **IM-NH-P 0021(151)**                      **Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206**                      **Phone: 605/995-8120**  
**Work Type 2 or Work Type 12**                      **DBE Goal: Not Specified**                      **Contract Id: 6260**                      **See Special Provisions for Completion Requirements**

1	Construction and Maintenance of Detour(s)	LS	1.000
2	Mobilization	LS	1.000
3	Clearing	LS	1.000
4	Remove Pipe Culvert	Ft	187.000
5	Remove Pipe End Section	Each	10.000
6	Remove Fence	Ft	1,934.000
7	Remove Sediment	CuYd	2.000
8	Remove Silt Fence	Ft	326.000
9	Remove Pipe for Reset	Ft	64.000
10	Remove Pipe End Section for Reset	Each	4.000
11	Remove Fence for Reset	Ft	1,089.000
12	Unclassified Excavation	CuYd	1,275.000
13	Contractor Furnished Borrow Excavation	CuYd	257.000
14	Placing Topsoil	CuYd	261.000
15	Incidental Work, Grading	LS	1.000
16	Base Course	Ton	975.900
17	Asphalt Concrete Composite	Ton	153.400
18	Pipe Culvert Undercut	CuYd	137.000
19	30" RCP Sloped End, Furnish	Each	2.000
20	30" RCP Sloped End, Install	Each	2.000
21	42" RCP Arch Class 2, Furnish	Ft	160.000
22	42" RCP Arch, Install	Ft	160.000
23	42" RCP Arch Flared End, Furnish	Each	4.000
24	42" RCP Arch Flared End, Install	Each	4.000
25	24" CMP Sloped End, Furnish	Each	2.000
26	24" CMP Sloped End, Install	Each	2.000
27	30" CMP Sloped End, Furnish	Each	2.000
28	30" CMP Sloped End, Install	Each	2.000
29	24" Steel Pipe, Furnish	Ft	86.000
30	Cleanout Pipe Culvert	Each	1.000
31	Reset Pipe	Ft	64.000
32	Reset Pipe End Section	Each	4.000
33	Slipline 24" Pipe	Ft	70.000
34	Slipline 30" Pipe	Ft	66.000
35	Slipline 36" Pipe	Ft	240.000
36	Bore and Jack 24" Pipe	Ft	86.000
37	Cellular Grout	CuYd	26.000
38	Controlled Density Fill	CuYd	4.200

39	Type 2 Right-of-Way Fence	Ft	414.000
40	Type 6 Right-of-Way Fence	Ft	200.000
41	Type 1 Temporary Fence	Ft	1,320.000
42	Type 1A Temporary Fence	Ft	853.000
43	Type 6 Temporary Fence	Ft	298.000
44	2 Post Panel	Each	14.000
45	Reset Fence	Ft	1,089.000
46	Flagging	Hour	80.000
47	Traffic Control Signs	SqFt	781.200
48	Traffic Control, Miscellaneous	LS	1.000
49	Type 3 Barricade	Each	2.000
50	4" Temporary Pavement Marking Tape Type I	Ft	4,288.000
51	PVC Coated Bank and Channel Protection Gabion	CuYd	6.000
52	Type G Permanent Seed Mixture	Lb	40.000
53	Mulching	Ton	3.800
54	Type 3 Erosion Control Blanket	SqYd	444.000
55	12" Diameter Erosion Control Wattle	Ft	689.000
56	Remove and Reset Erosion Control Wattle	Ft	172.000
57	Shaping for Erosion Control Blanket	Ft	250.000
58	Low Flow Silt Fence	Ft	1,304.000
59	Mucking Silt Fence	CuYd	90.000
60	Repair Silt Fence	Ft	326.000
61	Type B Drainage Fabric	SqYd	19.000

**8. IM 0901(199)10** **Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970** **Phone: 605/394-2248**  
**Work Type 2 or Work Type 13** **DBE Goal: Not Specified** **Contract Id: 7908** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Contractor Furnished Topsoil	CuYd	6,746.000
3	Flagging	Hour	300.000
4	Traffic Control Signs	SqFt	1,568.800
5	Traffic Control, Miscellaneous	LS	1.000
6	Type 3 Barricade	Each	4.000
7	Type C Advance Warning Arrow Board	Each	4.000
8	Special Permanent Seed Mixture 1	Lb	1,255.000
9	Fertilizing	Lb	18,825.000
10	Fiber Mulching	Ton	25.600
11	Type 2 Erosion Control Blanket	SqYd	10,417.000
12	12" Diameter Erosion Control Wattle	Ft	1,000.000
13	Shaping for Erosion Control Blanket	Ft	8,395.000

**9. PH 0020(164)** **Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206** **Phone: 605/995-8120**  
**Work Type 10** **DBE Goal: Not Specified** **Contract Id: 7708** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Traffic Sign	Each	53.000
3	Salvage Signal Equipment	LS	1.000
4	Incidental Work	LS	1.000
5	Grind Sinusoidal Transverse Rumble Strip in Asphalt Concrete	SqFt	393.600
6	2.0"x2.0" Perforated Tube Post	Ft	162.000
7	2.5"x2.5" Perforated Tube Post	Ft	289.500
8	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	281.400
9	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	299.500
10	Remove, Salvage, Relocate, and Reset Traffic Sign	Each	2.000
11	Radar Speed Sign, Solar Powered	Each	2.000
12	Preformed Thermoplastic Pavement Marking, 24"	Ft	112.000
13	Grooving for Durable Pavement Marking, 24"	Ft	112.000
14	Flagging	Hour	10.000
15	Traffic Control Signs	SqFt	265.000

16	Traffic Control, Miscellaneous	LS	1.000
17	Type C Advance Warning Arrow Board	Each	2.000
18	Groove 4" Wide Rumble Strip	Ft	493.000
19	Breakaway Base Luminaire Pole with Arm, 50' Mounting Height	Each	3.000
20	Roadway Luminaire, LED with Photoelectric Cell	Each	3.000
21	2' Diameter Footing	Ft	27.000
22	Type 1 Electrical Junction Box	Each	9.000
23	Electrical Service Cabinet	Each	2.000
24	Controller Cabinet	Each	1.000
25	Meter Socket	Each	2.000
26	Install Signal Head	Each	5.000
27	1.5" Rigid Conduit, Schedule 40	Ft	75.000
28	2" Rigid Conduit, Schedule 40	Ft	1,685.000
29	2" Rigid Conduit, Schedule 80	Ft	630.000
30	4/4/4/4 ALU Quadraplex	Ft	105.000
31	1/C #6 AWG Copper Wire	Ft	1,638.000
32	1/C #10 AWG Copper Wire	Ft	9,620.000
33	2/C #10 AWG Copper Pole and Bracket Cable	Ft	64.000
34	Railroad Protective Insurance	LS	1.000

**10. PH 8039(16)** **Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940** **Phone: 605/353-7140**  
**Work Type 11** **DBE Goal: Not Specified** **Contract Id: 7848** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	As-Built Survey	LS	1.000
3	Remove Traffic Sign	Each	3,824.000
4	Salvage Traffic Sign	Each	574.000
5	Remove Sign for Reset	Each	23.000
6	2.0"x2.0" Perforated Tube Post	Each	6,999.000
7	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	642.000
8	4" Tubular White Delineator Reflector	Each	879.000
9	Guardrail Delineator	Each	92.000
10	Type 2 Object Marker Back to Back	Each	1,005.000
11	Type 3 Flexible Object Marker	Each	140.000
12	Type 4 Object Marker	Each	66.000
13	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	18,598.600
14	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	23,455.300
15	Reset Sign	Each	23.000
16	Type 3 Single Sided Barricade	Ft	120.000
17	Traffic Control, Miscellaneous	LS	1.000

**11. P 0030(43)** **Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405** **Phone: 605/773-5294**  
**Work Type 5** **DBE Goal: Not Specified** **Contract Id: 7900** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Asphalt Emulsion for Microsurfacing	Gal	339,092.000
3	Mineral Aggregate for Microsurfacing	Ton	11,117.600
4	SS-1h or CSS-1h Asphalt for Tack	Ton	148.000
5	Type II Field Laboratory	Each	1.000
6	Pavement Marking Paint, White	Gal	1,629.000
7	Pavement Marking Paint, Yellow	Gal	476.000
8	Flagging	Hour	600.000
9	Pilot Car	Hour	300.000
10	Traffic Control Signs	SqFt	563.000
11	Traffic Control, Miscellaneous	LS	1.000
12	Temporary Pavement Marking	Mile	142.600

**12. NH-P 0040(315)** **Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970** **Phone: 605/394-2248**  
**Work Type 4** **DBE Goal: Not Specified** **Contract Id: 7907** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Unclassified Excavation, Digouts	CuYd	582.000
3	Base Course	Ton	711.500
4	Gravel Cushion	Ton	32.600
5	Shot Rock	Ton	73.300
6	Asphalt Concrete Composite	Ton	2,996.400
7	Cold Milling Asphalt Concrete	SqYd	23,082.000
8	Asphalt Concrete Crack Sealing	Lb	64,425.000
9	Fast Track Concrete for PCC Pavement Repair	SqYd	120.600
10	Nonreinforced PCC Pavement Repair	SqYd	244.500
11	Dowel Bar	Each	36.000
12	Insert Steel Bar in PCC Pavement	Each	499.000
13	Tie Bar Retrofit, Stitching	Each	4,360.000
14	Reseal PCC Pavement Joint - Hot Pour	Ft	182,425.000
15	Seal Random Cracks in PCC Pavement	Ft	8,795.000
16	Repair Type A Spall	SqFt	1,341.300
17	Precast Concrete Headwall for Drain	Each	1.000
18	4" PVC Pipe	Ft	30.000
19	Pavement Marking Paint, 4" White	Ft	327.000
20	Pavement Marking Paint, 4" Yellow	Ft	327.000
21	Flagging	Hour	1,800.000
22	Pilot Car	Hour	200.000
23	Traffic Control Signs	SqFt	5,191.800
24	Traffic Control, Miscellaneous	LS	1.000
25	Type 3 Barricade	Each	28.000
26	Temporary Flexible Vertical Markers (Tabs)	Ft	78,580.000
27	Type C Advance Warning Arrow Board	Each	10.000
28	4" Temporary Pavement Marking Tape Type I	Ft	1,440.000
29	Portable Temporary Traffic Control Signal	Unit	6.000
30	Type F68 Concrete Curb and Gutter	Ft	20.000
31	4" Corrugated Polyethylene Drainage Tubing	Ft	30.000
32	Porous Backfill	Ton	1.000
33	Erosion Control	LS	1.000
34	12" Diameter Erosion Control Wattle	Ft	30.000
35	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	400.000
36	Reinforcement Fabric (MSE)	SqYd	239.000

13. **NH 0033(27)** **Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771** **Phone: 605/842-0810**  
**Work Type 4** **DBE Goal: Not Specified** **Contract Id: 7912** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Concrete Pavement	SqYd	17.300
3	Base Course, Salvaged, State Furnished	Ton	75.000
4	Nonreinforced PCC Pavement Repair	SqYd	17.300
5	Dowel Bar	Each	24.000
6	Insert Steel Bar in PCC Pavement	Each	65.000
7	Seal Random Cracks in PCC Pavement	Ft	280.000
8	Grinding PCC Pavement	SqYd	124,744.100
9	Saw and Seal Joint	Ft	99,704.000
10	Waterborne Pavement Marking Paint with High Grade Polymer, White	Gal	421.000
11	Waterborne Pavement Marking Paint with High Grade Polymer, Yellow	Gal	175.000
12	Grooving for Durable Pavement Marking, 4"	Ft	113,024.000
13	Flagging	Hour	1,440.000
14	Pilot Car	Hour	720.000
15	Traffic Control Signs	SqFt	865.300
16	Traffic Control, Miscellaneous	LS	1.000
17	Type 3 Barricade	Each	30.000

18	4" Temporary Pavement Marking Tape Type I	Ft	15,264.000
19	Temporary Pavement Marking	Mile	7.900
<b>14.</b>	<b>PH 0020(200)</b>	<b>Area Engineer: Travis Dressen, 5316 W 60th St N, Sioux Falls, SD, 57107</b>	
	<b>Work Type 11</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 7921</b> <b>See Special Provisions for Completion Requirements</b>
1	Mobilization	LS	1.000
2	Durable Pavement Marking, 4" White	Ft	411,312.000
3	Durable Pavement Marking, 4" Yellow	Ft	333,030.000
4	Durable Pavement Marking, 12" White	Ft	13,903.000
5	Surface Preparation for Pavement Marking	Ft	711,411.000
6	Grooving for Durable Pavement Marking, 4"	Ft	74,640.000
7	Mobile Retroreflectorometer Measurements	Mile	189.365
8	Flagging	Hour	80.000
9	Traffic Control Signs	SqFt	475.800
10	Traffic Control, Miscellaneous	LS	1.000
11	Type 3 Barricade	Each	2.000
12	Type C Advance Warning Arrow Board	Each	2.000

### Instructions

**PROPOSALS, PLANS AND SPECIFICATIONS:** Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

**MINIMUM WAGE RATES:** Minimum wage rates for 1, 3 through 14 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

**BID PREPARATION:** Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 1 must also submit a bid on Item 2. Award of these combinations (Items 1 & 2) will be to the same bidder based on the total combined two projects. Bidders submitting a bid on Item 3 must also submit a bid on Item 4. Award of these combinations (Items 3 & 4) will be to the same bidder based on the total combined two projects.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

**NONDISCRIMINATION ASSURANCE:** The Department of Transportation in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, national origin, sex, age or disability in consideration for an award.

**EXECUTION OF CONTRACT:** In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

**GENERALLY:** A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Environmental & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Darin Bergquist  
SECRETARY OF TRANSPORTATION