

Advertisement of Highway Bid Letting

<http://apps.sd.gov/hc65bidletting/ebslettings1.aspx>

The U.S. Department of Labor published an updated Davis-Bacon Act Highway-Heavy Construction Wage Decision for South Dakota, which is effective in the SDDOT's highway construction and repair contracts let after May 1, 2018.

Contractors are invited to attend an open meeting to provide input prior to developing the DOT's overall DBE goal for the FFY 2019-2021. The meeting will be held in the DOT Commission room at 700 E. Broadway Avenue, Pierre, SD from 10:00 am until 12:00 pm CDT on Thursday May 3, 2018.

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the SDDOT secure bid submission site at <http://apps.sd.gov/hc65bidletting/bidsubmittallogin.aspx> until 10 A.M. Central time, on Wednesday, May 16, 2018, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	BRO 8003(24) (PCN 01Y1)	Beadle SWPPP = 0.79 AC	---	Structure & Approach Grading (3-12'x9' RCBC)	Structure 5 miles east & 0.4 miles north of Wessington over Cain Creek
2.	P 0011(89)38 (PCN 04V3)	Union	---	Bridge Deck Polymer Chip Seal	SD11, 0.5 miles south of SD46 over East Brule Creek
3.	NH 0085(91)78 (PCN 04WE)	Butte, Harding SWPPP = 2.75 AC	21.370	Cold Milling Asphalt Concrete, Asphalt Concrete Resurfacing, & Culvert Repairs	US85 through Buffalo and from 11 miles south SD168 to 1 mile south of the Harding Co Line
4.	NH-P 0032(21) (PCN 049L)	Dewey, Ziebach SWPPP = 1.68 AC	---	Culvert Repair (Slip Lining)	Various locations on the Cheyenne River Indian Reservation
5.	P 0032(20) (PCN 049K)	Corson SWPPP = 13.01 AC	5.325	Culvert Repair	Various Locations on the Standing Rock Indian Reservation
6.	P 0011(79) (PCN 040Q)	Brown, Faulk SWPPP = 4.40 AC	---	Culvert Repair	Various Locations in the Aberdeen Area
7.	NH 0020(191) (PCN 06N2)	Lake	12.998	Crack Leveling & Pavement Marking	US81 from Madison, north 13 miles
8.	NH 0050(125)379 (PCN 05YM)	Yankton SWPPP = 3.11 AC	0.404	Construct Turning Lanes	SD50, 3 miles west of US81 at the intersection with 437th Ave.
9.	PH 0010(134) (PCN 062F)	Brookings, Codington, Deuel, Hamlin, Roberts SWPPP = 26.00 AC	---	Guardrail Installation	Various Locations in the Aberdeen Region
10.	PH 8054(05) (PCN 02UK)	Potter	---	Signing & Delineation	Various County, City, & Township Roads in Potter County

* Indicates combination bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	BRO 8003(24)	Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940	Phone: 605/353-7140
	Work Type 9	DBE Goal: Not Specified	Contract Id: 6439 See Special Provisions for Completion Requirements
	1 Mobilization		LS 1.000
	2 Construction Staking		LS 1.000
	3 Unclassified Excavation		CuYd 754.000
	4 Placing Topsoil		CuYd 172.000
	5 Incidental Work, Structure		LS 1.000
	6 Structure Excavation, Box Culvert		CuYd 111.000
	7 Box Culvert Undercut		CuYd 340.000
	8 Class A45 Concrete, Box Culvert		CuYd 256.400
	9 Reinforcing Steel		Lb 49,766.000
	10 Type 3 Object Marker		Each 4.000
	11 Traffic Control Signs		SqFt 109.000
	12 Traffic Control, Miscellaneous		LS 1.000
	13 Type 3 Barricade, 6' Single Sided		Each 6.000
	14 Type 3 Barricade, 6' Double Sided		Each 2.000
	15 Class B Riprap		Ton 470.000
	16 Erosion Control		LS 1.000
	17 Low Flow Silt Fence		Ft 672.000
	18 Mucking Silt Fence		CuYd 35.000
	19 Repair Silt Fence		Ft 336.000
	20 Temporary Diversion Channel and/or Pipe		Each 1.000
	21 Type B Drainage Fabric		SqYd 635.000
	22 Reinforcement Fabric (MSE)		SqYd 457.000
2.	P 0011(89)38	Area Engineer: Rod Gall, 1306 W 31st St, Yankton, SD, 57078-9662	Phone: 605/668-2929
	Work Type 8	DBE Goal: Not Specified	Contract Id: 7508 See Special Provisions for Completion Requirements
	1 Mobilization		LS 1.000
	2 Two Coat Bridge Deck Polymer Chip Seal		SqYd 414.800
	3 Abrasive Blasting of Bridge Deck		SqYd 414.800
	4 Bridge Deck Grinding		SqYd 414.800
	5 Concrete Removal, Class A		SqYd 26.800
	6 Concrete Removal, Class B		SqYd 26.800
	7 Concrete Patching Material, Bridge Deck		CuFt 246.100
	8 Pavement Marking Paint, 4" White		Ft 3,000.000
	9 Pavement Marking Paint, 4" Yellow		Ft 375.000
	10 Flagging		Hour 20.000
	11 Traffic Control Signs		SqFt 176.000
	12 Traffic Control, Miscellaneous		LS 1.000
	13 Type 3 Barricade, 8' Double Sided		Each 1.000
	14 Temporary Flexible Vertical Markers (Tabs)		Ft 2,000.000
	15 Remove Pavement Marking, 4" or Equivalent		Ft 140.000
	16 4" Temporary Pavement Marking Tape Type I		Ft 144.000
3.	NH 0085(91)78	Area Engineer: Tammy Williams, W Hwy 34, Belle Fourche, SD, 57717-0786	Phone: 605/892-2872
	Work Type 5	DBE Goal: Not Specified	Contract Id: 7487 See Special Provisions for Completion Requirements
	1 Maintenance of Traffic Diversion(s)		LS 1.000
	2 Remove Traffic Diversion(s)		LS 1.000
	3 Mobilization		LS 1.000
	4 Checker		LS 1.000
	5 Construction Schedule, Category II		LS 1.000
	6 Project Management, Category II		LS 1.000
	7 Training Program		Hour 500.000
	8 Remove Pipe Culvert		Ft 266.000
	9 Remove Pipe End Section		Each 61.000
	10 Remove Fence		Ft 3,023.000

11	Remove 3 Cable Guardrail	Ft	580.000
12	Remove Beam Guardrail	Ft	900.000
13	Remove 3 Cable Guardrail Anchor Assembly	Each	4.000
14	Remove Asphalt Concrete Pavement	SqYd	896.000
15	Remove Silt Fence	Ft	255.000
16	Salvage W Beam Guardrail Tangent End Terminal	Each	16.000
17	Remove Pipe End Section for Reset	Each	10.000
18	Remove Cattle Pass for Reset	Ft	60.000
19	Remove Cattle Pass End Section for Reset	Each	4.000
20	Unclassified Excavation	CuYd	5,959.000
21	Unclassified Excavation, Digouts	CuYd	1,064.000
22	Contractor Furnished Borrow Excavation	CuYd	4,469.000
23	Water for Granular Material	MGal	124.200
24	Remove and Replace Topsoil	LS	1.000
25	Incidental Work	LS	1.000
26	Incidental Work, Grading	LS	1.000
27	Incidental Work, Structure	LS	1.000
28	Base Course	Ton	1,261.300
29	Base Course, Salvaged Asphalt Mix	Ton	16,789.900
30	Full Depth Reclamation, Shoulder	SqYd	133,547.000
31	PG 58-34 Asphalt Binder	Ton	483.700
32	Asphalt Concrete Composite	Ton	367.400
33	Asphalt Concrete Leveling Lift	Ton	8,472.800
34	Hydrated Lime	Ton	84.000
35	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	41.400
36	Grind Sinusoidal Centerline Rumble Stripe in Asphalt Concrete	Mile	20.700
37	MC-70 Asphalt for Prime	Ton	201.400
38	SS-1h or CSS-1h Asphalt for Tack	Ton	272.100
39	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	112.900
40	Sand for Flush Seal	Ton	1,152.600
41	Cold Milling Asphalt Concrete	SqYd	371,454.000
42	Structure Excavation, Box Culvert	CuYd	5.000
43	Pipe Culvert Undercut	CuYd	84.000
44	24" RCP Class 2, Furnish	Ft	80.000
45	24" RCP, Install	Ft	80.000
46	30" RCP Class 2, Furnish	Ft	78.000
47	30" RCP, Install	Ft	78.000
48	24" RCP Sloped End, Furnish	Each	2.000
49	24" RCP Sloped End, Install	Each	2.000
50	30" RCP Sloped End, Furnish	Each	2.000
51	30" RCP Sloped End, Install	Each	2.000
52	54" RCP Arch Class 2, Furnish	Ft	80.000
53	54" RCP Arch, Install	Ft	80.000
54	54" RCP Arch Flared End, Furnish	Each	2.000
55	54" RCP Arch Flared End, Install	Each	2.000
56	Tie Bolts for RCP	Each	14.000
57	84" CMP 14 Gauge, Furnish	Ft	30.000
58	84" CMP, Install	Ft	30.000
59	18" CMP Flared End, Furnish	Each	4.000
60	18" CMP Flared End, Install	Each	4.000
61	24" CMP Flared End, Furnish	Each	17.000
62	24" CMP Flared End, Install	Each	17.000
63	30" CMP Flared End, Furnish	Each	8.000
64	30" CMP Flared End, Install	Each	8.000
65	36" CMP Flared End, Furnish	Each	5.000
66	36" CMP Flared End, Install	Each	5.000

67	42" CMP Flared End, Furnish	Each	4.000
68	42" CMP Flared End, Install	Each	4.000
69	48" CMP Flared End, Furnish	Each	7.000
70	48" CMP Flared End, Install	Each	7.000
71	54" CMP Flared End, Furnish	Each	5.000
72	54" CMP Flared End, Install	Each	5.000
73	60" CMP Flared End, Furnish	Each	1.000
74	60" CMP Flared End, Install	Each	1.000
75	72" CMP Flared End, Furnish	Each	5.000
76	72" CMP Flared End, Install	Each	5.000
77	84" CMP Flared End, Furnish	Each	1.000
78	84" CMP Flared End, Install	Each	1.000
79	48" CMP Arch Flared End, Furnish	Each	1.000
80	48" CMP Arch Flared End, Install	Each	1.000
81	24" Steel Pipe, Furnish	Ft	192.000
82	30" Steel Pipe, Furnish	Ft	158.000
83	42" Steel Pipe, Furnish	Ft	292.000
84	48" Steel Pipe, Furnish	Ft	190.000
85	54" Steel Pipe, Furnish	Ft	382.000
86	72" Steel Pipe, Furnish	Ft	190.000
87	Culvert Joint Cleaning	Ft	48.000
88	Repair Culvert Joint	Ft	48.000
89	Chemical Grout Void Fill	Gal	90.000
90	Cleanout Pipe Culvert	Each	5.000
91	Reset Pipe End Section	Each	10.000
92	Slipline 24" Pipe	Ft	252.000
93	Slipline 30" Pipe	Ft	228.000
94	Slipline 36" Pipe	Ft	254.000
95	Slipline 42" Pipe	Ft	182.000
96	Slipline 48" Pipe	Ft	558.000
97	Slipline 72" Pipe	Ft	160.000
98	Bore and Jack 24" Pipe	Ft	192.000
99	Bore and Jack 30" Pipe	Ft	158.000
100	Bore and Jack 42" Pipe	Ft	292.000
101	Bore and Jack 48" Pipe	Ft	190.000
102	Bore and Jack 54" Pipe	Ft	382.000
103	Bore and Jack 72" Pipe	Ft	190.000
104	Class A45 Concrete, Box Culvert	CuYd	4.800
105	Cellular Grout	CuYd	735.000
106	Reinforcing Steel	Lb	382.000
107	5'x7' Reinforced Concrete Cattle Pass, Furnish	Ft	34.000
108	5'x7' Reinforced Concrete Cattle Pass, Install	Ft	34.000
109	Reset Reinforced Concrete Cattle Pass	Ft	60.000
110	Reset Reinforced Concrete Cattle Pass End Section	Each	4.000
111	Type III Field Laboratory	Each	1.000
112	Type 3 Right-of-Way Fence	Ft	1,377.000
113	Type 4 Right-of-Way Fence	Ft	494.000
114	Type 5 Right-of-Way Fence	Ft	78.000
115	Type 6 Right-of-Way Fence	Ft	100.000
116	Modified Type 3 Right-of-Way Fence	Ft	974.000
117	Type 2 Temporary Fence	Ft	5,413.000
118	Type 3 Temporary Fence	Ft	938.000
119	2 Post Panel	Each	77.000
120	3 Post Panel	Each	7.000
121	NCHRP 350 Test Level 3 High Tension Cable Guardrail	Ft	756.000
122	NCHRP 350 Test Level 3 High Tension Cable Guardrail Anchor Assembly	Each	4.000

123	Furnish High Tension Cable Guardrail Post and Sleeve	Each	50.000
124	Type 1 MGS	Ft	1,500.000
125	Type 2A Guardrail Transition	Each	16.000
126	MGS Flared End Terminal	Each	16.000
127	Guardrail Delineator	Each	64.000
128	Cold Applied Plastic Pavement Marking, 4"	Ft	3,564.000
129	Cold Applied Plastic Pavement Marking, 24"	Ft	445.000
130	Cold Applied Plastic Pavement Marking, Area	SqFt	57.000
131	Cold Applied Plastic Pavement Marking, Arrow	Each	4.000
132	Cold Applied Plastic Pavement Marking, Message	Word	2.000
133	Waterborne Pavement Marking Paint with High Grade Polymer, White	Gal	1,189.000
134	Waterborne Pavement Marking Paint with High Grade Polymer, Yellow	Gal	407.000
135	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	3,564.000
136	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	445.000
137	Grooving for Cold Applied Plastic Pavement Marking, Area	SqFt	57.000
138	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	4.000
139	Grooving for Cold Applied Plastic Pavement Marking, Message	Word	2.000
140	Flagging	Hour	1,050.000
141	Pilot Car	Hour	525.000
142	Traffic Control Signs	SqFt	1,512.300
143	Traffic Control, Miscellaneous	LS	1.000
144	Type 3 Barricade, 8' Double Sided	Each	9.000
145	4" Temporary Pavement Marking Tape Type I	Ft	576.000
146	Temporary Pavement Marking	Mile	85.000
147	Class B Riprap	Ton	972.300
148	Bank and Channel Protection Gabion	CuYd	353.500
149	Erosion Control	LS	1.000
150	Type 3 Turf Reinforcement Mat	SqYd	234.000
151	12" Diameter Erosion Control Wattle	Ft	3,040.000
152	High Flow Silt Fence	Ft	1,015.000
153	Mucking Silt Fence	CuYd	64.000
154	Repair Silt Fence	Ft	255.000
155	Sediment Control at Inlet with Frame and Grate	Each	6.000
156	Temporary Diversion Channel and/or Pipe	Each	2.000
157	Dewatering	LS	1.000
158	Type B Drainage Fabric	SqYd	2,395.000
159	Refurbish Single Mailbox	Each	1.000
160	Refurbish Double Mailbox	Each	1.000
161	Structure Excavation, Box Culvert	CuYd	89.000
162	Box Culvert Undercut	CuYd	137.000
163	Class A45 Concrete, Box Culvert	CuYd	237.500
164	Reinforcing Steel	Lb	35,909.000
165	Class B Riprap	Ton	136.600
166	Type B Drainage Fabric	SqYd	164.000
167	Structure Excavation, Box Culvert	CuYd	78.000
168	Box Culvert Undercut	CuYd	148.000
169	2-9'x8' Precast Concrete Box Culvert, Furnish	Ft	126.000
170	2-9'x8' Precast Concrete Box Culvert, Install	Ft	126.000
171	2-9'x8' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
172	2-9'x8' Precast Concrete Box Culvert End Section, Install	Each	2.000
173	Class B Riprap	Ton	57.000
174	Type B Drainage Fabric	SqYd	70.000
175	PG 58-34 Asphalt Binder	Ton	3,042.500
176	Class Q3R Hot Mixed Asphalt Concrete	Ton	65,534.500
177	Hydrated Lime	Ton	669.400
178	PG 58-34 Asphalt Binder	Ton	2,324.800

179	Class Q3R Hot Mixed Asphalt Concrete	Ton	67,243.400
180	Hydrated Lime	Ton	545.800

4.	NH-P 0032(21)	Area Engineer: John Villbrandt, PO Box 488, Mobridge, SD, 57601-0488		Phone: 605/845-3844
	Work Type 12	DBE Goal: Not Specified	Contract Id: 7492	See Special Provisions for Completion Requirements
1	Mobilization	LS	1.000	
2	Remove Fence	Ft	410.000	
3	Remove and Replace Topsoil	LS	1.000	
4	Incidental Work, Grading	LS	1.000	
5	72" CMP Flared End, Furnish	Each	2.000	
6	72" CMP Flared End, Install	Each	2.000	
7	Slipline 42" Pipe	Ft	82.000	
8	Slipline 72" Pipe	Ft	234.000	
9	Cellular Grout	CuYd	84.900	
10	Type 2 Right-of-Way Fence	Ft	410.000	
11	Type 2 Temporary Fence	Ft	710.000	
12	2 Post Panel	Each	4.000	
13	Type 2 Object Marker	Each	4.000	
14	Flagging	Hour	30.000	
15	Traffic Control Signs	SqFt	163.000	
16	Traffic Control, Miscellaneous	LS	1.000	
17	Bank and Channel Protection Gabion	CuYd	21.500	
18	Erosion Control	LS	1.000	
19	Type 2 Erosion Control Blanket	SqYd	8,140.000	
20	12" Diameter Erosion Control Wattle	Ft	2,709.000	
21	Remove and Reset Erosion Control Wattle	Ft	675.000	
22	Shaping for Erosion Control Blanket	Ft	530.000	
23	Type B Drainage Fabric	SqYd	48.000	
5.	P 0032(20)	Area Engineer: John Villbrandt, PO Box 488, Mobridge, SD, 57601-0488		Phone: 605/845-3844
	Work Type 2 or Work Type 12	DBE Goal: Not Specified	Contract Id: 7491	See Special Provisions for Completion Requirements
1	Mobilization	LS	1.000	
2	Miscellaneous Staking	LS	1.000	
3	Clearing	LS	1.000	
4	Remove Pipe Culvert	Ft	1,095.000	
5	Remove Pipe End Section	Each	10.000	
6	Remove Fence	Ft	9,904.000	
7	Salvage Pipe	Ft	98.000	
8	Salvage Pipe End Section	Each	2.000	
9	Unclassified Excavation	CuYd	765.000	
10	Contractor Furnished Borrow Excavation	CuYd	1,573.000	
11	Remove and Replace Topsoil	LS	1.000	
12	Incidental Work, Grading	LS	1.000	
13	Base Course	Ton	966.000	
14	Asphalt Concrete Composite	Ton	43.000	
15	Pipe Culvert Undercut	CuYd	19.000	
16	24" RCP Class 2, Furnish	Ft	66.000	
17	24" RCP, Install	Ft	66.000	
18	24" RCP Sloped End, Furnish	Each	2.000	
19	24" RCP Sloped End, Install	Each	2.000	
20	18" CMP 12 Gauge, Furnish	Ft	1,126.000	
21	18" CMP, Install	Ft	1,126.000	
22	24" CMP 12 Gauge, Furnish	Ft	46.000	
23	24" CMP, Install	Ft	46.000	
24	18" CMP Elbow, Furnish	Each	16.000	
25	18" CMP Elbow, Install	Each	16.000	
26	24" CMP Elbow, Furnish	Each	2.000	

27	24" CMP Elbow, Install	Each	2.000
28	18" CMP Flared End, Furnish	Each	8.000
29	18" CMP Flared End, Install	Each	8.000
30	24" CMP Flared End, Furnish	Each	6.000
31	24" CMP Flared End, Install	Each	6.000
32	30" CMP Flared End, Furnish	Each	2.000
33	30" CMP Flared End, Install	Each	2.000
34	36" CMP Flared End, Furnish	Each	4.000
35	36" CMP Flared End, Install	Each	4.000
36	54" CMP Flared End, Furnish	Each	6.000
37	54" CMP Flared End, Install	Each	6.000
38	66" CMP Flared End, Furnish	Each	2.000
39	66" CMP Flared End, Install	Each	2.000
40	24" CMP Sloped End, Furnish	Each	2.000
41	24" CMP Sloped End, Install	Each	2.000
42	18" CMP Safety End, Furnish	Each	8.000
43	18" CMP Safety End, Install	Each	8.000
44	24" Steel Pipe, Furnish	Ft	468.000
45	36" Steel Pipe, Furnish	Ft	188.000
46	54" Steel Pipe, Furnish	Ft	402.000
47	66" Steel Pipe, Furnish	Ft	158.000
48	Cleanout Pipe Culvert	Each	3.000
49	Bore and Jack 24" Pipe	Ft	468.000
50	Bore and Jack 36" Pipe	Ft	188.000
51	Bore and Jack 54" Pipe	Ft	402.000
52	Bore and Jack 66" Pipe	Ft	158.000
53	Cellular Grout	CuYd	245.500
54	Type II Field Laboratory	Each	1.000
55	Type 2 Right-of-Way Fence	Ft	4,179.000
56	Type 2 Temporary Fence	Ft	5,747.000
57	2 Post Panel	Each	44.000
58	3 Post Panel	Each	2.000
59	Type 2 Object Marker	Each	40.000
60	Flagging	Hour	270.000
61	Traffic Control Signs	SqFt	1,778.000
62	Traffic Control, Miscellaneous	LS	1.000
63	Type 3 Barricade, 8' Double Sided	Each	9.000
64	4" Temporary Pavement Marking Tape Type I	Ft	2,738.000
65	PVC Coated Bank and Channel Protection Gabion	CuYd	129.500
66	Erosion Control	LS	1.000
67	Type 2 Erosion Control Blanket	SqYd	61,455.000
68	12" Diameter Erosion Control Wattle	Ft	14,319.000
69	Remove and Reset Erosion Control Wattle	Ft	7,000.000
70	Shaping for Erosion Control Blanket	Ft	529.000
71	Type B Drainage Fabric	SqYd	287.000

6.	P 0011(79)	Area Engineer: Phil Dwight, West Highway 12, Aberdeen, SD, 57402-1767	Phone: 605/626-7885
	Work Type 2 or Work Type 12	DBE Goal: Not Specified	Contract Id: 7517
		See Special Provisions for Completion Requirements	
	1 Construction and Maintenance of Detour(s)	LS	1.000
	2 Mobilization	LS	1.000
	3 Remove Pipe Culvert	Ft	887.000
	4 Remove Pipe End Section	Each	6.000
	5 Remove Silt Fence	Ft	520.000
	6 Salvage Riprap	Ton	730.000
	7 Remove Pipe for Reset	Ft	38.000
	8 Remove Pipe End Section for Reset	Each	2.000

9	Unclassified Excavation	CuYd	5,289.000
10	Contractor Furnished Borrow Excavation	CuYd	190.000
11	Remove and Replace Topsoil	LS	1.000
12	Base Course	Ton	2,371.700
13	Asphalt Concrete Composite	Ton	555.400
14	Pipe Culvert Undercut	CuYd	233.000
15	24" RCP Class 2, Furnish	Ft	312.000
16	24" RCP, Install	Ft	312.000
17	36" RCP Class 2, Furnish	Ft	264.000
18	36" RCP, Install	Ft	264.000
19	36" RCP Flared End, Furnish	Each	4.000
20	36" RCP Flared End, Install	Each	4.000
21	24" RCP Sloped End, Furnish	Each	6.000
22	24" RCP Sloped End, Install	Each	6.000
23	54" RCP Arch Class 2, Furnish	Ft	108.000
24	54" RCP Arch, Install	Ft	108.000
25	54" RCP Arch Flared End, Furnish	Each	4.000
26	54" RCP Arch Flared End, Install	Each	4.000
27	36" CMP Flared End, Furnish	Each	2.000
28	36" CMP Flared End, Install	Each	2.000
29	30" CMP Sloped End, Furnish	Each	2.000
30	30" CMP Sloped End, Install	Each	2.000
31	Reset Pipe	Ft	38.000
32	Reset Pipe End Section	Each	2.000
33	Slipline 30" Pipe	Ft	118.000
34	Slipline 36" Pipe	Ft	112.000
35	Cellular Grout	CuYd	16.700
36	Controlled Density Fill	CuYd	9.700
37	Pavement Marking Paint, 4" White	Ft	1,096.000
38	Pavement Marking Paint, 4" Yellow	Ft	245.000
39	Flagging	Hour	300.000
40	Traffic Control Signs	SqFt	1,513.800
41	Traffic Control, Miscellaneous	LS	1.000
42	Type 3 Barricade, 8' Double Sided	Each	42.000
43	4" Temporary Pavement Marking Tape Type I	Ft	17,808.000
44	Class D Riprap	Ton	73.000
45	Place Riprap	Ton	730.000
46	Erosion Control	LS	1.000
47	High Flow Silt Fence	Ft	520.000
48	Mucking Silt Fence	CuYd	36.000
49	Repair Silt Fence	Ft	130.000
50	Floating Silt Curtain	Ft	1,500.000
51	Type B Drainage Fabric	SqYd	854.000
52	Geogrid Reinforcement	SqYd	2,102.000

7.	NH 0020(191)	Area Engineer: Travis Dressen, 5316 W 60th St N, Sioux Falls, SD, 57107		Phone: 605/367-5680
	Work Type 6	DBE Goal: Not Specified	Contract Id: 7494	See Special Provisions for Completion Requirements
1	Mobilization	LS	1.000	
2	Asphalt Repair Mastic Type 2	Lb	16,575.000	
3	Pavement Marking Paint, White	Gal	440.000	
4	Pavement Marking Paint, Yellow	Gal	125.000	
5	Flagging	Hour	80.000	
6	Pilot Car	Hour	40.000	
7	Traffic Control Signs	SqFt	169.000	
8	Traffic Control, Miscellaneous	LS	1.000	

8. NH 0050(125)379

Area Engineer: Rod Gall, 1306 W 31st St, Yankton, SD, 57078-9662

Phone: 605/668-2929

Work Type 5

DBE Goal: Not Specified

Contract Id: 7458

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Grade Staking	Mile	0.451
3	Miscellaneous Staking	Mile	0.404
4	Slope Staking	Mile	0.404
5	Three Man Survey Crew	Hour	40.000
6	Remove Fence	Ft	89.000
7	Remove Sediment	CuYd	2.000
8	Remove Erosion Control Wattle	Ft	171.000
9	Remove Silt Fence	Ft	27.000
10	Remove Delineator for Reset	Each	8.000
11	Unclassified Excavation	CuYd	9,701.000
12	Contractor Furnished Borrow Excavation	CuYd	5,241.000
13	Undercutting	CuYd	5,948.000
14	Placing Topsoil	CuYd	691.000
15	Incidental Work, Grading	LS	1.000
16	Base Course	Ton	2,309.000
17	Base Course, Salvaged	Ton	2,953.000
18	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	3,280.800
19	Asphalt Concrete Composite	Ton	2,424.800
20	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	0.600
21	24" RCP Class 2, Furnish	Ft	104.000
22	24" RCP, Install	Ft	104.000
23	24" RCP Bend, Furnish	Each	1.000
24	24" RCP Bend, Install	Each	1.000
25	24" RCP Sloped End, Furnish	Each	6.000
26	24" RCP Sloped End, Install	Each	6.000
27	24" RCP Safety End, Furnish	Each	1.000
28	24" RCP Safety End, Install	Each	1.000
29	Class M6 Concrete	CuYd	4.100
30	Reinforcing Steel	Lb	821.000
31	Type 2 Right-of-Way Fence	Ft	106.000
32	2 Post Panel	Each	4.000
33	3 Post Panel	Each	2.000
34	2.0"x2.0" Perforated Tube Post	Ft	22.000
35	4"x8" White Delineator with 1.12 Lb/Ft Post	Each	8.000
36	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	17.000
37	Reset Delineator	Each	8.000
38	Type 2 Object Marker Back to Back	Each	5.000
39	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	11.200
40	Remove, Salvage, Relocate, and Reset Traffic Sign	Each	5.000
41	Pavement Marking Paint, 4" White	Ft	5,655.000
42	Pavement Marking Paint, 4" Yellow	Ft	7,687.000
43	Pavement Marking Paint, 24" Yellow	Ft	208.000
44	Pavement Marking Paint, Area	SqFt	10.000
45	Pavement Marking Paint, Arrow	Each	10.000
46	Flagging	Hour	40.000
47	Traffic Control Signs	SqFt	283.000
48	Traffic Control, Miscellaneous	LS	1.000
49	Remove Pavement Marking, 4" or Equivalent	Ft	533.000
50	Type A9 Manhole Frame and Lid	Each	1.000
51	Type G Permanent Seed Mixture	Lb	34.000
52	Mulching	Ton	2.600
53	12" Diameter Erosion Control Wattle	Ft	682.000

54	Remove and Reset Erosion Control Wattle	Ft	171.000
55	High Flow Silt Fence	Ft	108.000
56	Mucking Silt Fence	CuYd	8.000
57	Repair Silt Fence	Ft	27.000

9. PH 0010(134) Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201 Phone: 605/882-5166

Work Type 2 or Work Type 13 DBE Goal: Not Specified Contract Id: 7482 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Remove Sediment	CuYd	2.000
3	Contractor Furnished Borrow Excavation	CuYd	19,144.000
4	Remove and Replace Topsoil	LS	1.000
5	Base Course	Ton	12,964.000
6	NCHRP 350 Test Level 3 High Tension Cable Guardrail	Ft	13,430.000
7	NCHRP 350 Test Level 3 High Tension Cable Guardrail Anchor Assembly	Each	76.000
8	Furnish High Tension Cable Guardrail Post	Each	50.000
9	Furnish High Tension Cable Guardrail Post and Sleeve	Each	50.000
10	Type 2 Object Marker	Each	76.000
11	Flagging	Hour	50.000
12	Traffic Control Signs	SqFt	1,860.000
13	Traffic Control, Miscellaneous	LS	1.000
14	Type 3 Barricade, 8' Single Sided	Each	6.000
15	Type C Advance Warning Arrow Board	Each	6.000
16	Type B Permanent Seed Mixture	Lb	295.000
17	Fiber Mulching	Ton	16.400
18	12" Diameter Erosion Control Wattle	Ft	500.000

10. PH 8054(05) Area Engineer: John Villbrandt, PO Box 488, Mobridge, SD, 57601-0488 Phone: 605/845-3844

Work Type 11 DBE Goal: Not Specified Contract Id: 6491 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	As-Built Survey	LS	1.000
3	Remove Traffic Sign	Each	14.000
4	Salvage Traffic Sign	Each	2,962.000
5	Remove Sign for Reset	Each	14.000
6	2.0"x2.0" Perforated Tube Post	Ft	27,752.000
7	No Passing Zone Reference Post	Each	34.000
8	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	1,159.000
9	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	72.000
10	4" Tubular White Delineator Reflector	Each	382.000
11	Type 2 Object Marker Back to Back	Each	1,833.000
12	Type 2 Object Marker	Each	602.000
13	Type 3 Flexible Object Marker	Each	112.000
14	Type 4 Object Marker	Each	3.000
15	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	10,404.100
16	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	9,624.900
17	Reset Sign	Each	14.000
18	Type 3 Single Sided Barricade	Ft	162.000
19	Traffic Control, Miscellaneous	LS	1.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website at: <http://apps.sd.gov/hc65bidletting/ebslettings1.aspx>.

MINIMUM WAGE RATES: Minimum wage rates for 1 through 10 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bidding files require the use of the South Dakota Electronic Bidding System (SDEBS) which is downloadable from the Bid Letting website at <http://apps.sd.gov/hc65bidletting/ebsInstall.aspx>. Bids shall be completed in their entirety utilizing the SDEBS.

Instructions on how to bid with SDDOT are available on the SDDOT Bid Letting website at: <https://apps.sd.gov/HC65BidLetting/ebshowtobid.aspx>.

NONDISCRIMINATION ASSURANCE: The Department of Transportation in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, national origin, sex, age or disability in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Environmental & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Darin Bergquist
SECRETARY OF TRANSPORTATION