Advertisement of Highway Bid Letting

SDDOT has implemented an electronic payroll submission system (EPSS) for ensuring compliance with the requirements of the Davis-Bacon and Related Acts. Please Refer to the "Special Provision Regarding Minimum Wage on Federal-Aid Projects", dated 5/1/19. A news release is also available on the News Webpage.

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on June 19, 2019, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEN NO.	M PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION		
1.	BRF 1618(00)16-3 (PCN 05R3)	Pennington SWPPP = 0.70 AC		Structure Outlet Rehabilitation	Structure 1.8 miles north of US16B on Cambell St. in Rapid City		
2.	PP 0240(14)127 (PCN 066C)	Pennington		Crossing Surface Upgrades, Approach Work, Sidewalk & Cross Pipe Replacement	SD240 E&W (W S Blvd) in Wall		
3.	PH 000S(401) (PCN 06C6)	Hughes, Stanley		Retroreflective Signal Backplates	Various locations in Pierre, Fort Pierre, & Rapid City		
4.	IM 0299(80)235 (PCN 0752)	Roberts		Weigh Scale Repair	I-29 Sisseton Port of Entry		
* Indicates combination bids SWPPP = Storm Water Pollution Prevention Plan							
ITEMS INVOLVED ARE AS FOLLOWS							

Worl	[:] 1618(00)16-3 ·k Type 2 or Work Type 9	Area Engineer: Mike Carison,	2300 Eglin St, Rapid City Contract Id: 7854	, SD, 57709-1970 See Special Provisions for Com	Phone: 605/394-224
			Contract id. 7654	•	· · ·
	Mobilization			LS	1.000
	9	rice Oakies		LS	1.000
3		tion Gabion		Each	100.000
4	Remove Sediment			CuYd	2.300
5				Ft	225.000
6	Unclassified Excavation			CuYd	20.000
7	,	laneous		CuFt	50.000
8	Concrete Crack Injection/Sealing			ln -	300.000
9				CuYd	5.800
10	Controlled Density Fill			CuYd	4.600
11	Reinforcing Steel			Lb	186.000
12	Sheet Piling, Furnish and Drive			SqFt	1,776.000
13	2.0"x2.0" Perforated Tube Post			Ft	32.000
14	Install State Furnished Sign			Each	2.000
15	Traffic Control, Miscellaneous			LS	1.000
16	Class C Riprap			Ton	236.000
17	Class E Riprap			Ton	322.200
18	Type A Permanent Seed Mixture			Lb	18.000
19	Fiber Mulching			Ton	1.500
20	12" Diameter Erosion Control Watt	le		Ft	100.000
21	High Flow Silt Fence			Ft	900.000
22	Mucking Silt Fence			CuYd	62.000
23	-			Ft	225.000
24	Type B Drainage Fabric			SqYd	399.000
	-			·	
PP 0240(14)127 Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970 Work Type 13 PPE Carls Not Opening and Carls and C					
Worl	• •	=			Phone: 605/394-224
	k Type 13	DBE Goal: Not Specified	2300 Eglin St, Rapid City Contract Id: 7860	See Special Provisions for Com	pletion Requirements
1	k Type 13 Mobilization	DBE Goal: Not Specified		See Special Provisions for Com	pletion Requirements
1	k Type 13 Mobilization Remove Asphalt Concrete Pavement	DBE Goal: Not Specified		See Special Provisions for Com LS SqYd	pletion Requirements 1.000 84.000
1 2 3	Mobilization Remove Asphalt Concrete Paveme Remove Concrete Sidewalk	DBE Goal: Not Specified		See Special Provisions for Com LS SqYd SqYd	1.000 84.000 13.300
1 2 3 4	Mobilization Remove Asphalt Concrete Pavemer Remove Concrete Sidewalk Remove and Replace Topsoil	DBE Goal: Not Specified		See Special Provisions for Com LS SqYd SqYd LS	1.000 84.000 13.300 1.000
1 2 3 4 5	Mobilization Remove Asphalt Concrete Paveme Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading	DBE Goal: Not Specified		See Special Provisions for Com LS SqYd SqYd LS LS LS	1.000 84.000 13.300 1.000
1 2 3 4	Mobilization Remove Asphalt Concrete Pavemer Remove Concrete Sidewalk Remove and Replace Topsoil	DBE Goal: Not Specified		See Special Provisions for Com LS SqYd SqYd LS	1.000 84.000 13.300 1.000
1 2 3 4 5	Mobilization Remove Asphalt Concrete Paveme Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading	DBE Goal: Not Specified		See Special Provisions for Com LS SqYd SqYd LS LS LS	1.000 84.000 13.300 1.000
1 2 3 4 5 6 7	Mobilization Remove Asphalt Concrete Paveme Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading Base Course	DBE Goal: Not Specified		See Special Provisions for Com LS SqYd SqYd LS LS Ton	1.000 84.000 13.300 1.000 1.000 40.000
1 2 3 4 5 6 7 8	Mobilization Remove Asphalt Concrete Paveme Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading Base Course Asphalt Concrete Composite Cold Milling Asphalt Concrete	DBE Goal: Not Specified		LS SqYd SqYd LS LS LS Ton	1.000 84.000 13.300 1.000 1.000 40.000 138.000
1 2 3 4 5 6 7 8	Mobilization Remove Asphalt Concrete Pavemer Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading Base Course Asphalt Concrete Composite Cold Milling Asphalt Concrete 24" RCP Class 5, Furnish	DBE Goal: Not Specified		LS SqYd SqYd LS LS LS Ton Ton SqYd	1.000 84.000 13.300 1.000 1.000 40.000 138.000 1,027.000
1 2 3 4 5 6 7 8	Mobilization Remove Asphalt Concrete Pavemer Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading Base Course Asphalt Concrete Composite Cold Milling Asphalt Concrete 24" RCP Class 5, Furnish 24" RCP, Install	DBE Goal: Not Specified		LS SqYd SqYd LS LS LS Ton Ton SqYd Ft	1.000 84.000 13.300 1.000 1.000 40.000 1,027.000 40.000
1 2 3 4 5 6 7 8 9 10	Mobilization Remove Asphalt Concrete Pavemer Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading Base Course Asphalt Concrete Composite Cold Milling Asphalt Concrete 24" RCP Class 5, Furnish 24" RCP, Install	DBE Goal: Not Specified		LS SqYd SqYd LS LS LS Ton Ton SqYd Ft Ft	1.000 84.000 13.300 1.000 1.000 40.000 138.000 1,027.000 40.000
1 2 3 4 5 6 7 8 9 10	Mobilization Remove Asphalt Concrete Pavemer Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading Base Course Asphalt Concrete Composite Cold Milling Asphalt Concrete 24" RCP Class 5, Furnish 24" RCP, Install 24" RCP Sloped End, Furnish 24" RCP Sloped End, Install	DBE Goal: Not Specified		LS SqYd SqYd LS LS LS Ton Ton SqYd Ft Ft Each	1.000 84.000 13.300 1.000 40.000 13.8000 1,027.000 40.000 40.000 2.000
1 2 3 4 5 6 7 8 9 10 11	Mobilization Remove Asphalt Concrete Pavemer Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading Base Course Asphalt Concrete Composite Cold Milling Asphalt Concrete 24" RCP Class 5, Furnish 24" RCP, Install 24" RCP Sloped End, Furnish 24" RCP Sloped End, Install Type 2 Object Marker Back to Back	DBE Goal: Not Specified		LS SqYd SqYd LS LS LS Ton Ton SqYd Ft Ft Each Each	1.000 84.000 13.300 1.000 40.000 138.000 1,027.000 40.000 2.000 2.000
1 2 3 4 5 6 7 8 8 9 10 11 12 13	Mobilization Remove Asphalt Concrete Pavemer Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading Base Course Asphalt Concrete Composite Cold Milling Asphalt Concrete 24" RCP Class 5, Furnish 24" RCP, Install 24" RCP Sloped End, Furnish 24" RCP Sloped End, Install Type 2 Object Marker Back to Back Pavement Marking Paint, 4" White	DBE Goal: Not Specified		LS SqYd SqYd LS LS LS Ton Ton SqYd Ft Ft Each Each Each	1.000 84.000 13.300 1.000 40.000 138.000 1,027.000 40.000 2.000 2.000
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	Mobilization Remove Asphalt Concrete Pavemer Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading Base Course Asphalt Concrete Composite Cold Milling Asphalt Concrete 24" RCP Class 5, Furnish 24" RCP, Install 24" RCP Sloped End, Furnish 24" RCP Sloped End, Install Type 2 Object Marker Back to Back Pavement Marking Paint, 4" White	DBE Goal: Not Specified ent		LS SqYd SqYd LS LS LS Ton Ton SqYd Ft Ft Each Each Each Ft	1.000 84.000 13.300 1.000 40.000 138.000 40.000 40.000 2.000 2.000 420.000
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	Mobilization Remove Asphalt Concrete Pavemer Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading Base Course Asphalt Concrete Composite Cold Milling Asphalt Concrete 24" RCP Class 5, Furnish 24" RCP, Install 24" RCP Sloped End, Furnish 24" RCP Sloped End, Install Type 2 Object Marker Back to Back Pavement Marking Paint, 4" White Pavement Marking Paint, 24" White	DBE Goal: Not Specified ent		LS SqYd SqYd LS LS LS Ton Ton SqYd Ft Each Each Ft	1.000 84.000 13.300 1.000 40.000 138.000 1,027.000 40.000 2.000 2.000 420.000 280.000
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	Mobilization Remove Asphalt Concrete Pavemer Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading Base Course Asphalt Concrete Composite Cold Milling Asphalt Concrete 24" RCP Class 5, Furnish 24" RCP, Install 24" RCP Sloped End, Furnish 24" RCP Sloped End, Install Type 2 Object Marker Back to Back Pavement Marking Paint, 4" White Pavement Marking Paint, 24" White Flagging	DBE Goal: Not Specified ent		LS SqYd SqYd LS LS LS Ton Ton SqYd Ft Ft Each Each Ft	1.000 84.000 13.300 1.000 40.000 138.000 1,027.000 40.000 2.000 2.000 2.000 420.000 280.000 71.000
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	Mobilization Remove Asphalt Concrete Pavemer Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading Base Course Asphalt Concrete Composite Cold Milling Asphalt Concrete 24" RCP Class 5, Furnish 24" RCP, Install 24" RCP Sloped End, Furnish 24" RCP Sloped End, Install Type 2 Object Marker Back to Back Pavement Marking Paint, 4" White Pavement Marking Paint, 4" Yellow Pavement Marking Paint, 24" White Flagging Traffic Control Signs	DBE Goal: Not Specified ent		LS SqYd SqYd LS LS LS Ton Ton SqYd Ft Ft Each Each Each Ft Ft Ft Hour	1.000 84.000 13.300 1.000 40.000 138.000 1,027.000 40.000 2.000 2.000 420.000 280.000 71.000 200.000
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19	Mobilization Remove Asphalt Concrete Pavemer Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading Base Course Asphalt Concrete Composite Cold Milling Asphalt Concrete 24" RCP Class 5, Furnish 24" RCP, Install 24" RCP Sloped End, Furnish 24" RCP Sloped End, Install Type 2 Object Marker Back to Back Pavement Marking Paint, 4" White Pavement Marking Paint, 4" Yellow Pavement Marking Paint, 24" White Flagging Traffic Control Signs	DBE Goal: Not Specified ent		LS SqYd SqYd LS LS LS Ton Ton SqYd Ft Ft Each Each Ft	1.000 84.000 13.300 1.000 40.000 138.000 1,027.000 40.000 2.000 2.000 420.000 280.000 200.000 234.600
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	Mobilization Remove Asphalt Concrete Pavemer Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading Base Course Asphalt Concrete Composite Cold Milling Asphalt Concrete 24" RCP Class 5, Furnish 24" RCP, Install 24" RCP Sloped End, Furnish 24" RCP Sloped End, Install Type 2 Object Marker Back to Back Pavement Marking Paint, 4" White Pavement Marking Paint, 24" White Flagging Traffic Control Signs Traffic Control, Miscellaneous Type 3 Barricade	DBE Goal: Not Specified		LS SqYd SqYd LS LS LS Ton Ton SqYd Ft Ft Each Each Each Ft Ft Ft Hour SqFt LS Each	1.000 84.000 13.300 1.000 40.000 138.000 1,027.000 40.000 2.000 2.000 2.000 420.000 280.000 71.000 200.000 234.600 1.000
1 2 3 4 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	Mobilization Remove Asphalt Concrete Pavemer Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading Base Course Asphalt Concrete Composite Cold Milling Asphalt Concrete 24" RCP Class 5, Furnish 24" RCP, Install 24" RCP Sloped End, Furnish 24" RCP Sloped End, Install Type 2 Object Marker Back to Back Pavement Marking Paint, 4" White Pavement Marking Paint, 4" White Flagging Traffic Control Signs Traffic Control, Miscellaneous Type 3 Barricade Remove Pavement Marking, 4" or the	DBE Goal: Not Specified		LS SqYd SqYd LS LS LS Ton Ton SqYd Ft Ft Each Each Ft Ft Hour SqFt LS Each Ft Ft Ft Hour SqFt LS Each Ft	1.000 84.000 13.300 1.000 40.000 138.000 1,027.000 40.000 2.000 2.000 2.000 420.000 280.000 71.000 200.000 234.600 1.000 12.000 60.000
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	Mobilization Remove Asphalt Concrete Pavemer Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading Base Course Asphalt Concrete Composite Cold Milling Asphalt Concrete 24" RCP Class 5, Furnish 24" RCP, Install 24" RCP Sloped End, Furnish 24" RCP Sloped End, Install Type 2 Object Marker Back to Back Pavement Marking Paint, 4" White Pavement Marking Paint, 24" White Flagging Traffic Control Signs Traffic Control, Miscellaneous Type 3 Barricade Remove Pavement Marking, 4" or 14" Concrete Sidewalk	DBE Goal: Not Specified		LS SqYd SqYd LS LS LS Ton Ton SqYd Ft Ft Each Each Ft Ft Ft Hour SqFt LS Each Ft SqFt LS SqFt	1.000 84.000 13.300 1.000 40.000 138.000 1,027.000 40.000 2.000 2.000 420.000 280.000 71.000 200.000 234.600 1.000 12.000 60.000
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	Mobilization Remove Asphalt Concrete Pavemer Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading Base Course Asphalt Concrete Composite Cold Milling Asphalt Concrete 24" RCP Class 5, Furnish 24" RCP, Install 24" RCP Sloped End, Furnish 24" RCP Sloped End, Install Type 2 Object Marker Back to Back Pavement Marking Paint, 4" White Pavement Marking Paint, 24" White Flagging Traffic Control Signs Traffic Control, Miscellaneous Type 3 Barricade Remove Pavement Marking, 4" or 14" Concrete Sidewalk Type 1 Detectable Warnings	DBE Goal: Not Specified		LS SqYd SqYd LS LS LS Ton Ton SqYd Ft Ft Each Each Each Ft	1.000 84.000 13.300 1.000 40.000 138.000 1,027.000 40.000 2.000 2.000 2.000 280.000 280.000 210.000 234.600 1.000 12.000 60.000 120.000 24.000
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	Mobilization Remove Asphalt Concrete Pavemer Remove Concrete Sidewalk Remove and Replace Topsoil Incidental Work, Grading Base Course Asphalt Concrete Composite Cold Milling Asphalt Concrete 24" RCP Class 5, Furnish 24" RCP, Install 24" RCP Sloped End, Furnish 24" RCP Sloped End, Install Type 2 Object Marker Back to Back Pavement Marking Paint, 4" White Pavement Marking Paint, 4" White Flagging Traffic Control Signs Traffic Control, Miscellaneous Type 3 Barricade Remove Pavement Marking, 4" or 14" Concrete Sidewalk Type 1 Detectable Warnings Erosion Control	DBE Goal: Not Specified ent		LS SqYd SqYd LS LS LS Ton Ton SqYd Ft Ft Each Each Ft Ft Ft Hour SqFt LS Each Ft SqFt LS SqFt	1.000 84.000 13.300 1.000 40.000 1,027.000 40.000 2.000 2.000 420.000 280.000 71.000 200.000 234.600 1.000 12.000 60.000

3.	PH 000S(401)	Area Engineer: Mike Carlson,	Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970 Phone: 605/394-2248				
	Work Type 10	DBE Goal: Not Specified			npletion Requirements		
	1 Mobilization			LS	1.000		
	2 Salvage Signal Equipment			LS	1.000		
	3 Flagging			Hour	50.000		
	4 Traffic Control Signs			SqFt	295.200		
	5 Traffic Control, Miscellaneous			LS	1.000		
	6 Type 3 Barricade			Each	1.000		
	7 Type C Advance Warning Arro	w Board		Each	1.000		
	8 Backplate for 3 Section Signal	Head		Each	498.000		
	9 Backplate for 4 Section Signal	Head		Each	17.000		
	10 Backplate for 5 Section Signal	Head		Each	119.000		
4.	IM 0299(80)235	Area Engineer: Matt Brey, 500	Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201 Phone: 605/882-5166				
	Work Type 14	DBE Goal: Not Specified	Contract Id: 7947	See Special Provisions for Cor	mpletion Requirements		
	1 Mobilization			LS	1.000		
	Miscellaneous Staking			Mile	0.040		
	3 Structure Staking			Each	1.000		
	4 Three Man Survey Crew			Hour	40.000		
	5 Remove Manhole			Each	1.000		
	6 Remove Concrete Pavement			SqYd	647.800		
	7 Remove Concrete Sidewalk			SqYd	37.300		
	8 Unclassified Excavation			CuYd	957.000		
	9 Undercutting			CuYd	343.000		
	10 Remove and Replace Topsoil			LS	1.000		
	11 Incidental Work, Structure			LS	1.000		
	12 Gravel Cushion			Ton	182.000		
	13 10.5" Nonreinforced PCC Pave	ement		SqYd	594.000		
	14 Dowel Bar			Each	331.000		
	15 Structural Steel, Miscellaneous	3		LS	1.000		
	16 Membrane Sealant Expansion	Joint		Ft	101.000		
	17 Structure Excavation, Miscella	neous		CuYd	84.000		
	18 2" PVC Force Main			Ft	58.000		
	19 Class A45 Concrete, Miscellan	eous		CuYd	48.500		
	20 Concrete Approach Slab for Br	idge		SqYd	31.100		
	21 Concrete Approach Sleeper Sl	ab for Bridge		SqYd	16.300		
	22 Epoxy Coated Reinforcing Stee	el		Lb	10,645.000		
	23 Traffic Control Signs			SqFt	48.500		
	24 Traffic Control, Miscellaneous			LS	1.000		
	25 Type 3 Barricade			Each	6.000		
	26 6" Concrete Sidewalk			SqFt	335.000		
	27 Concrete Headwall for Underd	rain		Each	1.000		
	28 Erosion Control			LS	1.000		
	29 Miscellaneous Work, Electrical			LS	1.000		
	30 Well Pump			Each	1.000		
	31 Static Scale			Each	1.000		

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 2 and 3 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations. Minimum wage rates for 1 have been predetermined by the Department of Transportation, and are set forth in the advertised specification.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The Department of Transportation in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, national origin, sex, age or disability in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

<u>GENERALLY:</u> A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Environmental & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Darin Bergquist SECRETARY OF TRANSPORTATION