

Advertisement of Highway Bid Letting

<http://apps.sd.gov/hc65bidletting/ebslettings1.aspx>

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the SDDOT secure bid submission site at <http://apps.sd.gov/hc65bidletting/bidsubmittallogin.aspx> until 10 A.M. Central time, on Wednesday, September 2, 2015, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
* 1.	NH 0050(99)383 (PCN 6926)	Yankton SWPPP = 9.30 AC	0.789	Grading, PCC Pavement, Roadway Lighting, Storm Sewer, Curb & Gutter, Sidewalk, Traffic Signals, & Permanent Signing	SD50 east of 4th Street, from the south Jct of US81 east to Marne Creek in Yankton
* 2.	ES 2014 003() (PCN X03G)	Yankton	---	City Utilities	SD50/East 4th Street, from the south jct of US81 East to Marne Creek in Yankton
<p>Bidders on item #2 will be required to comply with the federal bid requirements and inclusions for projects involving D.E.N.R. clean water and drinking water State Revolving Fund (SRF) loans, disadvantaged business enterprise (DBE) program, and the president's executive order nos. 11246 as amended, 11518 and 11625 as amended. The requirements for bidders and contractors under this regulation which concerns utilization of disadvantaged / minority business enterprises (DBE/MBE) and women's business enterprises (WBE) are explained in the state revolving fund (SRF) general conditions contained in the proposal. The DBE/MBE and WBE goals for participation in this contract in terms of percentage of contract value are: MBE/DBE = 1%; WBE = 4%. Contractors must also submit the MBE/WBE subcontractor solicitation information form (page MBE/WBE-6) and the certification regarding debarment, suspension and other responsibility matters (page debar-2) with his bid. Davis Bacon and related acts wages apply to this project. All provisions relative to those acts must be met. Inquiries regarding completion of these forms should be directed to: Eric Meintsma, water and waste funding program, Dept. of Environment & Natural Resources, Foss building, Pierre, SD (605)773-4045. The low responsive bidder will be required to certify to compliance with the American Iron and Steel provision of the Consolidated Appropriations Act of 2014. This certification form may be found on page AIS 21-22 of the State Revolving Fund (SRF) General Conditions and must be included in the bid proposal.</p>					
3.	P 0047(92)89, P 0034(136)258 (PCN 01QU, 01QV)	Buffalo, Hyde SWPPP = 1.10	---	Deck Overlay, Replace Rail & Approach Guardrail, Approach Pavement & ADA Upgrades	SD47, 0.3 miles NE of Big Bend Dam over Soldier Creek & SD34, 0.9 miles south of Jct SD47N over the west fork of Elm Creek

* Indicates combination bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	NH 0050(99)383	Area Engineer: Rod Gall, 1306 W 31st St, Yankton, SD, 57078-9662	Phone: 605/668-2929
	Work Type 2 or Work Type 3	DBE Goal: 2.000%	Contract Id: 4893 See Special Provisions for Completion Requirements
1	Mobilization	LS	1.000
2	Reestablish Property Corner	Each	10.000
3	Grade Staking	Mile	2.710
4	Miscellaneous Staking	Mile	0.542
5	Slope Staking	Mile	0.542
6	Structure Staking	Each	13.000
7	Three Man Survey Crew	Hour	20.000
8	Construction Schedule, Category III	LS	1.000
9	Training Program	Hour	600.000
10	Clear and Grub Tree	Each	12.000
11	Clearing	LS	1.000
12	Remove Concrete Footing(s)	LS	1.000
13	Remove Concrete Curb and Gutter	Ft	218.000
14	Remove Concrete Gutter	Ft	29.000
15	Remove Drop Inlet	Each	27.000
16	Remove Manhole	Each	10.000
17	Remove Chain Link Fence	Ft	109.000
18	Remove Asphalt Concrete Pavement	SqYd	2,168.900
19	Remove Concrete Pavement	SqYd	24,929.900
20	Remove Concrete Approach Pavement	SqYd	1,494.500
21	Remove Concrete Driveway Pavement	SqYd	1,657.800
22	Remove Concrete Sidewalk	SqYd	4,656.900
23	Remove Concrete Retaining Wall	Ft	795.100
24	Remove Signal Equipment	LS	1.000
25	Remove Signal Pole Footing	Each	8.000
26	Remove Luminaire Pole Footing	Each	32.000
27	Remove Sediment	CuYd	7.000
28	Remove Sediment Filter Bag	Ft	2,737.000
29	Remove Silt Fence	Ft	567.000
30	Salvage Traffic Sign	Each	78.000
31	Salvage Luminaire Pole	Each	32.000
32	Unclassified Excavation	CuYd	16,337.000
33	Contaminated Material Excavation	CuYd	100.000
34	Undercutting	CuYd	9,870.000
35	Water for Embankment	MGal	118.400
36	Water for Granular Material	MGal	101.100
37	Placing Topsoil	CuYd	517.000
38	Incidental Work, Grading	LS	1.000
39	Gravel Cushion	Ton	10,883.300
40	Asphalt Concrete Composite	Ton	162.000
41	8" Nonreinforced PCC Pavement	SqYd	251.700
42	9" Nonreinforced PCC Pavement	SqYd	23,932.100
43	6" PCC Driveway Pavement	SqYd	189.900
44	8" PCC Driveway Pavement	SqYd	1,122.900
45	6" PCC Approach Pavement	SqYd	214.100
46	8" PCC Approach Pavement	SqYd	1,230.700
47	8" Reinforced PCC Approach Pavement	SqYd	12.400
48	9" PCC Fillet Section	SqYd	472.700
49	Dowel Bar	Each	15,204.000
50	Insert Steel Bar in PCC Pavement	Each	640.000
51	Structure Excavation, Miscellaneous	CuYd	40.000
52	12" RCP Class 2, Furnish	Ft	20.000
53	12" RCP, Install	Ft	20.000

54	18" RCP Class 2, Furnish	Ft	1,498.000
55	18" RCP, Install	Ft	1,498.000
56	24" RCP Class 2, Furnish	Ft	392.000
57	24" RCP, Install	Ft	392.000
58	30" RCP Class 2, Furnish	Ft	2,530.000
59	30" RCP, Install	Ft	2,530.000
60	36" RCP Class 2, Furnish	Ft	50.000
61	36" RCP, Install	Ft	50.000
62	42" RCP Class 2, Furnish	Ft	858.000
63	42" RCP, Install	Ft	858.000
64	48" RCP Class 2, Furnish	Ft	266.000
65	48" RCP, Install	Ft	266.000
66	30" RCP Sloped End, Furnish	Each	1.000
67	30" RCP Sloped End, Install	Each	1.000
68	Adjust Water Valve Box	Each	2.000
69	Class M6 Concrete	CuYd	190.700
70	Controlled Density Fill	CuYd	4.400
71	Pipe Handrail	Ft	69.200
72	Reinforcing Steel	Lb	32,700.000
73	Epoxy Coated Reinforcing Steel	Lb	1,227.000
74	Type C Concrete Retaining Wall	SqFt	858.000
75	MSE Segmental Block Wall	SqFt	1,883.000
76	Reconstruct Stone and Masonry Retaining Wall	SqFt	858.000
77	Type III Field Laboratory	Each	1.000
78	4' Chain Link Fence with Top Rail	Ft	101.000
79	Pedestrian Swing Gate	Each	1.000
80	1.25' Diameter Breakaway Support Concrete Footing	Ft	72.000
81	2.0"x2.0" Perforated Tube Post	Ft	114.000
82	2.5"x2.5" Perforated Tube Post	Ft	212.000
83	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	414.400
84	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	109.200
85	Remove, Salvage, Relocate, and Reset Traffic Sign	Each	4.000
86	Cold Applied Plastic Pavement Marking, 24"	Ft	1,550.000
87	Cold Applied Plastic Pavement Marking, Arrow	Each	38.000
88	Durable Pavement Marking, 4" White	Ft	2,855.000
89	Durable Pavement Marking, 4" Yellow	Ft	8,465.000
90	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	1,550.000
91	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	38.000
92	Grooving for Durable Pavement Marking, 4"	Ft	11,320.000
93	Flagging	Hour	200.000
94	Traffic Control Signs	SqFt	2,129.000
95	Traffic Control, Miscellaneous	LS	1.000
96	Type 3 Barricade, 8' Single Sided	Each	60.000
97	Temporary Raised Pavement Markers	Ft	16,992.000
98	Tubular Marker	Each	140.000
99	Replace Tubular Marker	Each	70.000
100	Type C Advance Warning Arrow Board	Each	2.000
101	Remove Pavement Marking, 4" or Equivalent	Ft	11,405.000
102	Remove Pavement Marking, Arrow	Each	11.000
103	4" Temporary Pavement Marking Tape Type I	Ft	1,152.000
104	Temporary Pavement Marking	Ft	12,236.000
105	Short Term Temporary Traffic Control Signal	Site	1.000
106	Detour Signing	SqFt	252.900
107	Longitudinal Pedestrian Barricade	Ft	400.000
108	Temporary Pedestrian Facility(s)	LS	1.000
109	Temporary Curb Ramp	Each	16.000

110	Longitudinal Pedestrian Channelizer	Ft	400.000
111	Audible Message Device	Each	10.000
112	Breakaway Base Luminaire Pole with Arm, 40' Mounting Height	Each	1.000
113	Decorative Luminaire Pole	Each	54.000
114	Signal Pole with 30' Mast Arm and Luminaire Arm	Each	2.000
115	Signal Pole with 40' Mast Arm and Luminaire Arm	Each	2.000
116	Decorative Luminaire, 400 Watt	Each	54.000
117	Roadway Luminaire, LED	Each	5.000
118	3 Section Vehicle Signal Head	Each	16.000
119	2' Diameter Footing	Ft	196.000
120	3' Diameter Footing	Ft	44.000
121	Type 2 Electrical Junction Box	Each	70.000
122	Type 3 Electrical Junction Box	Each	1.000
123	Type 4 Electrical Junction Box	Each	14.000
124	Electrical Service Cabinet	Each	2.000
125	Circuit Control Center	Each	2.000
126	Signal Head Battery Backup and Flash System	Each	2.000
127	Preformed Detector Loop	Each	8.000
128	Detector Unit	Each	4.000
129	Emergency Vehicle Preemption Unit	Each	1.000
130	Optical Detector	Each	4.000
131	Pedestrian Push Button	Each	16.000
132	Pedestrian Push Button Pole	Each	16.000
133	Pedestrian Signal Head with Countdown Timer	Each	16.000
134	Pedestrian Crossing Sign	Each	16.000
135	Relocate Signal Equipment	LS	1.000
136	Maintenance of Traffic Signal(s)	Hour	64.000
137	1.5" Rigid Conduit, Schedule 40	Ft	340.000
138	2" Rigid Conduit, Schedule 40	Ft	10,070.000
139	2.5" Rigid Conduit, Schedule 40	Ft	215.000
140	3" Rigid Conduit, Schedule 40	Ft	50.000
141	5" Rigid Conduit, Schedule 40	Ft	30.000
142	2" Rigid Conduit, Schedule 80	Ft	2,800.000
143	2.5" Rigid Conduit, Schedule 80	Ft	150.000
144	3" Rigid Conduit, Schedule 80	Ft	505.000
145	1/C #000 AWG Copper Wire	Ft	745.000
146	1/C #3 AWG Copper Wire	Ft	250.000
147	1/C #4 AWG Copper Wire	Ft	1,050.000
148	1/C #6 AWG Copper Wire	Ft	43,395.000
149	1/C #8 AWG Copper Wire	Ft	9,195.000
150	1/C #10 AWG Copper Wire	Ft	1,635.000
151	4/C #14 AWG Copper Tray Cable, K2	Ft	3,865.000
152	7/C #14 AWG Copper Tray Cable, K2	Ft	700.000
153	19/C #14 AWG Copper Tray Cable, K2	Ft	700.000
154	#16 AWG Copper Twisted Shielded Pair	Ft	750.000
155	2/C #10 AWG Copper Pole and Bracket Cable	Ft	1,625.000
156	Preemption Cable	Ft	1,730.000
157	48 Strand Fiber Optic Cable	Ft	4,560.000
158	Type B69 Concrete Curb and Gutter	Ft	5,832.000
159	Type BL69 Concrete Curb and Gutter	Ft	107.000
160	Type P9 Concrete Gutter	Ft	936.000
161	4" Concrete Sidewalk	SqFt	21,875.000
162	6" Concrete Sidewalk	SqFt	17,676.000
163	4" Reinforced Concrete Sidewalk	SqFt	609.000
164	6" Reinforced Concrete Sidewalk	SqFt	104.000
165	4" Colored Concrete Sidewalk	SqFt	14,645.000

166	6" Colored Concrete Sidewalk	SqFt	1,729.000
167	4" Reinforced Colored Concrete Sidewalk	SqFt	230.000
168	6" Reinforced Colored Concrete Sidewalk	SqFt	348.000
169	Grinding Miscellaneous Concrete	SqFt	57.000
170	Sidewalk Drain	Ft	18.400
171	Type 1 Detectable Warnings	SqFt	780.000
172	Type B Frame and Grate Assembly	Each	38.000
173	Special Frame and Grate Assembly	Each	6.000
174	4' x 11' Precast Concrete Type S Drop Inlet Lid	Each	9.000
175	Precast Drop Inlet Collar	Each	44.000
176	48" Manhole Cone Section	Ft	10.000
177	2" Adjusting Ring for Manhole	Each	41.000
178	Type A9 Manhole Frame and Lid	Each	16.000
179	Bank and Channel Protection Gabion	CuYd	36.000
180	Type D Permanent Seed Mixture	Lb	294.000
181	Fertilizing	Ton	0.700
182	Fiber Mulching	Ton	1.000
183	Soil Stabilizer	SqYd	1,500.000
184	Type 3 Erosion Control Blanket	SqYd	1,524.000
185	Sediment Filter Bag	Ft	2,737.000
186	Low Flow Silt Fence	Ft	265.000
187	High Flow Silt Fence	Ft	2,001.000
188	Mucking Silt Fence	CuYd	158.000
189	Repair Silt Fence	Ft	567.000
190	Flocculent Housing Unit	Each	1.000
191	500K Gallon Treatment Flocculent Bag	Each	1.000
192	Sediment Control at Inlet with Frame and Grate	Each	44.000
193	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	108.000
194	Dewatering	Hour	12.000
195	Sweeping	Hour	12.000
196	Reinforcement Fabric (MSE)	SqYd	4,239.000
197	Remove and Reset Historical Marker	Each	3.000
198	Orange Plastic Safety Fence	Ft	800.000
199	Ornamental Metal Fence	Ft	32.000
200	Concrete Washout Facility	Each	2.000
201	Construction Entrance	Each	4.000

2. **ES 2014 003()** **Area Engineer: Rod Gall, 1306 W 31st St, Yankton, SD, 57078-9662** **Phone: 605/668-2929**

Work Type 2 or Work Type 3	DBE Goal: 5.000%	Contract Id: 4896	See Special Provisions for Completion Requirements
1	Mobilization	LS	1.000
2	Miscellaneous Staking	LS	1.000
3	Remove Manhole	Each	9.000
4	Remove Sewer Pipe	Ft	813.000
5	Remove Fire Hydrant	Each	8.000
6	Remove Gate Valve	Each	15.000
7	Remove Water Main	Ft	1,051.000
8	Pipe Encasement	Each	16.000
9	6" PVC Water Main	Ft	960.000
10	16" PVC Water Main	Ft	19.000
11	8" PVC Sewer Pipe	Ft	724.000
12	15" PVC Sewer Pipe	Ft	89.000
13	1" Water Service	Each	7.000
14	6"x6" Pipe Tee	Each	5.000
15	1" Corporation Stop with Tapping Saddle	Each	7.000
16	1" Curb Stop with Box	Each	7.000
17	6" Pipe Bend	Each	29.000

18	16" Pipe Bend	Each	4.000
19	6" Pipe Cap	Each	15.000
20	6" Gate Valve with Box	Each	8.000
21	Standard Fire Hydrant	Each	6.000
22	Water Main Bedding Material	Ft	979.000
23	8" Sewer Pipe Bedding Material	Ft	724.000
24	15" Sewer Pipe Bedding Material	Ft	89.000
25	Adjust 6" Water Main	Ft	287.000
26	Adjust 16" Water Main	Ft	19.000
27	Temporary Water Main Connection	Each	2.000
28	Abandon Water Service	Each	1.000
29	Reconnect Water Service	Each	7.000
30	Connect To Existing Water Main	Each	17.000
31	Connect to Existing Sewer Main	Each	17.000
32	Temporary Sanitary Sewer Main Connection	Each	9.000
33	48" Manhole	Each	8.000
34	External Manhole Seal	Each	8.000
35	2" Adjusting Ring for Manhole	Each	28.000
36	Type A9 Manhole Frame and Lid	Each	8.000
37	Connect Into Existing Manhole	Each	1.000

3. P 0047(92)89, P 0034(136)258 **Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940** **Phone: 605/353-7140**

Work Type 8 **DBE Goal: Not Specified** **Contract Id: 4926** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Bridge Elevation Survey	LS	1.000
3	Remove Bridge Railing	Ft	212.000
4	Remove Partial Bridge Joint	Each	2.000
5	Remove Rubberized Asphalt Chip Seal	SqYd	740.400
6	Remove 3 Cable Guardrail	Ft	374.000
7	Remove Beam Guardrail	Ft	314.000
8	Remove Rubrail	Ft	52.000
9	Remove Asphalt Concrete Pavement	SqYd	75.000
10	Remove Concrete Sidewalk	SqYd	17.000
11	Remove Sediment	CuYd	0.700
12	Remove W Beam Guardrail for Reset	Ft	457.000
13	Contractor Furnished Borrow Excavation	CuYd	971.000
14	Incidental Work	LS	1.000
15	Base Course	Ton	280.000
16	Asphalt Concrete Composite	Ton	95.000
17	Asphalt Bridge Joint	Ft	60.000
18	Cold Milling Asphalt Concrete	SqYd	268.000
19	Structural Steel, Miscellaneous	LS	1.000
20	Replace Expansion Device	Each	1.000
21	Bridge Repainting, Class II	LS	1.000
22	Rust Penetrating Sealer	LS	1.000
23	Paint Residue Containment	LS	1.000
24	Class A45 Concrete, Bridge Repair	CuYd	14.600
25	Concrete Patching Material, Bridge Deck	CuFt	20.800
26	Concrete Patching Material, Miscellaneous	CuFt	51.300
27	Special Surface Finish	SqFt	186.000
28	Breakout Structural Concrete	CuYd	5.100
29	Install Dowel in Concrete	Each	172.000
30	Class M6 Concrete	CuYd	0.400
31	Epoxy Coated Reinforcing Steel	Lb	1,284.000
32	Galvanic Anode	Each	86.000
33	Two Coat Bridge Deck Polymer Chip Seal	SqYd	740.400

34	Bridge Deck Polymer Chip Seal	SqYd	113.000
35	Abrasive Blasting of Bridge Deck	SqYd	853.400
36	Bridge Deck Grinding	SqYd	740.400
37	Concrete Removal, Class A	SqYd	11.100
38	Low Slump Dense Concrete Bridge Deck Overlay	CuYd	26.000
39	Concrete Removal Type 1A	SqYd	353.300
40	Concrete Removal Type 2A	SqYd	88.300
41	Concrete Removal Type 1B	SqYd	35.300
42	Concrete Removal Type 1C	SqYd	17.600
43	Concrete Removal Type 1D	SqYd	17.600
44	Concrete Removal Type B	Ft	20.000
45	Class A45 Concrete Fill	CuYd	6.600
46	Finishing and Curing	SqYd	353.400
47	Chain Link Fence for Bridge Sidewalk	Ft	448.000
48	Straight Double Class A Thrie Beam Guardrail with Wood Posts	Ft	50.000
49	Straight Class A W Beam Guardrail with Wood Posts	Ft	300.000
50	W Beam to Thrie Beam Guardrail Transition	Each	4.000
51	W Beam Guardrail Flared End Terminal	Each	4.000
52	Reset W Beam Rail	Ft	457.000
53	Guardrail Delineator	Each	16.000
54	Pavement Marking Paint, 4" White	Ft	2,750.000
55	Pavement Marking Paint, 4" Yellow	Ft	405.000
56	Flagging	Hour	150.000
57	Traffic Control Signs	SqFt	402.000
58	Traffic Control, Miscellaneous	LS	1.000
59	Type 3 Barricade, 8' Double Sided	Each	4.000
60	4"x8" Delineator, Barrier Mounted	Each	33.000
61	4" Temporary Pavement Marking Tape Type I	Ft	5,090.000
62	Traffic Control Movable Concrete Barrier	Each	35.000
63	Remove and Reset Traffic Control Movable Concrete Barrier	Each	35.000
64	Detour Signing	SqFt	2,042.300
65	Longitudinal Pedestrian Barricade	Ft	660.000
66	4" Concrete Sidewalk	SqFt	150.000
67	Special Frame and Grate	Each	1.000
68	Class A Riprap	Ton	3.000
69	Erosion Control	LS	1.000
70	12" Diameter Erosion Control Wattle	Ft	300.000
71	Type B Drainage Fabric	SqYd	5.000
72	Miscellaneous Work	Site	3.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website at: <http://apps.sd.gov/hc65bidletting/ebslettings1.aspx>.

MINIMUM WAGE RATES: Minimum wage rates for 1 and 3 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bidding files require the use of the South Dakota Electronic Bidding System (SDEBS) which is downloadable from the Bid Letting website at <http://apps.sd.gov/hc65bidletting/ebsInstall.aspx>. Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 1 must also submit a bid on Item 2. Award of these combinations (Items 1 & 2) will be to the same bidder based on the total combined two projects.

Instructions on how to bid with SDDOT are available on the SDDOT Bid Letting website at: <https://apps.sd.gov/HC65BidLetting/ebshowtobid.aspx>.

NONDISCRIMINATION ASSURANCE: The Department of Transportation in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, national origin, sex, age or disability in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Environmental & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Darin Bergquist
SECRETARY OF TRANSPORTATION