

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on September 04, 2019, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	P-PH 0046(47)356 (PCN 025D)	Clay, Lincoln SWPPP = 131.00	8.167	Grading, Shoulder Widening, Structures (197'-6" Cont Conc Bridge & 3 RCBCs), & Interim Surfacing	SD46 from west of the SD19/19A Jct to 1/2 mile west of I29
2.	NH-PH 0018(198)173 (PCN 04XH)	Bennett SWPPP = 20.00 AC	2.532	Grading, Interim Surfacing	US18 from east of Vetal to the Bennett/Todd County line
3.	NH-P 0023(37) (PCN 041Q)	Bon Homme, Charles Mix, Hutchinson, Yankton SWPPP = 1.67 AC	---	Culvert Repair	Various Locations in the Yankton Area
4.	PH 0010(154) (PCN 06U0)	Beadle, Brookings, Brown, Buffalo, Day, Deuel, Edmunds, Grant, Hamlin, Hand, Marshall, McPherson, Miner, Roberts	---	Transverse Rumble Strips	Various locations in the Aberdeen & Mitchell Regions

* Indicates combination bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	P-PH 0046(47)356	Area Engineer: Rod Gall, 1306 W 31st St, Yankton, SD, 57078-9662	Phone: 605/668-2929
	Work Type 1 or Work Type 7	DBE Goal: Not Specified	Contract Id: 4188 See Special Provisions for Completion Requirements
1	Mobilization	LS	1.000
2	Reestablish Property Corner	Each	154.000
3	Grade Staking	Mile	9.940
4	Miscellaneous Staking	Mile	8.177
5	Slope Staking	Mile	8.177
6	Structure Staking	Each	4.000
7	Three Man Survey Crew	Hour	40.000
8	Bridge Elevation Survey	LS	1.000
9	Checker	LS	1.000
10	Construction Schedule, Category II	LS	1.000
11	Concrete Penetrating Sealer	SqYd	1,141.000
12	Training Program	Hour	1,500.000
13	Clearing	LS	1.000
14	Remove Traffic Sign	Each	124.000
15	Remove Delineator	Each	237.000
16	Remove Fence	Ft	38,966.000
17	Remove 3 Cable Guardrail	Ft	744.000
18	Remove Beam Guardrail	Ft	427.000
19	Remove 3 Cable Guardrail Anchor Assembly	Each	4.000
20	Remove Asphalt Concrete Pavement	SqYd	2,175.400
21	Remove Silt Fence	Ft	1,621.000
22	Remove Gate for Reset	Each	4.000
23	Unclassified Excavation	CuYd	327,967.000
24	Option Borrow Excavation	CuYd	65,343.000
25	Contractor Furnished Borrow Excavation	CuYd	8,022.000
26	Muck Excavation	CuYd	177.000
27	Undercutting	CuYd	87,709.000
28	Water for Embankment	MGal	2,689.000
29	Water for Granular Material	MGal	1,403.900
30	Placing Topsoil	CuYd	74,968.000
31	Incidental Work, Grading	LS	1.000
32	Incidental Work, Structure	LS	1.000
33	Base Course	Ton	104,186.500
34	Base Course, Salvaged	Ton	15,636.200
35	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	15,636.200
36	Asphalt Concrete Composite	Ton	4,933.000
37	MC-70 Asphalt for Prime	Ton	91.800
38	Membrane Sealant Expansion Joint	Ft	107.800
39	Structure Excavation, Bridge	CuYd	1,264.000
40	Structure Excavation, Box Culvert	CuYd	277.000
41	Pipe Culvert Undercut	CuYd	148.000
42	Box Culvert Undercut	CuYd	679.000
43	Bridge End Embankment	CuYd	757.000
44	Granular Bridge End Backfill	CuYd	82.800
45	Approach Slab Underdrain Excavation	CuYd	4.000
46	Precast Concrete Headwall for Drain	Each	4.000
47	18" RCP Class 2, Furnish	Ft	66.000
48	18" RCP, Install	Ft	66.000
49	24" RCP Class 2, Furnish	Ft	372.000
50	24" RCP, Install	Ft	372.000
51	30" RCP Class 2, Furnish	Ft	138.000
52	30" RCP, Install	Ft	138.000
53	36" RCP Class 2, Furnish	Ft	236.000

54	36" RCP, Install	Ft	236.000
55	42" RCP Class 3, Furnish	Ft	216.000
56	42" RCP Class 4, Furnish	Ft	50.000
57	42" RCP, Install	Ft	266.000
58	18" RCP Flared End, Furnish	Each	1.000
59	18" RCP Flared End, Install	Each	1.000
60	36" RCP Flared End, Furnish	Each	6.000
61	36" RCP Flared End, Install	Each	6.000
62	42" RCP Flared End, Furnish	Each	4.000
63	42" RCP Flared End, Install	Each	4.000
64	24" RCP Sloped End, Furnish	Each	10.000
65	24" RCP Sloped End, Install	Each	10.000
66	30" RCP Sloped End, Furnish	Each	4.000
67	30" RCP Sloped End, Install	Each	4.000
68	30" RCP Arch Class 2, Furnish	Ft	366.000
69	30" RCP Arch, Install	Ft	366.000
70	30" RCP Arch Sloped End, Furnish	Each	10.000
71	30" RCP Arch Sloped End, Install	Each	10.000
72	18" CMP 16 Gauge, Furnish	Ft	1,570.000
73	18" CMP, Install	Ft	1,570.000
74	24" CMP 16 Gauge, Furnish	Ft	676.000
75	24" CMP, Install	Ft	676.000
76	30" CMP 16 Gauge, Furnish	Ft	302.000
77	30" CMP, Install	Ft	302.000
78	18" CMP Safety End, Furnish	Each	42.000
79	18" CMP Safety End, Install	Each	42.000
80	24" CMP Safety End, Furnish	Each	18.000
81	24" CMP Safety End, Install	Each	18.000
82	30" CMP Safety End, Furnish	Each	10.000
83	30" CMP Safety End, Install	Each	10.000
84	30" CMP Arch 16 Gauge, Furnish	Ft	122.000
85	30" CMP Arch, Install	Ft	122.000
86	30" CMP Arch Safety End, Furnish	Each	4.000
87	30" CMP Arch Safety End, Install	Each	4.000
88	Class A45 Concrete, Bridge Deck	CuYd	572.100
89	Class A45 Concrete, Bridge	CuYd	513.400
90	Class A45 Concrete, Box Culvert	CuYd	658.000
91	Concrete Approach Slab for Bridge	SqYd	245.200
92	Concrete Approach Sleeper Slab for Bridge	SqYd	53.900
93	Deck Drain, Slab Bridge	Each	10.000
94	Class M6 Concrete	CuYd	2.000
95	Controlled Density Fill	CuYd	18.800
96	Reinforcing Steel	Lb	178,523.000
97	Epoxy Coated Reinforcing Steel	Lb	162,138.000
98	Extract Pile	Each	32.000
99	Preboring Pile	Ft	120.000
100	HP 10x42 Steel Test Pile, Furnish and Drive	Ft	920.000
101	HP 10x42 Steel Bearing Pile, Furnish and Drive	Ft	12,290.000
102	Type III Field Laboratory	Each	1.000
103	Type 2 Right-of-Way Fence	Ft	23,907.000
104	Type 3 Right-of-Way Fence	Ft	1,695.000
105	Type 6 Right-of-Way Fence	Ft	2,308.000
106	Modified Type 3 Right-of-Way Fence	Ft	2,656.000
107	Type 1 Temporary Fence	Ft	5,524.000
108	Type 1A Temporary Fence	Ft	1,075.000
109	Type 2 Temporary Fence	Ft	1,000.000

110	2 Post Panel	Each	74.000
111	3 Post Panel	Each	77.000
112	Reset Gate	Each	4.000
113	Type 1 MGS	Ft	200.000
114	Type 1 Guardrail Transition	Each	4.000
115	MGS Tangent End Terminal	Each	4.000
116	1.25' Diameter Breakaway Support Concrete Footing	Ft	56.000
117	2.0"x2.0" Perforated Tube Post	Ft	650.100
118	2.5"x2.5" Perforated Tube Post	Ft	367.200
119	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	189.000
120	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	48.000
121	Guardrail Delineator	Each	16.000
122	Type 2 Object Marker Back to Back	Each	48.000
123	Extruded Aluminum Sign, Nonremovable Copy High Intensity	SqFt	90.000
124	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	458.800
125	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	281.600
126	Remove, Salvage, Relocate, and Reset Traffic Sign	Each	6.000
127	Pavement Marking Paint, White	Gal	590.000
128	Pavement Marking Paint, Yellow	Gal	246.000
129	Flagging	Hour	2,000.000
130	Pilot Car	Hour	1,000.000
131	Traffic Control Signs	SqFt	1,079.400
132	Traffic Control, Miscellaneous	LS	1.000
133	Type 3 Barricade	Each	19.000
134	Temporary Raised Pavement Markers	Ft	3,120.000
135	Linear Delineation System Panel, Barrier Mounted	Each	10.000
136	Remove Pavement Marking, 4" or Equivalent	Ft	13,120.000
137	4" Temporary Pavement Marking Tape Type I	Ft	144.000
138	Temporary Pavement Marking	Mile	16.000
139	Traffic Control Movable Concrete Barrier	Each	45.000
140	Temporary Concrete Barrier End Protection	Each	8.000
141	Temporary Concrete Barrier End Protection Module Set or Repair Kit	Each	2.000
142	Detour Signing	SqFt	931.300
143	Type D Frame and Grate	Each	2.000
144	Precast Drop Inlet Collar	Each	2.000
145	4" Underdrain Pipe	Ft	317.000
146	4" Corrugated Polyethylene Drainage Tubing	Ft	100.000
147	6" Corrugated Polyethylene Drainage Tubing	Ft	100.000
148	8" Corrugated Polyethylene Drainage Tubing	Ft	100.000
149	Porous Backfill	Ton	34.300
150	Class B Riprap	Ton	155.100
151	Class C Riprap	Ton	5,961.000
152	PVC Coated Bank and Channel Protection Gabion	CuYd	6.000
153	Type G Permanent Seed Mixture	Lb	3,120.000
154	Fertilizing	Ton	60.000
155	Mulching	Ton	240.000
156	Soil Stabilizer	Acre	10.000
157	Type 3 Erosion Control Blanket	SqYd	2,475.000
158	12" Diameter Erosion Control Wattle	Ft	600.000
159	Surface Roughening	Acre	13.100
160	Shaping for Erosion Control Blanket	Ft	925.000
161	Low Flow Silt Fence	Ft	4,800.000
162	High Flow Silt Fence	Ft	1,708.000
163	Mucking Silt Fence	CuYd	450.000
164	Repair Silt Fence	Ft	1,621.000
165	Temporary Diversion Channel for Fish Passage	Each	3.000

166	Type B Drainage Fabric	SqYd	4,277.000
167	Refurbish Single Mailbox	Each	10.000
168	Construction Entrance	Each	2.000
169	Structure Excavation, Box Culvert	CuYd	111.000
170	Box Culvert Undercut	CuYd	364.000
171	Class A45 Concrete, Box Culvert	CuYd	270.800
172	Reinforcing Steel	Lb	38,241.000
173	Class B Riprap	Ton	63.900
174	Type B Drainage Fabric	SqYd	86.000
175	Structure Excavation, Box Culvert	CuYd	103.000
176	Box Culvert Undercut	CuYd	352.000
177	Controlled Density Fill	CuYd	31.400
178	10'x9' Precast Concrete Box Culvert, Furnish	Ft	80.000
179	10'x9' Precast Concrete Box Culvert, Install	Ft	80.000
180	10'x9' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
181	10'x9' Precast Concrete Box Culvert End Section, Install	Each	2.000
182	2-10'x9' Precast Concrete Box Culvert, Furnish	Ft	80.000
183	2-10'x9' Precast Concrete Box Culvert, Install	Ft	80.000
184	2-10'x9' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
185	2-10'x9' Precast Concrete Box Culvert End Section, Install	Each	2.000
186	Class B Riprap	Ton	72.300
187	Type B Drainage Fabric	SqYd	96.000
188	Structure Excavation, Box Culvert	CuYd	124.000
189	Box Culvert Undercut	CuYd	356.000
190	Class A45 Concrete, Box Culvert	CuYd	285.100
191	Reinforcing Steel	Lb	40,808.000
192	Class B Riprap	Ton	43.100
193	Type B Drainage Fabric	SqYd	62.000
194	Structure Excavation, Box Culvert	CuYd	115.000
195	Box Culvert Undercut	CuYd	324.000
196	2-14'x10' Precast Concrete Box Culvert, Furnish	Ft	80.000
197	2-14'x10' Precast Concrete Box Culvert, Install	Ft	80.000
198	2-14'x10' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
199	2-14'x10' Precast Concrete Box Culvert End Section, Install	Each	2.000
200	Class B Riprap	Ton	48.700
201	Type B Drainage Fabric	SqYd	70.000

2. NH-PH 0018(198)173 Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771 Phone: 605/842-0810
Work Type 1 DBE Goal: Not Specified Contract Id: 7390 See Special Provisions for Completion Requirements

1	Maintenance of Traffic Diversion(s)	LS	1.000
2	Remove Traffic Diversion(s)	LS	1.000
3	Mobilization	LS	1.000
4	Reestablish Property Corner	Each	107.000
5	Grade Staking	Mile	2.532
6	Miscellaneous Staking	Mile	2.532
7	Slope Staking	Mile	2.532
8	Structure Staking	Each	1.000
9	Three Man Survey Crew	Hour	40.000
10	Training Program	Hour	1,000.000
11	Remove Fence	Ft	28,648.000
12	Remove Sediment	CuYd	2.000
13	Remove Silt Fence	Ft	2,850.000
14	Salvage Traffic Sign	Each	13.000
15	Unclassified Excavation	CuYd	281,508.000
16	Undercutting	CuYd	27,871.000
17	Water for Embankment	MGal	2,285.000

18	Water for Granular Material	MGal	517.200
19	Placing Topsoil	CuYd	32,524.000
20	Obliterate Old Road	Sta	10.000
21	Incidental Work, Grading	LS	1.000
22	Base Course	Ton	22,881.300
23	Base Course, Salvaged	Ton	20,209.500
24	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	20,209.500
25	MC-70 Asphalt for Prime	Ton	70.400
26	SS-1h or CSS-1h Asphalt for Fog Seal	Ton	8.900
27	Blotting Sand for Prime	Ton	178.200
28	Sand for Fog Seal	Ton	10.000
29	AE150S Asphalt for Surface Treatment	Ton	61.800
30	Type 3 Cover Aggregate	Ton	831.600
31	Pipe Culvert Undercut	CuYd	134.000
32	24" RCP Class 2, Furnish	Ft	706.000
33	24" RCP Class 3, Furnish	Ft	392.000
34	24" RCP, Install	Ft	1,098.000
35	30" RCP Class 2, Furnish	Ft	106.000
36	30" RCP, Install	Ft	106.000
37	36" RCP Class 3, Furnish	Ft	226.000
38	36" RCP, Install	Ft	226.000
39	48" RCP Class 2, Furnish	Ft	62.000
40	48" RCP Class 4, Furnish	Ft	104.000
41	48" RCP, Install	Ft	166.000
42	72" RCP Class 2, Furnish	Ft	58.000
43	72" RCP, Install	Ft	58.000
44	24" RCP Flared End, Furnish	Each	2.000
45	24" RCP Flared End, Install	Each	2.000
46	36" RCP Flared End, Furnish	Each	4.000
47	36" RCP Flared End, Install	Each	4.000
48	48" RCP Flared End, Furnish	Each	2.000
49	48" RCP Flared End, Install	Each	2.000
50	72" RCP Flared End, Furnish	Each	2.000
51	72" RCP Flared End, Install	Each	2.000
52	24" RCP Sloped End, Furnish	Each	20.000
53	24" RCP Sloped End, Install	Each	20.000
54	30" RCP Sloped End, Furnish	Each	2.000
55	30" RCP Sloped End, Install	Each	2.000
56	18" CMP 16 Gauge, Furnish	Ft	296.000
57	18" CMP, Install	Ft	296.000
58	24" CMP 16 Gauge, Furnish	Ft	112.000
59	24" CMP, Install	Ft	112.000
60	18" CMP Elbow, Furnish	Each	2.000
61	18" CMP Elbow, Install	Each	2.000
62	24" CMP Elbow, Furnish	Each	4.000
63	24" CMP Elbow, Install	Each	4.000
64	18" CMP Flared End, Furnish	Each	4.000
65	18" CMP Flared End, Install	Each	4.000
66	24" CMP Flared End, Furnish	Each	2.000
67	24" CMP Flared End, Install	Each	2.000
68	18" CMP Safety End, Furnish	Each	4.000
69	18" CMP Safety End, Install	Each	4.000
70	24" Steel Pipe, Furnish	Ft	188.000
71	72" Steel Pipe, Furnish	Ft	114.000
72	24" Concrete/Steel Pipe Transition, Furnish	Each	2.000
73	24" RCP to CMP Transition, Furnish	Each	2.000

74	24" Pipe Transition, Install	Each	4.000
75	72" Concrete/Steel Pipe Transition, Furnish	Each	2.000
76	72" Pipe Transition, Install	Each	2.000
77	Bore and Jack 24" Pipe	Ft	188.000
78	Bore and Jack 72" Pipe	Ft	114.000
79	Cellular Grout	CuYd	144.100
80	Type III Field Laboratory	Each	1.000
81	Type 2 Right-of-Way Fence	Ft	5,795.000
82	Modified Type 2 Right-of-Way Fence	Ft	24,638.000
83	Type 1A Temporary Fence	Ft	25,286.000
84	2 Post Panel	Each	126.000
85	3 Post Panel	Each	23.000
86	Pavement Marking Paint, White	Gal	86.000
87	Pavement Marking Paint, Yellow	Gal	30.000
88	Flagging	Hour	2,160.000
89	Pilot Car	Hour	810.000
90	Traffic Control Signs	SqFt	1,084.200
91	Traffic Control, Miscellaneous	LS	1.000
92	Type 3 Barricade, 8' Double Sided	Each	19.000
93	Temporary Pavement Marking	Mile	7.500
94	Contractor Furnished Portable Changeable Message Sign	Each	2.000
95	Class B Riprap	Ton	714.000
96	Bank and Channel Protection Gabion	CuYd	71.000
97	Special Permanent Seed Mixture 1	Lb	1,820.000
98	Fertilizing	Ton	70.000
99	Mulching	Ton	140.000
100	Soil Stabilizer	Acre	46.900
101	Type 3 Erosion Control Blanket	SqYd	41,170.000
102	12" Diameter Erosion Control Wattle	Ft	850.000
103	Remove and Reset Erosion Control Wattle	Ft	213.000
104	Surface Roughening	Acre	46.900
105	Shaping for Erosion Control Blanket	Ft	15,000.000
106	Low Flow Silt Fence	Ft	5,300.000
107	High Flow Silt Fence	Ft	6,100.000
108	Mucking Silt Fence	CuYd	792.000
109	Repair Silt Fence	Ft	2,850.000
110	Type B Drainage Fabric	SqYd	1,601.000
111	Structure Excavation, Box Culvert	CuYd	134.000
112	Box Culvert Undercut	CuYd	348.000
113	Class A45 Concrete, Box Culvert	CuYd	313.500
114	Reinforcing Steel	Lb	41,638.000
115	Class B Riprap	Ton	63.500
116	Type B Drainage Fabric	SqYd	76.000
117	Structure Excavation, Box Culvert	CuYd	84.000
118	Box Culvert Undercut	CuYd	318.000
119	2-10'x9' Precast Concrete Box Culvert, Furnish	Ft	118.000
120	2-10'x9' Precast Concrete Box Culvert, Install	Ft	118.000
121	2-10'x9' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
122	2-10'x9' Precast Concrete Box Culvert End Section, Install	Each	2.000
123	Class B Riprap	Ton	68.700
124	Type B Drainage Fabric	SqYd	81.000

3.	NH-P 0023(37)	Area Engineer: Rod Gall, 1306 W 31st St, Yankton, SD, 57078-9662	Phone: 605/668-2929
	Work Type 2 or Work Type 12	DBE Goal: Not Specified	Contract Id: 6262 See Special Provisions for Completion Requirements
	1 Construction and Maintenance of Detour(s)	LS	1.000
	2 Mobilization	LS	1.000

3	Clearing	LS	1.000
4	Remove Pipe Culvert	Ft	90.000
5	Remove Pipe End Section	Each	9.000
6	Remove Fence	Ft	1,989.000
7	Remove Asphalt Concrete Pavement	SqYd	256.000
8	Remove Sediment	CuYd	1.100
9	Remove Silt Fence	Ft	409.000
10	Remove Gate for Reset	Each	2.000
11	Remove Cattle Pass for Reset	Ft	42.000
12	Remove Cattle Pass End Section for Reset	Each	4.000
13	Remove Fence for Reset	Ft	57.000
14	Unclassified Excavation	CuYd	2,839.000
15	Contractor Furnished Borrow Excavation	CuYd	747.000
16	Reprofiling Ditch	Sta	9.000
17	Placing Topsoil	CuYd	796.000
18	Incidental Work, Grading	LS	1.000
19	Base Course	Ton	404.400
20	Asphalt Concrete Composite	Ton	66.400
21	Structural Steel, Miscellaneous	LS	1.000
22	Stud Shear Connector	Each	2,592.000
23	Structure Excavation, Miscellaneous	CuYd	23.000
24	Pipe Culvert Undercut	CuYd	48.000
25	24" CMP 14 Gauge, Furnish	Ft	88.000
26	24" CMP, Install	Ft	88.000
27	24" CMP Elbow, Furnish	Each	2.000
28	24" CMP Elbow, Install	Each	2.000
29	24" CMP Flared End, Furnish	Each	4.000
30	24" CMP Flared End, Install	Each	4.000
31	48" CMP Flared End, Furnish	Each	2.000
32	48" CMP Flared End, Install	Each	2.000
33	96" CMP Step Beveled End, Furnish	Each	2.000
34	96" CMP Step Beveled End, Install	Each	2.000
35	114" CMP Step Beveled End, Furnish	Each	1.000
36	114" CMP Step Beveled End, Install	Each	1.000
37	Cleanout for Culvert Treatment	Each	5.000
38	Slipline 24" Pipe	Ft	160.000
39	Slipline 48" Pipe	Ft	134.000
40	Class A45 Concrete, Miscellaneous	CuYd	7.300
41	Class M6 Concrete	CuYd	117.200
42	Cellular Grout	CuYd	20.300
43	Reinforcing Steel	Lb	459.000
44	4'x6' Reinforced Concrete Cattle Pass, Furnish	Ft	24.000
45	4'x6' Reinforced Concrete Cattle Pass, Install	Ft	24.000
46	Reset Reinforced Concrete Cattle Pass	Ft	42.000
47	Reset Reinforced Concrete Cattle Pass End Section	Each	4.000
48	Type 2 Right-of-Way Fence	Ft	1,279.000
49	Type 1 Temporary Fence	Ft	710.000
50	Type 1A Temporary Fence	Ft	1,436.000
51	Type 2 Temporary Fence	Ft	271.000
52	2 Post Panel	Each	16.000
53	Reset Gate	Each	2.000
54	Reset Fence	Ft	57.000
55	Flagging	Hour	80.000
56	Traffic Control Signs	SqFt	460.000
57	Traffic Control, Miscellaneous	LS	1.000
58	Type 3 Barricade, 8' Double Sided	Each	1.000

59	4" Temporary Pavement Marking Tape Type I	Ft	2,144.000
60	Class A Riprap	Ton	1,365.000
61	PVC Coated Bank and Channel Protection Gabion	CuYd	9.000
62	Type G Permanent Seed Mixture	Lb	94.000
63	Mulching	Ton	9.000
64	Type 3 Erosion Control Blanket	SqYd	400.000
65	Type 1 Turf Reinforcement Mat	SqYd	285.000
66	12" Diameter Erosion Control Wattle	Ft	475.000
67	Remove and Reset Erosion Control Wattle	Ft	119.000
68	Shaping for Erosion Control Blanket	Ft	225.000
69	Low Flow Silt Fence	Ft	1,633.000
70	Mucking Silt Fence	CuYd	113.000
71	Repair Silt Fence	Ft	409.000
72	Type B Drainage Fabric	SqYd	1,575.000

4. **PH 0010(154)** **Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201** **Phone: 605/882-5166**

Work Type 4 or Work Type 13 **DBE Goal: Not Specified** **Contract Id: 8044** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Traffic Sign	Each	10.000
3	Remove Sign for Reset	Each	20.000
4	Grind Sinusoidal Transverse Rumble Strip in Asphalt Concrete	SqFt	3,724.000
5	Grind Sinusoidal Transverse Rumble Strip in PCCP	SqFt	588.000
6	2.0"x2.0" Perforated Tube Post	Ft	96.000
7	2.5"x2.5" Perforated Tube Post	Ft	148.000
8	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	76.400
9	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	48.000
10	Reset Sign	Each	20.000
11	Flagging	Hour	40.000
12	Traffic Control Signs	SqFt	128.000
13	Traffic Control, Miscellaneous	LS	1.000
14	Groove 6" Wide Rumble Strip	Ft	2,669.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1 through 4 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The Department of Transportation in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, national origin, sex, age or disability in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Environmental & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Darin Bergquist
SECRETARY OF TRANSPORTATION