

**Advertisement of Highway Bid Letting**

<http://apps.sd.gov/hc65bidletting/ebslettings1.aspx>

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the SDDOT secure bid submission site at <http://apps.sd.gov/hc65bidletting/bidsubmittallogin.aspx> until 10 A.M. Central time, on Wednesday, September 16, 2015, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
* 1.	P 0020(117)254 (PCN 02R9)	Potter, Walworth SWPPP = 8.70 AC	1.283	Grading, AC Surfacing, Curb & Gutter, Roadway Lighting, Sidewalk, Storm Sewer, & ADA Upgrades	SD20 from 0.4 miles West of Main Street to South of 7th Ave in Hoven
* 2.	A 5735( ) (PCN X03F)	Potter, Walworth	---	Sanitary Sewer and Watermain Improvement	SD20 - from 148th Street to South of 7th Ave in Hoven
<p>Bidders on item #2 will be required to comply with the federal bid requirements and inclusions for projects involving D.E.N.R. clean water and drinking water State Revolving Fund (SRF) loans, disadvantaged business enterprise (DBE) program, and the president's executive order nos. 11246 as amended, 11518 and 11625 as amended. The requirements for bidders and contractors under this regulation which concerns utilization of disadvantaged / minority business enterprises (DBE/MBE) and women's business enterprises (WBE) are explained in the state revolving fund (SRF) general conditions contained in the proposal. The DBE/MBE and WBE goals for participation in this contract in terms of percentage of contract value are: MBE/DBE = 1%; WBE = 4%. Contractors must also submit the MBE/WBE subcontractor solicitation information form (page MBE/WBE-6) and the certification regarding debarment, suspension and other responsibility matters (page debar-2) with his bid. Davis Bacon and related acts wages apply to this project. All provisions relative to those acts must be met. Inquiries regarding completion of these forms should be directed to: Nick Nelson, water and waste funding program, Dept. of Environment &amp; Natural Resources, Foss building, Pierre, SD (605)773-4216. The low responsive bidder will be required to certify to compliance with the American Iron and Steel provision of the Consolidated Appropriations Act of 2014. This certification form may be found on page AIS 21-22 of the State Revolving Fund (SRF) General Conditions and must be included in the bid proposal.</p>					
3.	IM 2292(92)3 (PCN 02PN)	Minnehaha	---	Column Repair, Bent Cap Repair, & Girder End Repairs, Joint Repair, Abutment Repair, & Repair Bridge Slope Protection	I229 - over Minnesota Ave. and Cliff Ave; 60th St. N - over I229
4.	IM 0907(80)308 (PCN 040C)	Aurora, Davison	21.991	Replace Interstate Fence	I90 - WBL from Plankinton to Mitchell

\* Indicates combination bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1. P 0020(117)254

Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405

Phone: 605/773-5294

Work Type 2

DBE Goal: Not Specified

Contract Id: 4928

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Grade Staking	Mile	1.336
3	Miscellaneous Staking	Mile	1.316
4	Slope Staking	Mile	1.316
5	Three Man Survey Crew	Hour	40.000
6	Checker	LS	1.000
7	Construction Schedule, Category III	LS	1.000
8	Training Program	Hour	1,200.000
9	Clearing	LS	1.000
10	Remove Concrete Curb and Gutter	Ft	5,567.000
11	Remove Drop Inlet	Each	1.000
12	Remove Fence	Ft	429.000
13	Remove Concrete Driveway Pavement	SqYd	640.300
14	Remove Concrete Sidewalk	SqYd	3,849.900
15	Remove Sediment	CuYd	4.400
16	Remove Sediment Filter Bag	Ft	1,712.000
17	Remove Silt Fence	Ft	1,385.000
18	Salvage Traffic Sign	Each	41.000
19	Unclassified Excavation	CuYd	44,047.000
20	Contaminated Material Excavation	CuYd	60.000
21	Undercutting	CuYd	14,849.000
22	Water for Embankment	MGal	236.100
23	Water for Granular Material	MGal	212.700
24	Placing Topsoil	CuYd	2,876.000
25	Incidental Work, Grading	LS	1.000
26	Base Course	Ton	1,128.600
27	Base Course, Salvaged	Ton	16,537.500
28	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	16,537.500
29	PG 64-28 Asphalt Binder	Ton	296.300
30	Class E Asphalt Concrete	Ton	4,927.700
31	Compaction Sample	Each	3.000
32	SS-1h or CSS-1h Asphalt for Tack	Ton	4.600
33	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	4.700
34	Sand for Flush Seal	Ton	76.500
35	Cold Milling Asphalt Concrete	SqYd	761.000
36	8" Miscellaneous PCC Pavement	SqYd	30.000
37	6" PCC Approach Pavement	SqYd	479.300
38	8" PCC Approach Pavement	SqYd	170.800
39	8" PCC Fillet Section	SqYd	637.600
40	Pipe Culvert Undercut	CuYd	580.000
41	18" RCP Class 2, Furnish	Ft	1,570.000
42	18" RCP, Install	Ft	1,570.000
43	24" RCP Class 2, Furnish	Ft	776.000
44	24" RCP, Install	Ft	776.000
45	30" RCP Class 2, Furnish	Ft	1,354.000
46	30" RCP, Install	Ft	1,354.000
47	36" RCP Class 2, Furnish	Ft	390.000
48	36" RCP, Install	Ft	390.000
49	18" RCP Bend, Furnish	Each	19.000
50	18" RCP Bend, Install	Each	19.000
51	36" RCP Sloped End, Furnish	Each	1.000
52	36" RCP Sloped End, Install	Each	1.000
53	36" RCP Arch Class 2, Furnish	Ft	66.000

54	36" RCP Arch, Install	Ft	66.000
55	42" RCP Arch Class 2, Furnish	Ft	504.000
56	42" RCP Arch, Install	Ft	504.000
57	48" RCP Arch Class 2, Furnish	Ft	450.000
58	48" RCP Arch, Install	Ft	450.000
59	42" RCP Arch Bend, Furnish	Each	1.000
60	42" RCP Arch Bend, Install	Each	1.000
61	48" RCP Arch Flared End, Furnish	Each	12.000
62	48" RCP Arch Flared End, Install	Each	12.000
63	36" RCP Arch Sloped End, Furnish	Each	2.000
64	36" RCP Arch Sloped End, Install	Each	2.000
65	42" RCP Arch Sloped End, Furnish	Each	7.000
66	42" RCP Arch Sloped End, Install	Each	7.000
67	24" CMP 16 Gauge, Furnish	Ft	58.000
68	24" CMP, Install	Ft	58.000
69	30" CMP 16 Gauge, Furnish	Ft	74.000
70	30" CMP, Install	Ft	74.000
71	24" CMP Safety End, Furnish	Each	2.000
72	24" CMP Safety End, Install	Each	2.000
73	30" CMP Safety End, Furnish	Each	2.000
74	30" CMP Safety End, Install	Each	2.000
75	Class M6 Concrete	CuYd	187.100
76	Controlled Density Fill	CuYd	34.900
77	Pipe Handrail	Ft	528.500
78	Reinforcing Steel	Lb	17,076.000
79	Epoxy Coated Reinforcing Steel	Lb	3,919.000
80	Type II Field Laboratory	Each	1.000
81	Remove, Salvage, Relocate, and Reset Traffic Sign	Each	21.000
82	Flagging	Hour	100.000
83	Traffic Control Signs	SqFt	1,687.000
84	Traffic Control, Miscellaneous	LS	1.000
85	Type 3 Barricade, 8' Double Sided	Each	64.000
86	Temporary Pavement Marking	Ft	7,350.000
87	Detour Signing	SqFt	360.000
88	Temporary Curb Ramp	Each	10.000
89	Breakaway Base Luminaire Pole with Arm, 45' Mounting Height	Each	16.000
90	Roadway Luminaire, 400 Watt with Photoelectric Cell	Each	16.000
91	1 Section Vehicle Signal Head	Each	4.000
92	2' Diameter Footing	Ft	146.000
93	Type 2 Electrical Junction Box	Each	10.000
94	Electrical Service Cabinet	Each	2.000
95	Signal Flasher Unit	Each	2.000
96	2" Rigid Conduit, Schedule 40	Ft	2,960.000
97	3" Rigid Conduit, Schedule 40	Ft	230.000
98	2" Rigid Conduit, Schedule 80	Ft	1,085.000
99	1/C #4 AWG Copper Wire	Ft	4,620.000
100	1/C #6 AWG Copper Wire	Ft	12,710.000
101	1/C #10 AWG Copper Wire	Ft	4,780.000
102	1/C #14 AWG Copper Wire	Ft	1,200.000
103	2/C #10 AWG Copper Pole and Bracket Cable	Ft	960.000
104	Type B68 Concrete Curb and Gutter	Ft	5,169.000
105	Type F68 Concrete Curb and Gutter	Ft	99.000
106	Type D48 Concrete Curb and Gutter	Ft	16.000
107	Type P8 Concrete Gutter	Ft	544.000
108	8" Concrete Valley Gutter	SqYd	175.800
109	4" Concrete Sidewalk	SqFt	42,406.000

110	6" Concrete Sidewalk	SqFt	5,105.000
111	8" Concrete Sidewalk	SqFt	1,505.000
112	4" Reinforced Concrete Sidewalk	SqFt	248.000
113	6" Reinforced Concrete Sidewalk	SqFt	241.000
114	Sidewalk Drain	Ft	14.700
115	Type 1 Detectable Warnings	SqFt	767.000
116	Type B Frame and Grate Assembly	Each	51.000
117	Type C Frame and Grate	Each	3.000
118	4' x 11' Precast Concrete Type S Drop Inlet Lid	Each	1.000
119	4' x 6' Precast Concrete Type S Drop Inlet Lid	Each	3.000
120	Precast Drop Inlet Collar	Each	54.000
121	Type C Permanent Seed Mixture	Lb	81.000
122	Type D Permanent Seed Mixture	Lb	255.000
123	Fertilizing	Ton	2.870
124	Mulching	Ton	9.000
125	Fiber Mulching	Lb	1,675.000
126	Type 3 Erosion Control Blanket	SqYd	1,350.000
127	20" Diameter Erosion Control Wattle	Ft	200.000
128	Remove and Reset Erosion Control Wattle	Ft	50.000
129	Sediment Filter Bag	Ft	1,712.000
130	Shaping for Erosion Control Blanket	Ft	500.000
131	High Flow Silt Fence	Ft	1,700.000
132	Mucking Silt Fence	CuYd	118.000
133	Repair Silt Fence	Ft	425.000
134	Sediment Control at Inlet with Frame and Grate	Each	54.000
135	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	37.000
136	Construction Entrance	Each	1.000

2. **A 5735( )** **Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405** **Phone: 605/773-5294**  
**Work Type 2** **DBE Goal: 5.000%** **Contract Id: 4954** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Concrete Curb and Gutter	Ft	18.000
3	Remove Manhole	Each	10.000
4	Remove Manhole Frame and Lid	Each	10.000
5	Remove Sewer Pipe	Ft	218.000
6	Remove Asphalt Concrete Pavement	SqYd	72.000
7	Remove Fire Hydrant	Each	8.000
8	Remove Gate Valve	Each	12.000
9	Remove Water Main	Ft	3,716.000
10	Contaminated Material Excavation	CuYd	1,000.000
11	Base Course	Ton	40.000
12	Asphalt Concrete Composite	Ton	18.000
13	10" PVC Encasement Pipe	Ft	28.000
14	12" PVC Encasement Pipe	Ft	220.000
15	1" High Density Polyethylene Pipe	Ft	2,380.000
16	1 1/2" High Density Polyethylene Pipe	Ft	200.000
17	2" High Density Polyethylene Pipe	Ft	300.000
18	4" PVC Water Main	Ft	100.000
19	6" PVC Water Main	Ft	629.000
20	8" PVC Water Main	Ft	3,178.000
21	4" Water Main Restraining Device	Each	4.000
22	6" Water Main Restraining Device	Each	46.000
23	8" Water Main Restraining Device	Each	38.000
24	6" Ductile Iron Water Main	Ft	60.000
25	8" Ductile Iron Water Main	Ft	300.000
26	4" PVC Sewer Pipe	Ft	2,480.000

27	6" PVC Sewer Pipe	Ft	100.000
28	8" PVC Sewer Pipe	Ft	3,310.000
29	4" Ductile Iron Sewer Pipe	Ft	150.000
30	6" Ductile Iron Sewer Pipe	Ft	25.000
31	8" Ductile Iron Sewer Pipe	Ft	250.000
32	4" Sanitary Sewer Service Cleanout	Each	62.000
33	6" Sanitary Sewer Service Cleanout	Each	6.000
34	Sanitary Sewer Video Inspection	Ft	3,310.000
35	8"x4" Pipe Wye	Each	62.000
36	8"x6" Pipe Wye	Each	6.000
37	6"x6" Pipe Tee	Each	2.000
38	8"x4" Pipe Tee	Each	1.000
39	8"x6" Pipe Tee	Each	12.000
40	8"x6" Pipe Cross	Each	1.000
41	1" Corporation Stop with Tapping Saddle	Each	60.000
42	1.5" Corporation Stop with Tapping Saddle	Each	4.000
43	2" Corporation Stop with Tapping Saddle	Each	6.000
44	1" Curb Stop with Box	Each	60.000
45	1.5" Curb Stop with Box	Each	4.000
46	2" Curb Stop with Box	Each	6.000
47	8" Pipe Bend	Each	1.000
48	6" Pipe Cap	Each	1.000
49	8" Pipe Cap	Each	2.000
50	4" Gate Valve with Box	Each	1.000
51	6" Gate Valve with Box	Each	11.000
52	8" Gate Valve with Box	Each	5.000
53	Standard Fire Hydrant	Each	8.000
54	Fire Hydrant Guard Post	Each	8.000
55	Pipe Bedding Material	Ton	1,638.000
56	Trench Dewatering, Sewer Main	Ft	3,310.000
57	Adjust Water Valve Box	Each	5.000
58	Remove and Reset Valve and Box	Each	2.000
59	Reconnect Water Service	Each	70.000
60	Connect To Existing Water Main	Each	9.000
61	Reconnect Sewer Service	Each	62.000
62	Connect to Existing Sewer Main	Each	2.000
63	Abandon Sewer Main	Ft	3,300.000
64	Sewer Bypass Pumping	LS	1.000
65	Exploratory Excavation	Hour	16.000
66	PVC Pipe Deflection Test	Ft	3,310.000
67	Type B66 Concrete Curb and Gutter	Ft	18.000
68	48" Manhole 8' to 10' Deep	Each	5.000
69	48" Manhole 10' to 12' Deep	Each	6.000
70	Type A7 Manhole Frame and Lid	Each	11.000
71	Special Manhole Frame and Lid	Each	62.000
72	Connect Into Existing Manhole	Each	1.000
73	Manhole Exfiltration/Vacuum Test	Each	11.000

<b>3.</b>	<b>IM 2292(92)3</b>	<b>Area Engineer: Travis Dressen, 5316 W 60th St N, Sioux Falls, SD, 57107</b>	<b>Phone: 605/367-5680</b>
	<b>Work Type 8</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 4939 See Special Provisions for Completion Requirements</b>
	1 Mobilization	LS	1.000
	2 Unclassified Excavation	CuYd	900.000
	3 Incidental Work	LS	1.000
	4 Membrane Sealant Expansion Joint	Ft	64.000
	5 Class A45 Concrete, Bridge Repair	CuYd	27.100
	6 Concrete Patching Material, Miscellaneous	CuFt	349.100



Instructions

**PROPOSALS, PLANS AND SPECIFICATIONS:** Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website at: <http://apps.sd.gov/hc65bidletting/ebslettings1.aspx>.

**MINIMUM WAGE RATES:** Minimum wage rates for 1, 3 & 4 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

**BID PREPARATION:** Bidding files require the use of the South Dakota Electronic Bidding System (SDEBS) which is downloadable from the Bid Letting website at <http://apps.sd.gov/hc65bidletting/ebsInstall.aspx>. Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 1 must also submit a bid on Item 2. Award of these combinations (Items 1 & 2) will be to the same bidder based on the total combined two projects.

Instructions on how to bid with SDDOT are available on the SDDOT Bid Letting website at: <https://apps.sd.gov/HC65BidLetting/ebshowtobid.aspx>.

**NONDISCRIMINATION ASSURANCE:** The Department of Transportation in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, national origin, sex, age or disability in consideration for an award.

**EXECUTION OF CONTRACT:** In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

**GENERALLY:** A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Environmental & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Darin Bergquist  
SECRETARY OF TRANSPORTATION