

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on September 18, 2019, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	BRO 8014(00) (PCN 5756)	Clay SWPPP = 1.20 AC	---	Structure (4-10'x10' RCBC) & Approach Grading	Structure 7.5 miles east & 5.1 miles south of Irene over Frog Creek on Norwegian Ave. just south of 302nd St.
2.	BRF 6418(00) (PCN 02ER)	Miner SWPPP = 0.40 AC	---	Structure (60'-6" Prestressed Dbl Tee) & Approach Grading	Structure 7 miles south & 2.6 miles east of Carthage over Rock Creek
3.	NH 0014(213)415, NH 014B(172)419, P 0022(59)379 (PCN 05DA, 05DC, 05DD)	Brookings, Deuel	---	Bridge Deck Polymer Chip Seal, Repair Approach Slabs, Replace Joints, & Weld Repair	Structures on US14, 1.9 miles east of Volga; US14B near Brookings & SD22 8.7, 9.3, & 11.4 miles east of SD15
4.	P 0034(169)269, P 0047(107)88, P 0249(02)73 (PCN 04EC, 04ED, 04EE)	Buffalo, Lyman	8.510	Cold Milling Asphalt Concrete & Asphalt Concrete Resurfacing	SD34 from Ft Thompson to SD50, SD47 from Big Bend Dam to Ft Thompson, & SD249 from Ft Thompson to SD50
5.	NH 0083(86)0 (PCN 068G)	Todd	21.260	Cold Milling Asphalt Concrete, Asphalt Concrete Resurfacing & Rumble Strips	US83 from the Nebraska State Line to Mission
6.	PH 8031(05) (PCN 03BB)	Hanson	---	Signing & Delineation	Various County, City, & Township Roads in Hanson County
7.	PH 0010(137) (PCN 06AL)	Brookings, Codington, Deuel, Hamlin, Kingsbury	37.259	Centerline Rumble Stripes	Aberdeen Region

* Indicates combination bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	BRO 8014(00)	Area Engineer: Rod Gall, 1306 W 31st St, Yankton, SD, 57078-9662	Phone: 605/668-2929
	Work Type 9	DBE Goal: NONE	Contract Id: 7875 See Special Provisions for Completion Requirements
	1 Mobilization	LS	1.000
	2 Clear and Grub Tree	Each	12.000
	3 Clearing	LS	1.000
	4 Remove Sediment	CuYd	1.000
	5 Unclassified Excavation	CuYd	4,802.000
	6 Placing Topsoil	CuYd	381.000
	7 Incidental Work, Grading	LS	1.000
	8 Incidental Work, Structure	LS	1.000
	9 Structure Excavation, Box Culvert	CuYd	98.000
	10 Box Culvert Undercut	CuYd	241.000
	11 18" CMP 16 Gauge, Furnish	Ft	90.000
	12 18" CMP, Install	Ft	90.000
	13 18" CMP Safety End, Furnish	Each	2.000
	14 18" CMP Safety End, Install	Each	2.000
	15 Class A45 Concrete, Box Culvert	CuYd	239.500
	16 Reinforcing Steel	Lb	29,212.000
	17 Traffic Control Signs	SqFt	64.500
	18 Traffic Control, Miscellaneous	LS	1.000
	19 Type 3 Barricade	Each	7.000
	20 Class B Riprap	Ton	356.900
	21 Erosion Control	LS	1.000
	22 Type 2 Erosion Control Blanket	SqYd	733.000
	23 12" Diameter Erosion Control Wattle	Ft	100.000
	24 Shaping for Erosion Control Blanket	Ft	80.000
	25 Low Flow Silt Fence	Ft	212.000
	26 Mucking Silt Fence	CuYd	15.000
	27 Repair Silt Fence	Ft	53.000
	28 Temporary Diversion Channel and/or Pipe	Each	1.000
	29 Type B Drainage Fabric	SqYd	387.000

2.	BRF 6418(00)	Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206	Phone: 605/995-8120
	Work Type 9	DBE Goal: NONE	Contract Id: 7857 See Special Provisions for Completion Requirements
	1 Mobilization	LS	1.000
	2 Construction Staking	LS	1.000
	3 Clearing	LS	1.000
	4 Unclassified Excavation	CuYd	238.000
	5 Placing Topsoil	CuYd	80.000
	6 Incidental Work, Structure	LS	1.000
	7 Structure Excavation, Bridge	CuYd	75.000
	8 Class A45 Concrete, Bridge	CuYd	32.400
	9 Controlled Density Fill	CuYd	7.700
	10 Type T101 Bridge Railing	Ft	153.000
	11 Reinforcing Steel	Lb	2,268.000
	12 Preboring Pile	Ft	100.000
	13 HP 12x53 Steel Test Pile, Furnish and Drive	Ft	155.000
	14 HP 12x53 Steel Bearing Pile, Furnish and Drive	Ft	580.000
	15 3'-10" Wide Deck x 30" Prestressed Concrete Double Tee	Ft	480.000
	16 Precast Concrete Plank, Furnish	SqFt	165.000
	17 Precast Concrete Plank, Install	SqFt	165.000
	18 Traffic Control Signs	SqFt	109.000
	19 Traffic Control, Miscellaneous	LS	1.000
	20 Type 3 Barricade	Each	8.000
	21 Class B Riprap	Ton	808.000
	22 Erosion Control	LS	1.000

23	Type 2 Erosion Control Blanket	SqYd	1,000.000
24	12" Diameter Erosion Control Wattle	Ft	180.000
25	Shaping for Erosion Control Blanket	Ft	520.000
26	High Flow Silt Fence	Ft	652.000
27	Mucking Silt Fence	CuYd	45.000
28	Repair Silt Fence	Ft	125.000
29	Floating Silt Curtain	Ft	300.000
30	Type B Drainage Fabric	SqYd	625.000

3. NH 0014(213)415, NH **Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201** **Phone: 605/882-5166**
014B(172)419, P 0022(59)379 **DBE Goal: Not Specified** **Contract Id: 7873** **See Special Provisions for Completion Requirements**
Work Type 8

1	Mobilization	LS	1.000
2	Remove Steel Diaphragm	Each	1.000
3	Remove Asphalt Concrete Pavement	SqYd	58.700
4	Remove Concrete Pavement	SqYd	64.000
5	Remove W Beam Guardrail for Reset	Ft	62.500
6	Asphalt Concrete Composite	Ton	5.000
7	10" Nonreinforced PCC Pavement	SqYd	122.700
8	Dowel Bar	Each	24.000
9	Insert Steel Bar in PCC Pavement	Each	16.000
10	Membrane Sealant Expansion Joint	Ft	92.000
11	Class A45 Concrete, Bridge Repair	CuYd	4.000
12	Breakout Structural Concrete	CuYd	4.000
13	Epoxy Coated Reinforcing Steel	Lb	194.000
14	No. 4 Rebar Splice	Each	1.000
15	No. 5 Rebar Splice	Each	2.000
16	No. 6 Rebar Splice	Each	1.000
17	Two Coat Bridge Deck Polymer Chip Seal	SqYd	8,886.000
18	Abrasive Blasting of Bridge Deck	SqYd	8,886.000
19	Bridge Deck Grinding	SqYd	8,885.900
20	Concrete Removal, Class A	SqYd	41.700
21	Concrete Removal, Class B	SqYd	41.700
22	Concrete Patching Material, Bridge Deck	CuFt	384.600
23	Reset W Beam Guardrail with Wood Posts	Ft	62.500
24	Guardrail Delineator	Each	2.000
25	Preformed Thermoplastic Pavement Marking, 24"	Ft	420.000
26	Preformed Thermoplastic Pavement Marking, Arrow	Each	3.000
27	Pavement Marking Paint, 4" White	Ft	3,223.000
28	Pavement Marking Paint, 4" Yellow	Ft	1,997.000
29	Surface Preparation for Pavement Marking	SqFt	840.000
30	Surface Preparation for Pavement Marking	Each	3.000
31	Flagging	Hour	40.000
32	Traffic Control Signs	SqFt	1,266.200
33	Traffic Control, Miscellaneous	LS	1.000
34	Type 3 Barricade	Each	18.000
35	Type C Advance Warning Arrow Board	Each	2.000
36	Remove Pavement Marking, Arrow	Each	3.000
37	Remove Pavement Marking, Area	SqFt	840.000
38	4" Temporary Pavement Marking Tape Type I	Ft	24,280.000
39	Temporary Pavement Marking	Ft	12,140.000
40	Portable Temporary Traffic Control Signal	Unit	4.000

4. P 0034(169)269, P 0047(107)88, P **Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940** **Phone: 605/353-7140**
0249(02)73 **DBE Goal: Not Specified** **Contract Id: 7919** **See Special Provisions for Completion Requirements**
Work Type 5

1	Mobilization	LS	1.000
2	Training Program	Hour	500.000
3	Remove Traffic Sign	Each	40.000

4	Remove 3 Cable Guardrail	Ft	8,960.000
5	Remove Beam Guardrail	Ft	1,145.000
6	Remove 3 Cable Guardrail Anchor Assembly	Each	18.000
7	Remove Sediment	CuYd	1.000
8	Remove Double Thrie Beam Guardrail for Reset	Ft	75.000
9	Remove Thrie Beam Guardrail for Reset	Ft	37.500
10	Remove W Beam to Thrie Beam Guardrail Transition for Reset	Each	6.000
11	Remove Type 1 MGS for Reset	Ft	437.500
12	Remove MGS Tangent End Terminal for Reset	Each	3.000
13	Remove Sign for Reset	Each	3.000
14	Unclassified Excavation, Digouts	CuYd	425.000
15	Contractor Furnished Borrow Excavation	CuYd	1,240.000
16	Remove and Replace Topsoil	LS	1.000
17	Base Course	Ton	1,931.000
18	Granular Material, Furnish	Ton	6,858.000
19	Blend, Haul, and Stockpile Granular Material	Ton	13,716.000
20	PG 58-34 Asphalt Binder	Ton	1,121.900
21	Asphalt Concrete Composite	Ton	80.000
22	Class Q2R Hot Mixed Asphalt Concrete	Ton	22,023.700
23	Asphalt Concrete Blade Laid	Ton	1,276.500
24	Hydrated Lime	Ton	232.900
25	Grind 8" Rumble Strip or Stripe in Asphalt Concrete	Mile	10.100
26	Grind Sinusoidal Transverse Rumble Strip in Asphalt Concrete	SqFt	392.000
27	SS-1h or CSS-1h Asphalt for Tack	Ton	98.900
28	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	36.100
29	Sand for Flush Seal	Ton	442.300
30	Cold Milling Asphalt Concrete	SqYd	193,356.000
31	Cleanout Pipe Culvert	Each	3.000
32	Type III Field Laboratory	Each	1.000
33	NCHRP 350 Test Level 3 High Tension Cable Guardrail	Ft	8,268.000
34	NCHRP 350 Test Level 3 High Tension Cable Guardrail Anchor Assembly	Each	6.000
35	Furnish High Tension Cable Guardrail Post	Each	30.000
36	Furnish High Tension Cable Guardrail Post and Sleeve	Each	10.000
37	Cable Tension Indicator	Each	1.000
38	Type 1C MGS	Ft	1,275.000
39	Type 4 MGS	Ft	75.000
40	Straight Class A W Beam Guardrail with Wood Posts	Ft	50.000
41	Straight Class B W Beam Guardrail with Wood Posts	Ft	50.000
42	Straight Double Class B W Beam Guardrail with Wood Posts	Ft	50.000
43	W Beam Guardrail Flared End Terminal	Each	4.000
44	MGS Tangent End Terminal	Each	4.000
45	Beam Guardrail Post and Block	Each	88.000
46	Reset Type 1C MGS	Ft	437.500
47	Reset Thrie Beam Guardrail with Wood Posts	Ft	37.500
48	Reset Double Thrie Beam Guardrail with Wood Posts	Ft	87.500
49	Reset Asymmetrical W Beam to Thrie Beam Guardrail Transition	Each	6.000
50	Reset MGS Tangent End Terminal	Each	3.000
51	2.0"x2.0" Perforated Tube Post	Ft	445.500
52	2.5"x2.5" Perforated Tube Post	Ft	125.000
53	Guardrail Delineator	Each	78.000
54	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	185.700
55	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	159.600
56	Reset Sign	Each	3.000
57	Preformed Thermoplastic Pavement Marking, 24"	Ft	25.000
58	Pavement Marking Paint, White	Gal	287.000
59	Pavement Marking Paint, Yellow	Gal	123.000

60	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	25.000
61	Flagging	Hour	387.000
62	Pilot Car	Hour	134.000
63	Traffic Control Signs	SqFt	1,710.300
64	Traffic Control, Miscellaneous	LS	1.000
65	Temporary Pavement Marking	Mile	34.000
66	Adjust Manhole	Each	26.000
67	Cover Crop Seeding	Bu	0.500
68	Erosion Control	LS	1.000
69	12" Diameter Erosion Control Wattle	Ft	410.000
70	Low Flow Silt Fence	Ft	430.000
71	Mucking Silt Fence	CuYd	30.000
72	Repair Silt Fence	Ft	108.000
73	Refurbish Single Mailbox	Each	1.000
74	Refurbish Double Mailbox	Each	3.000
75	Storage Unit	Each	1.000

5. NH 0083(86)0

Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771

Phone: 605/842-0810

Work Type 5

DBE Goal: Not Specified

Contract Id: 7909

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Miscellaneous Staking	Mile	21.260
3	Three Man Survey Crew	Hour	40.000
4	Checker	LS	1.000
5	Training Program	Hour	1,000.000
6	Unclassified Excavation, Digouts	CuYd	1,063.000
7	Base Course	Ton	2,771.000
8	Asphalt Concrete Blade Laid	Ton	3,189.000
9	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	40.600
10	Grind Sinusoidal Centerline Rumble Stripe in Asphalt Concrete	Mile	20.300
11	Asphalt Joint Adhesive	Ft	112,254.000
12	SS-1h or CSS-1h Asphalt for Tack	Ton	278.700
13	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	121.700
14	Sand for Flush Seal	Ton	1,141.900
15	Cold Milling Asphalt Concrete	SqYd	440,021.000
16	Type III Field Laboratory	Each	1.000
17	Pavement Marking Paint, White	Gal	722.000
18	Pavement Marking Paint, Yellow	Gal	300.000
19	Pavement Marking Paint, Arrow	Each	24.000
20	Flagging	Hour	700.000
21	Pilot Car	Hour	350.000
22	Traffic Control Signs	SqFt	1,086.000
23	Traffic Control, Miscellaneous	LS	1.000
24	Type 3 Barricade	Each	4.000
25	Temporary Pavement Marking	Mile	85.100
26	Contractor Furnished Portable Changeable Message Sign	Each	2.000
27	Refurbish Single Mailbox	Each	4.000
28	Refurbish Double Mailbox	Each	7.000
29	Storage Unit	Each	1.000
30	PG 58-34 Asphalt Binder	Ton	3,013.300
31	Class Q3R Hot Mixed Asphalt Concrete	Ton	59,511.400
32	Hydrated Lime	Ton	623.900
33	PG 58-34 Asphalt Binder	Ton	2,357.200
34	Class Q3R Hot Mixed Asphalt Concrete	Ton	60,997.600
35	Hydrated Lime	Ton	635.600
36	Granular Material, Furnish	Ton	9,420.600
37	Blend, Haul, and Stockpile Granular Material	Ton	18,841.200

38	Granular Material, Furnish	Ton	9,003.600
39	Blend, Haul, and Stockpile Granular Material	Ton	18,007.200

6. **PH 8031(05)** **Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206** **Phone: 605/995-8120**
Work Type 11 **DBE Goal: Not Specified** **Contract Id: 8047** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	As-Built Survey	LS	1.000
3	Remove Traffic Sign	Each	2,492.000
4	Salvage Traffic Sign	Each	37.000
5	Remove Sign for Reset	Each	3.000
6	2.0"x2.0" Perforated Tube Post	Each	2,991.000
7	No Passing Zone Reference Post	Each	196.000
8	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	1,330.000
9	4" Tubular White Delineator Reflector	Each	673.000
10	Guardrail Delineator	Each	8.000
11	Type 2 Object Marker Back to Back	Each	646.000
12	Type 3 Flexible Object Marker	Each	44.000
13	Type 4 Object Marker	Each	92.000
14	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	8,498.000
15	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	11,018.500
16	Reset Sign	Each	3.000
17	Type 3 Single Sided Barricade	Ft	66.000
18	Traffic Control, Miscellaneous	LS	1.000

7. **PH 0010(137)** **Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201** **Phone: 605/882-5166**
Work Type 4 or Work Type 13 **DBE Goal: Not Specified** **Contract Id: 8061** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Reseal PCC Pavement Joint - Hot Pour	Ft	196,944.000
3	Grind Sinusoidal Centerline Rumble Stripe in PCC Pavement	Mile	37.300
4	High Build Waterborne Pavement Marking Paint, Yellow	Gal	1,927.000
5	Flagging	Hour	100.000
6	Pilot Car	Hour	10.000
7	Traffic Control Signs	SqFt	169.000
8	Traffic Control, Miscellaneous	LS	1.000
9	Temporary Flexible Vertical Markers (Tabs)	Mile	32.700

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 3 through 7 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations. Minimum wage rates for 1 and 2 have been predetermined by the Department of Transportation, and are set forth in the advertised specification.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The Department of Transportation in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, national origin, sex, age or disability in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Environmental & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Darin Bergquist
SECRETARY OF TRANSPORTATION