

**Advertisement of Highway Bid Letting**

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on October 02, 2019, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
* 1.	P 0014(179)419, NH 014B(00)420 (PCN 027B, 073A)	Brookings SWPPP = 5.00 AC	0.613	Urban Grading, Curb & Gutter, Storm Sewer, Traffic Signals, ADA, Sidewalk, Roadway Lighting, PCC Surfacing, Asphalt Concrete Surfacing & Span Wire Traffic Signal	US14 from Main Ave to Medary Ave in Brookings, Intersection of US14/12th Ave & US14B and 22nd Ave Intersection in Brookings
* 2.	WW 2001( ) (PCN X04Q)	Brookings	0.488	Water and Sanitary Sewer Replacement	US 14 (6th Street) Fm Main Avenue to Medary Avenue in Brookings
3.	IM 0903(110)132 (PCN 04W1)	Jackson	---	Bridge Deck Polymer Chip Seal	I90, Various Structures from 1.0 mile east of Cactus Flat to SD73 west of Kadoka, & US83 over I90 at Murdo
4.	IM 0903(111)192, P 0044(197)196 (PCN 05D5, 05FU)	Jones, Mellette	---	Bridge Deck Overlay, Reset Bearings, Trim Girders, Approach Slabs, Guardrail, Bridge Deck Polymer Chip Seal & Joint Replacements	US83 over I90 at Murdo, & SD44 0.7 miles west of US83 over the Little White River
5.	IM 0295(41)129 (PCN 04W0)	Brookings	---	Bridge Deck Polymer Chip Seals & Abutment Repair	I29 Structures 3 miles south of the US14 Interchange, SD324 Interchange & 2 miles north of US 14B Interchange
6.	NH 0041(173) (PCN 072A)	Pennington SWPPP = 4.10 AC	0.765	Intersection Improvements	Various locations on US16 and SD79, south of Rapid City
7.	IM 2292(93)0 (PCN 032L)	Lincoln	---	Approach Slabs, Concrete Barrier Ends, Curb & Gutter, Sidewalk & Asphalt Concrete Resurfacing	Solberg/Tallgrass Overpass
** 8.	NH 0212(00)225 (PCN 073G)	Potter	1.183	Asphalt Concrete Resurfacing	City Streets in Gettysburg for Detour
** 9.	P 1804(48)292 (PCN 05UV)	Potter, Sully	15.380	Cold Milling Asphalt Concrete & Asphalt Concrete Resurfacing	SD1804 from the Agar Road north to US212 and from US212 to the road to West Whitlock

10. P 0025(80)88 (PCN 05J1)	Kingsbury, Miner	13.134	Cold Milling Asphalt Concrete, Asphalt Concrete Resurfacing, & Pipe Work	SD25 from the east junction of SD34, north to the Miner/Kingsbury County Line
11. P 0044(200)65 (PCN 05J8)	Pennington	9.417	Cold Milling Asphalt Concrete, Asphalt Concrete Resurfacing, Structure End Blocks & Culvert Repair	SD44 from 1.2 miles west of Base Line Road to Rapid Creek
12. PH 0020(194) (PCN 06U1)	Bon Homme, Brookings, Buffalo, Charles Mix, Clay, Douglas, Gregory, Hutchinson, Jerauld, Lake, Lincoln, McCook, Turner, Yankton	---	Transverse Rumble Strips	Various locations in the Mitchell Region
13. PH 0040(320) (PCN 06AM)	Butte, Custer, Lawrence, Pennington	39.290	Centerline Rumble Stripes	Various locations in the Rapid City Region
14. IM 0291(129)0 (PCN 05HF)	Union	---	Bridge Zone Painting	I29 Structures over the Big Sioux River at the Iowa/South Dakota State Line

---

\* Indicates combination bids

SWPPP = Storm Water Pollution Prevention Plan

---

ITEMS INVOLVED ARE AS FOLLOWS

---

1.	P 0014(179)419, NH 014B(00)420 Work Type 2 or Work Type 3	Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201 DBE Goal: Not Specified	Contract Id: 7913	See Special Provisions for Completion Requirements	Phone: 605/882-5166
1	Mobilization			LS	1.000
2	Reestablish Property Corner			Each	77.000
3	Grade Staking			Mile	2.444
4	Miscellaneous Staking			Mile	0.546
5	Slope Staking			Mile	0.522
6	Three Man Survey Crew			Hour	40.000
7	Construction Schedule, Category III			LS	1.000
8	Project Management, Category III			LS	1.000
9	Clearing			LS	1.000
10	Remove Traffic Sign			Each	24.000
11	Remove Concrete Curb and/or Gutter			Ft	843.000
12	Remove Drop Inlet			Each	20.000
13	Remove Manhole			Each	6.000
14	Remove Asphalt Concrete Pavement			SqYd	1,708.800
15	Remove Concrete Pavement			SqYd	16,449.500
16	Remove Concrete Driveway Pavement			SqYd	1,207.900
17	Remove Concrete Sidewalk			SqYd	3,961.100
18	Remove Luminaire Pole			Each	14.000
19	Remove Signal Equipment			LS	1.000
20	Remove Signal Pole Footing			Each	8.000
21	Remove Luminaire Pole Footing			Each	14.000
22	Remove Sediment			CuYd	13.800
23	Remove Sediment Filter Bag			Ft	1,802.000
24	Remove Silt Fence			Ft	1,360.000
25	Salvage Signal Equipment			LS	1.000
26	Unclassified Excavation			CuYd	7,272.000
27	Contaminated Material Excavation			CuYd	100.000
28	Undercutting			CuYd	200.000
29	Water for Granular Material			MGal	194.700
30	Placing Topsoil			CuYd	687.000
31	Remove and Replace Topsoil			LS	1.000
32	Incidental Work, Grading			LS	1.000
33	Base Course			Ton	16,735.600
34	Asphalt Concrete Composite			Ton	895.100
35	Asphalt Concrete Cold Mix			Ton	10.000
36	SS-1h or CSS-1h Asphalt for Fog Seal			Ton	1.000
37	Sand for Fog Seal			Ton	5.000
38	CRS-2P Asphalt for Surface Treatment			Ton	5.000
39	Type 1A Cover Aggregate			Ton	30.000
40	8.5" Nonreinforced PCC Pavement			SqYd	16,401.600
41	6" PCC Driveway Pavement			SqYd	724.700
42	6" PCC Approach Pavement			SqYd	468.400
43	8" PCC Approach Pavement			SqYd	1,255.100
44	8.5" PCC Fillet Section			SqYd	569.500
45	9.5" PCC Fillet Section			SqYd	71.800
46	Dowel Bar			Each	10,498.000
47	Insert Steel Bar in PCC Pavement			Each	240.000
48	18" RCP Class 2, Furnish			Ft	1,436.000
49	18" RCP, Install			Ft	1,436.000
50	24" RCP Class 2, Furnish			Ft	350.000
51	24" RCP, Install			Ft	350.000
52	30" RCP Class 2, Furnish			Ft	1,024.000
53	30" RCP, Install			Ft	1,024.000

54	36" RCP Class 2, Furnish	Ft	162.000
55	36" RCP, Install	Ft	162.000
56	54" RCP Class 2, Furnish	Ft	30.000
57	54" RCP, Install	Ft	30.000
58	72" RCP Class 2, Furnish	Ft	790.000
59	72" RCP, Install	Ft	790.000
60	Class M6 Concrete	CuYd	140.300
61	Reinforcing Steel	Lb	23,549.000
62	Type C Concrete Retaining Wall	SqFt	210.000
63	Gravity Segmental Block Wall	SqFt	54.000
64	Type III Field Laboratory	Each	1.000
65	2.0"x2.0" Perforated Tube Post	Ft	136.000
66	2.5"x2.5" Perforated Tube Post	Ft	30.000
67	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	153.200
68	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	41.600
69	Remove, Salvage, Relocate, and Reset Traffic Sign	Each	8.000
70	Cold Applied Plastic Pavement Marking, 4"	Ft	9,690.000
71	Cold Applied Plastic Pavement Marking, 8"	Ft	350.000
72	Cold Applied Plastic Pavement Marking, 24"	Ft	930.000
73	Cold Applied Plastic Pavement Marking, Arrow	Each	23.000
74	Cold Applied Plastic Pavement Marking, Combination Arrow	Each	3.000
75	Preformed Thermoplastic Pavement Marking, 24"	Ft	113.000
76	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	7,510.000
77	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	1,008.000
78	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	20.000
79	Pavement Marking Masking, 5"	Ft	4,360.000
80	Pavement Marking Masking, 9"	Ft	700.000
81	Pavement Marking Masking, 25"	Ft	70.000
82	Pavement Marking Masking, Arrow	Each	6.000
83	Pavement Marking Masking, Combination Arrow	Each	6.000
84	Flagging	Hour	180.000
85	Traffic Control Signs	SqFt	1,341.100
86	Traffic Control, Miscellaneous	LS	1.000
87	Type 3 Barricade	Each	67.000
88	Type C Advance Warning Arrow Board	Each	2.000
89	4" Temporary Pavement Marking Tape Type I	Ft	320.000
90	Temporary Pavement Marking	Mile	0.300
91	Detour Signing	SqFt	994.000
92	Temporary Business Signing	SqFt	288.700
93	Solar Powered Portable Changeable Message Sign	Each	2.000
94	Longitudinal Pedestrian Barricade	Ft	192.000
95	Temporary Pedestrian Access Route	LS	1.000
96	Temporary Curb Ramp	Each	2.000
97	Decorative Luminaire Pole	Each	36.000
98	Decorative Luminaire Arm	Each	36.000
99	Signal Pole with 25' Mast Arm and Luminaire Arm	Each	1.000
100	Signal Pole with 35' Mast Arm and Luminaire Arm	Each	1.000
101	Signal Pole with 40' Mast Arm and Luminaire Arm	Each	1.000
102	Signal Pole with 45' Mast Arm and Luminaire Arm	Each	1.000
103	Span Wire System	Site	1.000
104	Galvanized Steel Utility Pole	Each	1.000
105	Roadway Luminaire, LED	Each	4.000
106	Decorative Luminaire, LED	Each	36.000
107	3 Section Vehicle Signal Head	Each	23.000
108	5 Section Vehicle Signal Head	Each	1.000
109	4 Section Directional Vehicle Signal Head	Each	14.000

110	2' Diameter Footing	Ft	252.000
111	3' Diameter Footing	Ft	44.000
112	Type 1 Electrical Junction Box	Each	13.000
113	Type 2 Electrical Junction Box	Each	2.000
114	Type 3 Electrical Junction Box	Each	6.000
115	Type 4 Electrical Junction Box	Each	9.000
116	Surface Mounted Junction Box	Each	3.000
117	Electrical Service Cabinet	Each	1.000
118	Electrical Service Cabinet with Secondary Disconnect	Each	2.000
119	Traffic Signal Controller	Each	1.000
120	Meter Socket	Each	1.000
121	Battery Backup System for Traffic Signal	Each	1.000
122	Preformed Detector Loop	Each	37.000
123	Emergency Vehicle Preemption Unit	Each	1.000
124	Optical Detector	Each	4.000
125	Vehicle Radar Detector	Each	4.000
126	Miscellaneous Signal Parts	LS	1.000
127	Accessible Pedestrian Signal	Each	32.000
128	Pedestrian Push Button Pole	Each	24.000
129	Pedestrian Signal Head with Countdown Timer	Each	32.000
130	Pedestrian Crossing Sign	Each	32.000
131	Miscellaneous, Electrical	LS	1.000
132	Install Traffic Signal Controller	Each	1.000
133	3" Rigid Galvanized Steel Conduit	Ft	25.000
134	2" Rigid Conduit, Schedule 40	Ft	7,945.000
135	3" Rigid Conduit, Schedule 40	Ft	270.000
136	5" Rigid Conduit, Schedule 40	Ft	200.000
137	2" Rigid Conduit, Schedule 80	Ft	1,210.000
138	3" Rigid Conduit, Schedule 80	Ft	335.000
139	1" Innerduct, Schedule 40	Ft	2,905.000
140	1/C #4 AWG Copper Wire	Ft	21,670.000
141	1/C #6 AWG Copper Wire	Ft	6,775.000
142	1/C #10 AWG Copper Wire	Ft	2,975.000
143	1/C #14 AWG Copper Wire	Ft	2,510.000
144	2/C #14 AWG Copper Tray Cable, K2	Ft	4,295.000
145	4/C #14 AWG Copper Tray Cable, K2	Ft	1,010.000
146	5/C #14 AWG Copper Tray Cable, K2	Ft	160.000
147	7/C #14 AWG Copper Tray Cable, K2	Ft	45.000
148	19/C #14 AWG Copper Tray Cable, K2	Ft	160.000
149	24/C #14 AWG Copper Tray Cable, K2	Ft	300.000
150	30/C #14 AWG Copper Tray Cable, K2	Ft	255.000
151	#16 AWG Copper Twisted Shielded Pair	Ft	1,815.000
152	2/C #10 AWG Copper Pole and Bracket Cable	Ft	1,880.000
153	24 Strand Fiber Optic Cable	Ft	3,320.000
154	Type B66 Concrete Curb and Gutter	Ft	502.000
155	Type B68.5 Concrete Curb and Gutter	Ft	3,812.000
156	Type B69.5 Concrete Curb and Gutter	Ft	28.000
157	Type B6 Concrete Curb	Ft	70.000
158	Type P6 Concrete Gutter	Ft	64.000
159	Type P8.5 Concrete Gutter	Ft	692.000
160	4" Concrete Sidewalk	SqFt	12,322.000
161	5" Concrete Sidewalk	SqFt	12,755.000
162	6" Concrete Sidewalk	SqFt	5,586.000
163	4" Colored Concrete Sidewalk	SqFt	2,026.000
164	6" Colored Concrete Sidewalk	SqFt	796.000
165	4" Reinforced Colored Concrete Sidewalk	SqFt	246.000

166	Type 1 Detectable Warnings	SqFt	473.000
167	Type B Frame and Grate Assembly	Each	24.000
168	Special Frame and Grate Assembly	Each	4.000
169	4' x 11' Precast Concrete Type S Drop Inlet Lid	Each	6.000
170	4' x 6' Precast Concrete Type S Drop Inlet Lid	Each	8.000
171	Precast Drop Inlet Collar	Each	28.000
172	48" Manhole Cone Section	Ft	10.000
173	2" Adjusting Ring for Manhole	Each	1.000
174	4" Adjusting Ring for Manhole	Each	8.000
175	Type A7 Manhole Frame and Lid	Each	4.000
176	Type A9 Manhole Frame and Lid	Each	3.000
177	Type D Permanent Seed Mixture	Lb	390.000
178	Fiber Reinforced Matrix	Lb	3,810.000
179	Erosion Control	LS	1.000
180	12" Diameter Erosion Control Wattle	Ft	30.000
181	Remove and Reset Erosion Control Wattle	Ft	10.000
182	Sediment Filter Bag	Ft	1,802.000
183	High Flow Silt Fence	Ft	1,360.000
184	Repair Silt Fence	Ft	340.000
185	Sediment Control at Inlet with Frame and Grate	Each	30.000
186	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	128.000
187	Sweeping	Hour	12.000
188	Reinforcement Fabric (MSE)	SqYd	21,389.000
189	Construction Entrance	Each	2.000

**2. WW 2001( )**

**Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201**

**Phone: 605/882-5166**

**Work Type 2 or Work Type 3**

**DBE Goal: NONE**

**Contract Id: 8051**

**See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Manhole	Each	5.000
3	Remove Sewer Pipe	Ft	2,761.000
4	Remove Asphalt Concrete Pavement	SqYd	111.300
5	Remove Water Main	Ft	300.000
6	Salvage Fire Hydrant with Valve and Box	Each	5.000
7	Unclassified Excavation	CuYd	70.000
8	Base Course	Ton	80.900
9	Asphalt Concrete Composite	Ton	30.300
10	4" PVC Water Main	Ft	48.000
11	6" PVC Water Main	Ft	213.000
12	8" PVC Water Main	Ft	493.000
13	12" PVC Water Main	Ft	2,555.000
14	1" Copper Pipe	Ft	1,629.000
15	8" PVC Sewer Pipe	Ft	685.000
16	12" PVC Sewer Pipe	Ft	70.000
17	15" PVC Sewer Pipe	Ft	1,202.000
18	18" PVC Sewer Pipe	Ft	473.000
19	24" PVC Sewer Pipe	Ft	370.000
20	6" Sewer Service	Ft	1,875.000
21	8"x6" Pipe Wye	Each	7.000
22	15"x6" Pipe Wye	Each	26.000
23	6"x6" Pipe Tee	Each	1.000
24	8"x4" Pipe Tee	Each	5.000
25	8"x6" Pipe Tee	Each	1.000
26	12"x6" Pipe Tee	Each	6.000
27	12"x8" Pipe Tee	Each	5.000
28	12"x8" Pipe Cross	Each	2.000
29	Tapping Wye	Each	8.000

30	1" Corporation Stop with Tapping Saddle	Each	42.000
31	1" Curb Stop with Box	Each	42.000
32	4" Pipe Bend	Each	5.000
33	12" Pipe Bend	Each	10.000
34	8" Pipe Cap	Each	9.000
35	15" Pipe Cap	Each	1.000
36	18" Pipe Cap	Each	1.000
37	8" Pipe Coupling	Each	3.000
38	12" Pipe Coupling	Each	1.000
39	4" Pipe Transition Coupling	Each	5.000
40	6" Pipe Transition Coupling	Each	3.000
41	12" Pipe Transition Coupling	Each	2.000
42	6" Gate Valve with Box	Each	8.000
43	8" Gate Valve with Box	Each	7.000
44	12" Gate Valve with Box	Each	5.000
45	Standard Fire Hydrant	Each	5.000
46	Trench Stabilization Material	Ton	220.000
47	Imported Trench Backfill	CuYd	1,500.000
48	Pipe Bedding Material	Ton	2,200.000
49	Temporary Water Service	Each	5.000
50	Reconnect Water Service	Each	42.000
51	Reconnect Sewer Service	Each	44.000
52	6" Rigid Galvanized Steel Conduit	Ft	1,196.000
53	60" Manhole	Each	3.000
54	60" Drop Manhole	Each	2.000
55	Adjust Manhole	Each	1.000
56	Dewatering	LS	1.000
57	Reinforcement Fabric (MSE)	SqYd	111.000

3. **IM 0903(110)132** Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771 Phone: 605/842-0810  
**Work Type 8** DBE Goal: Not Specified Contract Id: 7795 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Two Coat Bridge Deck Polymer Chip Seal	SqYd	7,443.000
3	Abrasive Blasting of Bridge Deck	SqYd	7,443.000
4	Bridge Deck Grinding	SqYd	7,443.000
5	Concrete Removal, Class A	SqYd	104.300
6	Concrete Removal, Class B	SqYd	104.300
7	Concrete Patching Material, Bridge Deck	CuFt	982.000
8	Pavement Marking Paint, 4" White	Ft	33,200.000
9	Pavement Marking Paint, 4" Yellow	Ft	26,350.000
10	Flagging	Hour	144.000
11	Traffic Control Signs	SqFt	1,757.400
12	Traffic Control, Miscellaneous	LS	1.000
13	Type 3 Barricade	Each	6.000
14	Type C Advance Warning Arrow Board	Each	6.000
15	4" Temporary Pavement Marking Tape Type I	Ft	144.000
16	Temporary Pavement Marking	Ft	26,342.000
17	Portable Temporary Traffic Control Signal	Unit	2.000

4. **IM 0903(111)192, P 0044(197)196** Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771 Phone: 605/842-0810  
**Work Type 8** DBE Goal: Not Specified Contract Id: 7894 See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Bridge Elevation Survey	LS	1.000
3	Remove Concrete Bridge Approach Slab	SqYd	237.100
4	Remove Drop Inlet	Each	2.000
5	Remove Drop Inlet Frame and Grate Assembly	Each	2.000
6	Remove Beam Guardrail	Ft	300.000

7	Remove Concrete Pavement	SqYd	185.200
8	Remove Silt Fence	Ft	143.000
9	Remove Thrie Beam Guardrail for Reset	Ft	50.000
10	Unclassified Excavation	CuYd	24.000
11	Unclassified Excavation	LS	1.000
12	Placing Topsoil	CuYd	320.000
13	Incidental Work, Grading	LS	1.000
14	Base Course, Salvaged Asphalt Mix	Ton	14.900
15	Asphalt Concrete Composite	Ton	28.600
16	Cold Milling Asphalt Concrete	SqYd	479.000
17	Nonreinforced PCC Pavement Repair	SqYd	183.800
18	Insert Steel Bar in PCC Pavement	Each	64.000
19	Structural Steel, Miscellaneous	LS	1.000
20	Modify Girder End	Each	5.000
21	Jack Superstructure and Shift Bearing Shoes	LS	1.000
22	Replace Expansion Device	Each	2.000
23	Inverted V Shaped Seal Joint	Ft	42.000
24	Membrane Sealant Expansion Joint	Ft	41.900
25	Bridge Painting	LS	1.000
26	Bridge Repainting, Class I	LS	1.000
27	Paint Residue Containment	LS	1.000
28	Bridge End Embankment	CuYd	2.000
29	Granular Bridge End Backfill	CuYd	23.600
30	Approach Slab Underdrain Excavation	CuYd	3.900
31	Precast Concrete Headwall for Drain	Each	2.000
32	12" RCP Class 2, Furnish	Ft	48.000
33	12" RCP, Install	Ft	48.000
34	12" CMP 16 Gauge, Furnish	Ft	70.000
35	12" CMP, Install	Ft	70.000
36	12" CMP Elbow, Furnish	Each	2.000
37	12" CMP Elbow, Install	Each	2.000
38	12" CMP Flared End, Furnish	Each	1.000
39	12" CMP Flared End, Install	Each	1.000
40	12" RCP to CMP Transition, Furnish	Each	1.000
41	12" Pipe Transition, Install	Each	1.000
42	Concrete Approach Slab for Bridge	SqYd	190.600
43	Concrete Approach Sleeper Slab for Bridge	SqYd	46.600
44	Concrete Patching Material, Miscellaneous	CuFt	27.000
45	Breakout Structural Concrete	CuYd	1.000
46	Controlled Density Fill	CuYd	1.900
47	No. 4 Rebar Splice	Each	28.000
48	No. 5 Rebar Splice	Each	28.000
49	No. 6 Rebar Splice	Each	44.000
50	Galvanic Anode	Each	140.000
51	Two Coat Bridge Deck Polymer Chip Seal	SqYd	1,400.000
52	Abrasive Blasting of Bridge Deck	SqYd	1,400.000
53	Bridge Deck Grinding	SqYd	1,400.000
54	Concrete Removal, Class A	SqYd	10.000
55	Concrete Removal, Class B	SqYd	10.000
56	Concrete Patching Material, Bridge Deck	CuFt	61.800
57	Low Slump Dense Concrete Bridge Deck Overlay	CuYd	93.000
58	Concrete Removal Type 1A	SqYd	1,315.600
59	Concrete Removal Type 2A	SqYd	328.900
60	Concrete Removal Type 1B	SqYd	259.200
61	Concrete Removal Type 1C	SqYd	129.600
62	Concrete Removal Type 1D	SqYd	129.600



63	Concrete Removal Type B	Ft	20.000
64	Class A45 Concrete Fill	CuYd	25.200
65	Finishing and Curing	SqYd	1,315.600
66	Type 1 Retrofit Guardrail Transition	Each	4.000
67	MGS Tangent End Terminal	Each	4.000
68	Beam Guardrail Block	Each	24.000
69	Reset Thrie Beam Rail	Ft	50.000
70	Guardrail Delineator	Each	16.000
71	Pavement Marking Paint, White	Gal	3.000
72	Pavement Marking Paint, Yellow	Gal	1.000
73	Pavement Marking Paint, 4" White	Ft	794.000
74	Pavement Marking Paint, 4" Yellow	Ft	794.000
75	Flagging	Hour	92.000
76	Traffic Control Signs	SqFt	835.500
77	Traffic Control, Miscellaneous	LS	1.000
78	Type 3 Barricade	Each	4.000
79	Temporary Flexible Vertical Markers (Tabs)	Ft	458.000
80	Type C Advance Warning Arrow Board	Each	2.000
81	4" Temporary Pavement Marking Tape Type I	Ft	2,288.000
82	Temporary Pavement Marking	Ft	3,394.000
83	Portable Temporary Traffic Control Signal	Unit	2.000
84	1.5' x 3' Type D Drop Inlet	Each	2.000
85	Type D Frame and Grate	Each	2.000
86	Precast Drop Inlet Collar	Each	2.000
87	4" Underdrain Pipe	Ft	76.000
88	Porous Backfill	Ton	2.700
89	Erosion Control	LS	1.000
90	High Flow Silt Fence	Ft	570.000
91	Mucking Silt Fence	CuYd	40.000
92	Repair Silt Fence	Ft	143.000

5. **IM 0295(41)129** **Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201** **Phone: 605/882-5166**  
**Work Type 8** **DBE Goal: Not Specified** **Contract Id: 8063** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Concrete Patching Material, Miscellaneous	CuFt	50.000
3	Breakout Structural Concrete	CuYd	1.800
4	Galvanic Anode	Each	32.000
5	Two Coat Bridge Deck Polymer Chip Seal	SqYd	1,788.600
6	Abrasive Blasting of Bridge Deck	SqYd	1,788.600
7	Bridge Deck Grinding	SqYd	1,788.600
8	Concrete Removal, Class A	SqYd	9.500
9	Concrete Removal, Class B	SqYd	9.500
10	Concrete Patching Material, Bridge Deck	CuFt	81.900
11	Pavement Marking Paint, 4" White	Ft	1,182.000
12	Pavement Marking Paint, 4" Yellow	Ft	1,182.000
13	Flagging	Hour	20.000
14	Traffic Control Signs	SqFt	395.200
15	Traffic Control, Miscellaneous	LS	1.000
16	Type 3 Barricade	Each	5.000
17	Remove Pavement Marking, 4" or Equivalent	Ft	1,600.000
18	4" Temporary Pavement Marking Tape Type I	Ft	5,675.000
19	Temporary Pavement Marking	Ft	537.000
20	Portable Temporary Traffic Control Signal	Unit	4.000
21	Detour Signing	SqFt	144.000

6. **NH 0041(173)** **Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970** **Phone: 605/394-2248**  
**Work Type 2 or Work Type 5** **DBE Goal: Not Specified** **Contract Id: 8076** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Clearing	LS	1.000
3	Remove Traffic Sign	Each	5.000
4	Remove Drop Inlet	Each	1.000
5	Remove Asphalt Concrete Pavement	SqYd	4,415.900
6	Remove Sediment	CuYd	22.300
7	Remove Sediment Filter Bag	Ft	100.000
8	Remove Silt Fence	Ft	100.000
9	Remove Delineator for Reset	Each	20.000
10	Unclassified Excavation	CuYd	9,275.000
11	Contractor Furnished Borrow Excavation	CuYd	3,128.000
12	Undercutting	CuYd	5,908.000
13	Water for Embankment	MGal	163.300
14	Water for Granular Material	MGal	72.400
15	Placing Topsoil	CuYd	1,151.000
16	Incidental Work, Grading	LS	1.000
17	Base Course	Ton	6,511.900
18	Asphalt Concrete Composite	Ton	3,255.700
19	Saw and Seal Shoulder Joint	Ft	583.000
20	18" RCP Class 3, Furnish	Ft	714.000
21	18" RCP, Install	Ft	714.000
22	24" RCP Class 2, Furnish	Ft	4.000
23	24" RCP, Install	Ft	4.000
24	RCP Tee, Furnish	Each	1.000
25	RCP Tee, Install	Each	1.000
26	18" RCP Safety End, Furnish	Each	11.000
27	18" RCP Safety End, Install	Each	11.000
28	12" CMP 16 Gauge, Furnish	Ft	6.000
29	12" CMP, Install	Ft	6.000
30	Adjust Water Valve Box	Each	1.000
31	Class M6 Concrete	CuYd	4.900
32	Reinforcing Steel	Lb	656.000
33	Type II Field Laboratory	Each	1.000
34	2.0"x2.0" Perforated Tube Post	Ft	642.000
35	Reset Delineator	Each	20.000
36	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	40.000
37	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	158.300
38	Remove, Salvage, Relocate, and Reset Traffic Sign	Each	7.000
39	Cold Applied Plastic Pavement Marking, 12"	Ft	382.000
40	Cold Applied Plastic Pavement Marking, Arrow	Each	25.000
41	High Build Waterborne Pavement Marking Paint, 4" White	Ft	6,121.000
42	High Build Waterborne Pavement Marking Paint, 4" Yellow	Ft	5,361.000
43	Grooving for Cold Applied Plastic Pavement Marking, 12"	Ft	382.000
44	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	25.000
45	Grooving for Durable Pavement Marking, 4"	Ft	11,482.000
46	Flagging	Hour	800.000
47	Traffic Control Signs	SqFt	989.900
48	Traffic Control, Miscellaneous	LS	1.000
49	Type 3 Barricade	Each	20.000
50	Type C Advance Warning Arrow Board	Each	4.000
51	Remove Pavement Marking, 4" or Equivalent	Ft	1,144.000
52	Remove Pavement Marking, Arrow	Each	1.000
53	Contractor Furnished Portable Changeable Message Sign	Each	4.000
54	Type C Frame and Grate	Each	1.000
55	Type M Frame and Grate Assembly	Each	3.000
56	Type N Grate	Each	1.000

57	Adjust Drop Inlet	Each	1.000
58	Bank and Channel Protection Gabion	CuYd	22.500
59	Type F Permanent Seed Mixture	Lb	57.000
60	Fertilizing	Lb	4,200.000
61	Type 1 Erosion Control Blanket	SqYd	9,806.000
62	12" Diameter Erosion Control Wattle	Ft	2,597.000
63	Remove and Reset Erosion Control Wattle	Ft	2,429.000
64	Sediment Filter Bag	Ft	100.000
65	High Flow Silt Fence	Ft	100.000
66	Sediment Control at Inlet with Frame and Grate	Each	6.000
67	Interim Sediment Control at Inlet	Each	4.000
68	Sweeping	Hour	10.000
69	Type B Drainage Fabric	SqYd	75.000
70	Construction Entrance	Each	4.000
71	Miscellaneous Work, Electrical	LS	1.000

**7. IM 2292(93)0**      **Area Engineer: Travis Dressen, 5316 W 60th St N, Sioux Falls, SD, 57107**      **Phone: 605/367-5680**  
**Work Type 8 or Work Type 14**      **DBE Goal: Not Specified**      **Contract Id: 7902**      **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Asphalt Concrete Pavement	SqYd	491.000
3	Unclassified Excavation	CuYd	45.000
4	Contractor Furnished Borrow Excavation	CuYd	100.000
5	Base Course	Ton	40.700
6	Asphalt Concrete Composite	Ton	170.000
7	Cold Milling Asphalt Concrete	SqYd	763.000
8	Insert Steel Bar in PCC Pavement	Each	8.000
9	Membrane Sealant Expansion Joint	Ft	135.300
10	Granular Bridge End Backfill	CuYd	44.700
11	Approach Slab Underdrain Excavation	CuYd	3.300
12	Precast Concrete Headwall for Drain	Each	2.000
13	Concrete Approach Slab for Bridge	SqYd	332.800
14	Concrete Approach Sleeper Slab for Bridge	SqYd	53.400
15	Controlled Density Fill	CuYd	3.400
16	No. 4 Rebar Splice	Each	38.000
17	No. 5 Rebar Splice	Each	32.000
18	No. 6 Rebar Splice	Each	56.000
19	Haul Movable Concrete Barrier	Each	32.000
20	Durable Pavement Marking, 4" White	Ft	600.000
21	Durable Pavement Marking, 4" Yellow	Ft	2,400.000
22	Pavement Marking Masking, 5"	Ft	2,000.000
23	Traffic Control Signs	SqFt	270.400
24	Traffic Control, Miscellaneous	LS	1.000
25	Type C Advance Warning Arrow Board	Each	2.000
26	Temporary Pavement Marking	Ft	8,000.000
27	Longitudinal Pedestrian Barricade	Ft	12.000
28	Modified Type B68 Concrete Curb and Gutter	Ft	282.000
29	4" Concrete Sidewalk	SqFt	2,080.000
30	6" Concrete Sidewalk	SqFt	509.000
31	6" Reinforced Concrete Sidewalk	SqFt	666.000
32	4" Underdrain Pipe	Ft	93.000
33	Porous Backfill	Ton	4.800
34	Erosion Control	LS	1.000

**8. NH 0212(00)225**      **Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405**      **Phone: 605/773-5294**  
**Work Type 5**      **DBE Goal: NONE**      **Contract Id: 7963**      **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Unclassified Excavation, Digouts	CuYd	25.000

3	Surface Preparation	Mile	0.173
4	Base Course, Salvaged	Ton	250.000
5	Granular Material, Furnish	Ton	125.000
6	Blend, Haul, and Stockpile Granular Material	Ton	250.000
7	PG 58-34 Asphalt Binder	Ton	86.700
8	Contractor Furnished and Placed Asphalt Concrete	Ton	1,844.000
9	Hydrated Lime	Ton	18.400
10	SS-1h or CSS-1h Asphalt for Tack	Ton	7.700
11	Blotting Sand for Prime	Ton	5.000
12	Flagging	Hour	144.000
13	Pilot Car	Hour	36.000
14	Traffic Control Signs	SqFt	571.000
15	Traffic Control, Miscellaneous	LS	1.000

**9. P 1804(48)292**

**Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405**

**Phone: 605/773-5294**

**Work Type 5**

**DBE Goal: Not Specified**

**Contract Id: 8066**

**See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Construction Staking	Mile	30.810
3	Checker	LS	1.000
4	Remove Beam Guardrail	Ft	325.000
5	Remove Erosion Control Wattle	Ft	500.000
6	Remove Pipe End Section for Reset	Each	1.000
7	Unclassified Excavation, Digouts	CuYd	770.000
8	Contractor Furnished Borrow Excavation	CuYd	158.000
9	Remove and Replace Topsoil	LS	1.000
10	Base Course	Ton	19.600
11	Base Course, Salvaged	Ton	2,934.400
12	Granular Material, Furnish	Ton	3,167.200
13	Blend, Haul, and Stockpile Granular Material	Ton	3,400.000
14	Blend and Stockpile Granular Material	Ton	2,934.400
15	PG 58-34 Asphalt Binder	Ton	1,650.200
16	Class Q2R Hot Mixed Asphalt Concrete	Ton	31,685.700
17	Asphalt Concrete Blade Laid	Ton	2,310.800
18	Hydrated Lime	Ton	338.500
19	Grind 8" Rumble Strip or Stripe in Asphalt Concrete	Mile	30.800
20	SS-1h or CSS-1h Asphalt for Tack	Ton	170.400
21	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	57.900
22	Sand for Flush Seal	Ton	810.700
23	Cold Milling Asphalt Concrete	SqYd	210,983.000
24	18" CMP 12 Gauge, Furnish	Ft	18.000
25	18" CMP, Install	Ft	18.000
26	Reset Pipe End Section	Each	1.000
27	Type III Field Laboratory	Each	1.000
28	Type 1 MGS	Ft	200.000
29	Type 1 Retrofit Guardrail Transition	Each	4.000
30	MGS Tangent End Terminal	Each	4.000
31	Guardrail Delineator	Each	16.000
32	High Build Waterborne Pavement Marking Paint, White	Gal	857.000
33	High Build Waterborne Pavement Marking Paint, Yellow	Gal	428.000
34	Flagging	Hour	473.000
35	Pilot Car	Hour	237.000
36	Traffic Control Signs	SqFt	789.500
37	Traffic Control, Miscellaneous	LS	1.000
38	Type 3 Barricade	Each	1.000
39	Temporary Pavement Marking	Mile	61.500
40	Groove 6" Wide Rumble Strip	Ft	1,122.000

41	Erosion Control	LS	1.000
42	12" Diameter Erosion Control Wattle	Ft	500.000
43	Refurbish Double Mailbox	Each	4.000
44	Storage Unit	Each	1.000

10. **P 0025(80)88**  
**Work Type 5**

**Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940**

**Phone: 605/353-7140**

**DBE Goal: Not Specified**

**Contract Id: 8007**

**See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Traffic Sign	Each	17.000
3	Remove Pipe Culvert	Ft	6.000
4	Remove Pipe End Section	Each	17.000
5	Remove Silt Fence	Ft	100.000
6	Remove Sign for Reset	Each	5.000
7	Remove Pipe for Reset	Ft	308.000
8	Remove Pipe End Section for Reset	Each	42.000
9	Unclassified Excavation, Digouts	CuYd	657.000
10	Incidental Work, Grading	LS	1.000
11	Base Course	Ton	936.000
12	Base Course, Salvaged	Ton	1,313.400
13	Granular Material, Furnish	Ton	7,888.600
14	Blend, Haul, and Stockpile Granular Material	Ton	14,463.800
15	Blend and Stockpile Granular Material	Ton	1,313.400
16	PG 58-34 Asphalt Binder	Ton	1,612.200
17	Asphalt Concrete Composite	Ton	4.000
18	Class Q2R Hot Mixed Asphalt Concrete	Ton	31,498.700
19	Asphalt Concrete Blade Laid	Ton	1,970.100
20	Hydrated Lime	Ton	338.000
21	Grind 8" Rumble Strip or Stripe in Asphalt Concrete	Mile	26.300
22	Grind Sinusoidal Transverse Rumble Strip in Asphalt Concrete	SqFt	392.000
23	SS-1h or CSS-1h Asphalt for Tack	Ton	150.000
24	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	57.900
25	Sand for Flush Seal	Ton	693.100
26	Cold Milling Asphalt Concrete	SqYd	262,293.000
27	24" RCP Class 2, Furnish	Ft	6.000
28	24" RCP, Install	Ft	6.000
29	18" RCP Flared End, Furnish	Each	9.000
30	18" RCP Flared End, Install	Each	9.000
31	24" RCP Flared End, Furnish	Each	3.000
32	24" RCP Flared End, Install	Each	3.000
33	30" RCP Flared End, Furnish	Each	4.000
34	30" RCP Flared End, Install	Each	4.000
35	36" RCP Flared End, Furnish	Each	1.000
36	36" RCP Flared End, Install	Each	1.000
37	Cleanout Pipe Culvert	Each	2.000
38	Reset Pipe	Ft	308.000
39	Reset Pipe End Section	Each	42.000
40	Type III Field Laboratory	Each	1.000
41	2.0"x2.0" Perforated Tube Post	Ft	167.000
42	2.5"x2.5" Perforated Tube Post	Ft	100.000
43	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	42.400
44	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	33.200
45	Reset Sign	Each	5.000
46	Pavement Marking Paint, White	Gal	444.000
47	Pavement Marking Paint, Yellow	Gal	92.000
48	Flagging	Hour	300.000
49	Pilot Car	Hour	150.000

50	Traffic Control Signs	SqFt	411.500
51	Traffic Control, Miscellaneous	LS	1.000
52	Temporary Pavement Marking	Mile	52.500
53	Erosion Control	LS	1.000
54	12" Diameter Erosion Control Wattle	Ft	100.000
55	High Flow Silt Fence	Ft	100.000
56	Mucking Silt Fence	CuYd	10.000
57	Repair Silt Fence	Ft	100.000
58	Refurbish Single Mailbox	Each	7.000
59	Storage Unit	Each	1.000

**11. P 0044(200)65  
Work Type 5**

**Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970**

**Phone: 605/394-2248**

**DBE Goal: Not Specified      Contract Id: 8045      See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Checker	LS	1.000
3	Remove Pipe Culvert	Ft	22.000
4	Remove Pipe End Section	Each	2.000
5	Remove Beam Guardrail	Ft	1,887.500
6	Remove W Beam Guardrail End Terminal	Each	14.000
7	Remove Rubrail	Ft	100.000
8	Remove Pipe for Reset	Ft	160.000
9	Remove Pipe End Section for Reset	Each	19.000
10	Unclassified Excavation, Digouts	CuYd	896.000
11	Water for Granular Material	MGal	20.600
12	Remove and Replace Topsoil	LS	1.000
13	Incidental Work, Grading	LS	1.000
14	Base Course	Ton	532.000
15	Base Course, Salvaged	Ton	1,030.800
16	Granular Material, Furnish	Ton	515.400
17	Blend and Stockpile Granular Material	Ton	1,030.800
18	Asphalt Concrete Composite	Ton	75.000
19	Asphalt Concrete Blade Laid	Ton	1,413.000
20	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	18.800
21	SS-1h or CSS-1h Asphalt for Tack	Ton	113.400
22	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	53.700
23	Sand for Flush Seal	Ton	486.100
24	Cold Milling Asphalt Concrete	SqYd	145,413.000
25	Precast Concrete Headwall for Drain	Each	4.000
26	24" CMP Flared End, Furnish	Each	1.000
27	24" CMP Flared End, Install	Each	1.000
28	30" CMP Flared End, Furnish	Each	1.000
29	30" CMP Flared End, Install	Each	1.000
30	42" CMP Flared End, Furnish	Each	2.000
31	42" CMP Flared End, Install	Each	2.000
32	54" CMP Flared End, Furnish	Each	2.000
33	54" CMP Flared End, Install	Each	2.000
34	Reset Pipe	Ft	160.000
35	Reset Pipe End Section	Each	19.000
36	Class A45 Concrete, Bridge Repair	CuYd	4.800
37	Breakout Structural Concrete	CuYd	4.400
38	Install Dowel in Concrete	Each	40.000
39	Epoxy Coated Reinforcing Steel	Lb	616.000
40	Galvanic Anode	Each	40.000
41	Type III Field Laboratory	Each	1.000
42	Straight Double Class B Thrie Beam Guardrail with Wood Posts	Ft	100.000
43	Type 1 MGS	Ft	750.000

44	Straight Class A W Beam Guardrail with Wood Posts	Ft	100.000
45	Straight Class B W Beam Guardrail with Wood Posts	Ft	100.000
46	Type 1 Guardrail Transition	Each	4.000
47	Type 2A Guardrail Transition	Each	2.000
48	W Beam Guardrail to MGS Transition	Each	8.000
49	MGS Tangent End Terminal	Each	14.000
50	Rubrail	Ft	100.000
51	Guardrail Delineator	Each	56.000
52	Type 2 Object Marker Back to Back	Each	38.000
53	High Build Waterborne Pavement Marking Paint, White	Gal	509.000
54	High Build Waterborne Pavement Marking Paint, Yellow	Gal	318.000
55	Grooving for Durable Pavement Marking, 4"	Ft	161,647.000
56	Flagging	Hour	2,000.000
57	Pilot Car	Hour	500.000
58	Traffic Control Signs	SqFt	760.900
59	Traffic Control, Miscellaneous	LS	1.000
60	Temporary Pavement Marking	Mile	47.100
61	4" Corrugated Polyethylene Drainage Tubing	Ft	25.000
62	4" Slotted Corrugated Polyethylene Drainage Tubing	Ft	80.000
63	Porous Backfill	Ton	16.000
64	Class C Riprap	Ton	35.000
65	Bank and Channel Protection Gabion	CuYd	22.000
66	Type F Permanent Seed Mixture	Lb	12.000
67	Fertilizing	Lb	615.000
68	Fiber Mulching	Lb	820.000
69	Type B Drainage Fabric	SqYd	110.000
70	Reinforcement Fabric (MSE)	SqYd	500.000
71	Impermeable Plastic Membrane	SqYd	30.000
72	Refurbish Single Mailbox	Each	5.000
73	PG 58-34 Asphalt Binder	Ton	1,367.000
74	Class Q2R Hot Mixed Asphalt Concrete	Ton	27,757.100
75	Hydrated Lime	Ton	292.800
76	PG 58-34 Asphalt Binder	Ton	1,147.800
77	Class Q2R Hot Mixed Asphalt Concrete	Ton	28,459.500
78	Hydrated Lime	Ton	292.900

**12. PH 0020(194) Area Engineer: Rod Gall, 1306 W 31st St, Yankton, SD, 57078-9662 Phone: 605/668-2929**  
**Work Type 4 or Work Type 13 DBE Goal: Not Specified Contract Id: 8075 See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Grind Sinusoidal Transverse Rumble Strip in Asphalt Concrete	SqFt	7,840.000
3	Grind Sinusoidal Transverse Rumble Strip in PCCP	SqFt	784.000
4	Flagging	Hour	184.000
5	Traffic Control Signs	SqFt	105.000
6	Traffic Control, Miscellaneous	LS	1.000

**13. PH 0040(320) Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970 Phone: 605/394-2248**  
**Work Type 4 or Work Type 13 DBE Goal: Not Specified Contract Id: 8077 See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Reseal PCC Pavement Joint - Hot Pour	Ft	115,632.000
3	Grind Sinusoidal Centerline Rumble Stripe in PCC Pavement	Mile	38.100
4	High Build Waterborne Pavement Marking Paint, Yellow	Gal	1,189.000
5	Flagging	Hour	250.000
6	Pilot Car	Hour	44.000
7	Traffic Control Signs	SqFt	333.000
8	Traffic Control, Miscellaneous	LS	1.000
9	Temporary Flexible Vertical Markers (Tabs)	Mile	38.100
10	Type C Advance Warning Arrow Board	Each	2.000

14.	<b>IM 0291(129)0</b>	<b>Area Engineer: Rod Gall, 1306 W 31st St, Yankton, SD, 57078-9662</b>	<b>Phone: 605/668-2929</b>	
	<b>Work Type 15</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 7960</b>	<b>See Special Provisions for Completion Requirements</b>
	1 Mobilization		LS	1.000
	2 Bridge Repainting, Class II		LS	1.000
	3 Rust Penetrating Sealer		LS	1.000
	4 Paint Residue Containment		LS	1.000
	5 Traffic Control Signs		SqFt	94.000
	6 Traffic Control, Miscellaneous		LS	1.000
	7 Longitudinal Pedestrian Barrier		Ft	70.000

**Instructions**

**PROPOSALS, PLANS AND SPECIFICATIONS:** Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

**MINIMUM WAGE RATES:** Minimum wage rates for 1, 3 through 7, and 9 through 14 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations. Minimum wage rates for 8 have been predetermined by the Department of Transportation, and are set forth in the advertised specification.

**BID PREPARATION:** Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 1 must also submit a bid on Item 2. Award of these combinations (Items 1 & 2) will be to the same bidder based on the total combined two projects. Bidders submitting a bid on Item 8 must also submit a bid on Item 9. Award of these combinations (Items 8 & 9) will be to the same bidder based on the total combined two projects.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

**NONDISCRIMINATION ASSURANCE:** The Department of Transportation in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, national origin, sex, age or disability in consideration for an award.

**EXECUTION OF CONTRACT:** In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

**GENERALLY:** A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Environmental & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Darin Bergquist  
SECRETARY OF TRANSPORTATION