

**Advertisement of Highway Bid Letting**

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on October 16, 2019, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	P 0010(123)273 (PCN 03AM)	Brown SWPPP = 10.60 AC	0.611	Structures (142'8" and 213'0" Prestressed Girder Bridges) & Approach Grading	SD10, 5.8 miles & 2.9 miles west of US281 over the Elm River
2.	NH 0014(214)346 (PCN 05DE)	Beadle	---	Bridge Deck Polymer Chip Seals, Approach Slabs & Approach Pavement	US14, 14E & 14W; Structures 0.5 miles east of SD37 Over Ravine Lake (2), 1.3 miles east of SD37 over the James River, 1.4 miles east of SD37 (Commercial Route), 2.8 miles east of Cavour over Pearl Crk, & 2.7 miles west of Iroquois
3.	IM 0907(81)308, IM 0907(82)319, P 0258(00)277 (PCN 04DM, 04DN, 05DF)	Aurora, Davison SWPPP = 5.30 AC	---	Deck Replacement, Approach Slab Replacement, Rehab Abutments, Zone Painting & RCBC Rehabilitation	SD258 over I90 (Plankinton Interchange), 397th Ave over I90 (Mt Vernon Interchange) & SD258 0.3 N of Plankinton Interchange
4.	PH 0010(138) (PCN 06DU)	Brookings, Codington, Deuel, Hamlin SWPPP = 5.80 AC	---	Guardrail Replacement	I29 from SD30 to Watertown
5.	NH 0281(118)217 (PCN 05E8)	Brown	11.930	Micro Milling Asphalt Concrete & Asphalt Concrete Resurfacing	US281 from the north junction of SD10 to the North Dakota State Line
* 6.	NH 0212(188)15 (PCN 068U)	Butte SWPPP = 2.50 AC	13.366	Cold Milling Asphalt Concrete, Asphalt Concrete Resurfacing, & Install Turn Lane	US212 from east of Belle Fourche to Nisland
* 7.	NH 0085(97)99 (PCN 05EL)	Butte, Harding SWPPP = 1.00 AC	12.435	Cold Milling Asphalt Concrete, Asphalt Concrete Resurfacing, & Culvert Repair	US85 from south of the Butte/Harding Co Line, north 12.4 miles
8.	NH 0018(216)420 (PCN 06Q6)	Lincoln, Turner	13.466	Cold Milling Asphalt Concrete, Asphalt Concrete Resurfacing, & Guardrail	US18 from SD19 to I29
9.	P TAPR(23) (PCN 062Q)	Custer SWPPP = 1.50 AC	0.470	Shared Use Path & Precast Box Culvert (2-12' x 4')	In Custer, from the Intersection of 11th St. and the Custer State Park Spur Trail of the Mickelson Trail, to the Custer School Complex on Bluebell Lane

10. P TAPU(21) (PCN 06N6)

Union  
SWPPP = 0.92 AC

0.410 Shared Use Path Reconstruction  
& Grading

North Sioux City along Streeter Drive  
between River Drive & Bruneau Drive

---

\* Indicates combination bids

SWPPP = Storm Water Pollution Prevention Plan

---

ITEMS INVOLVED ARE AS FOLLOWS

---

1. P 0010(123)273  
Work Type 7

Area Engineer: Phil Dwight, West Highway 12, Aberdeen, SD, 57402-1767

Phone: 605/626-7885

DBE Goal: Not Specified

Contract Id: 8079

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Reestablish Right-of-Way and Property Corner	Each	29.000
3	Reestablish Public Land Survey System Corner	Each	6.000
4	Grade Staking	Mile	0.531
5	Final Cross Section Survey	Mile	0.531
6	Miscellaneous Staking	Mile	0.531
7	Slope Staking	Mile	0.531
8	Structure Staking	Each	2.000
9	Three Man Survey Crew	Hour	40.000
10	Bridge Elevation Survey	LS	1.000
11	Concrete Penetrating Sealer	SqYd	1,418.200
12	Clearing	LS	1.000
13	Remove Fence	Ft	10,263.000
14	Remove 3 Cable Guardrail	Ft	952.000
15	Remove Beam Guardrail	Ft	818.000
16	Remove 3 Cable Guardrail Anchor Assembly	Each	8.000
17	Remove Sediment	CuYd	4.000
18	Remove Silt Fence	Ft	268.000
19	Remove Sign for Reset	Each	5.000
20	Unclassified Excavation	CuYd	31,430.000
21	Contractor Furnished Borrow Excavation	CuYd	29,851.000
22	Muck Excavation	CuYd	1,178.000
23	Undercutting	CuYd	6,783.000
24	Water for Embankment	MGal	479.800
25	Water for Granular Material	MGal	101.700
26	Placing Topsoil	CuYd	7,571.000
27	Incidental Work, Grading	LS	1.000
28	Incidental Work, Structure	LS	1.000
29	Base Course, Salvaged	Ton	8,458.700
30	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	8,740.900
31	PG 64-34 Asphalt Binder	Ton	198.600
32	Class E Asphalt Concrete	Ton	3,425.200
33	Compaction Sample	Each	6.000
34	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	0.900
35	MC-70 Asphalt for Prime	Ton	14.200
36	SS-1h or CSS-1h Asphalt for Tack	Ton	5.900
37	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	2.600
38	Sand for Flush Seal	Ton	23.000
39	Structural Steel, Miscellaneous	LS	1.000
40	Membrane Sealant Expansion Joint	Ft	151.600
41	Structure Excavation, Bridge	CuYd	52.000
42	Structure Excavation, Retaining Wall	CuYd	5.000
43	Foundation Preparation, Retaining Wall	CuYd	2.000
44	Pipe Culvert Undercut	CuYd	40.000
45	Bridge End Embankment	CuYd	4,576.000
46	Granular Bridge End Backfill	CuYd	182.200
47	Approach Slab Underdrain Excavation	CuYd	5.800
48	Precast Concrete Headwall for Drain	Each	8.000
49	18" RCP Class 2, Furnish	Ft	34.000
50	18" RCP, Install	Ft	34.000
51	24" RCP Class 2, Furnish	Ft	80.000
52	24" RCP, Install	Ft	80.000
53	24" RCP Sloped End, Furnish	Each	2.000

54	24" RCP Sloped End, Install	Each	2.000
55	18" CMP 14 Gauge, Furnish	Ft	172.000
56	18" CMP, Install	Ft	172.000
57	24" CMP 14 Gauge, Furnish	Ft	242.000
58	24" CMP, Install	Ft	242.000
59	18" CMP Elbow, Furnish	Each	2.000
60	18" CMP Elbow, Install	Each	2.000
61	24" CMP Elbow, Furnish	Each	2.000
62	24" CMP Elbow, Install	Each	2.000
63	18" CMP Flared End, Furnish	Each	2.000
64	18" CMP Flared End, Install	Each	2.000
65	24" CMP Flared End, Furnish	Each	1.000
66	24" CMP Flared End, Install	Each	1.000
67	18" CMP Safety End, Furnish	Each	1.000
68	18" CMP Safety End, Install	Each	1.000
69	24" CMP Safety End, Furnish	Each	3.000
70	24" CMP Safety End, Install	Each	3.000
71	Class A45 Concrete, Bridge Deck	CuYd	535.300
72	Class A45 Concrete, Bridge	CuYd	168.500
73	Concrete Approach Slab for Bridge	SqYd	395.800
74	Concrete Approach Sleeper Slab for Bridge	SqYd	75.800
75	Deck Drain, Girder Bridge	Each	2.000
76	Class M6 Concrete	CuYd	2.100
77	Controlled Density Fill	CuYd	7.600
78	Class A45 Concrete, Drilled Shaft	CuYd	85.600
79	Drilled Shaft Excavation	CuYd	83.500
80	Crosshole Sonic Log (CSL) Test	Each	1.000
81	74" Permanent Casing	Ft	18.000
82	Reinforcing Steel	Lb	70,155.000
83	Epoxy Coated Reinforcing Steel	Lb	94,127.000
84	No. 18 Rebar Splice	Each	28.000
85	Extract Pile	Each	6.000
86	Preboring Pile	Ft	360.000
87	HP 12x53 Steel Test Pile, Furnish and Drive	Ft	130.000
88	HP 12x53 Steel Bearing Pile, Furnish and Drive	Ft	960.000
89	HP 14x73 Steel Test Pile, Furnish and Drive	Ft	90.000
90	HP 14x73 Steel Bearing Pile, Furnish and Drive	Ft	640.000
91	Gravity Large Concrete Block Wall	SqFt	56.000
92	63" Minnesota Shape Prestressed Concrete Beam	Ft	1,053.000
93	81" Minnesota Shape Prestressed Concrete Beam	Ft	698.000
94	Type II Field Laboratory	Each	1.000
95	Type 2 Right-of-Way Fence	Ft	6,747.000
96	Type 1 Temporary Fence	Ft	3,239.000
97	Type 1A Temporary Fence	Ft	3,772.000
98	2 Post Panel	Each	23.000
99	3 Post Panel	Each	22.000
100	Type 1 MGS	Ft	1,075.000
101	Type 1 Guardrail Transition	Each	8.000
102	MGS Tangent End Terminal	Each	8.000
103	Guardrail Delineator	Each	40.000
104	Type 2 Object Marker Back to Back	Each	4.000
105	Reset Sign	Each	5.000
106	Pavement Marking Paint, White	Gal	18.000
107	Pavement Marking Paint, Yellow	Gal	15.000
108	Flagging	Hour	10.000
109	Traffic Control Signs	SqFt	402.000

110	Traffic Control, Miscellaneous	LS	1.000
111	Type 3 Barricade	Each	20.000
112	Detour Signing	SqFt	872.700
113	Type D Frame and Grate	Each	2.000
114	Precast Drop Inlet Collar	Each	2.000
115	4" Underdrain Pipe	Ft	584.000
116	Porous Backfill	Ton	57.600
117	Class B Riprap	Ton	4,350.800
118	Cover Crop Seeding	Bu	1.000
119	Special Permanent Seed Mixture 1	Lb	313.000
120	Mulching	Ton	24.000
121	Type 3 Erosion Control Blanket	SqYd	1,723.000
122	12" Diameter Erosion Control Wattle	Ft	1,390.000
123	Remove and Reset Erosion Control Wattle	Ft	348.000
124	Surface Roughening	Acre	1.000
125	Shaping for Erosion Control Blanket	Ft	775.000
126	High Flow Silt Fence	Ft	1,072.000
127	Mucking Silt Fence	CuYd	75.000
128	Repair Silt Fence	Ft	268.000
129	Floating Silt Curtain	Ft	500.000
130	Remove and Reset Floating Silt Curtain	Ft	500.000
131	Type B Drainage Fabric	SqYd	5,170.000
132	Construction Entrance	Each	2.000

2. **NH 0014(214)346** **Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940** **Phone: 605/353-7140**  
**Work Type 8** **DBE Goal: Not Specified** **Contract Id: 7920** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Concrete Bridge Approach Slab	SqYd	196.300
3	Remove Asphalt Concrete Pavement	SqYd	63.300
4	Remove Concrete Pavement	SqYd	186.700
5	Remove 3 Cable Guardrail for Reset	Ft	166.000
6	Remove Thrie Beam Guardrail for Reset	Ft	62.500
7	Remove W Beam Guardrail for Reset	Ft	87.500
8	Remove W Beam to Thrie Beam Guardrail Transition for Reset	Each	3.000
9	Gravel Cushion	Ton	43.000
10	Asphalt Concrete Composite	Ton	10.500
11	10" Nonreinforced PCC Pavement	SqYd	250.000
12	Dowel Bar	Each	72.000
13	Insert Steel Bar in PCC Pavement	Each	36.000
14	Membrane Sealant Expansion Joint	Ft	127.600
15	Concrete Approach Slab for Bridge	SqYd	145.000
16	Concrete Approach Sleeper Slab for Bridge	SqYd	51.400
17	No. 4 Rebar Splice	Each	28.000
18	No. 5 Rebar Splice	Each	48.000
19	No. 6 Rebar Splice	Each	44.000
20	Two Coat Bridge Deck Polymer Chip Seal	SqYd	4,306.400
21	Bridge Deck Polymer Chip Seal	SqYd	502.400
22	Abrasive Blasting of Bridge Deck	SqYd	4,808.800
23	Bridge Deck Grinding	SqYd	4,808.800
24	Concrete Removal, Class A	SqYd	24.000
25	Concrete Removal, Class B	SqYd	24.000
26	Concrete Patching Material, Bridge Deck	CuFt	266.600
27	Reset 3 Cable Guardrail	Ft	166.000
28	Reset Thrie Beam Guardrail with Wood Posts	Ft	62.500
29	Reset W Beam Guardrail with Wood Posts	Ft	87.500
30	Reset W Beam to Thrie Beam Guardrail Transition	Each	3.000

31	Guardrail Delineator	Each	13.000
32	Pavement Marking Paint, 4" White	Ft	2,327.000
33	Pavement Marking Paint, 4" Yellow	Ft	1,201.000
34	Flagging	Hour	30.000
35	Traffic Control Signs	SqFt	816.000
36	Traffic Control, Miscellaneous	LS	1.000
37	Type 3 Barricade	Each	12.000
38	Type C Advance Warning Arrow Board	Each	4.000
39	4" Temporary Pavement Marking Tape Type I	Ft	13,218.000
40	Temporary Pavement Marking	Ft	6,609.000
41	Portable Temporary Traffic Control Signal	Unit	4.000
42	Special Grate	Each	1.000

3. **IM 0907(81)308, IM 0907(82)319, P 0258(00)277**      **Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206**      **Phone: 605/995-8120**  
**DBE Goal: Not Specified**      **Contract Id: 7804**      **See Special Provisions for Completion Requirements**

**Work Type 8**

1	Mobilization	LS	1.000
2	Bridge Elevation Survey	LS	1.000
3	Concrete Penetrating Sealer	SqYd	1,879.000
4	Remove Concrete Bridge Slab	SqYd	1,877.000
5	Remove Concrete Anchor Block	Each	4.000
6	Remove Concrete Curb and/or Gutter	Ft	332.000
7	Remove Drop Inlet	Each	8.000
8	Remove Pipe Culvert	Ft	562.000
9	Remove Pipe End Section	Each	8.000
10	Remove Beam Guardrail	Ft	875.000
11	Remove W Beam Guardrail End Terminal	Each	8.000
12	Remove Asphalt Concrete Pavement	SqYd	1,171.600
13	Remove Double Thrie Beam Guardrail for Reset	Ft	75.000
14	Remove Thrie Beam Guardrail for Reset	Ft	75.000
15	Remove Beam Guardrail Trailing End Terminal for Reset	Each	4.000
16	Remove Drop Inlet Frame and Grate Assembly for Reset	Each	8.000
17	Unclassified Excavation	CuYd	196.000
18	Contractor Furnished Borrow Excavation	CuYd	9,405.000
19	Base Course	Ton	13.300
20	Asphalt Concrete Composite	Ton	342.500
21	Hot Applied Elastomeric Membrane	SqYd	21.400
22	Cold Milling Asphalt Concrete	SqYd	1,261.000
23	Structural Steel, Miscellaneous	LS	1.000
24	Modify Girder End	Each	16.000
25	Stud Shear Connector	Each	1,056.000
26	Field Weld	In	2,944.000
27	Membrane Sealant Expansion Joint	Ft	131.800
28	Bridge Repainting, Class II	LS	1.000
29	Rust Penetrating Sealer	LS	1.000
30	Paint Residue Containment	LS	1.000
31	Structure Excavation, Bridge	CuYd	458.000
32	Bridge End Embankment	CuYd	241.000
33	Granular Bridge End Backfill	CuYd	130.100
34	Approach Slab Underdrain Excavation	CuYd	10.200
35	Precast Concrete Headwall for Drain	Each	8.000
36	12" CMP 16 Gauge, Furnish	Ft	528.000
37	12" CMP, Install	Ft	528.000
38	12" CMP Elbow, Furnish	Each	16.000
39	12" CMP Elbow, Install	Each	16.000
40	12" CMP Flared End, Furnish	Each	8.000
41	12" CMP Flared End, Install	Each	8.000

42	Class A45 Concrete, Bridge Deck	CuYd	492.000
43	Class A45 Concrete, Bridge	CuYd	85.200
44	Class A45 Concrete, Bridge Repair	CuYd	68.100
45	Concrete Approach Slab for Bridge	SqYd	309.000
46	Concrete Approach Sleeper Slab for Bridge	SqYd	65.800
47	Concrete Patching Material, Miscellaneous	CuFt	12.200
48	Breakout Structural Concrete	CuYd	60.300
49	Install Dowel in Concrete	Each	684.000
50	Deck Drain, Girder Bridge	Each	12.000
51	Roadway Canopy	LS	1.000
52	Wyoming Bridge Railing	Ft	533.000
53	Reinforcing Steel	Lb	27,742.000
54	Epoxy Coated Reinforcing Steel	Lb	150,494.000
55	Galvanic Anode	Each	154.000
56	Type 1 MGS	Ft	450.000
57	Type 1 Guardrail Transition	Each	4.000
58	Type 2A Guardrail Transition	Each	4.000
59	MGS Tangent End Terminal	Each	8.000
60	Reset Thrie Beam Guardrail with Wood Posts	Ft	75.000
61	Reset Double Thrie Beam Guardrail with Wood Posts	Ft	75.000
62	Reset Beam Guardrail Trailing End Terminal	Each	4.000
63	Guardrail Delineator	Each	32.000
64	Pavement Marking Paint, White	Gal	20.000
65	Pavement Marking Paint, Yellow	Gal	20.000
66	Flagging	Hour	400.000
67	Traffic Control Signs	SqFt	3,251.000
68	Traffic Control, Miscellaneous	LS	1.000
69	Type 3 Barricade	Each	33.000
70	Type C Advance Warning Arrow Board	Each	4.000
71	4" Temporary Pavement Marking Tape Type I	Ft	2,660.000
72	Temporary Pavement Marking	Ft	14,160.000
73	Contractor Furnished Portable Changeable Message Sign	Each	4.000
74	Longitudinal Pedestrian Barricade	Ft	12.000
75	1.5' x 3' Type D Drop Inlet	Each	8.000
76	Precast Drop Inlet Collar	Each	8.000
77	Reset Drop Inlet Frame and Grate Assembly	Each	8.000
78	4" Underdrain Pipe	Ft	504.000
79	Porous Backfill	Ton	33.700
80	Type G Permanent Seed Mixture	Lb	135.000
81	Mulching	Ton	10.400

<b>4.</b>	<b>PH 0010(138)</b>	<b>Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201</b>	<b>Phone: 605/882-5166</b>
	<b>Work Type 5 or Work Type 13</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 8073</b>
		<b>See Special Provisions for Completion Requirements</b>	
1	Mobilization	LS	1.000
2	Remove 3 Cable Guardrail	Ft	6,272.000
3	Remove Beam Guardrail	Ft	2,512.000
4	Remove 3 Cable Guardrail Anchor Assembly	Each	64.000
5	Remove Asphalt Concrete Pavement	SqYd	14,943.000
6	Contractor Furnished Borrow Excavation	CuYd	2,780.000
7	Shoulder Preparation	Mile	4.275
8	Remove and Replace Topsoil	LS	1.000
9	Base Course	Ton	9,193.300
10	Asphalt Concrete Composite	Ton	4,701.800
11	Type 1 MGS	Ft	10,975.000
12	Type 1 Retrofit Guardrail Transition	Each	32.000
13	MGS Tangent End Terminal	Each	32.000

14	Guardrail Delineator	Each	216.000
15	Durable Pavement Marking, 4" Yellow	Ft	22,505.000
16	Surface Preparation for Pavement Marking	Ft	22,505.000
17	Flagging	Hour	160.000
18	Traffic Control Signs	SqFt	2,128.000
19	Traffic Control, Miscellaneous	LS	1.000
20	Type 3 Barricade	Each	60.000
21	Type C Advance Warning Arrow Board	Each	8.000
22	4" Temporary Pavement Marking Tape Type I	Ft	30,720.000
23	Type B Permanent Seed Mixture	Lb	158.000
24	Fiber Mulching	Ton	8.700
25	12" Diameter Erosion Control Wattle	Ft	816.000
26	Sediment Control at Type B Reinforced Concrete Drop Inlet	Each	16.000

**5. NH 0281(118)217** **Area Engineer: Phil Dwight, West Highway 12, Aberdeen, SD, 57402-1767** **Phone: 605/626-7885**  
**Work Type 5** **DBE Goal: Not Specified** **Contract Id: 8023** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Training Program	Hour	500.000
3	Unclassified Excavation, Digouts	CuYd	596.000
4	Base Course	Ton	1,812.400
5	Base Course, Salvaged Asphalt Mix	Ton	2,045.000
6	Granular Material, Furnish	Ton	2,463.400
7	Blend, Haul, and Stockpile Granular Material	Ton	4,926.800
8	PG 58-34 Asphalt Binder	Ton	1,843.100
9	PG 64-34 Asphalt Binder	Ton	966.300
10	Modified Class S Asphalt Concrete	Ton	14,876.500
11	Class Q3R Hot Mixed Asphalt Concrete	Ton	36,643.600
12	Asphalt Concrete Blade Laid	Ton	1,789.500
13	Stabilizing Additive for Asphalt Concrete	Ton	47.700
14	Hydrated Lime	Ton	382.100
15	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	23.900
16	Grind Sinusoidal Centerline Rumble Stripe in Asphalt Concrete	Mile	11.900
17	SS-1h or CSS-1h Asphalt for Tack	Ton	218.300
18	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	9.800
19	Micro-Milling Asphalt Concrete	SqYd	217,108.000
20	Type III Field Laboratory	Each	1.000
21	High Build Waterborne Pavement Marking Paint, Yellow	Gal	111.000
22	Durable Pavement Marking, 4" White	Ft	126,360.000
23	Grooving for Durable Pavement Marking, 4"	Ft	125,979.000
24	Flagging	Hour	700.000
25	Pilot Car	Hour	350.000
26	Traffic Control Signs	SqFt	581.000
27	Traffic Control, Miscellaneous	LS	1.000
28	Temporary Pavement Marking	Mile	71.500
29	Refurbish Single Mailbox	Each	3.000
30	Storage Unit	Each	1.000

**6. NH 0212(188)15** **Area Engineer: John Matthesen, W Hwy 34, Belle Fourche, SD, 57717-0786** **Phone: 605/892-2872**  
**Work Type 5** **DBE Goal: Not Specified** **Contract Id: 7976** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Checker	LS	1.000
3	Training Program	Hour	500.000
4	Remove Delineator	Each	15.000
5	Remove Beam Guardrail	Ft	775.000
6	Remove Sign for Reset	Each	6.000
7	Remove Pipe End Section for Reset	Each	4.000
8	Unclassified Excavation	CuYd	3,563.000



9	Unclassified Excavation, Digouts	CuYd	668.000
10	Contractor Furnished Borrow Excavation	CuYd	713.000
11	Undercutting	CuYd	2,039.000
12	Shoulder Preparation	Mile	16.900
13	Remove and Replace Topsoil	LS	1.000
14	Base Course	Ton	11,185.900
15	Saw Joint in Asphalt Concrete	Ft	3,182.000
16	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	26.700
17	MC-70 Asphalt for Prime	Ton	59.600
18	SS-1h or CSS-1h Asphalt for Tack	Ton	264.700
19	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	67.000
20	Sand for Flush Seal	Ton	683.600
21	Cold Milling Asphalt Concrete	SqYd	245,754.000
22	24" RCP Class 2, Furnish	Ft	8.000
23	24" RCP, Install	Ft	8.000
24	30" RCP Class 2, Furnish	Ft	10.000
25	30" RCP, Install	Ft	10.000
26	Reset Pipe End Section	Each	4.000
27	Type III Field Laboratory	Each	1.000
28	Type 1 MGS	Ft	350.000
29	Type 1 Retrofit Guardrail Transition	Each	4.000
30	MGS Tangent End Terminal	Each	4.000
31	2.0"x2.0" Perforated Tube Post	Ft	20.000
32	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	5.000
33	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	10.000
34	Guardrail Delineator	Each	16.000
35	Type 2 Object Marker Back to Back	Each	4.000
36	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	5.600
37	Reset Sign	Each	6.000
38	Cold Applied Plastic Pavement Marking, 4"	Ft	8,419.000
39	Cold Applied Plastic Pavement Marking, 24"	Ft	262.000
40	Cold Applied Plastic Pavement Marking, Area	SqFt	114.000
41	Cold Applied Plastic Pavement Marking, Arrow	Each	4.000
42	Waterborne Pavement Marking Paint with High Grade Polymer, White	Gal	746.000
43	Waterborne Pavement Marking Paint with High Grade Polymer, Yellow	Gal	140.000
44	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	8,419.000
45	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	262.000
46	Grooving for Cold Applied Plastic Pavement Marking, Area	SqFt	114.000
47	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	4.000
48	Grooving for Durable Pavement Marking, 4"	Ft	167,700.000
49	Flagging	Hour	1,020.000
50	Pilot Car	Hour	340.000
51	Traffic Control Signs	SqFt	866.500
52	Traffic Control, Miscellaneous	LS	1.000
53	Temporary Pavement Marking	Mile	40.200
54	Type F Permanent Seed Mixture	Lb	32.000
55	Fertilizing	Ton	0.900
56	Mulching	Ton	2.400
57	12" Diameter Erosion Control Wattle	Ft	3,400.000
58	Refurbish Single Mailbox	Each	23.000
59	Refurbish Double Mailbox	Each	15.000
60	Remove and Reset Historical Marker	Each	1.000
61	Base Course, Salvaged	Ton	674.800
62	Granular Material, Furnish	Ton	337.400
63	Blend and Stockpile Granular Material	Ton	674.800
64	PG 58-34 Asphalt Binder	Ton	2,088.600

65	Class Q3R Hot Mixed Asphalt Concrete	Ton	43,351.000
66	Hydrated Lime	Ton	429.300
67	Base Course, Salvaged	Ton	240.200
68	Granular Material, Furnish	Ton	120.100
69	Blend and Stockpile Granular Material	Ton	240.200
70	PG 58-34 Asphalt Binder	Ton	1,746.700
71	Class Q3R Hot Mixed Asphalt Concrete	Ton	44,405.200
72	Hydrated Lime	Ton	438.400

7. **NH 0085(97)99** **Area Engineer: John Matthesen, W Hwy 34, Belle Fourche, SD, 57717-0786** **Phone: 605/892-2872**  
**Work Type 5** **DBE Goal: Not Specified** **Contract Id: 8072** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Checker	LS	1.000
3	Remove Pipe Culvert	Ft	100.000
4	Remove Pipe End Section	Each	13.000
5	Remove Fence	Ft	506.000
6	Remove Beam Guardrail	Ft	925.000
7	Remove Asphalt Concrete Pavement	SqYd	153.300
8	Unclassified Excavation	CuYd	107.000
9	Unclassified Excavation, Digouts	CuYd	622.000
10	Remove and Replace Topsoil	LS	1.000
11	Incidental Work, Grading	LS	1.000
12	Base Course	Ton	4,104.100
13	Base Course, Salvaged Asphalt Mix	Ton	570.000
14	Asphalt Concrete Composite	Ton	47.000
15	Asphalt Concrete Blade Laid	Ton	1,865.300
16	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	24.800
17	SS-1h or CSS-1h Asphalt for Tack	Ton	173.400
18	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	63.600
19	Sand for Flush Seal	Ton	642.100
20	Cold Milling Asphalt Concrete	SqYd	189,107.000
21	Pipe Culvert Undercut	CuYd	25.000
22	24" RCP Class 2, Furnish	Ft	100.000
23	24" RCP, Install	Ft	100.000
24	24" RCP Flared End, Furnish	Each	2.000
25	24" RCP Flared End, Install	Each	2.000
26	54" CMP 14 Gauge, Furnish	Ft	4.000
27	54" CMP, Install	Ft	4.000
28	36" CMP Flared End, Furnish	Each	1.000
29	36" CMP Flared End, Install	Each	1.000
30	54" CMP Flared End, Furnish	Each	3.000
31	54" CMP Flared End, Install	Each	3.000
32	60" CMP Flared End, Furnish	Each	3.000
33	60" CMP Flared End, Install	Each	3.000
34	72" CMP Flared End, Furnish	Each	2.000
35	72" CMP Flared End, Install	Each	2.000
36	48" CMP Arch Flared End, Furnish	Each	2.000
37	48" CMP Arch Flared End, Install	Each	2.000
38	Cleanout for Culvert Treatment	Each	2.000
39	Slipline 54" Pipe	Ft	380.000
40	Slipline 60" Pipe	Ft	128.000
41	Cellular Grout	CuYd	78.900
42	Type III Field Laboratory	Each	1.000
43	Type 2 Right-of-Way Fence	Ft	154.000
44	Type 3 Right-of-Way Fence	Ft	122.000
45	Type 1 Temporary Fence	Ft	230.000

46	Type 2 Temporary Fence	Ft	275.000
47	2 Post Panel	Each	6.000
48	Type 1 MGS	Ft	450.000
49	Type 1 Retrofit Guardrail Transition	Each	8.000
50	MGS MASH Tangent End Terminal	Each	8.000
51	Guardrail Delineator	Each	32.000
52	High Build Waterborne Pavement Marking Paint, White	Gal	692.000
53	High Build Waterborne Pavement Marking Paint, Yellow	Gal	106.000
54	Grooving for Durable Pavement Marking, 4"	Ft	150,574.000
55	Flagging	Hour	625.000
56	Pilot Car	Hour	313.000
57	Traffic Control Signs	SqFt	783.500
58	Traffic Control, Miscellaneous	LS	1.000
59	Type 3 Barricade	Each	8.000
60	4" Temporary Pavement Marking Tape Type I	Ft	144.000
61	Temporary Pavement Marking	Mile	50.200
62	PVC Coated Bank and Channel Protection Gabion	CuYd	79.000
63	Type F Permanent Seed Mixture	Lb	22.000
64	Fertilizing	Lb	1,260.000
65	Fiber Mulching	Lb	1,680.000
66	12" Diameter Erosion Control Wattle	Ft	1,600.000
67	Type B Drainage Fabric	SqYd	222.000
68	Refurbish Single Mailbox	Each	4.000
69	Refurbish Double Mailbox	Each	2.000
70	PG 58-34 Asphalt Binder	Ton	2,101.400
71	Class Q3R Hot Mixed Asphalt Concrete	Ton	42,994.300
72	Hydrated Lime	Ton	451.000
73	PG 58-34 Asphalt Binder	Ton	1,743.000
74	Class Q3R Hot Mixed Asphalt Concrete	Ton	44,080.300
75	Hydrated Lime	Ton	463.500

8. **NH 0018(216)420** **Area Engineer: Travis Dressen, 5316 W 60th St N, Sioux Falls, SD, 57107** **Phone: 605/367-5680**  
**Work Type 5** **DBE Goal: Not Specified** **Contract Id: 8033** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Training Program	Hour	500.000
3	Remove Beam Guardrail	Ft	225.000
4	Remove W Beam Guardrail End Terminal	Each	4.000
5	Unclassified Excavation, Digouts	CuYd	674.000
6	Shoulder Clearing	Mile	27.000
7	Base Course	Ton	3,698.000
8	PG 58-34 Asphalt Binder	Ton	1,988.300
9	Class Q3R Hot Mixed Asphalt Concrete	Ton	39,515.000
10	Asphalt Concrete Blade Laid	Ton	2,026.000
11	Hydrated Lime	Ton	411.000
12	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	27.300
13	SS-1h or CSS-1h Asphalt for Tack	Ton	172.400
14	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	75.200
15	Sand for Flush Seal	Ton	784.000
16	Cold Milling Asphalt Concrete	SqYd	301,463.000
17	Type III Field Laboratory	Each	1.000
18	Type 1 MGS	Ft	125.000
19	Type 1 Retrofit Guardrail Transition	Each	4.000
20	MGS Flared End Terminal	Each	4.000
21	Guardrail Delineator	Each	16.000
22	Preformed Thermoplastic Pavement Marking, 24"	Ft	208.000
23	Preformed Thermoplastic Pavement Marking, Area	SqFt	100.000

24	Preformed Thermoplastic Pavement Marking, Arrow	Each	7.000
25	Preformed Thermoplastic Pavement Marking, Message	Word	3.000
26	Pavement Marking Paint, White	Gal	982.000
27	Pavement Marking Paint, Yellow	Gal	266.000
28	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	208.000
29	Grooving for Cold Applied Plastic Pavement Marking, Area	SqFt	100.000
30	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	7.000
31	Grooving for Cold Applied Plastic Pavement Marking, Message	Word	3.000
32	Flagging	Hour	430.000
33	Pilot Car	Hour	215.000
34	Traffic Control Signs	SqFt	825.500
35	Traffic Control, Miscellaneous	LS	1.000
36	Type 3 Barricade	Each	10.000
37	Temporary Pavement Marking	Mile	53.800
38	Storage Unit	Each	1.000

9. **P TAPR(23)** **Area Engineer: Rich Zacher, PO Box 431, Custer, SD, 57730-0431** **Phone: 605/673-4948**  
**Work Type 12 or Work Type 14** **DBE Goal: Not Specified** **Contract Id: 7793** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Reestablish Property Corner	Each	4.000
3	Miscellaneous Staking	LS	1.000
4	Structure Staking	Each	1.000
5	Three Man Survey Crew	Hour	24.000
6	Clearing	LS	1.000
7	Remove Concrete Curb and/or Gutter	Ft	1.000
8	Remove Asphalt Concrete Pavement	SqYd	19.000
9	Remove Riprap	SqYd	26.000
10	Remove Sediment	CuYd	2.000
11	Remove Erosion Control Wattle	Ft	890.000
12	Remove Gate for Reset	Each	1.000
13	Remove Pipe End Section for Reset	Each	3.000
14	Remove Chain Link Fence for Reset	Ft	223.000
15	Remove Fence for Reset	Ft	93.000
16	Unclassified Excavation	CuYd	2,364.000
17	Unclassified Excavation, Structure	CuYd	189.000
18	Undercutting	CuYd	13.000
19	Placing Topsoil	CuYd	329.000
20	Base Course	Ton	8.000
21	Gravel Cushion	Ton	289.000
22	Asphalt Concrete Composite	Ton	2.000
23	8" Nonreinforced PCC Pavement	SqYd	74.000
24	Dowel Bar	Each	20.000
25	Insert Steel Bar in PCC Pavement	Each	20.000
26	Structure Excavation, Box Culvert	CuYd	21.000
27	Pipe Culvert Undercut	CuYd	9.000
28	Box Culvert Undercut	CuYd	76.000
29	12" High Density Polyethylene Pipe, Furnish	Ft	50.000
30	12" High Density Polyethylene Pipe, Install	Ft	50.000
31	24" High Density Polyethylene Pipe, Furnish	Ft	158.000
32	24" High Density Polyethylene Pipe, Install	Ft	158.000
33	36" High Density Polyethylene Pipe, Furnish	Ft	30.000
34	36" High Density Polyethylene Pipe, Install	Ft	30.000
35	High Density Polyethylene Pipe Bend, Furnish	Each	1.000
36	High Density Polyethylene Pipe Bend, Install	Each	1.000
37	High Density Polyethylene Pipe Tee, Furnish	Each	1.000
38	High Density Polyethylene Pipe Tee, Install	Each	1.000

39	Reset Pipe End Section	Each	3.000
40	6" PVC Pipe	Ft	10.000
41	Pipe Handrail	Ft	61.000
42	2-12'x4' Precast Concrete Box Culvert, Furnish	Ft	16.000
43	2-12'x4' Precast Concrete Box Culvert, Install	Ft	16.000
44	2-12'x4' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
45	2-12'x4' Precast Concrete Box Culvert End Section, Install	Each	2.000
46	2 Post Panel	Each	8.000
47	Reset Gate	Each	1.000
48	Reset Fence	Ft	93.000
49	Reset Chain Link Fence	Ft	208.000
50	2.0"x2.0" Perforated Tube Post	Ft	162.400
51	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	38.400
52	Traffic Control Signs	SqFt	182.500
53	Traffic Control, Miscellaneous	LS	1.000
54	Type 3 Barricade	Each	2.000
55	Type B68 Concrete Curb and Gutter	Ft	45.000
56	6" Concrete Valley Gutter	SqYd	3.000
57	6" Concrete Sidewalk	SqFt	21,413.000
58	6" Reinforced Concrete Sidewalk	SqFt	2,996.000
59	Type 1 Detectable Warnings	SqFt	32.000
60	Adjust Manhole	Each	1.000
61	Class B Riprap	Ton	244.000
62	Type D Permanent Seed Mixture	Lb	227.000
63	Fiber Mulching	Lb	1,489.000
64	Type 2 Erosion Control Blanket	SqYd	325.000
65	9" Diameter Erosion Control Wattle	Ft	890.000
66	Shaping for Erosion Control Blanket	Ft	270.000
67	Sweeping	Hour	10.000
68	Type B Drainage Fabric	SqYd	285.000
69	Woven Separator Fabric	SqYd	138.000

**10. P TAPU(21)**

**Area Engineer: Rod Gall, 1306 W 31st St, Yankton, SD, 57078-9662**

**Phone: 605/668-2929**

**Work Type 14**

**DBE Goal: Not Specified**

**Contract Id: 7808**

**See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Traffic Sign	Each	4.000
3	Remove Asphalt Concrete Pavement	SqYd	2,302.400
4	Remove Concrete Driveway Pavement	SqYd	23.400
5	Remove Concrete Sidewalk	SqYd	103.400
6	Remove Silt Fence	Ft	29.000
7	Unclassified Excavation	CuYd	1,325.000
8	Water for Vegetation	MGal	176.000
9	Placing Topsoil	CuYd	241.000
10	Contractor Furnished Topsoil	CuYd	241.000
11	Incidental Work, Grading	LS	1.000
12	Gravel Cushion	Ton	827.400
13	Gravel Surfacing	Ton	3.000
14	6" PCC Approach Pavement	SqYd	22.700
15	2.0"x2.0" Perforated Tube Post	Ft	111.000
16	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	56.500
17	Pavement Marking Paint, 24" White	Ft	76.000
18	Flagging	Hour	4.000
19	Traffic Control Signs	SqFt	181.000
20	Traffic Control, Miscellaneous	LS	1.000
21	Longitudinal Pedestrian Barricade	Ft	80.000
22	6" Concrete Sidewalk	SqFt	21,668.000

23	Type 1 Detectable Warnings	SqFt	47.000
24	Type B Permanent Seed Mixture	Lb	11.000
25	Fertilizing	Lb	897.000
26	Bonded Fiber Matrix	Lb	2,326.000
27	High Flow Silt Fence	Ft	114.000
28	Mucking Silt Fence	CuYd	8.000
29	Repair Silt Fence	Ft	29.000
30	Sweeping	Hour	5.000
31	Concrete Washout Facility	Each	1.000

**Instructions**

**PROPOSALS, PLANS AND SPECIFICATIONS:** Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

**MINIMUM WAGE RATES:** Minimum wage rates for 1 through 10 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

**BID PREPARATION:** Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 6 must also submit a bid on Item 7. Award of these combinations (Items 6 & 7) will be to the same bidder based on the total combined two projects.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

**NONDISCRIMINATION ASSURANCE:** The Department of Transportation in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, national origin, sex, age or disability in consideration for an award.

**EXECUTION OF CONTRACT:** In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

**GENERALLY:** A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Environmental & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Darin Bergquist  
SECRETARY OF TRANSPORTATION