

Advertisement of Highway Bid Letting

<http://apps.sd.gov/hc65bidletting/ebslettings1.aspx>

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the SDDOT secure bid submission site at <http://apps.sd.gov/hc65bidletting/bidsubmittallogin.aspx> until 10 A.M. Central time, on Wednesday, October 18, 2017, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
* 1.	P 0231(12)80 (PCN 02R5)	Pennington SWPPP = 17.60	1.204	Urban Grading, Roadway Lighting, Storm Sewer, Curb & Gutter, Sidewalk, Traffic Signals, Str. Repair, Pedestrian Crossing & PCC Surfacing	SD231, SD231 N and SD231 S from Sheffer St. to west of the divided lanes in Rapid City
* 2.	12 2022() (PCN X02Q)	Pennington	---	Water Main and Sanitary Sewer Improvements	West Chicago Street from S Trailview Dr to Sheffer St in Rapid City
3.	NH 0037(117)78 (PCN 023F)	Davison SWPPP = 57.50 AC	9.699	PCC Resurfacing, Low Slump Dense Concrete Overlay, Replace Approach Slabs	SD37 from the north urban boundary of Mitchell to south of the Davison/Sanborn County Line
4.	PH 0040(217) (PCN 04H2)	Lawrence, Pennington	---	Corridor Signing	Rapid City Region
5.	NH 0014(00)353, P 0025(00)114 (PCN 03VM, 03VL)	Beadle, Brookings, Kingsbury	---	ADA Curb Ramp Upgrades	US14 in Volga, DeSmet, Arlington, & Lake Preston, & SD25 in Desmet

* Indicates combination bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1. P 0231(12)80
Work Type 3

Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970

Phone: 605/394-2248

DBE Goal: 2.000%

Contract Id: 4566

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Grade Staking	Mile	5.546
3	Miscellaneous Staking	Mile	1.195
4	Slope Staking	Mile	1.195
5	Structure Staking	Each	4.000
6	Three Man Survey Crew	Hour	40.000
7	Checker	LS	1.000
8	Construction Schedule, Category III	LS	1.000
9	Project Management, Category III	LS	1.000
10	Training Program	Hour	1,500.000
11	Clearing	LS	1.000
12	Remove Concrete Curb and Gutter	Ft	110.000
13	Remove Concrete Curb	Ft	21.000
14	Remove Asphalt Concrete Curb	Ft	8.000
15	Remove Drop Inlet	Each	33.000
16	Remove Manhole	Each	2.000
17	Remove Fence	Ft	193.000
18	Remove Asphalt Concrete Pavement	SqYd	3,933.000
19	Remove Concrete Pavement	SqYd	53,597.200
20	Remove Concrete Approach Pavement	SqYd	345.500
21	Remove Concrete Median Pavement	SqYd	2,987.300
22	Remove Concrete Sidewalk	SqYd	918.900
23	Remove Pavement Marking, 4" or Equivalent	Ft	1,000.000
24	Remove Luminaire Pole	Each	26.000
25	Remove Signal Equipment	LS	1.000
26	Remove Signal Pole Footing	Each	4.000
27	Remove Luminaire Pole Footing	Each	26.000
28	Remove Sediment	CuYd	26.000
29	Remove Erosion Control Wattle	Ft	5,482.000
30	Remove Sediment Filter Bag	Ft	390.000
31	Remove Silt Fence	Ft	1,920.000
32	Salvage Beam Guardrail	Ft	1,156.000
33	Salvage Traffic Sign	Each	32.000
34	Salvage Signal Equipment	LS	1.000
35	Unclassified Excavation	CuYd	39,398.000
36	Contaminated Material Excavation	CuYd	40.000
37	Undercutting	CuYd	21,068.000
38	Water for Embankment	MGal	129.000
39	Water for Granular Material	MGal	283.400
40	Water for Vegetation	MGal	338.000
41	Placing Topsoil	CuYd	757.000
42	Contractor Furnished Topsoil	CuYd	1,688.000
43	Incidental Work, Grading	LS	1.000
44	Gravel Cushion	Ton	20,385.300
45	Gravel Cushion, Salvaged	Ton	3,232.300
46	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	3,232.300
47	Asphalt Concrete Composite	Ton	2,234.500
48	9" Nonreinforced PCC Pavement	SqYd	42,649.900
49	4" Barrier Type Median PCC Pavement	SqYd	229.500
50	4" Barrier Type Colored Median PCC Pavement	SqYd	2,756.300
51	6" PCC Driveway Pavement	SqYd	66.700
52	6" PCC Approach Pavement	SqYd	292.100
53	8" PCC Approach Pavement	SqYd	68.200

54	9" PCC Fillet Section	SqYd	765.800
55	Fast Track Concrete	SqYd	870.000
56	Dowel Bar	Each	28,642.000
57	Insert Steel Bar in PCC Pavement	Each	196.000
58	Membrane Sealant Expansion Joint	Ft	168.000
59	Pipe Culvert Undercut	CuYd	41.000
60	18" RCP Class 2, Furnish	Ft	7,070.000
61	18" RCP, Install	Ft	7,070.000
62	24" RCP Class 2, Furnish	Ft	1,504.000
63	24" RCP, Install	Ft	1,504.000
64	30" RCP Class 2, Furnish	Ft	692.000
65	30" RCP, Install	Ft	692.000
66	48" RCP Class 2, Furnish	Ft	46.000
67	48" RCP, Install	Ft	46.000
68	66" RCP Class 2, Furnish	Ft	66.000
69	66" RCP, Install	Ft	66.000
70	18" RCP Bend, Furnish	Each	1.000
71	18" RCP Bend, Install	Each	1.000
72	48" RCP Bend, Furnish	Each	2.000
73	48" RCP Bend, Install	Each	2.000
74	66" RCP Bend, Furnish	Each	1.000
75	66" RCP Bend, Install	Each	1.000
76	RCP Tee, Furnish	Each	2.000
77	RCP Tee, Install	Each	2.000
78	RCP Increaser, Furnish	Each	2.000
79	RCP Increaser, Install	Each	2.000
80	RCP Energy Dissipater Ring, Furnish	Each	12.000
81	RCP Energy Dissipater Ring, Install	Each	12.000
82	48" RCP Flared End, Furnish	Each	1.000
83	48" RCP Flared End, Install	Each	1.000
84	66" RCP Flared End, Furnish	Each	1.000
85	66" RCP Flared End, Install	Each	1.000
86	30" CMP 16 Gauge, Furnish	Ft	54.000
87	30" CMP, Install	Ft	54.000
88	30" CMP Elbow, Furnish	Each	2.000
89	30" CMP Elbow, Install	Each	2.000
90	18" Slotted CMP 16 Gauge, Furnish	Ft	82.000
91	18" Slotted CMP, Install	Ft	82.000
92	30" CMP to RCP Transition, Furnish	Each	1.000
93	30" RCP to CMP Transition, Furnish	Each	1.000
94	30" Pipe Transition, Install	Each	2.000
95	3" PVC Encasement Pipe	Ft	14.000
96	Class A45 Concrete, Bridge Repair	CuYd	124.500
97	Breakout Structural Concrete	CuYd	68.300
98	Roadway Canopy	LS	1.000
99	Class M6 Concrete	CuYd	192.200
100	Controlled Density Fill	CuYd	74.100
101	Steel Pedestrian Railing	Ft	373.700
102	Steel Pedestrian Railing on Concrete Barrier	Ft	372.200
103	Reinforcing Steel	Lb	28,179.000
104	Epoxy Coated Reinforcing Steel	Lb	19,829.000
105	Two Coat Bridge Deck Polymer Chip Seal	SqYd	3,323.000
106	Abrasive Blasting of Bridge Deck	SqYd	3,323.000
107	Bridge Deck Grinding	SqYd	3,323.000
108	Concrete Removal, Class A	SqYd	10.700
109	Concrete Removal, Class B	SqYd	10.700

110	Concrete Patching Material, Bridge Deck	CuFt	72.000
111	Type C Concrete Retaining Wall	SqFt	1,278.000
112	Special Type C Concrete Retaining Wall	SqFt	625.000
113	Gravity Segmental Block Wall	SqFt	200.000
114	Type II Field Laboratory	Each	1.000
115	Type 2s Right-of-Way Fence	Ft	184.000
116	Chain Link Fence for Bridge Sidewalk	Ft	373.000
117	Straight Double Class A Thrie Beam Guardrail with Wood Posts	Ft	50.000
118	Straight Class A W Beam Guardrail with Wood Posts	Ft	557.000
119	W Beam to Thrie Beam Guardrail Transition	Each	4.000
120	W Beam Guardrail Flared End Terminal	Each	2.000
121	W Beam Guardrail Tangent End Terminal	Each	2.000
122	2.0"x2.0" Perforated Tube Post	Ft	436.000
123	Guardrail Delineator	Each	19.000
124	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	201.300
125	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	93.300
126	Remove, Salvage, Relocate, and Reset Traffic Sign	Each	81.000
127	Cold Applied Plastic Pavement Marking, 4"	Ft	10,426.000
128	Cold Applied Plastic Pavement Marking, 6"	Ft	10,160.000
129	Cold Applied Plastic Pavement Marking, 8"	Ft	2,876.000
130	Cold Applied Plastic Pavement Marking, 24"	Ft	3,181.000
131	Cold Applied Plastic Pavement Marking, Area	SqFt	832.000
132	Cold Applied Plastic Pavement Marking, Arrow	Each	47.000
133	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	10,226.000
134	Grooving for Cold Applied Plastic Pavement Marking, 6"	Ft	9,208.000
135	Grooving for Cold Applied Plastic Pavement Marking, 8"	Ft	2,876.000
136	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	3,181.000
137	Grooving for Cold Applied Plastic Pavement Marking, Area	SqFt	832.000
138	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	47.000
139	Flagging	Hour	4,000.000
140	Traffic Control Signs	SqFt	1,821.500
141	Traffic Control, Miscellaneous	LS	1.000
142	Traffic Control Supervisor	LS	1.000
143	Type 3 Barricade, 8' Double Sided	Each	41.000
144	Temporary Raised Pavement Markers	Ft	14,000.000
145	Tubular Marker	Each	465.000
146	Type C Advance Warning Arrow Board	Each	4.000
147	Linear Delineation System Panel, Barrier Mounted	Each	6.000
148	Remove Pavement Marking, 4" or Equivalent	Ft	13,750.000
149	4" Temporary Pavement Marking Tape Type II	Ft	1,000.000
150	Temporary Pavement Marking	Ft	28,500.000
151	Traffic Control Movable Concrete Barrier	Each	28.000
152	Remove and Reset Traffic Control Movable Concrete Barrier	Each	14.000
153	Temporary Concrete Barrier End Protection	Each	2.000
154	Remove and Reset Temporary Concrete Barrier End Protection	Each	1.000
155	Temporary Concrete Barrier End Protection Module Set or Repair Kit	Each	2.000
156	Short Term Temporary Traffic Control Signal	Site	1.000
157	Detour Signing	SqFt	168.000
158	Temporary Business Signing	SqFt	40.000
159	Contractor Furnished Portable Changeable Message Sign	Each	4.000
160	Longitudinal Pedestrian Barricade	Ft	54.000
161	Breakaway Base Luminaire Pole with Arm, 50' Mounting Height	Each	41.000
162	Signal Pole with 30' Mast Arm	Each	2.000
163	Signal Pole with 60' Mast Arm and Luminaire Arm	Each	1.000
164	Signal Pole with 65' Mast Arm and Luminaire Arm	Each	1.000
165	Post Top Luminaire, LED with Photoelectric Cell	Each	43.000

166	3 Section Vehicle Signal Head	Each	10.000
167	5 Section Vehicle Signal Head	Each	8.000
168	2' Diameter Footing	Ft	330.000
169	3' Diameter Footing	Ft	53.000
170	Type 2 Electrical Junction Box	Each	16.000
171	Type 3 Electrical Junction Box	Each	6.000
172	Type 4 Electrical Junction Box	Each	1.000
173	Electrical Service Cabinet	Each	6.000
174	Traffic Signal Controller	Each	1.000
175	Meter Socket	Each	6.000
176	Signal Head Battery Backup and Flash System	Each	1.000
177	Preformed Detector Loop	Each	28.000
178	Detector Unit	Each	12.000
179	Siren Emergency Vehicle Preemption System	Each	1.000
180	Accessible Pedestrian Signal	Each	8.000
181	Pedestrian Push Button Pole	Each	8.000
182	Pedestrian Signal Head with Countdown Timer	Each	8.000
183	Pedestrian Crossing Sign	Each	8.000
184	2" Rigid Conduit, Schedule 40	Ft	10,402.000
185	4" Rigid Conduit, Schedule 40	Ft	20.000
186	2" Rigid Conduit, Schedule 80	Ft	1,453.000
187	3" Rigid Conduit, Schedule 80	Ft	631.000
188	1/C #2 AWG Copper Wire	Ft	180.000
189	1/C #4 AWG Copper Wire	Ft	21,756.000
190	1/C #6 AWG Copper Wire	Ft	15,183.000
191	1/C #10 AWG Copper Wire	Ft	12,504.000
192	2/C #14 AWG Copper Tray Cable, K2	Ft	140.000
193	4/C #14 AWG Copper Tray Cable, K2	Ft	2,460.000
194	7/C #14 AWG Copper Tray Cable, K2	Ft	698.000
195	19/C #14 AWG Copper Tray Cable, K2	Ft	457.000
196	24/C #14 AWG Copper Tray Cable, K2	Ft	1,002.000
197	#16 AWG Copper Twisted Shielded Pair	Ft	3,372.000
198	2/C #10 AWG Copper Pole and Bracket Cable	Ft	2,795.000
199	Preemption Cable	Ft	2,326.000
200	Type B66 Concrete Curb and Gutter	Ft	504.000
201	Modified Type B69 Concrete Curb and Gutter	Ft	2,593.000
202	Type B69 Concrete Curb and Gutter	Ft	5,329.000
203	Type BL69 Concrete Curb and Gutter	Ft	109.000
204	Modified Type F69 Concrete Curb and Gutter	Ft	4,613.000
205	Type F69 Concrete Curb and Gutter	Ft	5,779.000
206	Type B6 Concrete Curb	Ft	24.000
207	Type P6 Concrete Gutter	Ft	20.000
208	Modified Type P9 Concrete Gutter	Ft	40.000
209	Type P9 Concrete Gutter	Ft	364.000
210	4" Concrete Sidewalk	SqFt	36,420.000
211	6" Concrete Sidewalk	SqFt	860.000
212	4" Colored Concrete Sidewalk	SqFt	4,860.000
213	Type 1 Detectable Warnings	SqFt	444.000
214	Type B Frame and Grate Assembly	Each	98.000
215	Type C Frame and Grate	Each	1.000
216	4' x 11' Precast Concrete Type S Drop Inlet Lid	Each	1.000
217	Precast Drop Inlet Collar	Each	98.000
218	48" Manhole Cone Section	Ft	3.200
219	2" Adjusting Ring for Manhole	Each	3.000
220	Type A9 Manhole Frame and Lid	Each	1.000
221	4" Slotted Corrugated Polyethylene Drainage Tubing	Ft	70.000

222	Class C Riprap	Ton	47.400
223	Special Permanent Seed Mixture 1	Lb	104.000
224	Special Permanent Seed Mixture 2	Lb	263.000
225	Fertilizing	Lb	422.000
226	Fiber Reinforced Matrix	Lb	6,435.000
227	Sodding	SqYd	3,549.000
228	Soil Stabilizer	SqYd	5,209.000
229	Type 2 Turf Reinforcement Mat	SqYd	45.000
230	12" Diameter Erosion Control Wattle	Ft	5,482.000
231	Remove and Reset Erosion Control Wattle	Ft	1,096.000
232	Temporary Sediment Barrier	Ft	5,529.000
233	Sediment Filter Bag	Ft	2,632.000
234	High Flow Silt Fence	Ft	1,940.000
235	Mucking Silt Fence	CuYd	133.000
236	Repair Silt Fence	Ft	480.000
237	Sediment Control at Inlet with Frame and Grate	Each	100.000
238	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	38.000
239	Water Pollution Control	LS	1.000
240	Dewatering	Hour	40.000
241	Sweeping	Hour	6.000
242	Type B Drainage Fabric	SqYd	122.000
243	Refurbish Single Mailbox	Each	3.000
244	Orange Plastic Safety Fence	Ft	750.000
245	Construction Entrance	Each	8.000
246	Miscellaneous Work	Site	2.000
247	Railroad Protective Insurance	LS	1.000

2. 12 2022()

Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970

Phone: 605/394-2248

Work Type 3

DBE Goal: NONE

Contract Id: 4652

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Construction Staking	LS	1.000
3	Remove Concrete Curb and Gutter	Ft	72.000
4	Remove Manhole	Each	4.000
5	Remove Asphalt Concrete Pavement	SqYd	599.000
6	Remove Concrete Pavement	SqYd	160.000
7	Remove Fire Hydrant	Each	5.000
8	Remove Contaminated Water	MGal	5.000
9	Remove Valve Box	Each	4.000
10	Contaminated Material Excavation	CuYd	50.000
11	Contractor Furnished Topsoil	CuYd	240.000
12	Remove and Replace Topsoil	LS	1.000
13	Incidental Work	LS	1.000
14	Base Course	Ton	202.300
15	Gravel Cushion	Ton	51.000
16	Asphalt Concrete Composite	Ton	168.500
17	9" Nonreinforced PCC Pavement	SqYd	160.000
18	Pipe Encasement	Each	23.000
19	4" PVC Restrained Joint Water Main	Ft	58.000
20	6" PVC Restrained Joint Water Main	Ft	201.000
21	8" PVC Restrained Joint Water Main	Ft	1,191.000
22	12" PVC Restrained Joint Water Main	Ft	2,701.000
23	16" PVC Restrained Joint Water Main	Ft	820.000
24	1" Copper Pipe	Ft	290.000
25	8" PVC Sewer Pipe	Ft	1,010.000
26	4" Sewer Service	Ft	169.000
27	4" Sanitary Sewer Service Cleanout	Each	3.000

28	6"x6" Pipe Tee	Each	1.000
29	8"x6" Pipe Tee	Each	6.000
30	8"x8" Pipe Tee	Each	5.000
31	12"x6" Pipe Tee	Each	3.000
32	12"x8" Pipe Tee	Each	2.000
33	12"x12" Pipe Tee	Each	2.000
34	16"x6" Pipe Tee	Each	2.000
35	16"x8" Pipe Tee	Each	3.000
36	12"x8" Pipe Cross	Each	1.000
37	16"x12" Pipe Cross	Each	1.000
38	8"x6" Pipe Reducer	Each	7.000
39	12"x8" Pipe Reducer	Each	1.000
40	1" Curb Stop with Box	Each	5.000
41	4" Pipe Bend	Each	1.000
42	6" Pipe Bend	Each	7.000
43	8" Pipe Bend	Each	16.000
44	12" Pipe Bend	Each	8.000
45	16" Pipe Bend	Each	5.000
46	4" Pipe Cap	Each	1.000
47	6" Pipe Cap	Each	1.000
48	8" Pipe Cap	Each	1.000
49	12" Pipe Cap	Each	1.000
50	16" Pipe Cap	Each	2.000
51	8" Pipe Coupling	Each	1.000
52	12" Pipe Coupling	Each	2.000
53	6" Pipe Plug	Each	1.000
54	8" Gate Valve with Box	Each	13.000
55	12" Gate Valve with Box	Each	14.000
56	16" Gate Valve with Box	Each	5.000
57	Tracer Wire Access Box	Each	19.000
58	Tracer Wire Access Box, Type 2	Each	12.000
59	Fire Hydrant with Auxiliary Valve & Box	Each	13.000
60	Type 1 Bedding Material	Ton	150.000
61	Type 3 Foundation Material	Ton	100.000
62	Rock Excavation, Trench	CuYd	50.000
63	Trench 0' to 6' Deep	Ft	128.000
64	Trench 6' to 8' Deep	Ft	328.000
65	Trench 8' to 10' Deep	Ft	308.000
66	Trench 10' to 12' Deep	Ft	170.000
67	Trench 12' to 14' Deep	Ft	76.000
68	Reconnect Water Service	Each	5.000
69	Connect To Existing Water Main	Each	23.000
70	Connect to Existing Sewer Main	Each	5.000
71	Test Station	Each	13.000
72	Traffic Control, Miscellaneous	LS	1.000
73	Electrical Service Cabinet	Each	1.000
74	Meter Socket	Each	1.000
75	1" Rigid Galvanized Steel Conduit	Ft	10.000
76	2.5" Rigid Galvanized Steel Conduit	Ft	10.000
77	1" Rigid Conduit, Schedule 80	Ft	60.000
78	4" Rigid Conduit, Schedule 80	Ft	45.000
79	1/C #6 AWG Copper Wire	Ft	15.000
80	1/C #8 AWG Copper Wire	Ft	10.000
81	1/C #10 AWG Copper Wire	Ft	265.000
82	Type B66 Concrete Curb and Gutter	Ft	72.000
83	48" Manhole	Each	8.000

84	60" Manhole	Each	1.000
85	Extra Depth for 48" Manhole	Ft	19.800
86	Extra Depth for 60" Manhole	Ft	0.400
87	Abandon Manhole	Each	2.000
88	Type E Permanent Seed Mixture	Lb	11.000
89	12" Diameter Erosion Control Wattle	Ft	251.000
90	Triangular Silt Barrier	Ft	331.000
91	Miscellaneous Work	Site	1.000
92	Bollard	Each	4.000
93	Landscaping Rock	CuYd	2.000
94	Landscape Edging	Ft	16.000
95	Irrigation System	LS	1.000

3. NH 0037(117)78
Work Type 3

Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206

Phone: 605/995-8120

DBE Goal: Not Specified

Contract Id: 7338

See Special Provisions for Completion Requirements

1	Remove Traffic Diversion(s)	LS	1.000
2	Mobilization	LS	1.000
3	Grade Staking	Mile	19.565
4	Graded Centerline Staking	Mile	9.634
5	Miscellaneous Staking	Mile	9.931
6	Slope Staking	Mile	0.297
7	Three Man Survey Crew	Hour	40.000
8	Construction Schedule, Category II	LS	1.000
9	Training Program	Hour	1,500.000
10	Remove Concrete Bridge Approach Slab	SqYd	651.000
11	Remove Drop Inlet	Each	4.000
12	Remove Drop Inlet Frame and Grate Assembly	Each	4.000
13	Remove Pipe Culvert	Ft	108.000
14	Remove Pipe End Section	Each	2.000
15	Remove 3 Cable Guardrail	Ft	366.000
16	Remove Beam Guardrail	Ft	900.000
17	Remove 3 Cable Guardrail Anchor Assembly	Each	2.000
18	Remove 3 Cable Guardrail Slip Base Anchor Assembly	Each	2.000
19	Remove Concrete Pavement	SqYd	8,819.400
20	Remove Sediment	CuYd	2.000
21	Remove Silt Fence	Ft	900.000
22	Salvage Delineator	Each	122.000
23	Salvage Traffic Sign	Each	14.000
24	Remove Pipe End Section for Reset	Each	1.000
25	Unclassified Excavation	CuYd	5,184.000
26	Contractor Furnished Borrow Excavation	CuYd	1,567.000
27	Reprofiling Ditch	Sta	2.300
28	Water for Granular Material	MGal	383.900
29	Pit Run	Ton	1,943.300
30	Remove and Replace Topsoil	LS	1.000
31	Incidental Work	LS	1.000
32	Base Course	Ton	21,446.000
33	Base Course, Salvaged	Ton	2,652.400
34	Gravel Cushion	Ton	5,946.500
35	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	2,611.000
36	PG 64-28 Asphalt Binder	Ton	867.800
37	Class E Asphalt Concrete	Ton	14,500.600
38	Asphalt Concrete Composite	Ton	1,000.000
39	Compaction Sample	Each	3.000
40	Saw and Seal Shoulder Joint	Ft	96,274.000
41	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	18.200

42	MC-70 Asphalt for Prime	Ton	113.600
43	SS-1h or CSS-1h Asphalt for Tack	Ton	27.300
44	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	18.300
45	Sand for Flush Seal	Ton	31.500
46	Cold Milling Asphalt Concrete	SqYd	524.000
47	9" Nonreinforced PCC Pavement	SqYd	12,099.200
48	PCC Shoulder Pavement	SqYd	1,525.600
49	PCC Overlay, Furnish	CuYd	27,873.000
50	7" PCC Overlay, Placement	SqYd	133,581.400
51	Dowel Bar	Each	103,372.000
52	Insert Steel Bar in PCC Pavement	Each	159.000
53	Membrane Sealant Expansion Joint	Ft	311.600
54	12" RCP Class 2, Furnish	Ft	76.000
55	12" RCP, Install	Ft	76.000
56	18" RCP Class 2, Furnish	Ft	18.000
57	18" RCP, Install	Ft	18.000
58	24" RCP Class 2, Furnish	Ft	38.000
59	24" RCP, Install	Ft	38.000
60	24" RCP Bend, Furnish	Each	6.000
61	24" RCP Bend, Install	Each	6.000
62	24" RCP Flared End, Furnish	Each	2.000
63	24" RCP Flared End, Install	Each	2.000
64	12" CMP 16 Gauge, Furnish	Ft	32.000
65	12" CMP, Install	Ft	32.000
66	15" CMP 16 Gauge, Furnish	Ft	560.000
67	15" CMP, Install	Ft	560.000
68	12" CMP Elbow, Furnish	Each	6.000
69	12" CMP Elbow, Install	Each	6.000
70	15" CMP Elbow, Furnish	Each	4.000
71	15" CMP Elbow, Install	Each	4.000
72	CMP Tee, Furnish	Each	2.000
73	CMP Tee, Install	Each	2.000
74	15" CMP Safety End, Furnish	Each	4.000
75	15" CMP Safety End, Install	Each	4.000
76	12" Slotted CMP 16 Gauge, Furnish	Ft	200.000
77	12" Slotted CMP, Install	Ft	200.000
78	12" RCP to CMP Transition, Furnish	Each	2.000
79	12" Pipe Transition, Install	Each	2.000
80	Reset Pipe End Section	Each	1.000
81	12" Pipe Cap	Each	2.000
82	Concrete Approach Slab for Bridge	SqYd	381.200
83	Concrete Approach Sleeper Slab for Bridge	SqYd	135.000
84	Class M6 Concrete	CuYd	19.800
85	Controlled Density Fill	CuYd	6.600
86	Epoxy Coated Reinforcing Steel	Lb	1,635.000
87	No. 4 Rebar Splice	Each	56.000
88	No. 5 Rebar Splice	Each	96.000
89	No. 6 Rebar Splice	Each	88.000
90	Low Slump Dense Concrete Bridge Deck Overlay	CuYd	82.000
91	Concrete Removal Type 1A	SqYd	1,106.600
92	Concrete Removal Type 2A	SqYd	276.600
93	Concrete Removal Type 1B	SqYd	110.800
94	Concrete Removal Type 1C	SqYd	55.200
95	Concrete Removal Type 1D	SqYd	55.200
96	Concrete Removal Type B	Ft	40.000
97	Class A45 Concrete Fill	CuYd	22.400

98	Finishing and Curing	SqYd	1,106.600
99	Type III Field Laboratory	Each	1.000
100	Crossover Closure	Ft	208.000
101	Type 1 MGS	Ft	750.000
102	Type 1 Retrofit Guardrail Transition	Each	8.000
103	MGS Tangent End Terminal	Each	8.000
104	2.0"x2.0" Perforated Tube Post	Ft	78.000
105	2.5"x2.5" Perforated Tube Post	Ft	27.400
106	4"x4" White Delineator with 1.12 Lb/Ft Post	Each	99.000
107	Guardrail Delineator	Each	34.000
108	Type 2 Object Marker Back to Back	Each	23.000
109	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	27.800
110	Remove, Salvage, Relocate, and Reset Traffic Sign	Each	25.000
111	Flagging	Hour	50.000
112	Traffic Control Signs	SqFt	2,076.600
113	Traffic Control, Miscellaneous	LS	1.000
114	Type 3 Barricade, 8' Single Sided	Each	7.000
115	Type 3 Barricade, 8' Double Sided	Each	84.000
116	Temporary Raised Pavement Markers	Mile	13.500
117	Tubular Marker	Each	972.000
118	Replace Tubular Marker	Each	140.000
119	Type C Advance Warning Arrow Board	Each	2.000
120	Remove Pavement Marking, 4" or Equivalent	Ft	32,174.000
121	Temporary Pavement Marking, Continuous 4" Edge Line	Ft	121,334.000
122	Temporary Pavement Marking	Mile	0.600
123	Contractor Furnished Portable Changeable Message Sign	Each	2.000
124	1.5' x 3' Type D Drop Inlet	Each	4.000
125	Type D Frame and Grate	Each	4.000
126	Precast Drop Inlet Collar	Each	4.000
127	Cutoff Drain	Each	2.000
128	Type G Permanent Seed Mixture	Lb	624.000
129	Fertilizing	Ton	12.000
130	Mulching	Ton	48.000
131	12" Diameter Erosion Control Wattle	Ft	900.000
132	Remove and Reset Erosion Control Wattle	Ft	300.000
133	Low Flow Silt Fence	Ft	2,000.000
134	High Flow Silt Fence	Ft	1,600.000
135	Mucking Silt Fence	CuYd	250.000
136	Repair Silt Fence	Ft	900.000
137	Non-woven Separator Fabric	SqYd	2,078.000
138	Geotextile Bond Breaker Fabric	SqYd	212,329.000
139	Refurbish Single Mailbox	Each	3.000
140	Refurbish Double Mailbox	Each	1.000
141	Construction Entrance	Each	1.000

4.	PH 0040(217)	Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970	Phone: 605/394-2248
	Work Type 11	DBE Goal: Not Specified	Contract Id: 6363 See Special Provisions for Completion Requirements
1	Mobilization	LS	1.000
2	Remove Traffic Sign	Each	13.000
3	2.0"x2.0" Perforated Tube Post	Ft	827.200
4	2.5"x2.5" Perforated Tube Post	Ft	35.400
5	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	165.200
6	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	905.100
7	Remove, Salvage, Relocate, and Reset Traffic Sign	Each	176.000
8	Flagging	Hour	100.000
9	Traffic Control Signs	SqFt	137.000

10	Traffic Control, Miscellaneous		LS	1.000
5.	NH 0014(00)353, P 0025(00)114	Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940		Phone: 605/353-7140
	Work Type 14	DBE Goal: Not Specified	Contract Id: 6570	See Special Provisions for Completion Requirements
1	Mobilization		LS	1.000
2	Remove Concrete Curb and/or Gutter		Ft	444.000
3	Remove Asphalt Concrete Pavement		SqYd	109.700
4	Remove Concrete Pavement		SqYd	517.500
5	Remove Concrete Sidewalk		SqYd	1,550.700
6	Remove Drop Inlet Frame and Grate Assembly for Reset		Each	2.000
7	Incidental Work, Grading		LS	1.000
8	Gravel Cushion		Ton	234.800
9	Asphalt Concrete Composite		Ton	3.800
10	8" PCC Fillet Section		SqYd	63.600
11	Insert Steel Bar in PCC Pavement		Each	895.000
12	Cold Applied Plastic Pavement Marking, 24"		Ft	200.000
13	Grooving for Cold Applied Plastic Pavement Marking, 24"		Ft	200.000
14	Traffic Control Signs		SqFt	1,623.800
15	Traffic Control, Miscellaneous		LS	1.000
16	Type 3 Barricade, 8' Double Sided		Each	5.000
17	Type C Advance Warning Arrow Board		Each	2.000
18	Remove Pavement Marking, Area		SqFt	464.000
19	Temporary Curb Ramp		Each	20.000
20	Longitudinal Pedestrian Barrier		Ft	1,070.000
21	Type B68 Concrete Curb and Gutter		Ft	2,120.000
22	4" Concrete Sidewalk		SqFt	15,588.000
23	Type 1 Detectable Warnings		SqFt	984.000
24	Reset Drop Inlet Frame and Grate Assembly		Each	2.000
25	Erosion Control		LS	1.000
26	Refurbish Single Mailbox		Each	1.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website at: <http://apps.sd.gov/hc65bidletting/ebslettings1.aspx>.

MINIMUM WAGE RATES: Minimum wage rates for 1, 3 and 4 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations. Minimum wage rates for 5 have been predetermined by the Department of Transportation, and are set forth in the advertised specification.

BID PREPARATION: Bidding files require the use of the South Dakota Electronic Bidding System (SDEBS) which is downloadable from the Bid Letting website at <http://apps.sd.gov/hc65bidletting/ebsInstall.aspx>. Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 1 must also submit a bid on Item 2. Award of these combinations (Items 1 & 2) will be to the same bidder based on the total combined two projects.

Instructions on how to bid with SDDOT are available on the SDDOT Bid Letting website at: <https://apps.sd.gov/HC65BidLetting/ebshowtobid.aspx>.

NONDISCRIMINATION ASSURANCE: The Department of Transportation in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, national origin, sex, age or disability in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Environmental & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Darin Bergquist
SECRETARY OF TRANSPORTATION