

Advertisement of Highway Bid Letting

<http://apps.sd.gov/hc65bidletting/ebslettings1.aspx>

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the SDDOT secure bid submission site at <http://apps.sd.gov/hc65bidletting/bidsubmittallogin.aspx> until 10 A.M. Central time, on Wednesday, October 21, 2015, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	PH 8040(17) (PCN 02MW)	Lake	---	Signing & Delineation	Various Locations in Lake County
2.	P 6434(02), P 6575(02) (PCN 00RJ, 057L)	Butte SWPPP = 7.00 AC	1.063	Grading, Curb & Gutter and Asphalt Surfacing	Snoma Road and Fruitdale Road near Belle Fourche
3.	NH 0212(162)380 (PCN 03RN)	Codington, Deuel SWPPP = 36.00	9.337	PCC Overlay	US 212 from Watertown to the Intersection of Co Road 312/Goodwin Road
4.	IM 0901(182)23, IM 0902(160)67 (PCN 02Q0, 034L)	Lawrence, Pennington	---	Partial Interchange Lighting	I90 - Exit 23 (Whitewood) and Exit 67 (Liberty Blvd.)

* Indicates combination bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	PH 8040(17)	Area Engineer: Travis Dressen, 5316 W 60th St N, Sioux Falls, SD, 57107	Phone: 605/367-5680
	Work Type 11	DBE Goal: Not Specified	Contract Id: 5170 See Special Provisions for Completion Requirements
	1 Mobilization		LS 1.000
	2 Remove Traffic Sign		Each 4,252.000
	3 Salvage Traffic Sign		Each 270.000
	4 2.0"x2.0" Perforated Tube Post		Ft 21,827.000
	5 4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post		Each 652.000
	6 4" Tubular White Delineator with 1.12 Lb/Ft Post		Each 3,164.000
	7 Guardrail Delineator		Each 16.000
	8 Type 2 Object Marker Back to Back		Each 342.000
	9 Type 2 Object Marker		Each 188.000
	10 Type 3 Flexible Object Marker		Each 324.000
	11 Type 4 Object Marker		Each 4.000
	12 Flat Aluminum Sign, Nonremovable Copy High Intensity		SqFt 7,209.800
	13 Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity		SqFt 7,473.000
	14 Type 3 Single Sided Barricade		Ft 72.000
	15 Traffic Control, Miscellaneous		LS 1.000
2.	P 6434(02), P 6575(02)	Area Engineer: Tammy Williams, W Hwy 34, Belle Fourche, SD, 57717-0786	Phone: 605/892-2872
	Work Type 5	DBE Goal: Not Specified	Contract Id: 5171 See Special Provisions for Completion Requirements
	1 Mobilization		LS 1.000
	2 Grade Staking		Mile 1.116
	3 Miscellaneous Staking		Mile 1.063
	4 Slope Staking		Mile 0.558
	5 Three Man Survey Crew		Hour 40.000
	6 Checker		LS 1.000
	7 Clearing		LS 1.000
	8 Remove Fence		Ft 4,265.000
	9 Unclassified Excavation		CuYd 15,536.000
	10 Unclassified Excavation, Digouts		CuYd 404.000
	11 Contractor Furnished Borrow Excavation		CuYd 3,864.000
	12 Undercutting		CuYd 6,883.000
	13 Water for Embankment		MGal 130.000
	14 Water for Granular Material		MGal 32.500
	15 Placing Topsoil		CuYd 2,113.000
	16 Incidental Work, Grading		LS 1.000
	17 Base Course		Ton 4,779.000
	18 Granular Material		Ton 330.000
	19 Salvage Granular Material		Ton 2,232.000
	20 Haul and Stockpile Granular Material		Ton 2,232.000
	21 Compaction Sample		Each 6.000
	22 MC-70 Asphalt for Prime		Ton 6.200
	23 SS-1h or CSS-1h Asphalt for Tack		Ton 4.500
	24 SS-1h or CSS-1h Asphalt for Flush Seal		Ton 3.100
	25 Blotting Sand for Prime		Ton 39.300
	26 Sand for Flush Seal		Ton 59.000
	27 18" RCP Class 2, Furnish		Ft 160.000
	28 18" RCP, Install		Ft 160.000
	29 18" RCP Flared End, Furnish		Each 2.000
	30 18" RCP Flared End, Install		Each 2.000
	31 18" CMP 16 Gauge, Furnish		Ft 112.000
	32 18" CMP, Install		Ft 112.000
	33 18" CMP Flared End, Furnish		Each 6.000
	34 18" CMP Flared End, Install		Each 6.000
	35 18" CMP Safety End, Furnish		Each 2.000
	36 18" CMP Safety End, Install		Each 2.000

37	Type II Field Laboratory	Each	1.000
38	Type 2 Right-of-Way Fence	Ft	4,256.000
39	Type 1A Temporary Fence	Ft	1,088.000
40	2 Post Panel	Each	15.000
41	3 Post Panel	Each	7.000
42	12' Tubular Gate	Each	1.000
43	Straight Double Class A W Beam Guardrail with Wood Posts	Ft	1,009.000
44	W Beam Guardrail Tangent End Terminal	Each	2.000
45	Pavement Marking Paint, White	Gal	18.000
46	Pavement Marking Paint, Yellow	Gal	25.000
47	Flagging	Hour	800.000
48	Pilot Car	Hour	100.000
49	Traffic Control Signs	SqFt	786.000
50	Traffic Control, Miscellaneous	LS	1.000
51	Type 3 Barricade, 8' Single Sided	Each	6.000
52	Temporary Pavement Marking	Mile	3.200
53	Type D46 Concrete Curb and Gutter	Ft	5,584.000
54	Type P6 Concrete Gutter	Ft	1,978.000
55	1.5' x 3' Type D Drop Inlet	Each	10.000
56	Type D Frame and Grate	Each	10.000
57	4' x 6' Concrete Type S Drop Inlet Base	Each	1.000
58	4' x 6' Precast Concrete Type S Drop Inlet Lid	Each	1.000
59	Precast Drop Inlet Collar	Each	10.000
60	Class B Riprap	Ton	875.000
61	Bank and Channel Protection Gabion	CuYd	33.000
62	Type F Permanent Seed Mixture	Lb	122.000
63	Fertilizing	Ton	3.200
64	Fiber Mulching	Ton	4.800
65	9" Diameter Erosion Control Wattle	Ft	2,550.000
66	12" Diameter Erosion Control Wattle	Ft	140.000
67	Remove and Reset Erosion Control Wattle	Ft	672.000
68	High Flow Silt Fence	Ft	454.000
69	Mucking Silt Fence	CuYd	32.000
70	Repair Silt Fence	Ft	114.000
71	Sediment Control at Inlet with Frame and Grate	Each	10.000
72	Sediment Control at Type S Reinforced Concrete Drop Inlet	Ft	8.000
73	Type B Drainage Fabric	SqYd	1,644.000
74	Refurbish Single Mailbox	Each	2.000
75	Refurbish Double Mailbox	Each	2.000
76	PG 64-28 Asphalt Binder	Ton	108.600
77	Class E Asphalt Concrete	Ton	1,871.600
78	PG 64-28 Asphalt Binder	Ton	96.000
79	Class E Asphalt Concrete	Ton	1,920.200
80	PG 64-28 Asphalt Binder	Ton	81.500
81	Class E Asphalt Concrete	Ton	1,404.800
82	PG 64-28 Asphalt Binder	Ton	72.000
83	Class E Asphalt Concrete	Ton	1,441.400

3.	NH 0212(162)380	Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201	Phone: 605/882-5166
	Work Type 3	DBE Goal: Not Specified	Contract Id: 5124 See Special Provisions for Completion Requirements
	1 Mobilization	LS	1.000
	2 Grade Staking	Mile	9.337
	3 Graded Centerline Staking	Mile	9.337
	4 Miscellaneous Staking	Mile	9.337
	5 Three Man Survey Crew	Hour	40.000
	6 Training Program	Hour	1,200.000

7	Remove Traffic Sign	Each	64.000
8	Remove Concrete Gutter	Ft	77.000
9	Remove Concrete Pavement	SqYd	7,384.600
10	Remove Concrete Approach Pavement	SqYd	313.600
11	Remove Concrete Driveway Pavement	SqYd	154.700
12	Remove Pavement Marking, 4" or Equivalent	Ft	150.000
13	Remove Sediment	CuYd	2.000
14	Remove Sign for Reset	Each	3.000
15	Unclassified Excavation	CuYd	941.000
16	Unclassified Excavation, Digouts	CuYd	233.000
17	Water for Granular Material	MGal	427.900
18	Surface Preparation	Mile	0.356
19	Shoulder Shaping	Mile	17.858
20	Remove and Replace Topsoil	LS	1.000
21	Base Course	Ton	33,562.700
22	PG 64-22 Asphalt Binder	Ton	770.000
23	Class E Asphalt Concrete	Ton	13,420.000
24	Asphalt Concrete Composite	Ton	20.000
25	Compaction Sample	Each	3.000
26	Saw and Seal Shoulder Joint	Ft	96,602.000
27	MC-70 Asphalt for Prime	Ton	108.000
28	SS-1h or CSS-1h Asphalt for Tack	Ton	21.300
29	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	17.400
30	Sand for Flush Seal	Ton	22.400
31	Cold Milling Asphalt Concrete	SqYd	663.000
32	9" Nonreinforced PCC Pavement	SqYd	7,141.200
33	PCC Overlay, Furnish	CuYd	30,468.400
34	7" PCC Overlay, Placement	SqYd	146,669.300
35	6" PCC Driveway Pavement	SqYd	231.500
36	8" PCC Approach Pavement	SqYd	316.500
37	Dowel Bar	Each	84,766.000
38	Insert Steel Bar in PCC Pavement	Each	96.000
39	Planing PCC Pavement	SqYd	266.700
40	Type III Field Laboratory	Each	1.000
41	2.0"x2.0" Perforated Tube Post	Ft	759.000
42	2.5"x2.5" Perforated Tube Post	Ft	28.000
43	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	182.000
44	Type 2 Object Marker Back to Back	Each	4.000
45	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	325.000
46	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	271.300
47	Reset Sign	Each	3.000
48	Pavement Marking Paint, White	Gal	878.000
49	Pavement Marking Paint, Yellow	Gal	312.000
50	Durable Pavement Marking, 4" White	Ft	96,242.000
51	Durable Pavement Marking, 4" Yellow	Ft	18,712.000
52	Grooving for Durable Pavement Marking, 4"	Ft	114,954.000
53	Traffic Control Signs	SqFt	2,613.000
54	Traffic Control, Miscellaneous	LS	1.000
55	Type 3 Barricade, 6' Double Sided	Each	24.000
56	Type 3 Barricade, 8' Double Sided	Each	86.000
57	Type C Advance Warning Arrow Board	Each	1.000
58	4" Temporary Pavement Marking Tape Type I	Ft	600.000
59	Temporary Pavement Marking	Mile	0.100
60	Detour Signing	SqFt	1,070.500
61	Type F69 Concrete Curb and Gutter	Ft	1,063.000
62	Type P9 Concrete Gutter	Ft	265.000

63	Special Permanent Seed Mixture 1	Lb	936.000
64	Mulching	Ton	72.000
65	12" Diameter Erosion Control Wattle	Ft	300.000
66	Remove and Reset Erosion Control Wattle	Ft	150.000
67	Geotextile Bond Breaker Fabric	SqYd	251,433.000
68	Refurbish Single Mailbox	Each	23.000
69	Refurbish Double Mailbox	Each	3.000
70	Construction Entrance	Each	2.000

4. **IM 0901(182)23, IM 0902(160)67** **Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970** **Phone: 605/394-2248**

Work Type 10 **DBE Goal: Not Specified** **Contract Id: 5122** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Incidental Work	LS	1.000
3	Flagging	Hour	200.000
4	Traffic Control Signs	SqFt	536.000
5	Traffic Control, Miscellaneous	LS	1.000
6	Breakaway Base Luminaire Pole with Arm, 50' Mounting Height	Each	26.000
7	Breakaway Base Luminaire Pole with Twin Arms, 50' Mounting Height	Each	9.000
8	Roadway Luminaire, 400 Watt with Photoelectric Cell	Each	44.000
9	2' Diameter Footing	Ft	289.000
10	Type 2 Electrical Junction Box	Each	31.000
11	Electrical Service Cabinet	Each	1.000
12	2" Rigid Conduit, Schedule 40	Ft	9,715.000
13	3" Rigid Conduit, Schedule 40	Ft	325.000
14	2" Rigid Conduit, Schedule 80	Ft	1,555.000
15	1/C #1 AWG Copper Wire	Ft	19,245.000
16	1/C #2 AWG Copper Wire	Ft	5,665.000
17	1/C #3 AWG Copper Wire	Ft	1,665.000
18	1/C #4 AWG Copper Wire	Ft	7,880.000
19	1/C #6 AWG Copper Wire	Ft	3,525.000
20	2/C #10 AWG Copper Pole and Bracket Cable	Ft	2,860.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website at: <http://apps.sd.gov/hc65bidletting/ebslettings1.aspx>.

MINIMUM WAGE RATES: Minimum wage rates for 1 through 4 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bidding files require the use of the South Dakota Electronic Bidding System (SDEBS) which is downloadable from the Bid Letting website at <http://apps.sd.gov/hc65bidletting/ebsInstall.aspx>. Bids shall be completed in their entirety utilizing the SDEBS.

Instructions on how to bid with SDDOT are available on the SDDOT Bid Letting website at: <https://apps.sd.gov/HC65BidLetting/ebshowtobid.aspx>.

NONDISCRIMINATION ASSURANCE: The Department of Transportation in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, national origin, sex, age or disability in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Environmental & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Darin Bergquist
SECRETARY OF TRANSPORTATION