Projects Anticipated for Letting 11/01/2023 to 01/17/2024

This is a tentative schedule subject to change and shall not be used for the letting. It will be updated periodically as information regarding project status becomes available. The "Advertisement of Highway Bid Letting" will occur 3 - 4 weeks in advance of the bid opening date at which point the plans and bid proposal packages will be made available on the Department's website.

PCN(s)	County(s)	Type of Work	Location
Tentative Letting Dat	e - 11/01/2023		
** 05UY	Davison	Urban Grading, Curb & Gutter, ADA, Signals, Storm Sewer, Lighting, PCC Surfacing, Structure (115' Prestressed Girder Bridge, 162' Steel Pedestrian Bridge), Shared Use Path	SD37 - Fm Minnesota St in Mitchell N to 250th St
X06D	Davison	Water & Sanitary Sewer Upgrades	SD37 - Fm North Main St in Mitchell N to 250th St
085A, 085E	Lincoln	Structure's (3-12x6 CIP RCB, 2-9x7 CIP RCBC) & Approach Grading	Structure 3.5 W of Tea on 272nd St over Beaver Creek SN 42-007-040; Structure 2 miles w and 0.3 miles n of Beresford on 469th over a tributary to Ash Creek, SN 42-050-287
06PV	Edmunds	Cold Milling, Asphalt Concrete Resurfacing (41k Ton), Pipe Work (End Sections)	US Highway 12 - From Bowdle to Roscoe
083U	Beadle	Structure (3-16x13 CIP RCBC), Approach Grading	Structure 3.5 W & 4.5 S of Virgil on 386th Ave over Sand Creek SN 03-100-282 \square
068J, 069R	Dewey, Ziebach	Cold Milling, Asphalt Concrete Resurfacing (88k tons), Modify Intersection, Lighting	US212 - Fm Dupree through Eagle Butte; SD63 - Fm the US212 E Jct to N of the Moreau River
Tentative Letting Dat ** 05T2, 0965	e - 11/15/2023 McCook, Minnehaha	Remove & Replace PCC Surfacing (246k SqYd), Replace Str (208' Prestressed Girder Bridge, 3- 12x12 CIP RCBC), Grading (390k CuYd), Pipe Work	I90 E - Fm 2 W of Humboldt to 2 E of Hartford; I90 - Str 0.4 W of Exit 390 (SD38); I90 E - Exit 379 (Humboldt)
06RN	Hand	Cold Milling, Asphalt Concrete Resurfacing (25k Tons), Pipe Work (End Sections & Pipe Replacement)	SD26 - Fm SD45 to the Hand/Spink Co Line
095G	Mellette	Intersection Lighting	SD44 - SD63 Jct
086C, 086D	Spink	Structure (4-11'x10' CIP RCBC, 4-14'x14' CIP RCBC) & Approach Grading	Structure 1 S & 6 W of Redfield on 377th Ave over a Creek SN 58-030-259; Structure 4.0 N & 4.9 W of Tulare on 179th St over Turtle Creek SN 58-051-310 $\hfill\Box$
** 04X0, I7AJ, I7AH, I7AE, I7AF, 07EA, 08NX	Jackson, Mellette, Tripp	Full Depth Reclamation, Asphalt Concrete Surfacing (102k tons), Gravel Surfacing (60k Ton), Modify Intersection, Pipe Work (Pipe Replacements and 340 ft CIPP 24", 388 ft CIPP 30", 120 ft CIPP 48")	SD44 - Fm SD63 to the N Jct of US83; SD63 - Fm N of SD44 to Belvidere
07AN	Regionwide	Corridor Signing	Rapid City Region
Tentative Letting Dat			-
085C, 085D	Lincoln	Structure (162' Continuous Concrete Bridge) & Approach Grading	Structure 10 S & 0.9 W of Lennox on 289th St over Long Creek $\!$
08M9	Day	Inslope Repair & Riprap	US12 - Across Rush Lake W of Waubay
083V, 0841, 0844	Beadle	Structure (3-13x7 CIP RCBC, 3-14x5 CIP RCBC, 4 12x6 CIP RCBC) & Approach Grading	- Structure 5.1 S & 2 E of Cavour on 411th Ave over Middle Pearl Creek SN 03-350-231; Structure 1 E & 2.8 S of Cavour on 410th Ave over Pearl Creek SN 03-340-208; Structure 0.6 W & 3.0 S of Iroquois on 211th St over the S Fork of Pearl Creek SN 03-414-210

Projects	Anticipated	for Letting

			11/01/2023 to 01/17/2024	
06	6UR	Meade, Pennington	Pipe Replacement, CIPP Lining and Pipe Joint Repair	Various Locations Throughout the Rapid City Area
30	86G, 086J	Spink	Structure (155' Prestressed Girder & 166' Prestressed Girder) & Approach Grading	Structure 1 S & 2.8 W of Redfield on 175th St over Turtle Creek SN 58-062-270; Structure 1.0 E & 1.5 N of Redfield on 172nd St over Turtle Creek SN 58-109-240 \Box
05	5GA	Meade, Pennington	Cold Plastics Durable Pavement Marking	Various locations on the State System in the Rapid City Region
** 05	5T4, 09LW, 06RF	Aurora, Brule	Asphalt Concrete Milling & Asphalt Concrete Resurfacing (74K Tons)	I90 E & W - Fm 8 E of Chamberlain to White Lake; SD45 - Fm Cemetery Rd to Truck St in Kimball
05	5E9	Haakon, Stanley	Cold Milling, Asphalt Concrete Resurfacing (55k Tons), Shoulder Full Depth Reclamation, Pipe Work, Bridge Rail Upgrade□	US14 - Fm Midland to SD34
Tenta	ative Letting Date	a - 12/13/2023		
	BE7	Lawrence	Asphalt Concrete Shared Use Path	Spearfish - along McGuigan Rd & Old Belle Rd from Tumble Weed Tr to the S side of the Reserve on Higgins Creeks Subdivision at Russel St
** 05	5HW	Corson	Grading (870k CuYd), Interim Surfacing, Replace Strs (120' Prestressed Girder, 9'x6' CIP or Precast, 6'x6' CIP or Precast, 8'x8' CIP or Precast)	US12 - Fm Morristown to 9 E
80	86R, 086T	Tripp	Structure (81.5' Continuous Concrete Bridge & 3-12'x12' CIP RCBC) & Approach Grading	Structure 2 N & 4.8 E of Ideal on 264th St over Old Lodge Creek SN 62-208-140; Structure 1.7 E & 8 N of Winner on 270th St over Old Lodge Creek SN 62-217-200□
80	84U, 084V	Grant	Structure (3-12x11 CIP RCBC; 4-11x11 CIP RCBC) & Approach Grading	Structure 1 N & 1.5 E of Milbank on 480th Ave over S Fork of the Whetstone River SN 26-310-056; Structure 8.3 N of Albee on 482nd Ave over N Fork of the Yellow Bank River SN 26-330-107
04	4VD	Moody	LSDC Overlay, Joints, Modify Girder, Bearing Repair, Zone Painting	SD13 - 0.3 North of Flandreau Over the Big Sioux River
04	4L7	Lawrence	Signing & Delineation - Gravel Roads ONLY	Various County, City, & Township Roads in Lawrence Co
07	7Y2	Harding	Full Depth Reclamation, Cold Milling, Asphalt Concrete Surfacing (38k tons), Pipe Work (Repair Joints, 24" CIPP, 36" CIPP, Slipline 66")	US85 - Fm Ludlow to the ND State Line
08	9FY	Lawrence	Asphalt Concrete Shared use Path & Retaining Wall	Spearfish - Along Old Belle Rd fm S of I90 to Russell St
09	96D	Lawrence	Interstate Fence	I90 E&W - Fm Wy State Line to Exit 10 (Spearfish/Belle Fourche)
	ative Letting Date 84R, 085J	e - 01/17/2024 Miner	Structures (3-12x11 CIP; 3-10x7 CIP) & Approach Grading	Structure in Carthage on Main St over Redstone Creek (City Owned) SN 49-062-018; Structure 5 N & 0.1 E of Howard on 228th St over the West Fork of the Vermillion River SN 49-161-080
08	86K, 086L	Spink	Structure (180' Continuous Concrete & 104' Continuous Concrete) & Approach Grading	Structure 1.8 S & 0.9 E of Ashton on 167th St over the James River SN 58-117-190; Structure 3.3 N & 1.6 E of Ashton on 162nd St over the James River SN 58-124-140

Projects Anticipated for Letting Within 6 Months

The following projects are not yet scheduled for a particular bid opening date, but are anticipated to be let within the next 6 months. The reason they are not slated for a specific letting date is because certain project activities necessary to move the project toward bid advertisement are yet to be fully completed (i.e. final design revisions, environmental clearances / permitting, ROW acquisition, Utility certification, etc.). There is no guaranty the projects on this list will be bid within the next 6 months and this list is not inclusive of all projects that could be let within the next 6 months. The anticipated letting schedule will continually be refined as projects progress and information becomes available.

	03WC, 03UA, 03UC	Corson, Haakon, Ziebach	Scour Protection	Structure located 0.5 Miles South of Ziebach/Haakon County line over Hermaphrodite Creek
	0749	Charles Mix	Shared Use Path	Wagner along Main Ave from 298th St to the N End of Tomahawk Rd
	074F	Mellette	Replace Pipe & Drainage Improvements	US83 - 1.25 S of the S US83/SD44 Jct
	08NE	Ziebach	2021 LFBP Structure (3-11'x10' CIP RCBC) & Approach Grading	Structure 0.2 N of Dupree on IRR Co Rd over Bear Ck SN 69-203-288
	08ND	Union	2021 LFBP Structure (3-9'x9' Precast RCBC) & Approach Grading	Structure 9.5 S & 1.5 E of Alcester on 311th St over E Union Ck SN 64-105-140 \square
	08MU	Hand	2021 LFBP Structure (2-9'x9' CIP RCBC) & Approach Grading	Structure 4 E & 0.4 N of St Lawrence on 366th Ave over Pearl Ck SN 30-220-256 \square
	08MF	Beadle	2021 LFBP Structure (3-12'x8' CIP RCBC) & Approach Grading	Structure 2 E & 0.4 S of Wessington on 376th Ave over Cain Ck SN 03-020-124 $\!\Box$
	085K, 085L	Minnehaha	2020 LFBP Structure's (3-12'x7' CIP RCBC, 3-10'x7, CIP RCBC) & Approach Grading	Structure 1 N & 0.3 W of Renner on 257th St over Silver Creek SN 50-208-130□ Structure 2.9 N & 1 E of Corson on 483rd Ave over a Tributary to Split Rock Creek SN 50-290-131
**	04KU	Clark	Grading (470k CuYd), Interim Surfacing	SD25 - Fm N of the N Jct of SD28 N 6.3
**	05HV, 08EH	Jackson	Grading (1.5M CuYd), Interim Surfacing, Replace Str RCBC (2-11'x9' Box)	SD73 - Fm S of the White River to Kadoka
	06CW	Hamlin	Full Depth Reclamation, Asphalt Concrete Surfacing (27k tons), Pipe Work (End Sections)	SD21 - Fm W City Limits of Hayti to US81
	084J	Brown	2020 LFBP Structure (122' Continuous Concrete) & Approach Grading	Structure 8.5 W & 5 N of Frederick on 102nd St over Elm Lake SN 07-019-020 \square
	084G	Brookings	2020 LFBP Structure (3-14x7 CIP RCBC) & Approach Grading	Structure 2.3 S & 3 W of White on 475th Ave over Six Mile Creek SN 06-210-098 $\hfill\Box$
	085Q	Moody	2020 LFBP Structure (162' Continuous Concrete) & Approach Grading	Structure 7.5 E & 2 S of Trent on 242nd St over Pipestone Creek SN 51-195-220□

	085T, 085R, 085U	Pennington	2020 LFBP Structure (2-12'x12' CIP RCBC; 4-12'x8' CIP RCBC; 3-12'x8' CIP RCBC) & Approach Grading	Structure 4.0 W & 5.3 N of Conata on Huether Rd over a Creek SN 52-896-490; Structure 0.6 W & 2.1 N of Quinn on Paulsen Rd over Cottonwood Creek SN 52-952-341; Structure 0.5 W and 2.2 N of Quinn on Paulsen Rd over Cottonwood Creek SN 52-953-340
	0862	Pennington	2020 LFBP Structure (2-15'x3.5' CIP RCBC) & ApproachGrading	Structure 0.1 S of San Marco & S Canyon in Rapid City on San Marco Blvd over the Pierre St Drainage Ditch (City Owned) SN 52-375-296
	0854	Lawrence	2020 LFBP Structure (29.2' Continuous Concrete Bridge) & Approach Grading	Structure 0.12 W of US14A on Elmore Rd over Spearfish Creek SN 41-079-199 $\hfill\Box$
	084D	Grant	2020 LFBP Structure (228' composite Steel Plate Girder Bridge) & Approach Grading	Structure in Big Stone City on 2nd Ave over the BN RR (City Owned) SN 26-374-023 $\hfill\Box$
**	4433, 062V	Minnehaha	Interchange Reconstruction (300k CuYd), Replace Str Bridge ((2) 222' Steel Girder Bridges, 185' Prestressed Girder Bridge), Lighting, PCC Surfacing (80k SqYd), Retaining Walls	I90 - Exit 406 (Corson/Brandon); SD11 - Fm Redwood Blvd to Ash St in Brandon & 260th St Intersection in Corson
	05TJ	Union	Structure (244' Prestressed Girder Bridge) & Approach Grading	I29 - Str 3 S of Beresford Over I29 at 300th St
	0851	Hutchinson	2020 LFBP Structure (102' Continuous Concrete Bridge) & Approach Grading	Structure in Milltown on Benson Rd over Twelve Mile Creek SN 34-157-051
	08KR	Campbell, Edmunds, McPherson, Potter	Regionwide Inslope Repair & Restoration, Culvert Extensions (154 feet 18" CIPP; 690 feet 24" CIPP; 267 feet 30" CIPP; 193 feet 36" CIPP; 88 feet 48" CIPP	Various Locations in the Pierre & Aberdeen Regions
	0950	Lincoln	Traffic Control Signals	SD115 N & S - Tiger Way Jct
	08M8	Corson	Cold Milling Asphalt Concrete, Asphalt Concrete Surfacing (17k Tons) & Pipe Work	US12 - Fm 7 E of Perkins Co Line to 2 E, & at McIntosh
	08CW	Charles Mix	Grading (95k cuyd), Asphalt Concrete Surfacing (13k Tons), RCBC (12'x12' CIP)	SD46 - Fm W of 393rd Ave to the W City Limits of Wagner