

Advertisement of Highway Bid Letting

<http://apps.sd.gov/hc65bidletting/ebslettings1.aspx>

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the SDDOT secure bid submission site at <http://apps.sd.gov/hc65bidletting/bidsubmittallogin.aspx> until 10 A.M. Central time, on Wednesday, November 2, 2016, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	NH 0050(108)385 (PCN 023U)	Yankton SWPPP = 95.70 AC	8.493	PCC Overlay, PCC Surfacing, Curb & Gutter, Crossover, Cutoff Drain, & Edge Drains	SD50 from Yankton to the beginning of the divided lanes east of Yankton & SD50 WBL from divided section east of Yankton to west of Gayville
2.	P 0063(47)83, 014-352 (PCN 04EJ, I4DL)	Haakon, Jackson	13.565	Cold Milling Asphalt Concrete & Asphalt Concrete Resurfacing	SD63 from SD248 to US14, and US14 at SD63 in Midland
3.	PH 0046(65)373 (PCN 04HF)	Lincoln, Union SWPPP = 12.00 AC	0.510	Intersection Improvements	Junction of SD11 & SD46
4.	NH 0018(187)278 (PCN 02RC)	Gregory	---	Roadway Lighting	US18 through Gregory

* Indicates combination bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1.	NH 0050(108)385	Area Engineer: Rod Gall, 1306 W 31st St, Yankton, SD, 57078-9662	Phone: 605/668-2929
Work Type 3	DBE Goal: Not Specified	Contract Id: 6152	See Special Provisions for Completion Requirements
1	Remove Traffic Diversion(s)	LS	1.000
2	Mobilization	LS	1.000
3	Grade Staking	Mile	25.530
4	Graded Centerline Staking	Mile	8.419
5	Miscellaneous Staking	Mile	8.419
6	Slope Staking	Mile	8.419
7	Three Man Survey Crew	Hour	40.000
8	Construction Schedule, Category III	LS	1.000
9	Training Program	Hour	1,000.000
10	Remove Concrete Curb and/or Gutter	Ft	510.000
11	Remove Edge Drains	LS	1.000
12	Remove 3 Cable Guardrail	Ft	478.000
13	Remove Beam Guardrail	Ft	300.000
14	Remove 3 Cable Guardrail Anchor Assembly	Each	1.000
15	Remove 3 Cable Guardrail Slip Base Anchor Assembly	Each	2.000
16	Remove W Beam Guardrail Breakaway Cable Terminal	Each	2.000
17	Remove W Beam Guardrail End Terminal	Each	2.000
18	Remove Concrete Pavement	SqYd	9,401.000
19	Remove Silt Fence	Ft	750.000
20	Unclassified Excavation	CuYd	3,252.000
21	Contractor Furnished Borrow Excavation	CuYd	16,666.000
22	Water for Embankment	MGal	214.900
23	Water for Granular Material	MGal	529.800
24	Pit Run	Ton	922.500
25	Remove and Replace Topsoil	LS	1.000
26	Base Course	Ton	17,474.900
27	Base Course, Salvaged	Ton	20,517.100
28	Gravel Cushion	Ton	2,301.500
29	Gravel Cushion, Salvaged	Ton	2,702.200
30	Granular Material, Furnish	Ton	10,829.400
31	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	1,560.500
32	Blend and Stockpile Granular Material	Ton	21,658.800
33	PG 58-28 Asphalt Binder	Ton	716.000
34	Class HR Asphalt Concrete	Ton	17,907.800
35	Asphalt Concrete Composite	Ton	240.000
36	Compaction Sample	Each	3.000
37	Saw and Seal Shoulder Joint	Ft	87,666.000
38	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	5.300
39	MC-70 Asphalt for Prime	Ton	115.000
40	SS-1h or CSS-1h Asphalt for Tack	Ton	30.900
41	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	20.300
42	Sand for Flush Seal	Ton	104.400
43	Micro-Milling Asphalt Concrete	SqYd	134,619.000
44	9" Nonreinforced PCC Pavement	SqYd	9,646.400
45	PCC Overlay, Furnish	CuYd	36,895.900
46	7" PCC Overlay, Placement	SqYd	173,000.100
47	7" PCC Approach Pavement	SqYd	82.200
48	Fast Track Concrete	SqYd	10,997.800
49	Dowel Bar	Each	108,806.000
50	Insert Steel Bar in PCC Pavement	Each	617.000
51	Membrane Sealant Expansion Joint	Ft	52.000
52	Precast Concrete Headwall for Drain	Each	24.000
53	Type III Field Laboratory	Each	1.000

54	3 Cable Guardrail	Ft	247.000
55	3 Cable Guardrail Slip Base Anchor Assembly	Each	1.000
56	Straight Class A W Beam Guardrail with Wood Posts	Ft	200.000
57	W Beam Guardrail Tangent End Terminal	Each	1.000
58	W Beam Guardrail Breakaway Cable Terminal	Each	1.000
59	Pavement Marking Paint, White	Gal	282.000
60	Pavement Marking Paint, Yellow	Gal	520.000
61	Flagging	Hour	200.000
62	Traffic Control Signs	SqFt	2,332.300
63	Traffic Control, Miscellaneous	LS	1.000
64	Traffic Control Supervisor	LS	1.000
65	Type 3 Barricade, 8' Single Sided	Each	46.000
66	Type 3 Barricade, 8' Double Sided	Each	5.000
67	Temporary Raised Pavement Markers	Mile	37.400
68	Tubular Marker	Each	777.000
69	Replace Tubular Marker	Each	150.000
70	Type C Advance Warning Arrow Board	Each	2.000
71	Remove Pavement Marking, 4" or Equivalent	Ft	850.000
72	4" Temporary Pavement Marking Tape Type I	Ft	1,008.000
73	Temporary Pavement Marking	Mile	23.600
74	Detour Signing	SqFt	570.000
75	Type B67 Concrete Curb and Gutter	Ft	398.000
76	Type P7 Concrete Gutter	Ft	112.000
77	7" Concrete Valley Gutter	Ft	112.000
78	Edge Drain	Ft	3,527.000
79	Edge Drain Outlet	Each	24.000
80	Adjust Edge Drain Outlet	Each	145.000
81	Cutoff Drain	Each	1.000
82	Type G Permanent Seed Mixture	Lb	780.000
83	Fertilizing	Ton	15.000
84	Mulching	Ton	60.000
85	Low Flow Silt Fence	Ft	1,000.000
86	High Flow Silt Fence	Ft	2,000.000
87	Mucking Silt Fence	CuYd	208.000
88	Repair Silt Fence	Ft	750.000
89	Non-woven Separator Fabric	SqYd	1,202.000
90	Geotextile Bond Breaker Fabric	SqYd	211,251.000
91	Refurbish Single Mailbox	Each	24.000
92	Refurbish Double Mailbox	Each	10.000

2. **P 0063(47)83, 014-352** **Area Engineer: Dean VanDeWiele, 104 S Garfield, Pierre, SD, 57501-5405** **Phone: 605/773-5294**
Work Type 5 **DBE Goal: Not Specified** **Contract Id: 6154** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Construction Staking	Mile	13.328
3	Three Man Survey Crew	Hour	20.000
4	Checker	LS	1.000
5	Construction Schedule, Category II	LS	1.000
6	Training Program	Hour	500.000
7	Remove Cattle Pass	Ft	40.000
8	Remove Cattle Pass End Section	Each	6.000
9	Remove Fence	Ft	264.000
10	Remove Sediment	CuYd	1.200
11	Remove Erosion Control Wattle	Ft	138.000
12	Remove Silt Fence	Ft	138.000
13	Unclassified Excavation	CuYd	1,045.000
14	Unclassified Excavation, Digouts	CuYd	659.000

15	Contractor Furnished Borrow Excavation	CuYd	134.000
16	Reprofiling Ditch	Sta	2.000
17	Placing Topsoil	CuYd	138.000
18	Base Course	Ton	1,530.600
19	Base Course, Salvaged, State Furnished	Ton	898.700
20	Asphalt Concrete Composite	Ton	71.300
21	Asphalt Concrete Blade Laid	Ton	1,977.100
22	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	27.000
23	SS-1h or CSS-1h Asphalt for Tack	Ton	157.400
24	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	53.900
25	Sand for Flush Seal	Ton	698.400
26	Cold Milling Asphalt Concrete	SqYd	270,259.000
27	Tie Bolts for RCP	Each	94.000
28	Culvert Joint Cleaning	Ft	890.100
29	Repair Culvert Joint	Ft	890.100
30	Chemical Grout Void Fill	Gal	217.100
31	Controlled Density Fill	CuYd	22.500
32	Type III Field Laboratory	Each	1.000
33	Type 2 Right-of-Way Fence	Ft	102.000
34	Cold Applied Plastic Pavement Marking, Railroad Crossing	Each	2.000
35	Pavement Marking Paint, White	Gal	453.000
36	Pavement Marking Paint, Yellow	Gal	158.000
37	Grooving for Cold Applied Plastic Pavement Marking, Railroad Crossing	Each	2.000
38	Flagging	Hour	464.000
39	Pilot Car	Hour	232.000
40	Traffic Control Signs	SqFt	1,084.000
41	Traffic Control, Miscellaneous	LS	1.000
42	Type 3 Barricade, 8' Double Sided	Each	1.000
43	4" Temporary Pavement Marking Tape Type I	Ft	2,544.000
44	Temporary Pavement Marking	Mile	52.000
45	Temporary Pavement Marking	Ft	3,750.000
46	Groove 6" Wide Rumble Strip	Ft	425.000
47	Cover Crop Seeding	Bu	2.000
48	Erosion Control	LS	1.000
49	12" Diameter Erosion Control Wattle	Ft	550.000
50	Remove and Reset Erosion Control Wattle	Ft	138.000
51	High Flow Silt Fence	Ft	550.000
52	Mucking Silt Fence	CuYd	38.000
53	Repair Silt Fence	Ft	138.000
54	Refurbish Single Mailbox	Each	3.000
55	Refurbish Double Mailbox	Each	6.000
56	Storage Unit	Each	1.000
57	Railroad Protective Insurance	LS	1.000
58	PG 58-34 Asphalt Binder	Ton	1,635.500
59	Class Q2R Hot Mixed Asphalt Concrete	Ton	31,958.500
60	Hydrated Lime	Ton	341.400
61	PG 58-34 Asphalt Binder	Ton	1,509.100
62	Class Q2R Hot Mixed Asphalt Concrete	Ton	32,780.200
63	Hydrated Lime	Ton	343.300
64	Haul and Stockpile Granular Material	Ton	146.100
65	PG 58-34 Asphalt Binder	Ton	25.900
66	Class Q2R Hot Mixed Asphalt Concrete	Ton	556.100
67	Hydrated Lime	Ton	5.500
68	Haul and Stockpile Granular Material	Ton	142.700
69	PG 58-34 Asphalt Binder	Ton	23.700
70	Class Q2R Hot Mixed Asphalt Concrete	Ton	571.100

71	Hydrated Lime	Ton	5.700
72	Haul and Stockpile Granular Material	Ton	7,626.100
73	Haul and Stockpile Granular Material	Ton	7,438.200

3.	PH 0046(65)373	Area Engineer: Rod Gall, 1306 W 31st St, Yankton, SD, 57078-9662		Phone: 605/668-2929
	Work Type 2 or Work Type 5	DBE Goal: Not Specified	Contract Id: 6155	See Special Provisions for Completion Requirements
1	Mobilization	LS	1.000	
2	Grade Staking	Mile	1.671	
3	Miscellaneous Staking	Mile	0.691	
4	Slope Staking	Mile	0.691	
5	Three Man Survey Crew	Hour	40.000	
6	Clearing	LS	1.000	
7	Remove Building	Each	1.000	
8	Remove Fence	Ft	2,600.000	
9	Remove Asphalt Concrete Pavement	SqYd	517.500	
10	Remove Concrete Pavement	SqYd	179.100	
11	Remove Bank and Channel Protection Gabion	Each	12.000	
12	Remove Silt Fence	Ft	500.000	
13	Salvage Traffic Sign	Each	19.000	
14	Remove Pipe End Section for Reset	Each	1.000	
15	Unclassified Excavation	CuYd	64,209.000	
16	Undercutting	CuYd	11,591.000	
17	Water for Embankment	MGal	505.000	
18	Water for Granular Material	MGal	168.200	
19	Placing Topsoil	CuYd	4,855.000	
20	Incidental Work, Grading	LS	1.000	
21	Base Course	Ton	714.600	
22	Base Course, Salvaged	Ton	13,376.100	
23	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	13,376.100	
24	PG 64-28 Asphalt Binder	Ton	280.600	
25	Class E Asphalt Concrete	Ton	4,923.100	
26	Compaction Sample	Each	3.000	
27	MC-70 Asphalt for Prime	Ton	24.200	
28	SS-1h or CSS-1h Asphalt for Tack	Ton	7.300	
29	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	3.700	
30	Sand for Flush Seal	Ton	42.400	
31	Pipe Culvert Undercut	CuYd	58.000	
32	24" RCP Class 2, Furnish	Ft	118.000	
33	24" RCP, Install	Ft	118.000	
34	36" RCP Class 2, Furnish	Ft	4.000	
35	36" RCP, Install	Ft	4.000	
36	48" RCP Class 3, Furnish	Ft	104.000	
37	48" RCP Class 4, Furnish	Ft	46.000	
38	48" RCP, Install	Ft	150.000	
39	48" RCP Flared End, Furnish	Each	2.000	
40	48" RCP Flared End, Install	Each	2.000	
41	24" RCP Sloped End, Furnish	Each	2.000	
42	24" RCP Sloped End, Install	Each	2.000	
43	18" CMP 16 Gauge, Furnish	Ft	216.000	
44	18" CMP, Install	Ft	216.000	
45	18" CMP Safety End, Furnish	Each	6.000	
46	18" CMP Safety End, Install	Each	6.000	
47	Reset Pipe End Section	Each	1.000	
48	Type II Field Laboratory	Each	1.000	
49	Type 2 Right-of-Way Fence	Ft	1,405.000	
50	Type 1A Temporary Fence	Ft	900.000	

51	2 Post Panel	Each	9.000
52	3 Post Panel	Each	4.000
53	2.0"x2.0" Perforated Tube Post	Ft	30.000
54	2.25"x2.25" Perforated Tube Post	Ft	126.000
55	2.5"x2.5" Perforated Tube Post	Ft	150.800
56	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	32.000
57	4" Tubular White Delineator with 1.12 Lb/Ft Post	Each	16.000
58	Type 2 Object Marker	Each	4.000
59	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	235.700
60	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	116.000
61	Remove, Salvage, Relocate, and Reset Traffic Sign	Each	3.000
62	Pavement Marking Paint, White	Gal	31.000
63	Pavement Marking Paint, Yellow	Gal	42.000
64	Flagging	Hour	400.000
65	Pilot Car	Hour	40.000
66	Traffic Control Signs	SqFt	872.600
67	Traffic Control, Miscellaneous	LS	1.000
68	Type 3 Barricade, 8' Single Sided	Each	24.000
69	Type 3 Barricade, 8' Double Sided	Each	6.000
70	Temporary Pavement Marking	Mile	4.000
71	Detour Signing	SqFt	611.200
72	1.5" Rigid Galvanized Steel Conduit	Ft	30.000
73	Bank and Channel Protection Gabion	CuYd	22.500
74	Type G Permanent Seed Mixture	Lb	273.000
75	Fertilizing	Ton	5.250
76	Mulching	Ton	21.000
77	Type 1 Turf Reinforcement Mat	SqYd	60.000
78	Surface Roughening	Acre	3.200
79	Low Flow Silt Fence	Ft	1,500.000
80	High Flow Silt Fence	Ft	500.000
81	Mucking Silt Fence	CuYd	139.000
82	Repair Silt Fence	Ft	500.000
83	Type B Drainage Fabric	SqYd	68.000

4.	NH 0018(187)278	Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206	Phone: 605/995-8120
	Work Type 10	DBE Goal: Not Specified	Contract Id: 6153 See Special Provisions for Completion Requirements
1	Mobilization	LS	1.000
2	Incidental Work	LS	1.000
3	Flagging	Hour	25.000
4	Traffic Control Signs	SqFt	153.000
5	Traffic Control, Miscellaneous	LS	1.000
6	Type C Advance Warning Arrow Board	Each	1.000
7	Breakaway Base Luminaire Pole with Arm, 40' Mounting Height	Each	11.000
8	Roadway Luminaire, LED with Photoelectric Cell	Each	11.000
9	2' Diameter Footing	Ft	77.000
10	Type 1 Electrical Junction Box	Each	7.000
11	Electrical Service Cabinet	Each	1.000
12	2" Rigid Conduit, Schedule 40	Ft	1,875.000
13	2" Rigid Conduit, Schedule 80	Ft	395.000
14	1/C #4 AWG Copper Wire	Ft	5,545.000
15	1/C #6 AWG Copper Wire	Ft	1,525.000
16	2/C #10 AWG Copper Pole and Bracket Cable	Ft	605.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website at: <http://apps.sd.gov/hc65bidletting/ebslettings1.aspx>.

MINIMUM WAGE RATES: Minimum wage rates for 1 through 4 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bidding files require the use of the South Dakota Electronic Bidding System (SDEBS) which is downloadable from the Bid Letting website at <http://apps.sd.gov/hc65bidletting/ebsInstall.aspx>. Bids shall be completed in their entirety utilizing the SDEBS.

Instructions on how to bid with SDDOT are available on the SDDOT Bid Letting website at: <https://apps.sd.gov/HC65BidLetting/ebshowtobid.aspx>.

NONDISCRIMINATION ASSURANCE: The Department of Transportation in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, national origin, sex, age or disability in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Environmental & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Darin Bergquist
SECRETARY OF TRANSPORTATION