

Advertisement of Highway Bid Letting

<http://apps.sd.gov/hc65bidletting/ebslettings1.aspx>

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the SDDOT secure bid submission site at <http://apps.sd.gov/hc65bidletting/bidsubmittallogin.aspx> until 10 A.M. Central time, on Wednesday, November 16, 2016, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

---

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	BRF 6397(03) (PCN 01DY)	Union SWPPP = 1.26 AC	---	Structure & Approach Grading (102' Continuous Concrete Bridge)	Structure 4 miles west & 2 miles south of Alcester over E. Brule Creek
2.	IM 0904(50)189 (PCN 00GL)	Jones SWPPP = 32.90 AC	8.424	PCC Overlay, PCC Surfacing, Asphalt Concrete Surfacing, Culvert Repair, & Edge Drains	190 EBL from 3 miles west of Exit 192 (Murdo) to 3 miles west of Exit 201 (Draper)

---

\* Indicates combination bids

SWPPP = Storm Water Pollution Prevention Plan

---

ITEMS INVOLVED ARE AS FOLLOWS

---

<b>1.</b>	<b>BRF 6397(03)</b>	<b>Area Engineer: Rod Gall, 1306 W 31st St, Yankton, SD, 57078-9662</b>	<b>Phone: 605/668-2929</b>
	<b>Work Type 7</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 6212</b> <b>See Special Provisions for Completion Requirements</b>
	1 Mobilization		LS 1.000
	2 Concrete Penetrating Sealer		SqYd 349.700
	3 Clearing		LS 1.000
	4 Remove Asphalt Concrete Pavement		SqYd 1,360.000
	5 Remove Silt Fence		Ft 50.000
	6 Salvage Riprap		Ton 500.000
	7 Unclassified Excavation		CuYd 2,623.000
	8 Placing Topsoil		CuYd 426.000
	9 Incidental Work, Grading		LS 1.000
	10 Incidental Work, Structure		LS 1.000
	11 Structure Excavation, Bridge		CuYd 469.000
	12 Class A45 Concrete, Bridge Deck		CuYd 168.400
	13 Class A45 Concrete, Bridge		CuYd 173.000
	14 Controlled Density Fill		CuYd 8.100
	15 Type T115 Bridge Railing		Ft 237.000
	16 Reinforcing Steel		Lb 25,382.000
	17 Epoxy Coated Reinforcing Steel		Lb 61,467.000
	18 Extract Pile		Each 24.000
	19 Preboring Pile		Ft 100.000
	20 HP 10x42 Steel Test Pile, Furnish and Drive		Ft 440.000
	21 HP 10x42 Steel Bearing Pile, Furnish and Drive		Ft 3,010.000
	22 Traffic Control Signs		SqFt 156.500
	23 Traffic Control, Miscellaneous		LS 1.000
	24 Type 3 Barricade, 8' Single Sided		Each 9.000
	25 Type 3 Barricade, 8' Double Sided		Each 5.000
	26 Class D Riprap		Ton 2,273.000
	27 Place Riprap		Ton 500.000
	28 Cover Crop Seeding		Bu 1.000
	29 Erosion Control		LS 1.000
	30 Type 2 Erosion Control Blanket		SqYd 404.000
	31 12" Diameter Erosion Control Wattle		Ft 140.000
	32 Remove and Reset Erosion Control Wattle		Ft 35.000
	33 Shaping for Erosion Control Blanket		Ft 200.000
	34 High Flow Silt Fence		Ft 200.000
	35 Mucking Silt Fence		CuYd 15.000
	36 Repair Silt Fence		Ft 50.000
	37 Floating Silt Curtain		Ft 390.000
	38 Type B Drainage Fabric		SqYd 2,008.000

<b>2.</b>	<b>IM 0904(50)189</b>	<b>Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771</b>	<b>Phone: 605/842-0810</b>
	<b>Work Type 3</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 6151</b> <b>See Special Provisions for Completion Requirements</b>
	1 Remove Traffic Diversion(s)		LS 1.000
	2 Mobilization		LS 1.000
	3 Grade Staking		Mile 11.061
	4 Graded Centerline Staking		Mile 8.977
	5 Miscellaneous Staking		Mile 10.898
	6 Slope Staking		Mile 2.498
	7 Three Man Survey Crew		Hour 40.000
	8 Construction Schedule, Category II		LS 1.000
	9 Project Management, Category II		LS 1.000
	10 Training Program		Hour 1,500.000
	11 Remove Concrete Footing(s)		LS 1.000
	12 Remove Edge Drains		LS 1.000
	13 Remove Pipe Culvert		Ft 64.000

14	Remove Pipe End Section	Each	8.000
15	Remove 3 Cable Guardrail	Ft	1,572.000
16	Remove Beam Guardrail	Ft	425.000
17	Remove 3 Cable Guardrail Anchor Assembly	Each	6.000
18	Remove 3 Cable Guardrail Slip Base Anchor Assembly	Each	2.000
19	Remove Beam Guardrail Trailing End Terminal	Each	1.000
20	Remove W Beam Guardrail Breakaway Cable Terminal	Each	4.000
21	Remove W Beam Guardrail End Terminal	Each	1.000
22	Remove Concrete Pavement	SqYd	15,685.800
23	Remove Luminaire Pole Footing	Each	8.000
24	Remove Silt Fence	Ft	825.000
25	Salvage Traffic Sign	Each	13.000
26	Remove Interim Crossover Closure for Reset	Ft	399.000
27	Remove Pipe for Reset	Ft	40.000
28	Remove Pipe End Section for Reset	Each	28.000
29	Unclassified Excavation	CuYd	35,681.000
30	Unclassified Excavation, Digouts	CuYd	210.000
31	Select Subgrade Topping	CuYd	20,071.000
32	Contractor Furnished Borrow Excavation	CuYd	48,449.000
33	Reprofiling Ditch	Sta	10.000
34	Water for Embankment	MGal	627.000
35	Water for Granular Material	MGal	837.300
36	Shoulder Shaping	Mile	7.480
37	Remove and Replace Topsoil	LS	1.000
38	Incidental Work	LS	1.000
39	Base Course	Ton	42,487.500
40	Gravel Cushion	Ton	1,000.000
41	Gravel Cushion, Salvaged	Ton	8,793.600
42	Granular Material, Furnish	Ton	664.900
43	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	25,622.000
44	Salvage and Stockpile Granular Material	Ton	3,617.500
45	Blend, Haul, and Stockpile Granular Material	Ton	8,793.600
46	Full Depth Reclamation, Shoulder	SqYd	83,373.000
47	PG 58-28 Asphalt Binder	Ton	566.500
48	Class HR Asphalt Concrete	Ton	14,114.000
49	Asphalt Concrete Composite	Ton	3,500.000
50	Compaction Sample	Each	3.000
51	Saw and Seal Shoulder Joint	Ft	85,037.000
52	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	14.900
53	MC-70 Asphalt for Prime	Ton	102.800
54	SS-1h or CSS-1h Asphalt for Tack	Ton	30.000
55	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	19.700
56	Sand for Flush Seal	Ton	33.000
57	Cold Milling Asphalt Concrete	SqYd	7,345.000
58	8.5" Nonreinforced PCC Pavement	SqYd	1,733.300
59	11" Nonreinforced PCC Pavement	SqYd	13,835.400
60	PCC Shoulder Pavement	SqYd	740.000
61	PCC Overlay, Furnish	CuYd	28,248.000
62	8.5" PCC Overlay, Placement	SqYd	121,556.800
63	Nonreinforced PCC Pavement Repair	SqYd	200.000
64	Dowel Bar	Each	79,686.000
65	Insert Steel Bar in PCC Pavement	Each	75.000
66	Membrane Sealant Expansion Joint	Ft	80.000
67	Precast Concrete Headwall for Drain	Each	20.000
68	24" CMP 12 Gauge, Furnish	Ft	56.000
69	24" CMP, Install	Ft	56.000

70	24" CMP Flared End, Furnish	Each	8.000
71	24" CMP Flared End, Install	Each	8.000
72	Cleanout Pipe Culvert	Each	45.000
73	Reset Pipe	Ft	40.000
74	Reset Pipe End Section	Each	28.000
75	Type III Field Laboratory	Each	1.000
76	3 Cable Guardrail	Ft	798.000
77	NCHRP 350 Test Level 3 High Tension Cable Guardrail	Ft	644.000
78	NCHRP 350 Test Level 3 High Tension Cable Guardrail Anchor Assembly	Each	4.000
79	3 Cable Guardrail Slip Base Anchor Assembly	Each	2.000
80	3 Cable Guardrail Anchor Assembly	Each	2.000
81	Furnish High Tension Cable Guardrail Post and Sleeve	Each	50.000
82	Reset Interim Crossover Closure	Ft	399.000
83	Straight Double Class A Thrie Beam Guardrail with Wood Posts	Ft	75.000
84	Straight Class A W Beam Guardrail with Wood Posts	Ft	162.500
85	W Beam to Thrie Beam Guardrail Transition	Each	1.000
86	W Beam Guardrail Flared End Terminal	Each	1.000
87	W Beam Guardrail Breakaway Cable Terminal	Each	2.000
88	Beam Guardrail Trailing End Terminal	Each	1.000
89	1.75' Diameter Breakaway Support Concrete Footing	Ft	18.000
90	4"x4" Amber Delineator with 1.12 Lb/Ft Post	Each	16.000
91	4"x8" Amber Delineator with 1.12 Lb/Ft Post	Each	18.000
92	4"x4" White Delineator with 1.12 Lb/Ft Post	Each	118.000
93	4"x8" White Delineator with 1.12 Lb/Ft Post	Each	52.000
94	Type 2 Object Marker	Each	2.000
95	Remove, Salvage, Relocate, and Reset Traffic Sign	Each	1.000
96	Cold Applied Plastic Pavement Marking, 4"	Ft	2,120.000
97	Cold Applied Plastic Pavement Marking, 12"	Ft	3,550.000
98	Waterborne Pavement Marking Paint with High Grade Polymer, White	Gal	646.000
99	Waterborne Pavement Marking Paint with High Grade Polymer, Yellow	Gal	529.000
100	Pavement Marking Paint, White	Gal	40.000
101	Pavement Marking Paint, Yellow	Gal	100.000
102	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	2,120.000
103	Grooving for Cold Applied Plastic Pavement Marking, 12"	Ft	3,550.000
104	Grooving for Durable Pavement Marking, 4"	Ft	222,951.000
105	Flagging	Hour	480.000
106	Traffic Control Signs	SqFt	2,980.600
107	Traffic Control, Miscellaneous	LS	1.000
108	Type 3 Barricade, 8' Double Sided	Each	31.000
109	Temporary Raised Pavement Markers	Mile	19.000
110	Tubular Marker	Each	879.000
111	Type C Advance Warning Arrow Board	Each	4.000
112	Remove Pavement Marking, 4" or Equivalent	Ft	5,000.000
113	Temporary Pavement Marking, Continuous 4" Edge Line	Ft	89,760.000
114	Temporary Pavement Marking	Mile	7.800
115	Detour Signing	SqFt	1,335.400
116	Contractor Furnished Portable Changeable Message Sign	Each	4.000
117	2' Diameter Footing	Ft	56.000
118	Type 1 Electrical Junction Box	Each	2.000
119	Remove and Reset Luminaire Pole	Each	8.000
120	1.5" Rigid Galvanized Steel Conduit	Ft	15.000
121	2" Rigid Conduit, Schedule 40	Ft	1,510.000
122	1/C #6 AWG Copper Wire	Ft	4,680.000
123	1/C #10 AWG Copper Wire	Ft	50.000
124	Edge Drain	Ft	8,246.000
125	Edge Drain Outlet	Each	20.000

126	Adjust Edge Drain Outlet	Each	170.000
127	Bank and Channel Protection Gabion	CuYd	16.500
128	Type F Permanent Seed Mixture	Lb	1,040.000
129	Fertilizing	Ton	30.000
130	Mulching	Ton	80.000
131	12" Diameter Erosion Control Wattle	Ft	1,000.000
132	Low Flow Silt Fence	Ft	500.000
133	High Flow Silt Fence	Ft	3,500.000
134	Mucking Silt Fence	CuYd	229.000
135	Repair Silt Fence	Ft	825.000
136	Geotextile Bond Breaker Fabric	SqYd	218,094.000

**Instructions**

**PROPOSALS, PLANS AND SPECIFICATIONS:** Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website at: <http://apps.sd.gov/hc65bidletting/ebslettings1.aspx>.

**MINIMUM WAGE RATES:** Minimum wage rates for 1 through 2 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

**BID PREPARATION:** Bidding files require the use of the South Dakota Electronic Bidding System (SDEBS) which is downloadable from the Bid Letting website at <http://apps.sd.gov/hc65bidletting/ebsInstall.aspx>. Bids shall be completed in their entirety utilizing the SDEBS.

Instructions on how to bid with SDDOT are available on the SDDOT Bid Letting website at: <https://apps.sd.gov/HC65BidLetting/ebshowtobid.aspx>.

**NONDISCRIMINATION ASSURANCE:** The Department of Transportation in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, national origin, sex, age or disability in consideration for an award.

**EXECUTION OF CONTRACT:** In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

**GENERALLY:** A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Environmental & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Darin Bergquist  
SECRETARY OF TRANSPORTATION