

Projects Anticipated for Letting
11/20/2024 to 01/22/2025

This is a tentative schedule subject to change and shall not be used for the letting. It will be updated periodically as information regarding project status becomes available. The "Advertisement of Highway Bid Letting" will occur 3 - 4 weeks in advance of the bid opening date at which point the plans and bid proposal packages will be made available on the Department's website.

| PCN(s) | County(s) | Type of Work | Location |
|--|-----------------------|---|--|
| Tentative Letting Date - 11/20/2024 | | | |
| 0609 | Moody | Grading, PCC Surfacing, Curb & Gutter, Sidewalk, Lighting | SD34 - Fm 469th Ave to the E City Limits in Colman |
| X06M | Moody | Replacement of Sanitary Sewer Crossings, Installation of Sanitary Sewer Services, Water Main, Water Services and Ditch Grading for the City of Colman | SD34 - Fm 469th Ave to the E City Limits in Colman |
| 08MR | Hand | Structure (3-10'x8' CIP RCBC) & Approach Grading | Structure 1 N & 1 E of St Lawrence on 197th S. over Turtle Ck SN 30-194-250 |
| 08MF | Beadle | Structure (3-12'x8' CIP RCBC) & Approach Grading | Structure 2 E & 0.4 S of Wessington on 376th Ave over Cain Ck SN 03-020-124 |
| 08MU | Hand | Structure (2-9'x9' CIP RCBC) & Approach Grading | Structure 4 E & 0.4 N of St Lawrence on 366th Ave over Pearl Ck SN 30-220-256 |
| 084J | Brown | Structure (122' Continuous Concrete) & Approach Grading | Structure 8.5 W & 5 N of Frederick on 102nd St over Elm Lake SN 07-019-020 |
| 06X7 | Stanley | Slide Repair, Erosion Control, Pipe Work | US14 - Fm 8 E to 11 E of Hayes |
| 05TY, 07CD, 06A1, 06E0, 06RC | Corson | Full Depth Reclamation, Asphalt Concrete Surfacing (99k Ton), Pipe Work | US12 - Fm 12 E of McLaughlin to W of Mobridge; SD63 - Fm McLaughlin N 2; SD1806 - Fm US12 to N of SD1806 P; 1806P - Fm SD1806 to end of the Route; SD1806 - Fm 3.5 S of US12 to US12 |
| 06RR | Harding | Cold Milling, Asphalt Concrete Resurfacing (28k Ton), Pipe Work | SD79 - Fm the E SD20 Jct N 15 |
| 096E | Lawrence, Meade | Interstate Fence | I90 W - Fm Exit 14 (Spearfish) to 1 E of Exit 32 (Sturgis) |
| 08YD, 09AX | Hughes, Potter, Sully | Asphalt Concrete Surfacing of Shoulders (47k Ton) | US83 - Fm US14 to US212; US212 - Fm W Jct of US83 to E Jct of US83 |
| Tentative Letting Date - 12/04/2024 | | | |
| 08MT | Hand | Structure (3-12'x6' Precast RCBC) & Approach Grading | Structure 6 E & 8.4 N of Miller on 366th Ave over Wolf Ck SN 30-220-166 |
| 06QK, 04G1 | Custer | Structure's (2-12'x12' CIP RCBC, 2-9'x7' CIP RCBC, 2-8'x7' CIP RCBC) & Approach Grading, Cold Milling, Asphalt Concrete Resurfacing, Pipe Work, Modify Intersection, Bridge Rail Upgrade, Inslope Restoration | US16A - Fm 2 E of Custer to SD36; US16A - 1 W of SD36 Over Grace Coolidge Creek |
| 08MX | Hutchinson | Structure (3-12'x5' Precast RCBC) & Approach Grading | Structure 1.3 N & 11.3 E of Parkston on Co Rd 11 over Plum Ck SN 34-173-057 |
| 07YW | Codington, Hamlin | Cold Milling, Asphalt Concrete Resurfacing (39k Ton) & Pipe Work | US81 - Fm SD 22 N to Watertown |

Projects Anticipated for Letting

11/20/2024 to 01/22/2025

| | | | |
|------------|--------------|--|--|
| ** 05EX | Brookings | Shoulder Widening (280k CuYd), Cold Milling, Asphalt Concrete Resurfacing (28k Ton), Replace Str (4-12x12 CIP RCBC), Pipe Work | SD13 - Fm SD324 to US14; Str 0.8 S of US14 Over Medary Ck |
| 04L0, 06CP | Butte | Grading (59k CuYd), Asphalt Concrete Surfacing & Resurfacing (36k Ton) | SD79 N & S - From the beginning of the divided section to the Jct of US212 S of Newell; SD79 - Fm Jct of US212 in Newell N 0.25; US212, US212 E & W - Fm Nisland to SD79 in Newell |
| 06Q8, I7AG | Lyman, Tripp | Cold Milling, Asphalt Concrete Resurfacing (21k Tons), Pipe Work | SD47 - Fm N of SD49 to I90 |
| 06G1, 06G2 | Butte | ADA & Sidewalk (36k SqFt) | SD79 - Through Newell; US212 - Through Newell |
| 091T | Minnehaha | LSDC Overlay, Approach Slabs, Pavement, Rails, Joints | I90 E & W - I90/I29 Interch over I29 Drainage Ditch & I90/I229 Interch over I229 |
| 069Q, 06YC | Lyman | Cold Milling, Asphalt Concrete Resurfacing (63K ton), Approach Guardrail, Pipe Work, Landslide Repair, Rumble Strips | SD47 - From I90 to W of Fort Thompson |
| 05UN | Lyman | Cold Milling, Asphalt Concrete Resurfacing (37k Ton), Pipe Work | SD47 - Fm 2.5 N of the Gregory/Lyman Co Line to SD49 |

Tentative Letting Date - 12/11/2024

| | | | |
|------------------|------------------|---|--|
| ** 026Z | Hughes | Urban Grading (29k CuYd), Curb & Gutter, Sidewalk(139k SqFt), Signals, Storm Sewer, Lighting, Asphalt Concrete Surfacing (14k ton), PCC Surfacing (7k SqYd) | US14 -(Euclid) Fm Sioux Ave to the Divided Hwy W of SD1804 in Pierre |
| X05W | Hughes | Water Main Improvement and Sewer Manhole Adjustments | US14 Euclid Ave - Fm Sioux Ave to N of 8th St. |
| 06QP | Stanley | Cold Milling, Asphalt Concrete Resurfacing (70k Tons), Shoulder Shaping, Pipe Work, Modify Intersection | SD1806 - Fm US14 N 34 miles to Mission Ridge |
| 08NT, 08NU, 08NV | Custer | Structure (10x6 Precast; 2-8x7 Precast; 3-5' RCP Pipe Culverts), Approach Grading | Structure 8.4 E & 2.7 N of Custer on a State Park Rd over Center Lake Inlet (GF&P OWNED) SN 17-314-043 |
| 07DH | Yankton | ADA, Modify Intersection, Signals | US81 - Fm SD50 to 23rd St in Yankton |
| 08NC | Tripp | Structure (3-12x9 CIP RCBC) & Approach Grading | Structure 5.5 E & 6.75 N of Colome on 279th St over W Br of Bull Ck SN 62-325-290 |
| 06TD | Harding | Structure (196' Prestressed Girder Bridge) & Approach Grading | SD79 - Str 0.1 S of the ND Border Over the N Fork of the Grand River |
| 080D | Brookings, Moody | Variable Speed Limit & ITS Device | I29 - Fm Exit 114 (Flandreau) to 3 N of Exit 133 (Brookings) |
| 097Q, 09YP | Jones, Lyman | Asphalt Concrete Surfacing (8k Ton), CRC Pavement Repair | US83 - Detour for Interchange Reconstruction at Exit 212, Fm I90 on 293rd Ave, SD248 to US83, SD248 -Fm Murdo to Vivian, Exit 214 Ramps, I90 WF - Fm Exit 208 to SD248, I90 E-Exit 212 |
| 09EJ | Corson | Asphalt Concrete Surfacing of Shoulders (25k Tons) | US12 - Fm 5 E of McIntosh to McLaughlin |

Tentative Letting Date - 01/22/2025

| | | | |
|---------|-------------|---|--|
| ** 05JN | Charles Mix | Grading, PCC Surfacing, Storm Sewer, Curb & Gutter, Sidewalk, Lighting, Signals | SD46 in Wagner |
| X06P | Charles Mix | Sanitary Sewer Replacement and Water Distribution System Installation | SD46 from Washington Ave to Harr Ave in Wagner |

Projects Anticipated for Letting

11/20/2024 to 01/22/2025

| | | | |
|------------|---------------|---|---|
| 074F | Mellette | Replace Pipe & Drainage Improvements | US83 - 1.25 S of the S US83/SD44 Jct |
| 08NW | Meade | Structure Removal (51' Steel Beam Bridge) & Pipe Installation | Structure 4.4 E & 3.5 N of Sturgis on a State Park Rd over a Ck (GF&P OWNED) SN 47-074-395 |
| 08N2 | Pennington | 2021 LFBP Structure (50' Concrete Rigid Frame) & Approach Grading | Structure 0.9 E & 1.5 S of Johnson Siding on Thunderhead Falls Rd over Rapid Ck SN 52-317-313 |
| ** 04HM | Deuel, Hamlin | Grading (890k CuYd), Interim Surfacing, Replace Structure's (2-9x8 CIP or Precast RCBC, 2-10x9 CIP RCBC), Approach Slab | SD28 - Fm Estelline to SD15 |
| ** 06G8 | Minnehaha | Interchange Reconstruction (296K CuYd), Structure (258' Steel Girder Bridge), PCC Surfacing (39k SqYd), Sidewalk | I90 - Exit 387 (Hartford) |
| 08CU | Minnehaha | Urban Grading, AC Surfacing, Curb & Gutter, Storm Sewer, Shared Use Path, Sidewalk, Lighting | Western Ave - Fm N of I90 Exit 387 to Mickelson Rd in Hartford |
| 07V2, 09P4 | Yankton | Asphalt Concrete Surfacing/Resurfacing (18K tons), PCC Surfacing (113k SqYd) | US81 N & S - Fm 0.7 N of the N SD50 Jct to the end of the Divided Lanes; US81 - Fm the End of the Divided Lanes to 303rd St N of Yankton; US81- Fm 300th St to SD46 |

Projects Anticipated for Letting Within 6 Months

The following projects are not yet scheduled for a particular bid opening date, but are anticipated to be let within the next 6 months. The reason they are not slated for a specific letting date is because certain project activities necessary to move the project toward bid advertisement are yet to be fully completed (i.e. final design revisions, environmental clearances / permitting, ROW acquisition, Utility certification, etc.). There is no guaranty the projects on this list will be bid within the next 6 months and this list is not inclusive of all projects that could be let within the next 6 months. The anticipated letting schedule will continually be refined as projects progress and information becomes available.

| | | | |
|---------------------|-------------------------|--|---|
| 03WC, 03UA, 03UC | Corson, Haakon, Ziebach | Scour Protection | Structure located 0.5 Miles South of Ziebach/Haakon County line over Hermaphrodite Creek |
| 0854 | Lawrence | 2020 LFBP Structure (29.2' Rigid Frame Bridge) & Approach Grading | Structure 0.12 W of US14A on Elmore Rd over Spearfish Creek SN 41-079-199 |
| 06XJ | Edmunds, McPherson | Inslope Restoration (1193 feet of 24" CIPP; 110 feet of 30" CIPP) | Various locations on SD247 in Edmunds and McPherson Counties |
| ** 05X0 | Charles Mix, Gregory | Replace Structure (5770'-6" Steel Girder) & Approach Grading | SD44 - Over Missouri River (Platte/Winner) https://apps.sd.gov/HC65BidLetting/NewsDefault.aspx |
| 04EW | Clark | Grading (875k CuYd) & Interim Surfacing | SD25 - Fm 9 N of US212 to the Clark/Day Co Line |
| 06YP | Minnehaha | Grading (358k CuYd), Storm Sewer, Curb & Gutter, PCC Surfacing (55k SqYd), Structure (454'-10" Prestressed Girder Widening & 12x10 CIP RCBC), MSE Lareg Panel Walls, Signals, Lighting | SD42 - Fm Willow Run Ent to Big Sioux River in Sioux Falls |
| ** 01V9, 08DA, 08DC | Lincoln | Grading, PCC Surfacing, Curb & Gutter, Storm Sewer, Signals, Lighting | Veterans Pkwy - Fm I29 to Western Ave |
| 0828, 0829, 082A | Hutchinson, Turner | Scour Protection, Berm Repair, Bank & Channel Protection | SD25 - Str 0.7 S of US18 Jct |

| | | | |
|---------------------|--------------|---|---|
| 092U | Pennington | Grading (57k CuYd), Asphalt Concrete Surfacing (7k Ton), Pavement Markings, Permanent Signing | Deadwood Ave - Horizontal Curve N of Rapid City |
| ** 034J | Meade | Grading (1.1M CuYd), Structures (6x6 CIP or Precast, 2-10x6 CIP, 3-10x4 Precast, 7x6 CIP or Precast, 242'-6" Prestressed Girder, 64' Prestressed Girder, 10x10 CIP or Precast, 3-12x5 CIP), PCC Surfacing (140k SqYd), Asphalt Concrete Surfacing (15k Ton) | I90 E & W - Fm E of Exit 44 to W of Exit 48; Exit 46 (Elk Creek Rd) |
| ** 079E | Kingsbury | Rubblize PCC Pavement, Asphalt Concrete Surfacing (125K Ton), Pipe Work, Approach Slabs, Polymer Chip Seal, Weigh-in Motion, Modify Intersection | US14 - Fm Iroquois to De Smet, fm De Smet to 2.4 W of Lake Preston |
| ** 01V7, 08DG, 08DH | Lincoln | Grading (1.5M CuYd), Structure's (2-12x5 Precast RCBC, (2)12x10 CIP RCBC, 196.5' Steel Girder, 2-11x5 CIP RCBC, 9x5 Precast RCBC), PCC Surfacing (95k SqYd), Curb & Gutter, Storm Sewer, Signals, Lighting | Veterans Pkwy - Fm Cliff Ave to Sycamore Ave |
| 08XQ | Day, Roberts | Cold Milling, Asphalt Concrete Resurfacing of Shoulders (20k Ton) | US12, US12 E & W - Fm Webster E to I29 |
| 06U9 | Regionwide | Rumble Stripes and High Grade Polymer Pavement Markings | Various locations on the local system in the Rapid City and Pierre Region |
| ** 05HN | Minnehaha | Grading, PCC Surfacing, Curb & Gutter, Storm Sewer, Signals, Lighting | I229 - Exit 4 (Cliff Ave) in Sioux Falls |