

**Advertisement of Highway Bid Letting**

<http://apps.sd.gov/hc65bidletting/ebslettings1.aspx>

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the SDDOT secure bid submission site at <http://apps.sd.gov/hc65bidletting/bidsubmittallogin.aspx> until 10 A.M. Central time, on Wednesday, December 7, 2016, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	BRO 8046(00)16-3 (PCN 05R6)	Marshall SWPPP = 0.37 AC	---	Structure Replacement (2-12'x9' Precast BC)	Structure 1 mile west & 3 miles north of Langford on 120 St. over Langford Ditch
2.	BRO 8003(23) (PCN 02T6)	Beadle SWPPP = 0.37 AC	---	Structure (2-12'x6' CIP RCBC) & Approach Grading	Structure 13S & 5.5W of Wolsey over a creek on 218th St SN 03-055-280
3.	PH 0037(145)30 (PCN 053V)	Bon Homme	---	Installation of Rural Intersection Conflict Warning System (RICWS)	Jct SD46/SD37
4.	P 0079(77)150 (PCN 05P7)	Butte, Harding	34.474	Cold Milling Asphalt Concrete & Asphalt Concrete Surfacing	SD79 from SD168 to the Butte/Harding County Line
5.	P 0042(69)333 (PCN 05Q5)	McCook	11.936	Cold Milling Asphalt Concrete & Asphalt Concrete Surfacing	SD42 from US81 to West of SD19
6.	P 0045(56)88 (PCN 05EY)	Buffalo, Hand	13.150	Asphalt Concrete Resurfacing & Culvert Repair	SD45 from south of the Hand and Buffalo County line to south of Miller
7.	PH 0014(205)347 (PCN 04TX)	Beadle	---	Intersection Modification	US14 at the intersection of Custer Ave in Huron

\* Indicates combination bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

<b>1.</b>	<b>BRO 8046(00)16-3</b>	<b>Area Engineer: Phil Dwight, West Highway 12, Aberdeen, SD, 57402-1767</b>	<b>Phone: 605/626-7885</b>
	<b>Work Type 12</b>	<b>DBE Goal: NONE</b>	<b>Contract Id: 6253 See Special Provisions for Completion Requirements</b>
	1 Mobilization	LS	1.000
	2 Remove Silt Fence	Ft	125.000
	3 Unclassified Excavation	CuYd	625.000
	4 Contractor Furnished Borrow Excavation	CuYd	335.000
	5 Placing Topsoil	CuYd	240.000
	6 Incidental Work, Grading	LS	1.000
	7 Incidental Work, Structure	LS	1.000
	8 Structure Excavation, Box Culvert	CuYd	65.000
	9 Box Culvert Undercut	CuYd	178.000
	10 2-12'x9' Precast Concrete Box Culvert, Furnish	Ft	40.000
	11 2-12'x9' Precast Concrete Box Culvert, Install	Ft	40.000
	12 2-12'x9' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
	13 2-12'x9' Precast Concrete Box Culvert End Section, Install	Each	2.000
	14 Traffic Control Signs	SqFt	218.000
	15 Traffic Control, Miscellaneous	LS	1.000
	16 Type 3 Barricade, 6' Single Sided	Each	4.000
	17 Type 3 Barricade, 6' Double Sided	Each	4.000
	18 Type 3 Barricade, 8' Single Sided	Each	8.000
	19 Class B Riprap	Ton	127.000
	20 Erosion Control	LS	1.000
	21 High Flow Silt Fence	Ft	540.000
	22 Mucking Silt Fence	CuYd	25.000
	23 Repair Silt Fence	Ft	125.000
	24 Temporary Diversion Channel and/or Pipe	Each	1.000
	25 Type B Drainage Fabric	SqYd	151.000

<b>2.</b>	<b>BRO 8003(23)</b>	<b>Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940</b>	<b>Phone: 605/353-7140</b>
	<b>Work Type 9</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 6223 See Special Provisions for Completion Requirements</b>
	1 Mobilization	LS	1.000
	2 Construction Staking	LS	1.000
	3 Three Man Survey Crew	Hour	40.000
	4 Unclassified Excavation	CuYd	62.000
	5 Contractor Furnished Borrow Excavation	CuYd	355.000
	6 Placing Topsoil	CuYd	35.000
	7 Incidental Work, Grading	LS	1.000
	8 Incidental Work, Structure	LS	1.000
	9 Structure Excavation, Box Culvert	CuYd	59.000
	10 Box Culvert Undercut	CuYd	185.000
	11 Class A45 Concrete, Box Culvert	CuYd	123.000
	12 Reinforcing Steel	Lb	22,904.000
	13 Type 3 Object Marker	Each	4.000
	14 Traffic Control Signs	SqFt	109.000
	15 Traffic Control, Miscellaneous	LS	1.000
	16 Type 3 Barricade, 6' Single Sided	Each	6.000
	17 Type 3 Barricade, 6' Double Sided	Each	2.000
	18 Class B Riprap	Ton	155.000
	19 Erosion Control	LS	1.000
	20 Low Flow Silt Fence	Ft	498.000
	21 Mucking Silt Fence	CuYd	25.000
	22 Repair Silt Fence	Ft	249.000
	23 Temporary Diversion Channel and/or Pipe	Each	1.000
	24 Type B Drainage Fabric	SqYd	225.000

<b>3.</b>	<b>PH 0037(145)30</b>	<b>Area Engineer: Rod Gall, 1306 W 31st St, Yankton, SD, 57078-9662</b>	<b>Phone: 605/668-2929</b>
	<b>Work Type 10 or Work Type 11</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 6231 See Special Provisions for Completion Requirements</b>
	1 Mobilization		LS 1.000
	2 Remove Signal Equipment		LS 1.000
	3 Salvage Traffic Sign		Each 28.000
	4 Incidental Work		LS 1.000
	5 1.25' Diameter Breakaway Support Concrete Footing		Ft 80.000
	6 2.0"x2.0" Perforated Tube Post		Ft 209.400
	7 2.5"x2.5" Perforated Tube Post		Ft 403.100
	8 Flat Aluminum Sign, Nonremovable Copy High Intensity		SqFt 303.500
	9 Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity		SqFt 125.800
	10 Flagging		Hour 20.000
	11 Traffic Control Signs		SqFt 210.000
	12 Traffic Control, Miscellaneous		LS 1.000
	13 1 Section Vehicle Signal Head		Each 6.000
	14 Type 2 Electrical Junction Box		Each 16.000
	15 Electrical Service Cabinet		Each 1.000
	16 Traffic Signal Controller		Each 1.000
	17 Sawed-In, Preformed Detector Loop		Each 10.000
	18 LED Blankout Sign		Each 2.000
	19 2" Rigid Conduit, Schedule 40		Ft 2,215.000
	20 3" Rigid Conduit, Schedule 40		Ft 45.000
	21 2" Rigid Conduit, Schedule 80		Ft 660.000
	22 1/C #10 AWG Copper Wire		Ft 30.000
	23 2/C #14 AWG Copper Tray Cable, K2		Ft 5,470.000
	24 3/C #14 AWG Copper Tray Cable, K2		Ft 1,645.000
	25 5/C #14 AWG Copper Tray Cable, K2		Ft 395.000

<b>4.</b>	<b>P 0079(77)150</b>	<b>Area Engineer: Tammy Williams, W Hwy 34, Belle Fourche, SD, 57717-0786</b>	<b>Phone: 605/892-2872</b>
	<b>Work Type 5</b>	<b>DBE Goal: Not Specified</b>	<b>Contract Id: 6163 See Special Provisions for Completion Requirements</b>
	1 Mobilization		LS 1.000
	2 Checker		LS 1.000
	3 Training Program		Hour 500.000
	4 Remove Asphalt Concrete Pavement		SqYd 1,354.000
	5 Salvage W Beam Guardrail		Ft 75.000
	6 Salvage W Beam Guardrail Tangent End Terminal		Each 4.000
	7 Remove Double Thrie Beam Guardrail for Reset		Ft 50.000
	8 Remove Double W Beam Guardrail for Reset		Ft 100.000
	9 Remove W Beam Guardrail for Reset		Ft 325.000
	10 Remove W Beam to Thrie Beam Guardrail Transition for Reset		Each 4.000
	11 Remove W Beam Guardrail Flared End Terminal for Reset		Each 4.000
	12 Remove Rubrail for Reset		Ft 50.000
	13 Unclassified Excavation		CuYd 414.000
	14 Unclassified Excavation, Digouts		CuYd 1,726.000
	15 Contractor Furnished Borrow Excavation		CuYd 3,955.000
	16 Water for Granular Material		MGal 133.000
	17 Contractor Furnished Topsoil		CuYd 7,513.000
	18 Remove and Replace Topsoil		LS 1.000
	19 Grind 8" Rumble Strip or Stripe in Asphalt Concrete		Mile 69.000
	20 MC-70 Asphalt for Prime		Ton 58.000
	21 SS-1h or CSS-1h Asphalt for Tack		Ton 259.800
	22 SS-1h or CSS-1h Asphalt for Flush Seal		Ton 128.500
	23 Sand for Flush Seal		Ton 1,778.700
	24 Cold Milling Asphalt Concrete		SqYd 352,429.000
	25 Cold Milling Asphalt Concrete and Placing Cold Milled Material		Ton 10,979.000
	26 Precast Concrete Headwall for Drain		Each 8.000

27	Type III Field Laboratory	Each	1.000
28	Straight Class A W Beam Guardrail with Wood Posts	Ft	375.000
29	W Beam Guardrail Flared End Terminal	Each	4.000
30	Beam Guardrail Post and Block	Each	168.000
31	Reset Double Thrie Beam Rail	Ft	50.000
32	Reset W Beam Rail	Ft	325.000
33	Reset Double W Beam Rail	Ft	100.000
34	Reset W Beam to Thrie Beam Guardrail Transition	Each	4.000
35	Reset W Beam Guardrail Flared End Terminal	Each	4.000
36	Reset Rubrail	Ft	50.000
37	Guardrail Delineator	Each	32.000
38	Waterborne Pavement Marking Paint with High Grade Polymer, White	Gal	1,920.000
39	Waterborne Pavement Marking Paint with High Grade Polymer, Yellow	Gal	1,440.000
40	Flagging	Hour	1,725.000
41	Pilot Car	Hour	865.000
42	Traffic Control Signs	SqFt	704.000
43	Traffic Control, Miscellaneous	LS	1.000
44	Temporary Pavement Marking	Mile	103.500
45	Detour Signing	SqFt	344.000
46	4" Corrugated Polyethylene Drainage Tubing	Ft	80.000
47	Type F Permanent Seed Mixture	Lb	1,976.000
48	Fertilizing	Ton	57.500
49	Mulching	Ton	152.000
50	Reinforcement Fabric (MSE)	SqYd	1,356.000
51	Refurbish Single Mailbox	Each	6.000
52	Refurbish Double Mailbox	Each	2.000
53	Base Course	Ton	5,238.000
54	Base Course, Salvaged Asphalt Mix	Ton	2,282.000
55	PG 58-34 Asphalt Binder	Ton	3,661.600
56	Class Q2R Hot Mixed Asphalt Concrete	Ton	78,614.800
57	Hydrated Lime	Ton	791.700
58	Base Course	Ton	5,676.000
59	Base Course, Salvaged Asphalt Mix	Ton	1,844.000
60	PG 58-34 Asphalt Binder	Ton	3,361.000
61	Class Q2R Hot Mixed Asphalt Concrete	Ton	80,596.000
62	Hydrated Lime	Ton	799.800

5. **P 0042(69)333** **Area Engineer: Jay Peppel, PO Box 1206, Mitchell, SD, 57301-7206** **Phone: 605/995-8120**

**Work Type 5** **DBE Goal: Not Specified** **Contract Id: 6164** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Beam Guardrail	Ft	600.000
3	Remove W Beam Guardrail End Terminal	Each	8.000
4	Remove Sign for Reset	Each	4.000
5	Unclassified Excavation	CuYd	566.000
6	Unclassified Excavation, Digouts	CuYd	594.000
7	Contractor Furnished Borrow Excavation	CuYd	1,285.000
8	Water for Embankment	MGal	19.000
9	Water for Granular Material	MGal	110.000
10	Base Course	Ton	4,047.000
11	PG 64-28 Asphalt Binder	Ton	2,518.900
12	Class Q2 Hot Mixed Asphalt Concrete	Ton	43,861.000
13	Hydrated Lime	Ton	434.400
14	Grind 8" Rumble Strip or Stripe in Asphalt Concrete	Mile	3.200
15	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	20.600
16	MC-70 Asphalt for Prime	Ton	99.700
17	SS-1h or CSS-1h Asphalt for Tack	Ton	176.700

18	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	56.400
19	Sand for Flush Seal	Ton	681.000
20	Cold Milling Asphalt Concrete and Placing Cold Milled Material	SqYd	193,922.000
21	Planing PCC Pavement	SqYd	283.400
22	Type III Field Laboratory	Each	1.000
23	3 Cable Guardrail	Ft	295.000
24	3 Cable Guardrail Slip Base Anchor Assembly	Each	1.000
25	3 Cable Guardrail Anchor Assembly	Each	1.000
26	Straight Class A W Beam Guardrail with Wood Posts	Ft	125.000
27	Straight Class B W Beam Guardrail with Wood Posts	Ft	100.000
28	Straight Double Class B W Beam Guardrail with Wood Posts	Ft	100.000
29	W Beam Guardrail Flared End Terminal	Each	7.000
30	W Beam Guardrail Breakaway Cable Terminal	Each	1.000
31	Guardrail Delineator	Each	35.000
32	Type 2 Object Marker Back to Back	Each	1.000
33	Type 2 Object Marker	Each	37.000
34	Reset Sign	Each	4.000
35	Pavement Marking Paint, White	Gal	407.000
36	Pavement Marking Paint, Yellow	Gal	101.000
37	Flagging	Hour	740.000
38	Pilot Car	Hour	380.000
39	Traffic Control Signs	SqFt	760.800
40	Traffic Control, Miscellaneous	LS	1.000
41	Temporary Pavement Marking	Mile	47.500
42	Erosion Control	LS	1.000
43	Reinforcement Fabric (MSE)	SqYd	1,352.000
44	Refurbish Single Mailbox	Each	2.000
45	Refurbish Double Mailbox	Each	1.000
46	Storage Unit	Each	1.000

6. **P 0045(56)88** **Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940** **Phone: 605/353-7140**  
**Work Type 5** **DBE Goal: Not Specified** **Contract Id: 6162** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Traffic Sign	Each	69.000
3	Remove Double Thrie Beam Guardrail for Reset	Ft	50.000
4	Remove W Beam Guardrail for Reset	Ft	100.000
5	Remove W Beam to Thrie Beam Guardrail Transition for Reset	Each	4.000
6	Remove W Beam Guardrail Flared End Terminal for Reset	Each	4.000
7	Remove Sign for Reset	Each	1.000
8	Unclassified Excavation, Digouts	CuYd	657.000
9	Base Course	Ton	3,134.200
10	PG 64-28 Asphalt Binder	Ton	2,271.600
11	Class Q2 Hot Mixed Asphalt Concrete	Ton	37,568.800
12	Hydrated Lime	Ton	371.700
13	Grind 8" Rumble Strip or Stripe in Asphalt Concrete	Mile	25.500
14	SS-1h or CSS-1h Asphalt for Tack	Ton	162.500
15	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	57.900
16	Sand for Flush Seal	Ton	693.000
17	Cold Milling Asphalt Concrete	SqYd	2,335.000
18	Type III Field Laboratory	Each	1.000
19	Reset Double Thrie Beam Guardrail with Wood Posts	Ft	50.000
20	Reset W Beam Guardrail with Wood Posts	Ft	100.000
21	Reset W Beam to Thrie Beam Guardrail Transition	Each	4.000
22	Reset W Beam Guardrail Flared End Terminal	Each	4.000
23	2.0"x2.0" Perforated Tube Post	Ft	808.000
24	Guardrail Delineator	Each	32.000

25	Flat Aluminum Sign, Nonremovable Copy High Intensity	SqFt	76.000
26	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	SqFt	318.300
27	Reset Sign	Each	1.000
28	Pavement Marking Paint, White	Gal	444.000
29	Pavement Marking Paint, Yellow	Gal	160.000
30	Flagging	Hour	450.000
31	Pilot Car	Hour	225.000
32	Traffic Control Signs	SqFt	565.000
33	Traffic Control, Miscellaneous	LS	1.000
34	Type 3 Barricade, 8' Double Sided	Each	1.000
35	4" Temporary Pavement Marking Tape Type I	Ft	144.000
36	Temporary Pavement Marking	Mile	39.900
37	Reinforcement Fabric (MSE)	SqYd	530.000
38	Refurbish Single Mailbox	Each	6.000
39	Storage Unit	Each	1.000

7. **PH 0014(205)347**                      **Area Engineer: Brad Letcher, 901 Dakota North, Huron, SD, 57350-0940**                      **Phone: 605/353-7140**  
**Work Type 2 or Work Type 5**                      **DBE Goal: Not Specified**                      **Contract Id: 5134**                      **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Remove Traffic Sign	Each	3.000
3	Remove Sediment	CuYd	1.000
4	Remove Erosion Control Wattle	Ft	10.000
5	Unclassified Excavation	CuYd	557.000
6	Contractor Furnished Borrow Excavation	CuYd	711.000
7	Remove and Replace Topsoil	LS	1.000
8	Incidental Work, Grading	LS	1.000
9	Base Course	Ton	2,334.000
10	Asphalt Concrete Composite	Ton	852.000
11	24" CMP Sloped End, Furnish	Each	2.000
12	24" CMP Sloped End, Install	Each	2.000
13	24" Steel Pipe, Furnish	Ft	54.000
14	Bore and Jack 24" Pipe	Ft	54.000
15	Class M6 Concrete	CuYd	0.700
16	Reinforcing Steel	Lb	105.000
17	Type 2 Object Marker Back to Back	Each	2.000
18	Remove, Salvage, Relocate, and Reset Traffic Sign	Each	2.000
19	Cold Applied Plastic Pavement Marking, 24"	Ft	378.000
20	Cold Applied Plastic Pavement Marking, Area	SqFt	67.000
21	Cold Applied Plastic Pavement Marking, Arrow	Each	6.000
22	Pavement Marking Paint, 4" White	Ft	1,805.000
23	Pavement Marking Paint, 4" Yellow	Ft	1,350.000
24	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	378.000
25	Grooving for Cold Applied Plastic Pavement Marking, Area	SqFt	67.000
26	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	6.000
27	Flagging	Hour	10.000
28	Traffic Control Signs	SqFt	459.000
29	Traffic Control, Miscellaneous	LS	1.000
30	Type 3 Barricade, 8' Single Sided	Each	2.000
31	Type C Advance Warning Arrow Board	Each	2.000
32	Remove Pavement Marking, 4" or Equivalent	Ft	440.000
33	4" Temporary Pavement Marking Tape Type I	Ft	1,320.000
34	Type L Frame and Grate Assembly	Each	1.000
35	Erosion Control	LS	1.000
36	12" Diameter Erosion Control Wattle	Ft	30.000

### Instructions

**PROPOSALS, PLANS AND SPECIFICATIONS:** Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website at: <http://apps.sd.gov/hc65bidletting/ebslettings1.aspx>.

**MINIMUM WAGE RATES:** Minimum wage rates for 2 through 8 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations. Minimum wage rates for 1 have been predetermined by the Department of Transportation, and are set forth in the advertised specification.

**BID PREPARATION:** Bidding files require the use of the South Dakota Electronic Bidding System (SDEBS) which is downloadable from the Bid Letting website at <http://apps.sd.gov/hc65bidletting/ebsInstall.aspx>. Bids shall be completed in their entirety utilizing the SDEBS.

Instructions on how to bid with SDDOT are available on the SDDOT Bid Letting website at: <https://apps.sd.gov/HC65BidLetting/ebshowtobid.aspx>.

**NONDISCRIMINATION ASSURANCE:** The Department of Transportation in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, national origin, sex, age or disability in consideration for an award.

**EXECUTION OF CONTRACT:** In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

**GENERALLY:** A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Environmental & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Environmental and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Darin Bergquist  
SECRETARY OF TRANSPORTATION