

STATE OF SOUTH DAKOTA
 DEPARTMENT OF TRANSPORTATION
 PLANS FOR PROPOSED
PROJECT P 0081(93)157
U.S. HIGHWAY 81
CODINGTON COUNTY

Grading, Lighting, Storm Sewer, Curb and Gutter,
 Sidewalk, Traffic Signals, and PCC Surfacing


PCN 026X

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	P 0081(93)157	1	343

Plotting Date: 09/01/2015

INDEX OF SECTIONS

- Section A: Estimate of Quantities
- Section B: Grading Plans
- Section C: Traffic Control Plans
- Section D: Erosion And Sediment Control Plans
- Section F: Surfacing Plans
- Section L: Signal and Lighting Plans
- Section M: Pavement Marking Plans
- Section S: Permanent Signing Plans
- Section X: Cross Sections




PROJECT

BEGIN P 0081(93)157

Station 75+98.90=Station 75+98.90
 on PH 0081(30)55
 Approximately 13.37 feet South
 and 0.12 feet West of
 the Southeast corner of
 Section 30 - Township 117 North -
 Range 57 West
 MRM = 157.0+0.045

END P 0081(93)157

Station 149+41.67=Station 56+09.64
 on 152-A-1935
 Approximately 2028.79 feet North
 and 12.11 feet West of
 the Southeast corner of
 Section 19 - Township 117 North -
 Range 57 West
 MRM = 158.41+0.384



DESIGN DESIGNATION

ADT (2014)	7638
ADT (2039)	11076
DHV	1241
D	53%
T DHV	3.5%
T ADT	7.7%
V	40 mph

STORM WATER PERMIT

Major Receiving
 Body of Water: Big Sioux River
 Area Disturbed: 6.3
 Total Project Area: 14.7 ac
 Approx. Begin Lat/Long 44.9047, -97.1068

	T 117 N	
GROSS LENGTH	7342.67 FEET	1.391 MILES
LENGTH OF EXCEPTIONS	0.00 FEET	0.000 MILES
NET LENGTH	7342.67 FEET	1.391 MILES

1

Plot Scale - 1:200

Plotted From - Irs1212142

Plot Name -

File - U:\traj\pcan026\title.dgn

ESTIMATE OF QUANTITIES AND ENVIRONMENTAL COMMITMENTS

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	P 0081(93)157	A2	A6

Plotting Date: 09/18/2015 Revised 09/18/15 PCN

Grading – Section B

BID ITEM NUMBER	ITEM	QUANTITY	UNIT
009E0010	Mobilization	Lump Sum	LS
009E3230	Grade Staking	6,452	Mile
009E3250	Miscellaneous Staking	1,392	Mile
009E3280	Slope Staking	1,392	Mile
009E3290	Structure Staking	1	Each
009E3300	Three Man Survey Crew	40.0	Hour
100E0100	Clearing	Lump Sum	LS
110E0300	Remove Concrete Curb and Gutter	543	Ft
110E0400	Remove Drop Inlet	52	Each
110E0460	Remove Manhole	1	Each
110E0605	Remove Chain Link Fence	245	Ft
110E1010	Remove Asphalt Concrete Pavement	5,879.6	SqYd
110E1100	Remove Concrete Pavement	41,445.5	SqYd
110E1130	Remove Concrete Driveway Pavement	468.7	SqYd
110E1140	Remove Concrete Sidewalk	2,317.9	SqYd
110E1300	Remove Concrete Retaining Wall	566.0	Ft
120E0010	Unclassified Excavation	32,240	CuYd
120E0900	Contaminated Material Excavation	100	CuYd
120E2000	Undercutting	17,943	CuYd
120E6100	Water for Embankment	238.5	MGal
250E0020	Incidental Work, Grading	Lump Sum	LS
270E0042	Salvage Asphalt Mix and Granular Base Material	1,191.0	Ton
380E3520	6" PCC Approach Pavement	1,386.6	SqYd
380E4060	8.5" PCC Fillet Section	854.7	SqYd
421E0100	Pipe Culvert Undercut	7	CuYd
450E0122	18" RCP Class 2, Furnish	5,414	Ft
450E0130	18" RCP, Install	5,414	Ft
450E0142	24" RCP Class 2, Furnish	1,290	Ft
450E0150	24" RCP, Install	1,290	Ft
450E0162	30" RCP Class 2, Furnish	870	Ft
450E0170	30" RCP, Install	870	Ft
450E0182	36" RCP Class 2, Furnish	34	Ft
450E0190	36" RCP, Install	34	Ft
450E0192	42" RCP Class 2, Furnish	12	Ft
450E0200	42" RCP, Install	12	Ft
450E0700	RCP Tee, Furnish	1	Each
450E0701	RCP Tee, Install	1	Each
450E2008	18" RCP Flared End, Furnish	3	Each

Grading – Section B Continued

BID ITEM NUMBER	ITEM	QUANTITY	UNIT
450E2009	18" RCP Flared End, Install	3	Each
450E2304	18" RCP Safety End, Furnish	2	Each
450E2307	18" RCP Safety End, Install	2	Each
450E3022	30" RCP Arch Class 2, Furnish	154	Ft
450E3030	30" RCP Arch, Install	154	Ft
450E3042	42" RCP Arch Class 2, Furnish	8	Ft
450E3050	42" RCP Arch, Install	8	Ft
450E4508	30" RCP Arch Flared End, Furnish	1	Each
450E4509	30" RCP Arch Flared End, Install	1	Each
451E0518	8" PVC Pipe	44	Ft
451E6080	Adjust Water Valve Box	68	Each
462E0100	Class M6 Concrete	144.7	CuYd
470E0020	Pipe Handrail	83.9	Ft
480E0100	Reinforcing Steel	19,739	Lb
480E0200	Epoxy Coated Reinforcing Steel	757	Lb
530E0300	Type C Concrete Retaining Wall	276	SqFt
600E0200	Type II Field Laboratory	1	Each
621E0060	6' Chain Link Fence with Top Rail	136	Ft
650E0085	Type B68.5 Concrete Curb and Gutter	11,408	Ft
650E3060	Type B6 Concrete Curb	232	Ft
650E4685	Type P8.5 Concrete Gutter	956	Ft
650E6085	8.5" Concrete Valley Gutter	11	Ft
651E0040	4" Concrete Sidewalk	63,464	SqFt
651E7000	Type 1 Detectable Warnings	1,050	SqFt
670E1200	Type B Frame and Grate Assembly	87	Each
670E5342	4' x 6' Precast Concrete Type S Drop Inlet Lid	7	Each
670E5400	Precast Drop Inlet Collar	83	Each
671E4548	48" Manhole Cone Section	2.0	Ft
671E6007	Type A7 Manhole Frame and Lid	2	Each
671E6009	Type A9 Manhole Frame and Lid	1	Each
671E6020	Type C Manhole Frame and Lid	1	Each
671E7010	Adjust Manhole	16	Each
900E0010	Refurbish Single Mailbox	2	Each

Traffic Control – Section C

BID ITEM NUMBER	ITEM	QUANTITY	UNIT
634E0010	Flagging	100.0	Hour
634E0110	Traffic Control Signs	1,200	SqFt
634E0120	Traffic Control, Miscellaneous	Lump Sum	LS
634E0265	Type 3 Barricade, 6' Double Sided	37	Each
634E0285	Type 3 Barricade, 8' Double Sided	54	Each
634E0330	Temporary Raised Pavement Markers	1,920	Ft
634E0380	Tubular Marker	96	Each
634E0420	Type C Advance Warning Arrow Board	2	Each
634E0560	Remove Pavement Marking, 4" or Equivalent	1,560	Ft
634E0640	Temporary Pavement Marking	2,060	Ft
634E1002	Detour Signing	1,369.6	SqFt
634E1220	Solar Powered Portable Changeable Message Sign	2	Each
634E2010	Temporary Pedestrian Facility(s)	Lump Sum	LS
634E2020	Temporary Curb Ramp	10	Each

INDEX OF SHEETS

A1 and A2 Estimate of Quantities for Sections B,C,D,E, F, H, L, M, and S
 A3 to A8 Environmental Commitments

Plot Scale - 1:200

Plotted From - trs12142

File - ...:\p\ccom028\NotesSectionA.dgn

ESTIMATE OF QUANTITIES AND ENVIRONMENTAL COMMITMENTS

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	P 0081(93)157	A3	A6

Plotting Date: 09/01/2015

Erosion and Sediment Control – Section D

BID ITEM NUMBER	ITEM	QUANTITY	UNIT
110E1690	Remove Sediment	25.0	CuYd
110E1693	Remove Erosion Control Wattle	300	Ft
110E1695	Remove Sediment Filter Bag	2,740	Ft
110E1700	Remove Silt Fence	2,166	Ft
230E0010	Placing Topsoil	2,412	CuYd
730E0206	Type D Permanent Seed Mixture	1,094	Lb
731E0200	Fertilizing	2.70	Ton
732E0200	Fiber Mulching	4.7	Ton
734E0154	12" Diameter Erosion Control Wattle	300	Ft
734E0165	Remove and Reset Erosion Control Wattle	300	Ft
734E0180	Sediment Filter Bag	2,740	Ft
734E0604	High Flow Silt Fence	2,166	Ft
734E0610	Mucking Silt Fence	9	CuYd
734E0620	Repair Silt Fence	30	Ft
734E0680	Flocculent Housing Unit	2	Each
734E0683	500K Gallon Treatment Flocculent Bag	2	Each
734E0845	Sediment Control at Inlet with Frame and Grate	89	Each
734E0847	Sediment Control at Type S Reinforced Concrete Drop Inlet	49	Ft
734E5000	Dewatering	10	Hour
734E5010	Sweeping	30	Hour
900E1320	Construction Entrance	2	Each

Surfacing – Section F

BID ITEM NUMBER	ITEM	QUANTITY	UNIT
120E6200	Water for Granular Material	188.2	MGal
260E2010	Gravel Cushion	14,509.2	Ton
260E2030	Gravel Cushion, Salvaged	1,191.0	Ton
320E1200	Asphalt Concrete Composite	2,054.2	Ton
380E0060	8.5" Nonreinforced PCC Pavement	43,301.8	SqYd
380E3020	6" PCC Driveway Pavement	269.5	SqYd
380E6000	Dowel Bar	25,913	Each
380E6110	Insert Steel Bar in PCC Pavement	59	Each

Signal and Lighting – Section L

BID ITEM NUMBER	ITEM	QUANTITY	UNIT
110E1510	Remove Luminaire Pole	25	Each
110E1530	Remove Signal Pole Footing	4	Each
110E1540	Remove Luminaire Pole Footing	25	Each
110E1570	Remove Pedestrian Push Button Pole	8	Each
110E7230	Remove Pedestrian Push Button for Reset	9	Each
110E7240	Remove Pedestrian Crossing Sign for Reset	9	Each
635E0050	Breakaway Base Luminaire Pole with Arm, 50' Mounting Height	31	Each
635E2000	Pedestal Signal Pole	1	Each
635E2035	Signal Pole with 35' Mast Arm	1	Each
635E2045	Signal Pole with 45' Mast Arm	2	Each
635E2140	Signal Pole with 40' Mast Arm and Luminaire Arm	2	Each
635E2155	Signal Pole with 55' Mast Arm and Luminaire Arm	2	Each
635E3700	Roadway Luminaire, LED with Photoelectric Cell	39	Each
635E4030	3 Section Vehicle Signal Head	14	Each
635E5020	2' Diameter Footing	257.0	Ft
635E5030	3' Diameter Footing	132.0	Ft
635E5302	Type 2 Electrical Junction Box	34	Each
635E5303	Type 3 Electrical Junction Box	11	Each
635E5304	Type 4 Electrical Junction Box	21	Each
635E5400	Electrical Service Cabinet	4	Each
635E5405	Electrical Service Cabinet with Secondary Disconnect	1	Each
635E5430	Traffic Signal Controller	3	Each
635E5515	Signal Head Battery Backup and Flash System	2	Each
635E5530	Preformed Detector Loop	54	Each
635E5550	Detector Unit	19	Each
635E5560	Emergency Vehicle Preemption Unit	1	Each
635E5570	Optical Detector	6	Each
635E5900	Pedestrian Push Button	10	Each
635E5910	Pedestrian Push Button Pole	19	Each
635E5922	Pedestrian Signal Head with Countdown Timer	10	Each
635E5930	Pedestrian Crossing Sign	10	Each
635E5970	Pedestrian Hybrid Beacon Signal Head	6	Each
635E6200	Miscellaneous, Electrical	Lump Sum	LS
635E7510	Remove and Reset Signal Pole	3	Each
635E7516	Reset Pedestrian Push Button	9	Each
635E7517	Reset Pedestrian Crossing Sign	9	Each
635E7530	Relocate Signal Equipment	Lump Sum	LS
635E8120	2" Rigid Conduit, Schedule 40	14,790	Ft

Signal and Lighting – Section L Continued

BID ITEM NUMBER	ITEM	QUANTITY	UNIT
635E8130	3" Rigid Conduit, Schedule 40	335	Ft
635E8140	4" Rigid Conduit, Schedule 40	40	Ft
635E8150	5" Rigid Conduit, Schedule 40	55	Ft
635E8220	2" Rigid Conduit, Schedule 80	2,635	Ft
635E8230	3" Rigid Conduit, Schedule 80	265	Ft
635E8240	4" Rigid Conduit, Schedule 80	290	Ft
635E8310	1" Innerduct, Schedule 40	5,750	Ft
635E9013	1/C #3 AWG Copper Wire	10,020	Ft
635E9014	1/C #4 AWG Copper Wire	22,900	Ft
635E9016	1/C #6 AWG Copper Wire	3,070	Ft
635E9020	1/C #10 AWG Copper Wire	5,990	Ft
635E9504	4/C #14 AWG Copper Tray Cable, K2	4,640	Ft
635E9512	12/C #14 AWG Copper Tray Cable, K2	210	Ft
635E9519	19/C #14 AWG Copper Tray Cable, K2	375	Ft
635E9524	24/C #14 AWG Copper Tray Cable, K2	1,245	Ft
635E9600	#16 AWG Copper Twisted Shielded Pair	4,350	Ft
635E9710	2/C #10 AWG Copper Pole and Bracket Cable	2,435	Ft
635E9800	Preemption Cable	3,215	Ft
635E9912	12 Strand Fiber Optic Cable	6,570	Ft

Pavement Marking – Section M

BID ITEM NUMBER	ITEM	QUANTITY	UNIT
633E0010	Cold Applied Plastic Pavement Marking, 4"	20,410	Ft
633E0020	Cold Applied Plastic Pavement Marking, 8"	130	Ft
633E0030	Cold Applied Plastic Pavement Marking, 24"	1,270	Ft
633E0040	Cold Applied Plastic Pavement Marking, Arrow	38	Each
633E0050	Cold Applied Plastic Pavement Marking, Message	1	Word
633E5000	Grooving for Cold Applied Plastic Pavement Marking, 4"	20,410	Ft
633E5005	Grooving for Cold Applied Plastic Pavement Marking, 8"	130	Ft
633E5015	Grooving for Cold Applied Plastic Pavement Marking, 24"	1,270	Ft
633E5025	Grooving for Cold Applied Plastic Pavement Marking, Arrow	38	Each
633E5035	Grooving for Cold Applied Plastic Pavement Marking, Message	1	Word

Plot Scale - 1:200

Plotted From - trst12142

File - ...:\p\ccom028\NotesSectionA.dgn

ESTIMATE OF QUANTITIES AND ENVIRONMENTAL COMMITMENTS

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	P 0081(93)157	A4	A6

Plotting Date: 09/01/2015

Permanent Signing – Section S

BID ITEM NUMBER	ITEM	QUANTITY	UNIT
110E0130	Remove Traffic Sign	39	Each
632E1320	2.0"x2.0" Perforated Tube Post	351.0	Ft
632E3203	Flat Aluminum Sign, Nonremovable Copy High Intensity	396.3	SqFt
632E3205	Flat Aluminum Sign, Nonremovable Copy Super/Very High Intensity	78.0	SqFt
632E3520	Remove, Salvage, Relocate, and Reset Traffic Sign	22	Each

SPECIFICATIONS

Standard Specifications for Roads and Bridges, 2015 Edition and Required Provisions, Supplemental Specifications, and Special Provisions as included in the Proposal.

1:200
Plot Scale -

Plotted From -
trsf12142

File - ...lpj\ccdm026\NotesSectionA.dgn

ESTIMATE OF QUANTITIES AND ENVIRONMENTAL COMMITMENTS

STATE OF SOUTH DAKOTA	PROJECT	SHEET	TOTAL SHEETS
	P 0081(93)157	A5	A6

Plotting Date: 09/01/2015

ENVIRONMENTAL COMMITMENTS

An Environmental Commitment is a measure that SDDOT commits to implement in order to avoid, minimize, and/or mitigate a real or potential environmental impact. Environmental commitments to various agencies and the public have been made to secure approval of this project. An agency mentioned below with permitting authority can influence a project if perceived environmental impacts have not been adequately addressed. Unless otherwise designated, the Contractor's primary contact regarding matters associated with these commitments will be the Project Engineer. These environmental commitments are not subject to change without prior written approval from the SDDOT Environmental Office. The environmental commitments associated with this project are as follows:

COMMITMENT C: WATER SOURCE

The Contractor shall not withdraw water with equipment previously used outside the State of South Dakota without prior approval from the SDDOT Environmental Office. Thoroughly wash all construction equipment before entering South Dakota to reduce the risk of invasive species introduction into the project vicinity.

The Contractor shall not withdraw water directly from streams of the James, Big Sioux, and Vermillion watersheds without prior approval from the SDDOT Environmental Office.

Action Taken/Required:

The Contractor shall obtain the necessary permits from the regulatory agencies such as the Department of Environment and Natural Resources (DENR) and the United States Army Corps of Engineers (COE) prior to executing water extraction activities.

COMMITMENT E: STORM WATER

Construction activities constitute 1 acre or more of earth disturbance.

Action Taken/Required:

The DENR and the US Environmental Protection Agency (EPA) have issued separate general permits for the discharge of storm water runoff. The DENR permit applies to discharges on state land and the EPA permit applies to discharges on federal or reservation land. The Contractor is advised this project is regulated under the Phase II Storm Water Regulations and must receive coverage under the General Permit for Construction Activities. A Notice of Intent (NOI) will be submitted to DENR a minimum of 15 days prior to project start by the DOT Environmental Office. A letter must be received from DENR that acknowledges project coverage under this general permit before project start. The Contractor is advised that permit coverage may also be required by off-site activities, such as borrow and staging areas, which are the responsibility of the Contractor.

The Contractor shall adhere to the "Special Provision Regarding Storm Water Discharges to Waters of the State".

A major component of the storm water construction permits is development and implementation of a Storm Water Pollution Prevention Plan (SWPPP), which is a joint effort and responsibility of the SDDOT and the Contractor. Erosion control measures and best management practices will be implemented in accordance with the SWPPP. The SWPPP is a dynamic document and is to be available on-site at all times.

Information on storm water permits and SWPPPs are available on the following websites:

SDDOT:

<http://www.sddot.com/business/environmental/stormwater/Default.aspx>

DENR: <http://www.denr.sd.gov/des/sw/stormwater.aspx>

EPA: http://cfpub.epa.gov/npdes/home.cfm?program_id=6

Contractor Certification Form:

The "Department of Environment and Natural Resources – Contractor Certification Form" (SD EForm – 2110LDV1-ContractorCertification.pdf) shall be completed by the Contractor or their certified Erosion Control Supervisor after the award of the contract. Work may not begin on the project until this form is signed.

The form certifies under penalty of law that the Contractor understands and will comply with the terms and conditions of the Surface Water Discharge General Permit for Storm Water Discharges Associated with Construction Activities for the Project.

The online form can be found at:

<http://denr.sd.gov/des/sw/eforms/E2110LDV1-ContractorCertification.pdf>

COMMITMENT H: WASTE DISPOSAL SITE

The Contractor shall furnish a site(s) for the disposal of construction and/or demolition debris generated by this project.

Action Taken/Required:

Construction and/or demolition debris may not be disposed of within the State ROW.

The waste disposal site(s) shall be managed and reclaimed in accordance with the following from the General Permit for Highway, Road, and Railway Construction/Demolition Debris Disposal Under the South Dakota Waste Management Program issued by the Department of Environment and Natural Resources.

The waste disposal site(s) shall not be located in a wetland, within 200 feet of surface water, or in an area that adversely affects wildlife, recreation, aesthetic value of an area, or any threatened or endangered species, as approved by the Project Engineer.

If the waste disposal site(s) is located such that it is within view of any ROW, the following additional requirements shall apply:

1. Construction and/or demolition debris consisting of concrete, asphalt concrete, or other similar materials shall be buried in a trench completely separate from wood debris. The final cover over the construction and/or demolition debris shall consist of a minimum of 1 foot of soil capable of supporting vegetation. Waste disposal sites provided outside of the State ROW shall be seeded in accordance with Natural Resources Conservation Service recommendations. The seeding recommendations may be obtained through the appropriate County NRCS Office. The Contractor shall control the access to waste disposal sites not within the State ROW through the use of fences, gates, and placement of a sign or signs at the entrance to the site stating "No Dumping Allowed".

2. Concrete and asphalt concrete debris may be stockpiled within view of the ROW for a period of time not to exceed the duration of the project. Prior to project completion, the waste shall be removed from view of the ROW or buried and the waste disposal site reclaimed as noted above.

The above requirements will not apply to waste disposal sites that are covered by an individual solid waste permit as specified in SDCL 34A-6-58, SDCL 34A-6-1.13, and ARSD 74:27:10:06.

Failure to comply with the requirements stated above may result in civil penalties in accordance with South Dakota Solid Waste Law, SDCL 34A-6-1.31.

All costs associated with furnishing waste disposal site(s), disposing of waste, maintaining control of access (fence, gates, and signs), and reclamation of the waste disposal site(s) shall be incidental to the various contract items.

ESTIMATE OF QUANTITIES AND ENVIRONMENTAL COMMITMENTS

STATE OF SOUTH DAKOTA	PROJECT P 0081(93)157	SHEET A6	TOTAL SHEETS A6
-----------------------	--------------------------	-------------	--------------------

Plotting Date: 09/01/2015

COMMITMENT I: HISTORICAL PRESERVATION OFFICE CLEARANCES

The SDDOT has obtained concurrence with the State Historical Preservation Office (SHPO or THPO) for all work included within the project limits and all designated option borrow sites provided within the plans.

Action Taken/Required:

All earth disturbing activities not designated within the plans require review of cultural resources impacts. This work includes, but is not limited to: staging areas, borrow sites, waste disposal sites, and all material processing sites.

The Contractor shall arrange and pay for a cultural resource survey and/or records search. The Contractor has the option to contact the state Archaeological Research Center (ARC) at 605-394-1936 or another qualified archaeologist, to obtain either a records search or a cultural resources survey. A record search might be sufficient for review; however, a cultural resources survey may need to be conducted by a qualified archaeologist.

The Contractor shall provide ARC with the following: a topographical map or aerial view on which the site is clearly outlined, site dimensions, project number, and PCN. If applicable, provide evidence that the site has been previously disturbed by farming, mining, or construction activities with a landowner statement that artifacts have not been found on the site.

The Contractor shall submit the records search or cultural resources survey report and if the location of the site is within the current geographical or historic boundaries of any South Dakota reservation to SDDOT Environmental Engineer, 700 East Broadway Avenue, Pierre, SD 57501-2586 (605-773-3180). SDDOT will submit the information to the appropriate SHPO/THPO. Allow **30 Days** from the date this information is submitted to the Environmental Engineer for SHPO/THPO review.

If evidence for cultural resources is uncovered during project construction activities, then such activities shall cease and the Project Engineer shall be immediately notified. The Project Engineer will contact the SDDOT Environmental Engineer in order to determine an appropriate course of action.

SHPO/THPO review does not relieve the Contractor of the responsibility for obtaining any additional permits and clearances for staging areas, borrow sites, waste disposal sites, or material processing sites that affect wetlands, threatened and endangered species, or waterways. The Contractor shall provide the required permits and clearances to the Project Engineer at the preconstruction meeting.

COMMITMENT L: CONTAMINATED MATERIAL

Contaminated soil and/or known gas stations, undergrounds storage tanks, etc. are located within the project limits. Petroleum contaminated soil is or may be located at the following sites:

Description	Station	L / R
Cowboy Country Stores	130+00	R

Action Taken/Required:

The Contractor shall give notice to the Engineer when contaminated soil is encountered on the project. The Engineer will contact the SDDOT Environmental Engineer, at 605-773-3180, so that contact with the Department of Environment and Natural Resources (DENR) and consultant to inspect and monitor removal of any contaminated soil can be initiated.

The Contractor shall be responsible for having the existing underground utilities located in the construction area. Underground utilities damaged by the Contractor due to negligence shall be repaired at the Contractor's expense.

Petroleum contaminated soil may be disposed of at the (name of nearest landfill accepting contaminated material) (phone xxx-xxx-xxxx). Measurement of "Contaminated Material Excavation" shall be in accordance with Section 120.4 of the Specifications. All costs for excavating and transporting the contaminated materials to the disposal site and all fees charged per cubic yard by the disposal site shall be incidental to the contract unit price per cubic yard for "Contaminated Material Excavation".

The estimated quantity of "Contaminated Material Excavation" is 100 cubic yards. The quantity of "Contaminated Material Excavation" may vary from the plans. No adjustment will be made to the contract unit price for variations in the quantity of "Contaminated Material Excavation". The estimated quantity of "Contaminated Material Excavation" is provided in Section B – Grading plans.

1:200
Plot Scale -

Plotted From - trs12142

File - ...hpj\ccdm028\NotesSectionA.dgn