

Creel and Lake Information

Lake Information

Lake Name: Poinsett
Lake Code: MBS-Lake-405-000
Surface Area: 3,228.74 Hectares
County: Hamlin
Start Date: 5/9/2018
End Date: 8/16/2018
Months Included: January, February, March, May, June, July, August

Table 1. Percent of angling parties interviewed primarily targeting a species (or any species) by month and overall for Poinsett during 2017 - 2018. Any Species (ANY), Black Crappie (BLC), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP).

Year	Month	# of Interviews	Percent of Anglers Targeting					
			ANY	BLC	SMB	WAE	WHB	YEP
2017	January	93	19.4	1.1	1.1	24.7	0.0	53.8
	February	51	27.5	0.0	0.0	25.5	0.0	47.1
	March	4	0.0	0.0	0.0	0.0	0.0	75.0
	May	115	3.5	1.7	0.9	92.2	0.0	0.0
	June	165	1.2	5.5	0.0	90.3	3.0	0.0
	July	86	5.8	0.0	2.3	89.5	1.2	1.2
	August	71	1.4	0.0	2.8	62.0	0.0	33.8
	Overall	585	7.5	2.1	1.0	70.4	1.0	17.4
2018	May	142	0.0	1.4	0.0	93.7	4.9	0.0
	June	212	0.5	0.5	1.4	97.2	0.0	0.5
	July	90	0.0	0.0	1.1	97.8	0.0	1.1
	August	50	0.0	0.0	4.0	94.0	0.0	2.0
	Overall	494	0.2	0.6	1.2	96.0	1.4	0.6

Table 2. Monthly and overall number of interviews, angler hours, angler days, mean trip length, mean party size, percent of parties interviewed that were South Dakota residents, percent of angling activity from a boat or shack and percent of angling activity that occurred on weekends and holidays at Poinsett (80% confidence interval).

Year	Month	# Interviews	Angler Hours	Angler Days	Trip Length (h)	Party Size	% SD Residents	% Boat or Shack	% Weekend/Holidays
2016-2017	January	93	18,667 (10,018)	3,496	5.34 (1.71)	1.68 (0.41)	79.57	66	34
	February	51	41,766 (14,608)	13,473	3.10	1.88 (0.73)	66.67	27	67
	March	4	21,945 (9,209)	7,593	2.89	3.75	25.00	0	100
	Overall	148	82,377 (19,964)	20,340	4.05 (0.75)	2.03 (0.36)	75.00	65	32
2017	May	115	8,810 (3,605)	1,540	5.72 (2.97)	2.24 (0.84)	86.96	75	31
	June	165	25,504 (6,902)	4,459	5.72 (1.02)	2.26 (0.48)	84.85	91	63
	July	86	20,487 (6,378)	3,526	5.81 (0.13)	2.37 (0.11)	86.05	95	64
	August	71	12,865 (3,108)	1,914	6.72	2.21 (0.60)	91.55	99	59
	Overall	437	67,666 (10,535)	11,222	6.03 (0.54)	2.28 (0.25)	86.73	89	54
2018	May	142	26,036 (6,178)	5,335	4.88 (1.37)	2.43 (0.41)	74.65	70	43
	June	212	30,904 (8,584)	7,745	3.99 (0.91)	2.50 (0.53)	72.17	95	34
	July	90	22,428 (8,152)	5,290	4.24 (1.07)	2.68 (0.71)	77.78	99	59
	August	50	27,416 (4,520)	6,231	4.40	2.43 (0.49)	80.00	96	46
	Overall	494	106,784 (14,097)	24,380	4.38 (0.49)	2.51 (0.27)	74.70	88	43

Table 3. Estimated fishing pressure (angler hours) by month during the summer season 2018 daylight period on Poinsett (80% confidence interval).

Lake	Month				Total
	May	June	July	August	
Poinsett (Hamlin)	26,036 (6,178)	30,904 (8,584)	22,428 (8,152)	27,416 (4,520)	106,784 (14,097)

Table 4. Estimated number of fish harvested, by species and month, for the summer season 2018 daylight period on Poinsett (80% confidence interval).

Species	Month				Total
	May	June	July	August	
Black Crappie	3,734 (2,356)	1,238 (493)	870 (527)	281 (140)	6,124 (2,468)
Smallmouth Bass	551 (192)	540 (228)	257 (233)	689	2,036
Walleye	6,018 (1,467)	15,542 (4,589)	6,861 (2,775)	7,692 (3,113)	36,113 (6,372)
White Bass	1,712 (744)	511 (257)	138 (89)	133 (166)	2,493 (809)
Yellow Perch	22 (25)	1,711 (723)	1,099 (431)	3,069 (1,089)	5,901 (1,377)
Total	12,037 (4,784)	19,542 (6,290)	9,225 (4,055)	11,863 (4,509)	52,667 (11,026)

Table 5a. Estimated monthly and overall angler catch rate per hour fished (C/h) for all anglers by species at Poinsett (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and other species (Other).

Year	Month	BLC	SMB	WAE	WHB	YEP
		C/h	C/h	C/h	C/h	C/h
2016-2017	January	0.01	0.00	0.46	0.00	0.16
	February	<0.01	0.02	2.05	0.00	0.12
	March	0.04	0.00	0.14	0.01	0.21
	Overall	0.02	0.01	1.18	<0.01	0.15
2017	May	0.02 (0.02)	0.06 (0.04)	1.08 (0.92)	0.32 (0.30)	<0.01 (<0.01)
	June	0.19 (0.19)	0.08 (0.05)	2.09 (1.32)	0.07 (0.10)	0.03 (0.03)
	July	0.02 (0.02)	0.08 (0.20)	2.99 (2.44)	0.11 (0.14)	0.11 (0.08)
	August	0.01 (0.01)	0.22 (0.10)	1.23 (0.73)	0.06 (0.02)	0.24 (0.14)
	Overall	0.08 (0.06)	0.11 (0.07)	2.07 (0.84)	0.11 (0.07)	0.09 (0.04)
2018	May	0.16 (0.09)	0.09 (0.05)	0.63 (0.29)	0.07 (0.03)	<0.01 (<0.01)
	June	0.04 (0.02)	0.08 (0.04)	1.59 (0.95)	0.16 (0.14)	0.07 (0.04)
	July	0.04 (0.03)	0.15 (0.16)	1.29 (1.07)	0.02 (<0.01)	0.05 (0.03)
	August	0.02 (<0.01)	0.10 (0.08)	0.93 (0.36)	0.01 (0.01)	0.13 (0.05)
	Overall	0.07 (0.03)	0.10 (0.04)	1.12 (0.34)	0.07 (0.04)	0.06 (0.02)

Table 5b. Estimated monthly and overall angler harvest rate per hour fished (H/h) for all anglers by species at Poinsett (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and other species (Other).

Year	Month	BLC	SMB	WAE	WHB	YEP
		H/h	H/h	H/h	H/h	H/h
2016-2017	January	0.01	0.00	0.03	0.00	0.15
	February	<0.01	0.00	0.04	0.00	0.11
	March	0.04	0.00	0.01	0.00	0.20
	Overall	0.01	0.00	0.03	0.00	0.14
2017	May	0.02 (0.02)	0.01 (0.01)	0.19 (0.15)	0.11	<0.01 (<0.01)
	June	0.13 (0.13)	0.01	0.22 (0.12)	0.01	0.02 (0.03)
	July	0.02 (0.01)	<0.01 (<0.01)	0.19 (0.10)	0.01 (0.02)	0.09 (0.07)
	August	0.01 (<0.01)	0.01 (<0.01)	0.04 (0.02)	0.00	0.23 (0.14)
	Overall	0.06 (0.04)	0.01 (<0.01)	0.17 (0.05)	0.02	0.08 (0.04)
2018	May	0.14 (0.09)	0.02 (0.01)	0.23 (0.08)	0.07 (0.03)	<0.01 (<0.01)
	June	0.04 (0.02)	0.02 (0.01)	0.50 (0.29)	0.02 (0.01)	0.06 (0.04)
	July	0.04 (0.02)	0.01 (0.02)	0.31 (0.27)	0.01 (<0.01)	0.05 (0.03)
	August	0.01 (<0.01)	0.03	0.28 (0.16)	<0.01 (<0.01)	0.11 (0.04)
	Overall	0.06 (0.02)	0.02	0.34 (0.10)	0.02 (<0.01)	0.06 (0.02)

Table 6a. Estimated monthly and overall angler catch rate per hour fished (C/h) only for anglers primarily targeting a species at Poinsett. (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and Other Species (Other).

Year	Month	BLC	SMB	WAE	WHB	YEP
		C/h	C/h	C/h	C/h	C/h
2016- 2017	January	0.00	0.00	0.49 (0.26)	0.00	0.47 (0.16)
	February	0.00	0.00	2.24 (1.41)	0.00	0.28 (0.04)
	March	0.00	0.00	0.00	0.00	0.88
	Overall	0.00	0.00	1.37 (0.72)	0.00	0.40 (0.07)
2017	May	0.38	0.00	1.19 (0.30)	0.00	0.00
	June	1.34 (1.40)	0.00	2.25 (1.15)	1.70 (2.84)	0.00
	July	0.00	3.58	3.09 (1.79)	0.17	0.00
	August	0.00	1.41	0.99 (0.66)	0.00	0.60 (1.25)
	Overall	1.16 (1.13)	2.09	1.83 (0.51)	1.35 (2.18)	0.35 (0.73)
2018	May	0.37 (0.69)	0.00	0.78 (0.40)	0.55 (1.85)	0.00
	June	0.26	1.55 (0.37)	1.82 (0.27)	0.00	0.53
	July	0.00	0.00	1.36 (0.72)	0.00	1.30
	August	0.00	0.73	0.73 (0.56)	0.00	2.34
	Overall	0.31 (0.35)	0.89 (0.12)	1.23 (0.21)	0.55 (1.85)	1.35

Table 6b. Estimated monthly and overall angler harvest rate per hour fished (H/h) only for anglers primarily targeting a species at Poinsett. (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and Other Species (Other).

Year	Month	BLC	SMB	WAE	WHB	YEP
		H/h	H/h	H/h	H/h	H/h
2016- 2017	January	0.00	0.00	0.02 (0.01)	0.00	0.44 (0.15)
	February	0.00	0.00	0.14 (0.02)	0.00	0.22 (0.03)
	March	0.00	0.00	0.00	0.00	0.83
	Overall	0.00	0.00	0.08 (0.01)	0.00	0.34 (0.07)
2017	May	0.38	0.00	0.21 (0.06)	0.00	0.00
	June	0.95 (0.88)	0.00	0.22 (0.10)	0.00	0.00
	July	0.00	0.00	0.20 (0.16)	0.17	0.00
	August	0.00	0.00	0.03 (0.10)	0.00	0.57 (0.60)
	Overall	0.84 (0.71)	0.00	0.18 (0.05)	0.04	0.34 (0.35)
2018	May	0.37 (0.69)	0.00	0.29 (0.06)	0.55 (2.00)	0.00
	June	0.00	0.00	0.56 (0.11)	0.00	0.53
	July	0.00	0.00	0.32 (0.03)	0.00	1.30
	August	0.00	0.34	0.25 (0.28)	0.00	2.06
	Overall	0.19 (0.35)	0.17	0.39 (0.06)	0.55 (2.00)	1.27

Table 7a. Estimated monthly and overall angler catch (C) for all anglers by species at Poinsett (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and other species (Other).

Year	Month	BLC	SMB	WAE	WHB	YEP
		C	C	C	C	C
2016-2017	January	215	0	8,623	0	2,951
	February	150	642	85,829	0	4,983
	March	902	0	3,093	258	4,639
	Overall	1,267	642	97,544	258	12,573
2017	May	215 (166)	531 (221)	9,497 (4,196)	2,816 (1,274)	25 (24)
	June	4,953 (2,695)	2,158 (1,046)	53,361 (17,603)	1,815 (1,117)	708 (350)
	July	416 (270)	1,622 (1,421)	61,262 (26,262)	2,154 (1,835)	2,353 (885)
	August	123 (99)	2,815 (714)	15,810 (6,081)	753 (145)	3,143 (1,684)
	Overall	5,707 (2,715)	7,125 (1,916)	139,929 (32,468)	7,539 (2,502)	6,228 (1,934)
2018	May	4,216 (2,459)	2,422 (1,145)	16,349 (6,633)	1,768 (747)	67 (23)
	June	1,378 (539)	2,414 (814)	49,282 (13,936)	5,042 (4,106)	2,201 (815)
	July	965 (504)	3,426 (2,559)	28,833 (12,338)	338 (103)	1,124 (395)
	August	479 (133)	2,684 (1,416)	25,606 (6,140)	314 (305)	3,531 (1,463)
	Overall	7,037 (2,571)	10,947 (3,245)	120,070 (20,691)	7,462 (4,186)	6,923 (1,721)

Table 7b. Estimated monthly and overall angler harvest (H) for all anglers by species at Poinsett (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and other species (Other).

Year	Month	BLC	SMB	WAE	WHB	YEP
		H	H	H	H	H
2016-2017	January	156	0	520	0	2,757
	February	139	0	1,682	0	4,782
	March	902	0	258	0	4,382
	Overall	1,198	0	2,460	0	11,921
2017	May	215 (166)	104 (77)	1,694 (633)	951 (484)	18 (18)
	June	3,358 (1,929)	212 (79)	5,512 (1,525)	193	509 (294)
	July	311 (218)	20 (56)	3,799 (1,495)	268 (306)	1,874 (790)
	August	98 (79)	93 (101)	463 (187)	0	2,896 (1,644)
	Overall	3,981 (1,950)	428 (159)	11,467 (2,235)	1,413 (428)	5,297 (1,848)
2018	May	3,734 (2,356)	551 (192)	6,018 (1,467)	1,712 (744)	22 (25)
	June	1,238 (493)	540 (228)	15,542 (4,589)	511 (257)	1,711 (723)
	July	870 (527)	257 (233)	6,861 (2,775)	138 (89)	1,099 (431)
	August	281 (140)	689	7,692 (3,113)	133 (166)	3,069 (1,089)
	Overall	6,124 (2,468)	2,036	36,113 (6,372)	2,493 (809)	5,901 (1,377)

Table 8. Estimated number and rate (number per hour) of Black Crappie (BLC), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) caught and harvested by anglers during the summer and winter fisheries on Poinsett, (80% confidence interval).

Black Crappie

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2012	13 (17)	13 (17)	<0.01 (<0.01)	<0.01 (<0.01)
Summer	2017	5,707 (2,715)	3,981 (1,950)	0.08 (0.06)	0.06 (0.04)
Summer	2018	7,037 (2,571)	6,124 (2,468)	0.07 (0.03)	0.06 (0.02)
Winter	2016-2017	1,267	1,198	0.02	0.01

Smallmouth Bass

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2012	10,890 (4,759)	1,284 (536)	0.14 (0.06)	0.02 (<0.01)
Summer	2013	5,294 (2,451)	501 (448)	0.12 (0.06)	0.01 (0.01)
Summer	2017	7,125 (1,916)	428 (159)	0.11 (0.07)	0.01 (<0.01)
Summer	2018	10,947 (3,245)	2,036	0.10 (0.04)	0.02
Winter	2016-2017	642	0	0.01	0.00

Walleye

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2012	34,576 (8,800)	11,662 (2,421)	0.46 (0.18)	0.15 (0.05)
Summer	2013	7,456 (1,969)	4,002 (1,091)	0.17 (0.08)	0.09 (0.05)
Summer	2017	139,929 (32,468)	11,467 (2,235)	2.07 (0.84)	0.17 (0.05)
Summer	2018	120,070 (20,691)	36,113 (6,372)	1.12 (0.34)	0.34 (0.10)
Winter	2016-2017	97,544	2,460	1.18	0.03

White Bass

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2012	14,377 (3,711)	615 (186)	0.19 (0.06)	0.01 (<0.01)
Summer	2013	953 (363)	227 (165)	0.02 (<0.01)	0.01 (<0.01)
Summer	2017	7,539 (2,502)	1,413 (428)	0.11 (0.07)	0.02
Summer	2018	7,462 (4,186)	2,493 (809)	0.07 (0.04)	0.02 (<0.01)
Winter	2016-2017	258	0	<0.01	0.00

Yellow Perch

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2012	16,415 (3,172)	13,181 (2,698)	0.22 (0.08)	0.17 (0.07)
Summer	2013	610 (321)	345 (205)	0.01 (0.02)	0.01 (<0.01)
Summer	2017	6,228 (1,934)	5,297 (1,848)	0.09 (0.04)	0.08 (0.04)
Summer	2018	6,923 (1,721)	5,901 (1,377)	0.06 (0.02)	0.06 (0.02)
Winter	2016-2017	12,573	11,921	0.15	0.14

Table 9. The number of fish harvested with each species by length group (mm) for the winter and summer fisheries at Poinsett. Abbreviations for species are as follows: Black Crappie (BLC), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP).

Winter 2016-2017					
Length Group (mm)	BLC (N=57)	SMB (N=0)	WAE (N=56)	WHB (N=0)	YEP (N=127)
190					2
200					1
210					1
220					1
230	1				4
240	4				9
250	10				10
260	16				11
270	7				20
280	6				32
290	1				23
300	3				11
310	7				2
320	1				
330	1				
350			2		
360			4		
370			7		
380			16		
390			12		
400			3		
410			8		
420			1		
430					
440			1		
450					
460					
470					
480					
490			1		
500					
510			1		


Summer 2017

Length Group (mm)	BLC (N=126)	SMB (N=24)	WAE (N=886)	WHB (N=12)	YEP (N=323)
150					1
160					
170					
180					
190					
200					1
210					2
220					2
230		1			4
240	2				15
250	38				12
260	17	2		1	29
270	32				49
280	13	2			65
290	5				55
300	11	1		1	70
310	3			3	13
320	2				4
330		4	1	1	1
340	1	4		1	
350		2		1	
360			1	1	
370	1		13	3	
380	1	2	415		
390			237		
400			94		
410		1	42		
420		1	9		
430			18		
440		1			
450		2	8		
460			4		
470			3		
480			5		
490			6		
500		1	3		
510			1		
520			2		
530			5		
540			1		
550			2		
560			1		
570					
580			5		
590					
600					
610			3		
620			1		
630					
640			1		
650					
660			1		
670			2		
680					
690					
700					
710					
720			2		


Summer 2018

Length Group (mm)	BLC (N=99)	SMB (N=32)	WAE (N=504)	WHB (N=22)	YEP (N=63)
160	1				
170					
180					
190					
200					
210					
220					1
230	1				3
240	2		1		5
250	2		1		5
260	5	1			8
270	10		2		10
280	10		2		7
290	14	2	5		2
300	24	5	7		8
310	15		10	1	7
320	7	5	13	2	2
330	6	4	28	2	4
340			39	3	1
350	2	3	51	1	
360		3	133	3	
370		1	117		
380		5	49	6	
390			8	1	
400		1	14		
410			7	1	
420			3		
430			4		
440			1		
450		1	3	1	
460			1	1	
470		1			
480					
490			2		
500					
510					
520					
530					
540					
550					
560					
570					
580					
590					
600					
610					
620					
630			1		
640					
650					
660					
670					
680					
690					
700			1		
710			1		


Figure 1a. Length frequency of angler-harvested Black Crappie measured by the creel clerk during creel surveys on Poinsett.



Winter 2016-2017
 N = 57
 Mean TL = 270 mm



Summer 2017
 N = 126
 Mean TL = 270 mm



Summer 2018
 N = 99
 Mean TL = 292 mm

Figure 1b. Length frequency of angler-harvested Smallmouth Bass measured by the creel clerk during creel surveys on Poinsett.





Figure 1c. Length frequency of angler-harvested Walleye measured by the creel clerk during creel surveys on Poinsett.






Figure 1d. Length frequency of angler-harvested White Bass measured by the creel clerk during creel surveys on Poinsett.








Figure 1e. Length frequency of angler-harvested Yellow Perch measured by the creel clerk during creel surveys on Poinsett.



Winter 2016-2017
 N = 127
 Mean TL = 270 mm



Summer 2017
 N = 323
 Mean TL = 279 mm



Summer 2018
 N = 63
 Mean TL = 278 mm

Figure 2. South Dakota county of residence for winter and summer resident anglers fishing Poinsett, South Dakota between January 2017 and August 2018.




Table 10. Number of parties interviewed that harvested (or caught) a specified number of fish totaled over selected strata for a species.

Angler Harvest	Counts				
	BLC (n=437)	SMB (n=437)	WAE (n=437)	WHB (n=437)	YEP (n=437)
0.00	378	419	191	412	357
0.20	2	0	0	0	0
0.25	5	2	3	0	4
0.33	5	3	11	1	5
0.50	13	6	34	5	24
0.60	0	0	0	2	0
0.67	4	1	11	0	1
0.75	0	0	2	0	0
0.80	0	0	1	0	0
1.00	8	2	45	7	7
1.20	1	0	1	0	0
1.25	0	0	3	0	0
1.33	0	0	6	2	1
1.50	5	2	22	0	4
1.67	2	0	3	0	1
1.75	0	0	1	0	0
2.00	2	0	36	1	7
2.20	0	0	1	0	0
2.25	0	0	1	0	0
2.33	0	0	2	0	0
2.50	1	0	14	0	2
2.67	0	1	3	0	2
2.75	0	0	1	0	0
3.00	0	1	20	1	5
3.33	0	0	1	0	0
3.50	1	0	0	1	0
4.00	1	0	21	1	3
4.50	0	0	1	0	3
5.00	3	0	0	0	2
5.75	1	0	0	0	0
6.00	1	0	2	0	0
7.00	0	0	0	0	1
7.50	0	0	0	1	1
8.00	0	0	0	1	1
8.50	0	0	0	0	2
10.00	1	0	0	0	1
11.00	0	0	0	0	1
12.00	1	0	0	0	1
13.33	0	0	0	1	0
14.50	0	0	0	1	0
15.00	2	0	0	0	1

Angler Harvest	Counts				
	BLC (n=494)	SMB (n=494)	WAE (n=495)	WHB (n=494)	YEP (n=494)
0.00	391	450	153	457	396
0.17	1	0	0	0	0
0.20	2	1	1	0	2
0.25	8	3	1	3	8
0.33	13	6	13	6	12
0.50	32	12	17	10	33
0.60	0	0	1	0	0
0.67	5	5	13	3	5
0.75	1	2	5	0	0
0.80	0	0	1	0	0
1.00	18	7	45	6	14
1.20	0	0	1	0	0
1.25	0	0	1	0	0
1.33	2	1	5	1	3
1.50	3	0	20	3	3
1.67	1	1	5	1	0
1.75	0	0	1	0	0
2.00	1	3	41	2	10
2.20	0	0	1	0	0
2.25	0	0	5	0	0
2.33	1	0	2	0	0
2.40	0	0	1	0	0
2.50	0	0	12	1	2
2.67	0	0	10	0	1
2.75	0	0	4	0	0
3.00	2	1	18	0	1
3.20	0	0	1	0	0
3.25	0	0	2	0	0
3.33	0	0	2	0	0
3.50	0	1	9	0	1
3.67	0	0	5	0	0
3.75	0	0	2	0	0
3.80	0	0	1	0	0
4.00	1	0	95	0	1
4.50	0	0	1	0	0
5.00	2	1	0	1	0
6.00	3	0	0	0	0
6.50	1	0	0	0	0
8.00	1	0	0	0	0
8.33	1	0	0	0	0
10.50	1	0	0	0	0
11.00	1	0	0	0	1
15.00	2	0	0	0	1

Winter 2016-2017

Counts

Angler Harvest	BLC (n=220)	SMB (n=220)	WAE (n=220)	WHB (n=220)	YEP (n=220)
0.00	186	220	160	220	140
0.20	0	0	1	0	1
0.25	0	0	1	0	2
0.33	2	0	3	0	0
0.40	1	0	0	0	0
0.50	9	0	20	0	16
0.67	0	0	0	0	1
1.00	10	0	21	0	18
1.33	0	0	0	0	1
1.50	0	0	2	0	1
1.80	0	0	1	0	0
2.00	5	0	6	0	9
2.40	0	0	0	0	1
2.50	0	0	1	0	3
3.00	3	0	1	0	6
4.00	2	0	3	0	5
4.40	0	0	0	0	1
5.00	1	0	0	0	1
6.00	0	0	0	0	6
7.00	0	0	0	0	1
7.50	0	0	0	0	1
9.00	0	0	0	0	1
11.00	0	0	0	0	2
14.00	0	0	0	0	1
15.00	1	0	0	0	2

Table 11 The number (N) and percent of total interviews in supplemental-response categories by question asked during interviews at Poinsett.

Question: Considering all factors, how satisfied are you with your fishing trip today?

Response	Summer 2018 (n = 473)
Very Satisfied	13%
Moderately Satisfied	35%
Slightly Satisfied	25%
Neutral/No Opinion	15%
Slightly Dissatisfied	9%
Moderately Dissatisfied	4%
Very Dissatisfied	0%