Creel and Lake Information

Lake Information

Lake Name: Kampeska

Lake Code: UBS-Lake-171-000

Surface Area: 2,018.23 Hectares

County: Codington

Start Date: 5/11/2018

End Date: 8/17/2018

Months Included: May, June, July, August

Table 1. Percent of angling parties interviewed primarily targeting a species (or any species) by month and overall for Kampeska during 2017 - 2018. Any Species (ANY), Black Crappie (BLC), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB).

			Percent of Anglers Targeting				ng
Year	Month	# of Interviews	ANY	BLC	SMB	WAE	WHB
2017	May	23	43.5	0.0	21.7	26.1	0.0
	June	39	12.8	0.0	15.4	56.4	7.7
	July	18	27.8	0.0	0.0	66.7	0.0
	August	26	11.5	0.0	19.2	57.7	0.0
	Overall	106	21.7	0.0	15.1	51.9	2.8
2018	May	41	0.0	26.8	9.8	61.0	2.4
	June	36	0.0	5.6	30.6	63.9	0.0
	July	18	0.0	0.0	22.2	72.2	5.6
	August	4	0.0	0.0	0.0	100.0	0.0
	Overall	99	0.0	13.1	19.2	65.7	2.0

Table 2. Monthly and overall number of interviews, angler hours, angler days, mean trip length, mean party size, percent of parties interviewed that were South Dakota residents, percent of angling activity from a boat or shack and percent of angling activity that occurred on weekends and holidays at Kampeska (80% confidence interval).

	B.A. (1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Angler	Trip Length	D (0:	% SD	% Boat or	% Weekend/
Year	Month	# Interviews	Angler Hours	Days	(h)	Party Size	Residents	Shack	Holidays
2017	May	23	1,046 (716)	333	3.14 (0.55)	1.36 (0.27)	95.65	61	70
	June	39	3,599 (1,033)	825	4.36	1.60 (0.36)	100.00	77	46
	July	18	3,319 (1,215)	720	4.61	1.47	94.44	100	61
	August	26	2,053 (800)	419	4.90 (0.52)	1.58 (0.39)	100.00	73	42
	Overall	106	10,017 (1,923)	2,282	4.39 (0.17)	1.52 (0.15)	98.11	76	53
2018	May	41	4,617 (1,995)	2,108	2.19 (0.39)	1.76 (0.67)	90.24	27	29
	June	36	3,474 (1,823)	1,711	2.03 (0.41)	1.93 (0.40)	94.44	42	36
	July	18	1,615 (270)	471	3.43	1.95 (0.46)	88.89	72	50
	August	4	324 (216)	144	2.25	1.13	100.00	100	50
	Overall	99	10,029 (2,724)	4,028	2.49 (0.15)	1.69 (0.23)	91.92	43	36

Table 3. Estimated fishing pressure (angler hours) by month during the summer season 2018 daylight period on Kampeska (80% confidence interval).

			Month		
Lake	May	June	July	August	Total
Kampeska (Codington)	4,617 (1,995)	3,474 (1,823)	1,615 (270)	324 (216)	10,029 (2,724)

Table 4. Estimated number of fish harvested, by species and month, for the summer season 2018 daylight period on Kampeska (80% confidence interval).

	Month				
Species	May	June	July	August	Total
Black Crappie	1,448 (1,025)	14	0	0	1,463 (1,025)
Smallmouth Bass	0	23 (42)	78 (99)	0	101 (108)
Walleye	82 (71)	0	25 (24)	24 (66)	131 (100)
White Bass	54 (57)	13 (15)	26 (31)	0	93 (67)
Total	1,584 (1,154)	51 (57)	129 (154)	24 (66)	1,787 (1,300)

Table 5a. Estimated monthly and overall angler catch rate per hour fished (C/h) for all anglers by species at Kampeska (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB) and other species (Other).

		BLC	SMB	WAE	WHB
Year	Month	C/h	C/h	C/h	C/h
2017	May	0.00	0.54 (1.17)	0.25 (0.38)	0.01 (0.01)
	June	0.00	0.33 (0.20)	0.12	0.12 (0.07)
	July	0.00	0.05 (0.07)	0.24 (0.18)	0.07 (0.06)
	August	0.00	0.17 (0.22)	0.26 (0.44)	0.13 (0.20)
	Overall	0.00	0.23 (0.13)	0.20 (0.11)	0.09 (0.05)
2018	May	0.37 (0.30)	0.21 (0.16)	0.04 (0.03)	0.22 (0.21)
	June	<0.01	0.11 (0.30)	0.04 (0.04)	0.07 (0.07)
	July	0.00	0.21 (0.20)	0.04 (0.03)	0.03 (0.03)
	August	0.07 (0.08)	0.00	0.26 (0.27)	0.00
	Overall	0.17 (0.13)	0.17 (0.15)	0.05 (0.02)	0.13 (0.09)

Table 5b. Estimated monthly and overall angler harvest rate per hour fished (H/h) for all anglers by species at Kampeska (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB) and other species (Other).

		BLC	SMB	WAE	WHB
Year	Month	H/h	H/h	H/h	H/h
2017	May	0.00	0.03 (0.08)	0.05 (0.09)	0.01 (0.01)
	June	0.00	<0.01 (<0.01)	0.03	0.01 (<0.01)
	July	0.00	0.00	0.02 (0.02)	0.00
	August	0.00	0.00	0.05 (0.07)	0.00
	Overall	0.00	<0.01 (<0.01)	0.03 (0.01)	<0.01 (<0.01)
2018	May	0.31 (0.25)	0.00	0.02 (0.02)	0.01 (0.02)
	June	<0.01	0.01 (0.02)	0.00	<0.01 (<0.01)
	July	0.00	0.05 (0.05)	0.02 (0.02)	0.02 (0.02)
	August	0.00	0.00	0.07 (0.21)	0.00
	Overall	0.15 (0.11)	0.01 (0.01)	0.01 (0.01)	0.01 (<0.01)

Table 6a. Estimated monthly and overall angler catch rate per hour fished (C/h) only for anglers primarily targeting a species at Kampeska. (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB) and Other Species (Other).

		BLC	SMB	WAE	WHB
Year	Month	C/h	C/h	C/h	C/h
2017	May	0.00	1.62 (0.55)	0.80 (0.26)	0.00
	June	0.00	2.43 (2.10)	0.17 (0.26)	0.10 (0.18)
	July	0.00	0.00	0.33 (0.41)	0.00
	August	0.00	0.98 (0.70)	0.34 (0.43)	0.00
	Overall	0.00	1.68 (0.86)	0.36 (0.19)	0.10 (0.18)
2018	May	1.22 (0.90)	0.63 (1.21)	0.12 (0.08)	0.50
	June	3.23	0.18 (0.14)	0.09 (0.08)	0.00
	July	0.00	0.38 (0.32)	0.07 (0.04)	0.00
	August	0.00	0.00	0.24 (0.67)	0.00
	Overall	2.38 (0.38)	0.38 (0.34)	0.12 (0.10)	0.34

Table 6b. Estimated monthly and overall angler harvest rate per hour fished (H/h) only for anglers primarily targeting a species at Kampeska. (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB) and Other Species (Other).

		BLC	SMB	WAE	WHB
Year	Month	H/h	H/h	H/h	H/h
2017	May	0.00	0.00	0.05 (0.06)	0.00
	June	0.00	0.00	0.04 (0.11)	0.00
	July	0.00	0.00	0.04 (0.10)	0.00
	August	0.00	0.00	0.07 (0.10)	0.00
	Overall	0.00	0.00	0.05 (0.05)	0.00
2018	May	1.05 (0.55)	0.00	0.10 (0.07)	0.00
	June	3.23	0.05 (0.17)	0.00	0.00
	July	0.00	0.12 (0.35)	0.03 (0.06)	0.00
	August	0.00	0.00	0.16 (0.67)	0.00
	Overall	2.31 (0.23)	0.06 (0.14)	0.06 (0.10)	0.00

Table 7a. Estimated monthly and overall angler catch (C) for all anglers by species at Kampeska (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB) and other species (Other).

		BLC	SMB	WAE	WHB
Year	Month	С	С	С	С
2017	May	0	561 (671)	262 (350)	10 (13)
	June	0	1,202 (457)	438	426 (279)
	July	0	181 (151)	804 (381)	221 (164)
	August	0	342 (243)	525 (494)	268 (203)
	Overall	0	2,287 (861)	2,028 (715)	925 (383)
2018	May	1,692 (1,199)	960 (585)	191 (96)	997 (581)
	June	14	390 (249)	123 (124)	242 (142)
	July	0	345 (163)	61 (34)	51 (40)
	August	24 (20)	0	85 (66)	0
	Overall	1,730 (1,200)	1,695 (656)	459 (173)	1,290 (600)

Table 7b. Estimated monthly and overall angler harvest (H) for all anglers by species at Kampeska (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB) and other species (Other).

'		BLC	SMB	WAE	WHB
Year	Month	Н	Н	Н	Н
2017	May	0	34 (54)	57 (90)	10 (13)
	June	0	7 (11)	111	34 (29)
	July	0	0	71 (68)	0
	August	0	0	102 (80)	0
	Overall	0	42 (55)	341 (83)	43 (32)
2018	May	1,448 (1,025)	0	82 (71)	54 (57)
	June	14	23 (42)	0	13 (15)
	July	0	78 (99)	25 (24)	26 (31)
	August	0	0	24 (66)	0
	Overall	1,463 (1,025)	101 (108)	131 (100)	93 (67)

Table 8. Estimated number and rate (number per hour) of Black Crappie (BLC), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB) caught and harvested by anglers during the summer and winter fisheries on Kampeska, (80% confidence interval).

Black Crappie

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2018	1,730 (1,200)	1,463 (1,025)	0.17 (0.13)	0.15 (0.11)
Smallmouth Bass					
Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2012	1,612 (392)	58 (61)	0.11 (0.06)	<0.01 (<0.01)
Summer	2013	911 (475)	110	0.05 (0.03)	0.01 (<0.01)
Summer	2017	2,287 (861)	42 (55)	0.23 (0.13)	<0.01 (<0.01)
Summer	2018	1,695 (656)	101 (108)	0.17 (0.15)	0.01 (0.01)
Walleye					
Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2012	5,349 (1,476)	2,479 (817)	0.38 (0.15)	0.17 (0.08)
Summer	2013	3,783 (1,679)	3,233 (1,655)	0.21 (0.10)	0.18 (0.10)
Summer	2017	2,028 (715)	341 (83)	0.20 (0.11)	0.03 (0.01)
Summer	2018	459 (173)	131 (100)	0.05 (0.02)	0.01 (0.01)
White Bass					
Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2012	7,107 (1,729)	278 (167)	0.50 (0.17)	0.02 (0.02)
Summer	2013	2,294 (1,051)	361 (158)	0.13 (0.06)	0.02 (<0.01)
Summer	2017	925 (383)	43 (32)	0.09 (0.05)	<0.01 (<0.01)
Summer	2018	1,290 (600)	93 (67)	0.13 (0.09)	0.01 (<0.01)

Table 9. The number of fish harvested with each species by length group (mm) for the winter and summer fisheries at Kampeska. Abbreviations for species are as follows: Black Crappie (BLC), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB).

		·		
Summer 2017				
Length Group (mm)	BLC	SMB	WAE	WHB
3, 3, 1, 1, 1,	(N=0)	(N=1)	(N=31)	(N=3)
230	(0)	(,	(11 01)	1
240				•
250				
260				
270				0
280				2
300		1	_	
330			3	
340			1	
350			4	
360			8	
370			8	
380			4	
390				
400			2	
410				
420				
430				
440				
450				
460			1	
			•	
Summer 2018		a		
Length Group (mm)	BLC	SMB	WAE	WHB
	(N=41)	(N=4)	(N=6)	(N=2)
210	1			
220				
230	1			
240				
250				
260	8			
270	18			
280	12	1		
290	12	'		
300	1			1
	1			ı
310				4
320				1
330				
340				
350		1		
360		1	1	
370		1	3	
380				
390				
400				
410			1	
420				
430				
440				
450				
460				
470				
480				
490				
500				
510				
520				
530				
540				
550				
560				
570				
580				
590				
600				
610				
620			1	
			· · · ·	

Figure 1a. Length frequency of angler-harvested Black Crappie measured by the creel clerk during creel surveys on Kampeska.




Figure 1b. Length frequency of angler-harvested Walleye measured by the creel clerk during creel surveys on Kampeska.




Figure 2. South Dakota county of residence for winter and summer resident anglers fishing Kampeska, South Dakota between May 2017 and August 2018.




Table 10. Number of parties interviewed that harvested (or caught) a specified number of fish totaled over selected strata for a species.

Summer 2017	Counts				
Angler Harvest	BLC (n=106)	SMB (n=106)	WAE (n=106)	WHB (n=106)	
0.00	106	104	92	102	
0.33	0	1	1	0	
0.50	0	0	1	3	
1.00	0	0	4	1	
1.25	0	0	1	0	
2.00	0	0	6	0	
2.33	0	0	1	0	
3.00	0	1	0	0	

Summer 2018	Counts				
Angler Harvest	BLC (n=99)	SMB (n=99)	WAE (n=99)	WHB (n=99)	
0.00	89	97	93	96	
0.33	0	0	1	1	
0.50	0	0	2	1	
0.67	0	1	0	0	
1.00	2	0	3	1	
1.33	1	0	0	0	
2.00	0	1	0	0	
3.00	1	0	0	0	
4.00	3	0	0	0	
4.33	1	0	0	0	
6.00	1	0	0	0	
8.50	1	0	0	0	

Table 11 The number (N) and percent of total interviews in supplemental-response categories by question asked during interviews at Kampeska.

Question: Considering all factors, how satisfied are you with your fishing trip today?

Response	Summer 2018 (n = 94)
Very Satisfied	3%
Moderately Satisfied	26%
Slightly Satisfied	18%
Neutral/No Opinion	26%
Slightly Dissatisfied	16%
Moderately Dissatisfied	9%
Very Dissatisfied	3%