Creel and Lake Information

Lake Information

Lake Name: Pickerel

Lake Code: UBS-Lake-358-000

Surface Area: 400.41 Hectares

County: Day

Start Date: 1/6/2019

End Date: 12/28/2019

Months Included: January, February, March, December

Table 1. Percent of angling parties interviewed primarily targeting a species (or any species) by month and overall for Pickerel during 2018 - 2019. Any Species (ANY), Black Crappie (BLC), Bluegill (BLG), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), Yellow Perch (YEP).

			Percent of Anglers Targeting						
Year	Month	# of Interviews	ANY	BLC	BLG	NOP	SMB	WAE	YEP
2018	December	11	18.2	9.1	9.1	0.0	0.0	9.1	54.5
	Overall	11	18.2	9.1	9.1	0.0	0.0	9.1	54.5
2019	January	23	17.4	0.0	4.3	17.4	8.7	4.3	47.8
	February	21	52.4	0.0	9.5	9.5	0.0	0.0	28.6
	March	6	33.3	0.0	50.0	0.0	0.0	16.7	0.0
	December	35	25.7	8.6	60.0	0.0	0.0	0.0	5.7
	Overall	85	30.6	3.5	31.8	7.1	2.4	2.4	22.4

Table 2. Monthly and overall number of interviews, angler hours, angler days, mean trip length, mean party size, percent of parties interviewed that were South Dakota residents, percent of angling activity from a boat or shack and percent of angling activity that occurred on weekends and holidays at Pickerel (80% confidence interval).

Year	Month	# Interviews	Angler Hours	Angler Days	Trip Length (h)	Party Size	% SD Residents	% Boat or Shack	% Weekend/ Holidays
2018- 2019	December	11	1,132 (303)	275	4.11 (0.03)	1.49 (0.07)	72.73	82	55
	January	23	6,918 (1,860)	1,367	5.06	3.00	21.74	100	61
	February	21	8,150 (5,806)	1,063	7.67	2.32 (0.41)	33.33	90	33
	March	6	3,173 (1,602)	962	3.30	1.52	66.67	100	83
	Overall	61	19,373 (6,310)	3,898	4.97 (0.01)	2.07 (0.10)	39.34	93	52

Table 3. Estimated fishing pressure (angler hours) by month during the summer season 2019 daylight period on Pickerel (80% confidence interval).

	Month
Lake	Total
Pickerel (Day)	0

Table 4. Estimated number of fish harvested, by species and month, for the summer season 2019 daylight period on Pickerel (80% confidence interval).

	Month
Species	Total
Black Crappie	0
Bluegill	0
Northern Pike	0
Smallmouth Bass	0
Walleye	0
Yellow Perch	0
Total	0

Table 5a. Estimated monthly and overall angler catch rate per hour fished (C/h) for all anglers by species at Pickerel (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), Yellow Perch (YEP) and other species (Other).

		BLC	BLG	NOP	SMB	WAE	YEP
Year	Month	C/h	C/h	C/h	C/h	C/h	C/h
2018- 2019	December	0.04 (0.07)	0.35 (0.11)	0.01 (0.02)	0.00	0.22 (0.25)	1.67 (1.06)
	January	<0.01 (<0.01)	0.08 (0.14)	0.04 (0.05)	<0.01 (<0.01)	0.04 (0.03)	0.22 (0.23)
	February	0.02 (0.03)	0.02 (0.02)	<0.01 (<0.01)	0.05	0.10 (0.07)	2.71 (2.79)
	March	0.18	2.51	0.01	0.00	<0.01	0.10
	Overall	0.04 (0.02)	0.47 (0.18)	0.02 (0.01)	0.02 (<0.01)	0.07 (0.03)	1.33 (0.77)

Table 5b. Estimated monthly and overall angler harvest rate per hour fished (H/h) for all anglers by species at Pickerel (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), Yellow Perch (YEP) and other species (Other).

		BLC	BLG	NOP	SMB	WAE	YEP
Year	Month	H/h	H/h	H/h	H/h	H/h	H/h
2018- 2019	December	0.04 (0.07)	0.16 (0.04)	0.01 (0.02)	0.00	0.00	0.92 (0.80)
	January	0.00	0.06 (0.10)	0.04 (0.05)	0.00	<0.01 (<0.01)	0.08 (0.07)
	February	<0.01 (<0.01)	0.01 (<0.01)	<0.01 (<0.01)	0.00	0.00	0.18 (0.18)
	March	0.15	1.06	0.01	0.00	0.00	0.01
	Overall	0.03 (<0.01)	0.20 (0.09)	0.02 (0.01)	0.00	<0.01 (<0.01)	0.16 (0.08)

Table 6a. Estimated monthly and overall angler catch rate per hour fished (C/h) only for anglers primarily targeting a species at Pickerel. (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), Yellow Perch (YEP) and Other Species (Other).

		BLC	BLG	NOP	SMB	WAE	YEP
Year	Month	C/h	C/h	C/h	C/h	C/h	C/h
2018- 2019	December	0.00	0.00	0.00	0.00	0.00	2.40 (2.23)
	January	0.00	0.39	0.64 (2.80)	0.10	0.00	0.44 (0.32)
	February	0.00	0.03	0.06	0.00	0.00	2.10 (2.46)
	March	0.00	8.00	0.00	0.00	0.00	0.00
	Overall	0.00	2.81	0.21 (0.74)	0.10	0.00	1.63 (1.09)

Table 6b. Estimated monthly and overall angler harvest rate per hour fished (H/h) only for anglers primarily targeting a species at Pickerel. (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), Yellow Perch (YEP) and Other Species (Other).

		BLC	BLG	NOP	SMB	WAE	YEP
Year	Month	H/h	H/h	H/h	H/h	H/h	H/h
2018- 2019	December	0.00	0.00	0.00	0.00	0.00	1.41 (2.59)
	January	0.00	0.36	0.64 (2.39)	0.00	0.00	0.16 (0.16)
	February	0.00	0.01	0.06	0.00	0.00	0.16 (0.17)
	March	0.00	3.28	0.00	0.00	0.00	0.00
	Overall	0.00	1.17	0.21 (0.63)	0.00	0.00	0.59 (0.90)

Table 7a. Estimated monthly and overall angler catch (C) for all anglers by species at Pickerel (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), Yellow Perch (YEP) and other species (Other).

		BLC	BLG	NOP	SMB	WAE	YEP
Year	Month	С	С	С	С	С	С
2018- 2019	December	51 (81)	400 (63)	17 (17)	0	245 (210)	1,889 (609)
	January	26 (46)	553 (549)	262 (150)	17 (30)	242 (290)	1,531 (808)
	February	198 (187)	134 (82)	13 (11)	395	829 (47)	22,052 (3,784)
	March	582	7,963	44	0	15	306
	Overall	857 (209)	9,050 (558)	336 (151)	413 (30)	1,331 (362)	25,779 (3,917)

Table 7b. Estimated monthly and overall angler harvest (H) for all anglers by species at Pickerel (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), Yellow Perch (YEP) and other species (Other).

		BLC	BLG	NOP	SMB	WAE	YEP
Year	Month	Н	Н	Н	Н	Н	Н
2018- 2019	December	51 (81)	181	17 (17)	0	0	1,040 (548)
	January	0	387 (409)	262 (150)	0	29 (46)	522 (433)
	February	16 (16)	46 (37)	13 (11)	0	0	1,427 (388)
	March	470	3,357	24	0	0	29
	Overall	538 (82)	3,971 (411)	316 (151)	0	29 (46)	3,019 (800)

Table 8. Estimated number and rate (number per hour) of Black Crappie (BLC), Bluegill (BLG), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), Yellow Perch (YEP) caught and harvested by anglers during the summer and winter fisheries on Pickerel, (80% confidence interval).

Black Crappie

Black Crappie					
Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2010	12,220 (4,746)	10,174 (4,160)	0.44 (0.15)	0.37 (0.15)
Winter	2009-2010	10,949	9,172	0.96	0.80
Winter	2010-2011	6,752	6,676	1.17	1.15
Winter	2015-2016	45	45	0.01	0.01
Winter	2018-2019	857 (209)	538 (82)	0.04 (0.02)	0.03 (<0.01)
Bluegill					
Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2010	188 (106)	188 (106)	0.01 (<0.01)	0.01 (<0.01)
Winter	2009-2010	281	211	0.02	0.02
Winter	2010-2011	129	43	0.02	0.01
Winter	2018-2019	9,050 (558)	3,971 (411)	0.47 (0.18)	0.20 (0.09)
Northern Pike					
Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2010	1,741 (441)	184 (80)	0.06 (0.02)	0.01 (<0.01)
Winter	2009-2010	20	0	<0.01	0.00
Winter	2015-2016	130	90	0.02	0.01
Winter	2018-2019	336 (151)	316 (151)	0.02 (0.01)	0.02 (0.01)
Smallmouth Bass					
Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2010	2,009 (1,565)	143 (236)	0.07 (0.07)	0.01 (<0.01)
Winter	2010-2011	7	0	<0.01	0.00
Winter	2015-2016	761	90	0.11	0.01
Winter	2018-2019	413	0	0.02	0.00

(30)

(<0.01)

W	al	ley	/e
vv	aı	ie)	<i>/</i> ϵ

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2010	6,329 (3,448)	481 (747)	0.23 (0.11)	0.02 (0.03)
Winter	2009-2010	247	0	0.02	0.00
Winter	2010-2011	80	0	0.01	0.00
Winter	2015-2016	270	139	0.04	0.02
Winter	2018-2019	1,331 (362)	29 (46)	0.07 (0.03)	<0.01 (<0.01)

Yellow Perch

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2010	75 (65)	75 (65)	<0.01 (<0.01)	<0.01 (<0.01)
Winter	2009-2010	3,072	2,024	0.27	0.18
Winter	2010-2011	1,979	372	0.34	0.06
Winter	2015-2016	673	630	0.09	0.09
Winter	2018-2019	25,779 (3,917)	3,019 (800)	1.33 (0.77)	0.16 (0.08)

Table 9. The number of fish harvested with each species by length group (mm) for the winter and summer fisheries at Pickerel. Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), Yellow Perch (YEP).

(N=7) (N=33) (N=10) (N=0) (N=1) (N=90) 1 130 140 150 160 160 1770	Winter 2018-2019 Length Group (mm)	BLC	BLG	NOP	SMB	WAE	YEP
1200 1400 1400 1500 1600 1770 2		(N=7)	(N=33)	(N=10)	(N=0)	(N=1)	(N=90)
140 150 160 1770 2							1
140 150 160 1770	130						
150 160 170 2 180 5 180 5 180 6 190 1 2 2 11 2 8 200 1 1 2 11 8 220 2 1 1 2 30 1 2 30 1 2 4 15 2 30 1 2 4 15 2 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	140						
160 170 2 180 5 180 5 6 190 1 2 200 1 2 2 11 210 2 2 11 220 2 4 15 230 1 240 17 250 6 22 27 20 1 1 280 5 5 7 7 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6							
170	160						
180	170		2				1
210 2 11 8 220 2 4 15 230 1 9 240 17 17 250 6 6 260 5 5 270 1 2 530 1 2 540 1 5 560 2 5 570 5 5 580 1 5 590 1 5 600 1 6 620 1 6 630 1 6 660 1 6 670 1 6 680 1 6 770 70 70 770 70 70 770 780 1 790 80 1 800 810 820 830 830	180		5				6
210 2 11 8 220 2 4 15 230 1 9 240 17 17 250 6 6 260 5 5 270 1 2 530 1 2 540 1 5 560 2 5 570 5 5 580 1 5 590 1 5 600 1 6 620 1 6 630 1 6 660 1 6 670 1 6 680 1 6 770 70 70 770 70 70 770 780 1 790 80 1 800 810 820 830 830	190	1	2				8
210 2 11 8 220 2 4 15 230 1 9 240 17 17 250 6 6 260 5 5 270 1 2 530 1 2 540 1 5 560 2 5 570 5 5 580 1 5 590 1 5 600 1 6 620 1 6 630 1 6 660 1 6 670 1 6 680 1 6 770 70 70 770 70 70 770 780 1 790 80 1 800 810 820 830 830		1	9				11
220	210	2	11				8
240		2	4				15
240		1	7				9
250 6 6 280 5 5 7 7 1 1 2 2 5 3 1 2 2 5 3 1 2 2 5 3 1 2 2 5 3 1 1 2 2 5 3 1 1 2 2 5 3 1 1 2 2 5 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	240	'					17
260	250						6
280	250						5
280							3
530 1 1 540 540 1 550 550 560 2 570 580 1 580 1 590 600 610 620 620 620 620 620 620 620 620 620 62						4	1
540 1 550 2 570 3 580 1 590 600 610 600 620 630 630 1 640 650 660 1 680 1 690 700 710 720 730 740 750 760 770 780 800 810 810 820 830 830				4		1	2
550 560 570 580 1 590 600 600 610 620 630 1 640 650 660 670 1 680 1 680 1 700 710 720 730 740 750 760 770 780 1 790 800 810 820 830	530			1			
560 2 570 1 580 1 590 600 600 610 620 620 630 1 640 650 660 1 670 1 680 1 690 1 700 710 720 730 740 750 760 770 770 780 1 790 800 810 820 830 830	540			1			
570 580				_			
580	560			2			
590 600 610 620 630	570						
600 610 620 630	580			1			
610 620 630							
620 630	600						
630	610						
640 650 660 670	620						
650 660 670	630			1			
660 670	640						
670 1 680 1 690 700 710 720 730 740 750 760 770 780 1 790 800 810 820 830	650						
670 1 680 1 690 700 710 720 730 740 750 760 770 780 1 790 800 810 820 830	660						
680 1 690 700 710 720 730 740 750 760 770 780 790 800 810 820 830	670			1			
690 700 710 720 730 740 750 760 770 780 1 790 800 810 820 830	680			1			
700 710 720 730 740 750 760 770 780 1 790 800 810 820 830							
710 720 730 740 750 760 770 780 71 780 1 790 800 810 820 830	700						
720 730 740 750 750 760 770 780 1 790 800 810 820	710						
730 740 750 760 770 780 1 790 800 810 820 830	720						
740 750 760 770 780 1 790 800 810 820 830	730						
750 760 770 780 1 790 800 810 820 830							
760 770 780 1 790 800 810 820 830							
770 780 1 790 800 810 820	760						
780 1 790 800 810 820	770						
790 800 810 820 830	780			1			
800 810 820 830	790			1			
810 820 830	800						
820 830	910						
830							
୪୪U 840	02U						
840	83U						
850 1				_			

Figure 1a. Length frequency of angler-harvested Bluegill measured by the creel clerk during creel surveys on Pickerel.




Figure 1b. Length frequency of angler-harvested Northern Pike measured by the creel clerk during creel surveys on Pickerel.




Figure 1c. Length frequency of angler-harvested Yellow Perch measured by the creel clerk during creel surveys on Pickerel.




Figure 2. South Dakota county of residence for winter and summer resident anglers fishing Pickerel, South Dakota between December 2018 and December 2019.




Table 10. Number of parties interviewed that harvested (or caught) a specified number of fish totaled over selected strata for a species.

Winter 2018- 2019	Counts					
Angler Harvest	BLC (n=61)	BLG (n=61)	NOP (n=61)	SMB (n=61)	WAE (n=61)	YEP (n=61)
0.00	56	51	53	61	60	37
0.20	0	1	0	0	0	1
0.33	1	0	0	0	0	1
0.50	0	1	2	0	1	5
0.60	1	1	0	0	0	0
0.67	0	1	0	0	0	1
0.80	0	0	1	0	0	0
1.00	1	0	2	0	0	3
1.20	0	0	0	0	0	1
1.50	1	1	1	0	0	1
2.00	1	0	0	0	0	0
2.20	0	1	0	0	0	0
2.25	0	0	0	0	0	1
3.00	0	0	0	0	0	2
3.67	0	0	0	0	0	1
3.75	0	1	0	0	0	0
4.00	0	1	0	0	0	2
4.33	0	0	1	0	0	0
5.00	0	0	0	0	0	2
5.67	0	0	0	0	0	1
6.00	0	0	1	0	0	1
11.00	0	1	0	0	0	0
15.00	0	1	0	0	0	1

Table 11 The number (N) and percent of total interviews in supplemental-response categories by question asked during interviews at Pickerel.

Question: Considering all factors, how satisfied are you with your fishing trip today?

Response	Winter 2018-2019 (n = 53)		
Very Satisfied	32%		
Moderately Satisfied	26%		
Slightly Satisfied	8%		
Neutral/No Opinion	19%		
Slightly Dissatisfied	9%		
Very Dissatisfied	6%		