SOUTH DAKOTA STATEWIDE FISHERIES SURVEY
Angostura Reservoir, Fall River County
ANR-Lake-4-000
2019

Lake Information

Name: Angostura Reservoir

County: Fall River

Surface Area: 4,835 Acres

Surveys and Investigations

Survey methods used by gear type, date, and effort.

Gear	Date	Effort
AFS std gill net	Aug 20, 2019	8 net-nights
frame net (std 3/4 in)	May 23, 2019	5 net-nights
frame net (std 3/4 in)	May 24, 2019	4 net-nights

Common Fish Species Present

Largemouth Bass

Gizzard Shad

Walleye

Channel Catfish

Black Crappie

Common Carp

Freshwater Drum

Smallmouth Bass

River Carpsucker

Yellow Perch

Terminology

Catch per unit effort (**CPUE**) refers to the relative abundance of a species. It is defined as the number of fish captured per unit of effort (i.e., number of fish captured per net-night or number of fish captured per hour electrofishing). In this report CPUE is typically given for only stock-length fish (see length categories table for stock lengths).

A statewide effort to help make netting efforts comparable to all waters sampled across the state, occurred in 2017, with a switch to American Fisheries Society gill nets. Past gill netting efforts were completed with different style/types of nets and are not comparable side by side.

- **AFS std gill net** – 80 ft experimental gill net containing eight panels (10 ft each) of varying monofilament meshes of 0.75, 1.00, 1.25, 1.50, 1.75, 2.00, 2.25 and 2.50 inches.
- **std experimental gill net for non-Missouri River waters** - 150 ft experimental gill net containing six panels (25 ft each) of varying monofilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.
- s**td experimental gill net for Missouri River reservoirs** – 300 ft experimental gill net containing six panels (50 ft each) of varying multifilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.

$$CPUE = \frac{number\ of\ fish}{effort}$$

Population size structure is quantified using the indices proportional size distribution of quality-length fish (**PSD**) and proportional size distribution of preferred-length fish (**PSD-P**). These indices indicate the proportion of stock-length fish that are equal to or greater than a given length. Minimum lengths for stock, quality and preferred length fish are given in the length categories table.

$$PSD = \left(\frac{number\ of\ fish \geq quality\ length}{number\ of\ fish \geq stock\ length}\right) \text{x } 100$$

$$PSD - P = \left(\frac{number\ of\ fish \geq preferred\ length}{number\ of\ fish \geq stock\ length}\right) \text{x } 100$$

Relative weight (**Wr**) is used to quantify fish plumpness. Relative weight is the ratio of what a fish weighs (W) compared to a length-specific standard weight (Ws) multiplied by 100. Relative weight values of 95-105 are commonly cited as optimum values, but values in the 80s are common during summer sampling in South Dakota.

$$Wr = \left(\frac{W}{Ws}\right) \text{x } 100$$

Confidence intervals (**CI**) are provided for many of the estimates calculated in this report. The confidence interval provides a range in which the true mean is expected to fall. For example, with an 80% CI we are 80% confident that the interval contains the true value.

Length categories include stock (**S**), quality (**Q**), preferred (**P**), memorable (**M**) and trophy (**T**). Length categories for most species have been defined based on a percentage of the world record length for that species. Some species mentioned in this report do not have defined length categories. Length categories for species used in this report are provided in the following table. Measurements are the minimum total length for each category and are reported in inches (in) and centimeters (cm).

	Stock		Quality		Preferred		Memorable		Trophy	
Species Name	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)
Black Bullhead	6	15	9	23	12	30	15	38	18	46
Black Crappie	5	13	8	20	10	25	12	30	15	38
Bluegill	3	8	6	15	8	20	10	25	12	30
Brown Trout	8	20	12	30	16	40	20	50	18	46
Channel Catfish	11	28	16	41	24	61	28	71	36	91
Freshwater Drum	8	20	12	30	15	38	20	51	25	63
Lake Trout	12	30	20	50	26	65	31	80	39	100
Largemouth Bass	8	20	12	30	15	38	20	51	25	63
Muskellunge	20	51	30	76	38	97	42	107	50	127
Northern Pike	14	35	21	53	28	71	34	86	44	112
Pumpkinseed	3	8	6	15	8	20	10	25	12	30
Rainbow Trout	10	25	16	40	20	50	26	65	31	80
Rudd	6	15	10	25	12	30	15	38	19	48
Sauger	8	20	12	30	15	38	20	51	25	63
Smallmouth Bass	7	18	11	28	14	35	17	43	20	51
Walleye	10	25	15	38	20	51	25	63	30	76
White Bass	6	15	9	23	12	30	15	38	18	46
White Crappie	5	13	8	20	10	25	12	30	15	38
Yellow Bullhead	4	10	7	18	9	23	11	28	14	36
Yellow Perch	5	13	8	20	10	25	12	30	15	38

Catch Summary of Stock Length Fish

Catch per unit effort (CPUE), proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) for species sampled in survey with 80% confidence interval (CI-80).

*** Methods/Species that ignore stock length**

			Abundance		Stock Density Indices				Condition	
Gear	Species	Sample Size (n)	CPUE	CI-80	PSD	CI-80	PSD-P	CI-80	Wr	CI-80
AFS std gill net	Black Crappie	6	0.8	0.9	100		100		99	2
	Channel Catfish	111	6.1	2.2	29	10	4		81	2
	Common Carp	46	5.8	1.6	61	11	4		81	1
	Freshwater Drum	47	5.6	3.4	80	9	2		84	1
	Gizzard Shad	18	0.8	0.9	100				99	2
	Northern Pike	2	0.3	0.2	50		0		85	4
	River Carpsucker	20	2.5	1.5	100		95		88	
	Smallmouth Bass	43	5.3	3.9	62	11	19	9	96	2
	Walleye	52	6.5	1.6	42	10	6		87	1
	Yellow Perch	5	0.6	0.7	0		0		83	3
frame net (std 3/4 in)	Black Crappie	78	8.7	3.2	100		97		89	1
	Bluegill	3	0.3	0.2	100		67		102	9
	Channel Catfish	136	13.0	4.8	15	5	0		90	1
	Common Carp	54	5.9	2.1	66	10	2		85	1
	Freshwater Drum	1	0.1	0.2	100		0		79	
	River Carpsucker	8	0.9	0.8	100		88		101	3
	Smallmouth Bass	10	1.1	0.5	100		60		92	2
	Walleye	15	1.6	0.6	71		36	22	80	2

10-Year Catch Per Unit Effort by Gear and Species

Catch per unit effort (CPUE) and average (Avg) of species across 10 years using different gear types.

		CPUE										
Gear	Species	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	Avg
AFS std frame net	Black Crappie								8.7			8.70
	Bluegill								0.4			0.40
	Common Carp								0.4			0.40
	River Carpsucker								0.5			0.50
	Walleye								0.6			0.60
AFS std gill net	Black Crappie								1.8	0.5	0.8	1.03
	Bluegill								0.1	0.0	0.0	0.03
	Channel Catfish								4.6	10.9	6.1	7.20
	Common Carp								1.5	1.8	5.8	3.03
	Freshwater Drum								0.6	1.5	5.6	2.57
	Gizzard Shad								5.1	2.1	0.8	2.67
	Largemouth Bass								0.3	0.0	0.0	0.10
	Northern Pike								0.5	0.1	0.3	0.30
	River Carpsucker								3.0	2.1	2.5	2.53
	Shorthead Redhorse								1.1	0.8	0.0	0.63
	Smallmouth Bass								6.3	5.8	5.3	5.80
	Walleye								11.0	12.1	6.5	9.87
	White Sucker								0.1	0.0	0.0	0.03
	Yellow Perch								0.0	0.4	0.6	0.33
frame net (std 3/4 in)	Black Bullhead	0.0	0.3	0.0	0.0	1.1	0.0	0.0		0.0	0.0	0.16
	Black Crappie	2.9	26.4	3.9	11.3	7.0	5.9	8.3		22.8	8.7	10.80
	Bluegill	5.9	0.8	4.5	8.1	2.0	1.4	0.6		0.8	0.3	2.71
	Bluegill X Gr. Sunfish Hybrid	0.0	0.0	0.0	0.3	0.0	0.0	0.0		0.0	0.0	0.03
	Channel Catfish	8.1	3.4	0.0	0.1	1.3	0.3	6.3		7.9	13.0	4.49
	Common Carp	1.1	0.6	0.0	0.4	2.6	0.3	0.9		5.5	5.9	1.92
	Freshwater Drum	0.9	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.1	0.11
	Gizzard Shad	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1.8	0.0	0.20
	Green Sunfish	0.0	0.0	0.1	0.9	0.0	0.0	0.0		0.0	0.0	0.11
	Largemouth Bass	0.0	0.0	0.0	0.0	0.0	0.0	0.6		0.0	0.0	0.07
	Northern Pike	0.0	0.0	0.1	0.0	0.1	0.0	0.0		0.0	0.0	0.02
	River Carpsucker	0.8	0.6	0.1	0.3	0.5	0.0	0.3		0.1	0.9	0.40
	Rock Bass	0.0	0.0	0.0	0.8	0.1	0.1	0.0		0.0	0.0	0.11
	Shorthead Redhorse	0.5	0.0	0.1	0.0	0.1	0.3	0.0		0.0	0.0	0.11
	Smallmouth Bass	0.3	0.3	0.5	0.0	1.4	0.0	0.4		0.5	1.1	0.50

		CPUE										
Gear	Species	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	Avg
frame net (std 3/4 in)	Walleye	1.1	0.9	0.8	0.8	1.3	1.3	1.9		3.2	1.6	1.43
	White Sucker	0.1	0.0	0.0	0.0	0.4	0.1	0.0		0.1	0.0	0.08
	Yellow Perch	0.0	0.3	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.03
std exp gill net	Black Crappie	1.0	2.5	0.8	1.3	3.3	2.3	4.3				2.21
	Bluegill	0.0	0.0	0.3	0.0	0.0	0.0	0.3				0.09
	Channel Catfish	13.8	24.0	9.8	13.5	16.8	8.8	10.8				13.93
	Common Carp	10.0	8.8	6.0	6.0	3.0	6.5	4.5				6.40
	Freshwater Drum	1.3	1.5	1.8	2.3	4.3	2.0	5.0				2.60
	Gizzard Shad	0.0	0.3	0.3	2.8	2.5	5.8	2.8				2.07
	Largemouth Bass	1.5	0.5	0.0	0.0	0.3	0.0	0.3				0.37
	Northern Pike	0.0	0.3	0.5	0.3	0.0	1.8	1.0				0.56
	River Carpsucker	2.5	1.0	3.5	2.5	2.0	2.0	1.5				2.14
	Shorthead Redhorse	2.8	0.3	1.5	5.0	8.5	4.8	4.5				3.91
	Smallmouth Bass	6.8	4.0	12.8	5.3	4.3	5.0	5.0				6.17
	Spottail Shiner	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.00
	Walleye	21.5	16.5	21.5	25.3	29.5	28.0	25.8				24.01
	White Sucker	0.0	0.0	0.0	0.0	0.3	0.8	0.5				0.23
	Yellow Perch	12.0	9.0	2.8	3.0	3.8	3.0	2.0				5.09

10-Year Size Structure and Condition Statistics by Gear and Species

Species proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) collected by different gear types across 10 years.

			Year									
Gear	Species	Index	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
AFS std frame net	Black Crappie	PSD								100		
		PSD-P								63		
		Wr								101		
	Common Carp	PSD								50		
		PSD-P								25		
		Wr								83		
	River Carpsucker	PSD								100		
		PSD-P								80		
		Wr								100		
	Walleye	PSD								86		
		PSD-P								71		
		Wr								80		
AFS std gill net	Black Crappie	PSD								100	100	100
		PSD-P								86	100	100
		Wr								110	97	99
	Channel Catfish	PSD								27	29	29
		PSD-P								0	1	4
		Wr								88	80	81
	Common Carp	PSD								50	50	61
		PSD-P								0	0	4
		Wr								87	81	81
	Gizzard Shad	PSD								100	100	100
		Wr								101	88	99
	Largemouth Bass	PSD								100		
		PSD-P								50		
		Wr								112		
	River Carpsucker	PSD								100	100	100
		PSD-P								100	100	95
		Wr								100	94	88
	Smallmouth Bass	PSD								68	85	62
		PSD-P								18	22	19
		Wr								98	95	96
	Walleye	PSD								65	62	42

			Year									
Gear	Species	Index	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
AFS std gill net	Walleye	PSD-P								5	6	6
		Wr								88	84	87
	Yellow Perch	PSD									33	0
		PSD-P									0	0
		Wr									93	83
frame net (std 3/4 in)	Black Crappie	PSD	61	100	94	73	95	100	79		100	100
		PSD-P	22	50	32	26	68	94	60		86	97
		Wr	102	99	95	94	98	99	111		91	89
	Channel Catfish	PSD	6	4		0	10	0	32		9	15
		PSD-P	0	0		0	0	0	0		0	0
		Wr		86		86	85	79	96		79	90
	Common Carp	PSD	89	60		100	62	100	50		47	66
		PSD-P	11	0		33	5	0	0		0	2
		Wr	80	78		83	82	73	99		80	85
	Gizzard Shad	PSD	0								100	
		Wr									79	
	Largemouth Bass	PSD							100			
		PSD-P							75			
		Wr							109			
	River Carpsucker	PSD	100	100	100	100	100		100		100	100
		PSD-P	100	100	100	100	100		100		100	88
		Wr	87			109	90		108		107	101
	Smallmouth Bass	PSD	0	100	25		91		67		80	100
		PSD-P	0	0	0		18		0		0	60
		Wr	93	92	93		95		93		85	92
	Walleye	PSD	89	100	83	100	100	100	69		94	71
		PSD-P	44	57	50	67	20	80	38		59	36
		Wr	75	86	90	89	85	80	86		74	80
	Yellow Perch	PSD		0				0				
		PSD-P		0				0				
		Wr		164								
std exp gill net	Black Crappie	PSD	50	60	33	100	54	56	76			
		PSD-P	0	10	33	60	54	56	18			
		Wr	105	116	82	108	108	118	105			
	Channel Catfish	PSD	11	21	13	15	27	11	28			
		PSD-P	0	0	0	0	1	0	0			

			Year									
Gear	Species	Index	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
std exp gill net	Channel Catfish	Wr	82	83	83	86	82	87	83			
	Common Carp	PSD	43	20	25	63	67	58	33			
		PSD-P	0	6	8	0	0	0	0			
		Wr	87	84	84	84	83	87	82			
	Gizzard Shad	PSD	0	0	100	9	100	100	100			
		Wr		112	105	94	90	97	93			
	Largemouth Bass	PSD	0	0			0		100			
		PSD-P	0	0			0		0			
		Wr	112	112			119		120			
	River Carpsucker	PSD	100	100	93	100	100	100	100			
		PSD-P	100	100	71	100	88	100	83			
		Wr	94	96	94	91	91	93	105			
	Smallmouth Bass	PSD	44	63	39	67	82	80	70			
		PSD-P	7	13	8	10	24	15	25			
		Wr	99	99	98	96	95	97	101			
	Walleye	PSD	53	70	48	55	59	58	36			
		PSD-P	6	9	6	9	6	14	5			
		Wr	83	85	88	85	85	92	85			
	Yellow Perch	PSD	19	22	18	25	60	8	25			
		PSD-P	0	3	9	0	13	0	13			
		Wr	89	89	92	89	92	95	85			

Length at Capture

Mean length at capture by age across years sampled, sample size (N).

Species: Black Crappie

		Mean Length (expanded sample number) at capture by age									
Year	N	1	2	3	4	5	6	7	8	9	10+
2016	116		189 (26)	251 (56)	264 (10)	298 (4)	308 (20)				
2014	108		207 (14)	241 (20)	264 (60)	309 (4)	269 (11)	320 (2)			
2012	58			236 (44)	279 (10)	304 (2)	316 (2)				
2011	412		145 (2)	242 (273)	285 (86)	299 (46)	334 (6)				

Species: Walleye

		Mean Length (expanded sample number) at capture by age									
Year	N	1	2	3	4	5	6	7	8	9	10+
2019	51	276 (20)	377 (21)	422 (3)	481 (3)			467 (1)	512 (2)	518 (1)	
2018	95	303 (26)	392 (44)	442 (17)	474 (2)	544 (2)			588 (1)	496 (1)	633 (2)
2017	84	285 (18)	392 (54)	431 (9)					568 (3)		
2016	204	308 (126)	397 (62)		445 (8)	524 (6)			606 (2)		
2015	228	279 (92)	390 (21)	447 (25)	460 (46)	515 (16)	523 (10)	610 (6)	584 (4)	515 (6)	623 (2)
2014	236	290 (60)	381 (63)	426 (82)	464 (17)	525 (4)	599 (4)	617 (2)		576 (2)	485 (2)
2013	192	264 (2)	359 (110)	442 (53)	525 (2)	517 (23)					662 (2)
2012	182	276 (78)	384 (70)	471 (9)	497 (14)	525 (2)	514 (5)	519 (2)			723 (2)
2011	142	251 (22)	381 (54)	456 (29)	475 (15)	483 (5)	523 (15)		544 (2)		499 (2)
2010	170	267 (24)	379 (110)	445 (14)	496 (12)	502 (6)				519 (4)	

Fish Condition

Mean relative weight (Wr) by sample size (N), length category stock to quality (S-Q), quality to preferred (Q-P), preferred to memorable (P-M), and memorable (M) for species collected across survey years with standard error (SE).

		Length Groups							
		S-Q		Q-P		P-M		M	
Species	Year	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
Black Crappie Frame Net	2015	0		6	106 (1.6)	70	99 (0.6)	18	98 (1.2)
	2016	24	113 (2.9)	22	116 (1.2)	50	112 (1.1)	20	104 (1.1)
	2017	0		36	108 (1.1)	52	98 (1.0)	8	94 (3.0)
	2018	0		33	94 (1.2)	182	91 (0.4)	13	87 (1.9)
	2019	0		2	94	66	89 (0.6)	10	85 (2.7)
Channel Catfish Gill Net	2015	62	86 (1.1)	8	92 (3.0)	0		0	
	2016	62	81 (0.7)	24	89 (0.9)	0		0	
	2017	27	88 (1.9)	10	86 (2.3)	0		0	
	2018	62	79 (1.3)	24	86 (1.9)	1		0	
	2019	35	75 (1.3)	12	88 (2.3)	2		0	
Common Carp Gill Net	2015	22	88 (0.9)	30	87 (0.7)	0		0	
	2016	24	88 (0.6)	12	77 (0.4)	0		0	
	2017	6	83 (3.8)	6	91 (4.1)	0		0	
	2018	7	83 (2.1)	7	80 (2.4)	0		0	
	2019	18	81 (1.6)	26	81 (1.1)	2		0	
Walleye Gill Net	2015	94	95 (0.5)	98	91 (0.5)	30	87 (0.8)	2	81 (0.0)
	2016	132	85 (0.4)	64	86 (0.6)	8	76 (1.4)	2	65 (0.0)
	2017	31	88 (1.4)	53	89 (0.7)	2	78 (5.7)	2	83 (4.1)
	2018	37	87 (1.0)	54	82 (0.6)	5	77 (2.7)	1	73
	2019	30	88 (1.1)	19	88 (1.7)	3	74 (1.4)	0	
Yellow Perch Gill Net	2015	22	95 (1.9)	2	93 (0.0)	0		0	
	2016	12	86 (1.3)	2	87 (0.0)	2	82 (0.0)	0	

		Length Groups							
		S-Q		Q-P		P-M		M	
Species	Year	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
Yellow Perch Gill Net	2018	2	95 (1.9)	1	90	0		0	
	2019	5	83 (2.0)	0		0		0	

Length Frequency Distribution

Length frequency histogram of species sampled by year.

Species: Black Crappie
Gear: AFS std frame net



2017

Species: Black Crappie
Gear: frame net (std 3/4 in)



2014



2015



2016



2018



2019

Species: Channel Catfish
Gear: AFS std gill net



2017



2018



2019

Species: Channel Catfish
Gear: std exp gill net

2014



2015



2016



Species: Common Carp
Gear: AFS std gill net

2017



2018





2019

Species: Common Carp
Gear: std exp gill net



2014



2015



2016

Species: Walleye
Gear: AFS std gill net



2017



2018



2019

Species: Walleye
Gear: std exp gill net



2014



2015



2016

Species: Yellow Perch
Gear: std exp gill net



2014



2015



2016

Historic Fish Sizes and Relative Abundance

Size distribution per net by color for species sampled by year.

Species: Black Crappie
Gear: AFS std frame net



Species: Black Crappie
Gear: frame net (std 3/4 in)



Species: Channel Catfish
Gear: AFS std gill net



Species: Channel Catfish
Gear: std exp gill net



Species: Common Carp
Gear: AFS std gill net



Species: Common Carp
Gear: std exp gill net



Species: Walleye
Gear: AFS std gill net



Species: Walleye
Gear: std exp gill net



Species: Yellow Perch
Gear: AFS std gill net



Species: Yellow Perch
Gear: std exp gill net



Fish Stocking

Number of fish stocked by year, species, and size.

Year	Species	Size	Number
2008	Walleye	Fingerling	479,900
2010	Walleye	Fingerling	289,340
2011	Walleye	Fingerling	310,199
2012	Walleye	Fingerling	476,423
2014	Walleye	Fingerling	549,725
2015	Walleye	Fry	4,702,776
2016	Walleye	Fry	4,809,475
2017	Walleye	Fry	4,609,032
2018	Walleye	Fry	5,000,000
2019	Walleye	Fry	5,422,140