

SOUTH DAKOTA STATEWIDE FISHERIES SURVEY
Belle Fourche Reservoir, Butte County
LBF-Lake-768-000
2019

Lake Information

Name: Belle Fourche Reservoir
County: Butte
Surface Area: 6,570 Acres

Surveys and Investigations

Survey methods used by gear type, date, and effort.

Gear	Date	Effort
AFS gill net (1/2 inch)	Aug 06, 2019	3 net-nights
AFS gill net (1/2 inch)	Aug 08, 2019	1 net-nights
AFS std gill net	Aug 06, 2019	8 net-nights
AFS std gill net	Aug 08, 2019	1 net-nights

Common Fish Species Present

Channel Catfish

Black Crappie

Gizzard Shad

Walleye

White Crappie

White Bass

Shorthead Redhorse

Common Carp

Yellow Perch

Freshwater Drum

Terminology

Catch per unit effort (**CPUE**) refers to the relative abundance of a species. It is defined as the number of fish captured per unit of effort (i.e., number of fish captured per net-night or number of fish captured per hour electrofishing). In this report CPUE is typically given for only stock-length fish (see length categories table for stock lengths).

A statewide effort to help make netting efforts comparable to all waters sampled across the state, occurred in 2017, with a switch to American Fisheries Society gill nets. Past gill netting efforts were completed with different style/types of nets and are not comparable side by side.

- **AFS std gill net** – 80 ft experimental gill net containing eight panels (10 ft each) of varying monofilament meshes of 0.75, 1.00, 1.25, 1.50, 1.75, 2.00, 2.25 and 2.50 inches.
- **std experimental gill net for non-Missouri River waters** - 150 ft experimental gill net containing six panels (25 ft each) of varying monofilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.
- **std experimental gill net for Missouri River reservoirs** – 300 ft experimental gill net containing six panels (50 ft each) of varying multifilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.

$$CPUE = \frac{\text{number of fish}}{\text{effort}}$$

Population size structure is quantified using the indices proportional size distribution of quality-length fish (**PSD**) and proportional size distribution of preferred-length fish (**PSD-P**). These indices indicate the proportion of stock-length fish that are equal to or greater than a given length. Minimum lengths for stock, quality and preferred length fish are given in the length categories table.

$$PSD = \left(\frac{\text{number of fish} \geq \text{quality length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

$$PSD - P = \left(\frac{\text{number of fish} \geq \text{preferred length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

Relative weight (**Wr**) is used to quantify fish plumpness. Relative weight is the ratio of what a fish weighs (**W**) compared to a length-specific standard weight (**Ws**) multiplied by 100. Relative weight values of 95-105 are commonly cited as optimum values, but values in the 80s are common during summer sampling in South Dakota.

$$Wr = \left(\frac{W}{W_s} \right) \times 100$$

Confidence intervals (CI) are provided for many of the estimates calculated in this report. The confidence interval provides a range in which the true mean is expected to fall. For example, with an 80% CI we are 80% confident that the interval contains the true value.

Length categories include stock (S), quality (Q), preferred (P), memorable (M) and trophy (T). Length categories for most species have been defined based on a percentage of the world record length for that species. Some species mentioned in this report do not have defined length categories. Length categories for species used in this report are provided in the following table. Measurements are the minimum total length for each category and are reported in inches (in) and centimeters (cm).

Species Name	Stock		Quality		Preferred		Memorable		Trophy	
	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)
Black Bullhead	6	15	9	23	12	30	15	38	18	46
Black Crappie	5	13	8	20	10	25	12	30	15	38
Bluegill	3	8	6	15	8	20	10	25	12	30
Brown Trout	8	20	12	30	16	40	20	50	18	46
Channel Catfish	11	28	16	41	24	61	28	71	36	91
Freshwater Drum	8	20	12	30	15	38	20	51	25	63
Lake Trout	12	30	20	50	26	65	31	80	39	100
Largemouth Bass	8	20	12	30	15	38	20	51	25	63
Muskellunge	20	51	30	76	38	97	42	107	50	127
Northern Pike	14	35	21	53	28	71	34	86	44	112
Pumpkinseed	3	8	6	15	8	20	10	25	12	30
Rainbow Trout	10	25	16	40	20	50	26	65	31	80
Rudd	6	15	10	25	12	30	15	38	19	48
Sauger	8	20	12	30	15	38	20	51	25	63
Smallmouth Bass	7	18	11	28	14	35	17	43	20	51
Walleye	10	25	15	38	20	51	25	63	30	76
White Bass	6	15	9	23	12	30	15	38	18	46
White Crappie	5	13	8	20	10	25	12	30	15	38
Yellow Bullhead	4	10	7	18	9	23	11	28	14	36
Yellow Perch	5	13	8	20	10	25	12	30	15	38

Catch Summary of Stock Length Fish

Catch per unit effort (CPUE), proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) for species sampled in survey with 80% confidence interval (CI-80).

* **Methods/Species that ignore stock length**

Gear	Species	Sample Size (n)	Abundance		Stock Density Indices			Condition	
			CPUE	CI-80	PSD	CI-80	PSD-P	CI-80	Wr
AFS gill net (1/2 inch)*	Black Crappie	1	0.3	0.4	0		0		
	Common Carp	2	0.5	0.0					
	Gizzard Shad	9	2.3	2.6	0				
	Spottail Shiner	2	0.5	0.5					
	Walleye	1	0.3	0.4	0		0		
	White Crappie	1	0.3	0.4	0		0		
	Yellow Perch	5	1.3	1.6	0		0		
AFS std gill net	Channel Catfish	3	0.3	0.2	100		100	93	7
	Common Carp	15	1.6	0.7	100		14	84	2
	Freshwater Drum	8	0.7	0.3	100		100	91	3
	Gizzard Shad	4	0.4	0.3	100			96	4
	Northern Pike	1	0.1	0.2	100		100	94	
	River Carpsucker	6	0.7	0.5	100		100	101	5
	Shorthead Redhorse	22	2.4	1.2	100		82	104	2
	Smallmouth Bass	2	0.2	0.2	50		50	87	10
	Walleye	58	5.9	1.9	53	10	0	78	1
	White Bass	57	6.3	2.6	98		95	86	1
Yellow Perch	3	0.3	0.2	67		0	94	5	

10-Year Catch Per Unit Effort by Gear and Species

Catch per unit effort (CPUE) and average (Avg) of species across 10 years using different gear types.

Gear	Species	CPUE										Avg
		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	
AFS gill net (1/2 inch)	Black Crappie										0.3	0.30
	Common Carp										0.5	0.50
	Gizzard Shad										2.3	2.30
	Spottail Shiner										0.5	0.50
	Walleye										0.3	0.30
	White Crappie										0.3	0.30
	Yellow Perch										1.3	1.30
AFS std gill net	Black Crappie								0.1	0.2	0.0	0.10
	Channel Catfish								4.1	2.6	0.3	2.33
	Common Carp								0.6	0.7	1.6	0.97
	Freshwater Drum								1.0	1.4	0.7	1.03
	Gizzard Shad								0.2	0.9	0.4	0.50
	Northern Pike								0.0	0.1	0.1	0.07
	River Carpsucker								0.6	0.3	0.7	0.53
	Shorthead Redhorse								0.8	0.3	2.4	1.17
	Smallmouth Bass								0.2	0.2	0.2	0.20
	Walleye								12.7	9.2	5.9	9.27
	White Bass								1.3	2.9	6.3	3.50
	White Crappie								0.2	0.0	0.0	0.07
	Yellow Perch								1.3	1.7	0.3	1.10
frame net (std 3/4 in)	Black Bullhead	0.0	0.0	0.1	0.0	0.0	0.0					0.02
	Black Crappie	1.0	0.7	1.5	1.0	0.8	0.0					0.83
	Channel Catfish	0.1	15.1	0.1	0.1	0.1	0.1					2.60
	Common Carp	0.3	9.9	0.0	1.4	6.1	1.3					3.17
	Freshwater Drum	0.1	0.1	0.0	0.0	0.0	0.0					0.03
	Gizzard Shad	0.0	0.0	0.0	0.2	0.3	0.0					0.08
	Green Sunfish	0.0	0.0	0.0	0.0	0.3	0.0					0.05
	Northern Pike	0.1	0.0	0.0	0.0	0.0	0.0					0.02
	Rainbow Trout	0.0	0.0	0.0	0.0	0.1	0.0					0.02
	River Carpsucker	0.4	1.2	0.4	0.6	0.4	0.0					0.50
	Rudd	0.0	0.0	0.0	0.1	0.1	0.0					0.03
	Shorthead Redhorse	0.6	0.6	0.0	0.2	0.1	0.0					0.25
	Smallmouth Bass	0.0	0.0	0.0	0.0	0.1	0.0					0.02
	Walleye	2.6	1.4	1.3	1.3	2.0	1.5					1.68

		CPUE										
Gear	Species	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	Avg
frame net (std 3/4 in)	White Bass	2.0	2.0	0.3	1.7	11.0	1.8					3.13
	White Crappie	0.3	2.1	3.8	19.8	16.9	15.0					9.65
	Yellow Perch	1.0	0.0	0.5	0.0	0.4	0.1					0.33
std exp gill net	Black Crappie	0.0	0.0	0.0	0.0	0.0	0.0	0.5				0.07
	Channel Catfish	3.9	2.9	4.0	3.8	1.8	3.3	4.0				3.39
	Common Carp	1.5	0.9	1.1	1.4	0.3	0.7	1.0				0.99
	Freshwater Drum	0.6	0.5	0.9	1.4	2.0	0.2	0.3				0.84
	Gizzard Shad	0.0	0.0	2.4	0.4	0.7	0.0	0.3				0.54
	Northern Pike	0.0	0.0	0.4	0.0	0.0	0.0	0.0				0.06
	River Carpsucker	0.3	0.0	0.4	0.6	0.7	0.0	0.8				0.40
	Shorthead Redhorse	0.8	1.1	0.7	3.0	0.8	0.7	0.5				1.09
	Smallmouth Bass	0.3	0.8	0.9	1.2	0.7	0.8	0.0				0.67
	Spottail Shiner	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.00
	Walleye	9.0	8.0	16.3	24.6	8.5	20.3	23.0				15.67
	White Bass	2.3	1.1	2.1	3.4	3.5	6.7	5.8				3.56
	White Crappie	0.0	0.4	0.4	0.0	0.0	0.0	0.2				0.14
	White Sucker	0.0	0.0	0.0	0.0	0.2	0.0	0.0				0.03
	Yellow Perch	14.9	7.3	8.6	3.4	3.2	9.5	14.8				8.81

10-Year Size Structure and Condition Statistics by Gear and Species

Species proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) collected by different gear types across 10 years.

Gear	Species	Index	Year													
			2010	2011	2012	2013	2014	2015	2016	2017	2018	2019				
AFS gill net (1/2 inch)	Black Crappie	PSD												0		
		PSD-P												0		
	Gizzard Shad	PSD												0		
		PSD-P												0		
	White Crappie	PSD												0		
		PSD-P												0		
	Yellow Perch	PSD												0		
		PSD-P												0		
	AFS std gill net	Black Crappie	PSD									100	100			
			PSD-P										0	50		
			Wr										123	110		
		Channel Catfish	PSD										97	100	100	
PSD-P												30	31	100		
Wr												86	92	93		
Common Carp		PSD										100	100	100		
		PSD-P										0	0	14		
		Wr										93	87	84		
Gizzard Shad		PSD										100	100	100		
		PSD-P										106	99	96		
		Wr										100	100	100		
Shorthead Redhorse		PSD										100	100	100		
		PSD-P										86	33	82		
		Wr										99	96	104		
Walleye		PSD										56	55	53		
		PSD-P										0	0	0		
		Wr										83	81	78		
White Bass		PSD										100	100	98		
		PSD-P										100	100	95		
		Wr										94	95	86		
White Crappie		PSD										100				
		PSD-P										100				
		Wr										104				
Yellow Perch		PSD										67	59	67		

Gear	Species	Index	Year										
			2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	
AFS std gill net	Yellow Perch	PSD-P									17	12	0
		Wr									91	96	94
frame net (std 3/4 in)	Black Crappie	PSD	25	100	92	100	100						
		PSD-P	13	71	83	80	83						
		Wr	106	98	99	90	98						
	Channel Catfish	PSD	0	98	100	100	100	100					
		PSD-P	0	3	0	0	0	0					
		Wr	87	88	84	81	89	80					
	Common Carp	PSD	100	100		100	100	100					
		PSD-P	50	36		50	33	50					
		Wr	90			88	80	87					
	Gizzard Shad	PSD				100	100						
		Wr				116	86						
	Shorthead Redhorse	PSD	40	100		100	100						
		PSD-P	40	100		100	100						
		Wr	95	99		85	83						
	Walleye	PSD	52	100	90	100	100	100					
		PSD-P	0	44	0	31	63	58					
		Wr	76	73	88	74	74	70					
	White Bass	PSD	100	100	100	100	99	100					
		PSD-P	94	100	100	100	99	57					
		Wr	80	89	80	87	96	96					
	White Crappie	PSD	100	100	100	100	100	100					
		PSD-P	0	46	100	99	100	100					
		Wr	92	99	86	93	98	98					
	Yellow Perch	PSD	38		25		67	100					
PSD-P		0		0		67	0						
Wr		85		92		67	82						
std exp gill net	Black Crappie	PSD	0							67			
		PSD-P	0							0			
		Wr								129			
	Channel Catfish	PSD	84	87	96	84	100	90	96				
		PSD-P	6	13	7	5	36	40	29				
		Wr	88	86	87	90	89	96	87				
	Common Carp	PSD	100	86	100	100	50	25	67				
		PSD-P	33	14	13	29	0	0	0				

Gear	Species	Index	Year									
			2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
std exp gill net	Common Carp	Wr	83	80	88	84	84	95	80			
	Gizzard Shad	PSD	0		6	100	100		100			
		Wr			117	117	96		102			
	Shorthead Redhorse	PSD	67	100	100	73	80	100	100			
		PSD-P	67	89	60	40	40	50	100			
		Wr	102	99	103	100	102	101				
	Walleye	PSD	68	50	44	44	76	18	20			
		PSD-P	1	3	1	1	10	1	0			
		Wr	77	77	78	85	81	84	81			
	White Bass	PSD	100	100	80	100	81	100	100			
		PSD-P	83	100	80	82	52	100	100			
		Wr	82	84	85	101	96	103	94			
	White Crappie	PSD		100	100				100			
		PSD-P		67	100				100			
		Wr		93	89				91			
	Yellow Perch	PSD	45	81	55	76	58	16	29			
		PSD-P	6	9	10	6	5	2	1			
		Wr	96	97	94	97	86	90	85			

Length at Capture

Mean length at capture by age across years sampled, sample size (N).

Species: Black Crappie

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2012	24		138 (2)		254 (6)	299 (16)					

Species: Walleye

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2019	53	224 (4)	319 (15)	381 (11)	403 (7)	436 (4)	453 (12)				
2018	102	243 (16)	340 (29)	384 (13)	403 (15)	425 (25)	462 (1)		462 (2)	453 (1)	
2017	126	241 (21)	321 (15)	363 (23)	401 (62)	441 (3)			494 (1)		494 (2)
2016	292	241 (26)	318 (75)	365 (174)	397 (4)	437 (13)					
2015	252	226 (8)	310 (200)	393 (2)	440 (21)	435 (9)	441 (2)		473 (7)	525 (2)	
2014	196	217 (102)	331 (8)	390 (36)	413 (4)	466 (17)	476 (11)	538 (6)	513 (4)		482 (9)
2013	242	201 (2)	290 (75)	355 (20)	381 (63)	402 (39)	446 (8)	465 (24)	424 (2)		461 (10)
2012	238	196 (10)	287 (21)	331 (47)	373 (106)	463 (4)	462 (35)			453 (7)	465 (8)
2011	124		259 (10)	312 (54)	417 (9)	440 (30)	404 (3)		488 (12)	473 (2)	504 (4)
2010	150		270 (46)	382 (12)	439 (64)	435 (4)	476 (4)	443 (9)	454 (4)	499 (4)	454 (2)

Species: White Crappie

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2012	60				275 (58)	332 (2)					
2011	52			240 (36)	286 (4)	324 (12)					

Species: Yellow Perch

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2011	128	120 (16)	170 (12)	208 (39)	234 (56)	234 (5)					

Fish Condition

Mean relative weight (Wr) by sample size (N), length category stock to quality (S-Q), quality to preferred (Q-P), preferred to memorable (P-M), and memorable (M) for species collected across survey years with standard error (SE).


Species	Year	Length Groups							
		S-Q		Q-P		P-M		M	
		N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
Channel Catfish Gill Net	2015	4	81 (0.2)	20	98 (3.9)	16	98 (2.2)	0	
	2016	2	86 (0.0)	32	86 (1.7)	14	89 (5.2)	0	
	2017	1	75	25	85 (1.3)	11	90 (2.5)	0	
	2018	0		18	91 (1.7)	8	95 (1.5)	0	
	2019	0		0		3	93 (5.4)	0	
Common Carp Gill Net	2015	6	93 (2.5)	2	100 (0.0)	0		0	
	2016	4		8	80 (0.0)	0		0	
	2017	0		5	93 (1.1)	0		0	
	2018	0		7	87 (2.0)	0		0	
	2019	0		12	85 (2.1)	2	81 (1.4)	0	
Walleye Gill Net	2015	200	85 (0.5)	42	81 (0.8)	2	76 (0.0)	0	
	2016	222	82 (0.3)	54	79 (0.7)	0		0	
	2017	50	87 (1.1)	64	80 (0.6)	0		0	
	2018	41	84 (0.8)	51	79 (0.8)	0		0	
	2019	25	78 (0.7)	28	77 (0.9)	0		0	
White Bass Gill Net	2015	0		0		66	106 (0.6)	14	93 (3.8)
	2016	0		0		50	97 (0.6)	20	88 (1.8)
	2017	0		0		8	97 (1.3)	4	89 (1.4)
	2018	0		0		14	96 (1.5)	15	93 (1.4)
	2019	1	99	2	108 (3.2)	38	87 (0.7)	16	81 (1.5)
White Crappie Frame Net	2015	0		0		18	100 (0.8)	222	98 (0.4)
Yellow Perch Gill Net	2015	96	90 (0.8)	16	87 (0.9)	2	83 (0.0)	0	

Species	Year	Length Groups							
		S-Q		Q-P		P-M		M	
		N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
Yellow Perch Gill Net	2016	126	87 (0.6)	50	82 (0.7)	2		0	
	2017	4	96 (0.2)	6	90 (2.2)	1	94	1	83
	2018	7	96 (2.8)	8	98 (2.6)	2	93 (2.3)	0	
	2019	1	100	2	90 (3.9)	0		0	



Length Frequency Distribution

Length frequency histogram of species sampled by year.


Species: Black Crappie
Gear: frame net (std 3/4 in)





Species: Channel Catfish
Gear: AFS std gill net




Species: Channel Catfish
Gear: std exp gill net










Species: Common Carp
Gear: AFS std gill net





Species: Common Carp
Gear: std exp gill net




Species: Walleye
Gear: AFS std gill net






Species: Walleye
Gear: std exp gill net








Species: White Bass
Gear: AFS std gill net





Species: White Bass
Gear: std exp gill net







Species: White Crappie
 Gear: frame net (std 3/4 in)






Species: Yellow Perch
 Gear: AFS std gill net






Species: Yellow Perch
 Gear: std exp gill net




Historic Fish Sizes and Relative Abundance

Size distribution per net by color for species sampled by year.


Species: Black Crappie
Gear: frame net (std 3/4 in)




Species: Channel Catfish
Gear: AFS std gill net




Species: Channel Catfish
Gear: std exp gill net




Species: Common Carp
Gear: AFS std gill net




Species: Common Carp
Gear: std exp gill net




Species: Walleye
Gear: AFS std gill net




Species: Walleye
Gear: std exp gill net




Species: White Bass
Gear: AFS std gill net




Species: White Bass
Gear: std exp gill net




Species: White Crappie
Gear: frame net (std 3/4 in)



Species: Yellow Perch
Gear: AFS std gill net



Species: Yellow Perch
Gear: std exp gill net



Fish Stocking

Number of fish stocked by year, species, and size.

Year	Species	Size	Number
2008	Gizzard Shad	Adult	59
2008	Rainbow Trout (Shasta)	Fingerling	4,600
2009	Gizzard Shad	Adult	74
2010	Gizzard Shad	Adult	18
2010	Walleye	Fingerling	415,406
2011	Gizzard Shad	Adult	175
2012	Gizzard Shad	Adult	37
2012	Yellow Perch	Adult	2,507
2013	Bluegill	Adult	660
2013	Gizzard Shad	Adult	111
2014	Gizzard Shad	Adult	220
2014	Yellow Perch	Adult	2,150
2015	Yellow Perch	Adult	1,600
2019	Yellow Perch	Adult	1,050