

SOUTH DAKOTA STATEWIDE FISHERIES SURVEY
Hwy 81 West, Kingsbury County
MBS-Lake-233-800
2019

Lake Information

Name: Hwy 81 West
County: Kingsbury
Surface Area: 1,951 Acres

Surveys and Investigations

Survey methods used by gear type, date, and effort.

Gear	Date	Effort
AFS std gill net	Aug 13, 2019	6 net-nights
AFS std gill net	Aug 14, 2019	4 net-nights
frame net (std 3/4 in)	Aug 14, 2019	10 net-nights

Common Fish Species Present

Yellow Perch

Walleye

Muskellunge

Bluegill

Common Carp

Smallmouth Bass

White Bass

Black Bullhead

Yellow Bullhead

Northern Pike

Terminology

Catch per unit effort (**CPUE**) refers to the relative abundance of a species. It is defined as the number of fish captured per unit of effort (i.e., number of fish captured per net-night or number of fish captured per hour electrofishing). In this report CPUE is typically given for only stock-length fish (see length categories table for stock lengths).

A statewide effort to help make netting efforts comparable to all waters sampled across the state, occurred in 2017, with a switch to American Fisheries Society gill nets. Past gill netting efforts were completed with different style/types of nets and are not comparable side by side.

- **AFS std gill net** – 80 ft experimental gill net containing eight panels (10 ft each) of varying monofilament meshes of 0.75, 1.00, 1.25, 1.50, 1.75, 2.00, 2.25 and 2.50 inches.
- **std experimental gill net for non-Missouri River waters** - 150 ft experimental gill net containing six panels (25 ft each) of varying monofilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.
- **std experimental gill net for Missouri River reservoirs** – 300 ft experimental gill net containing six panels (50 ft each) of varying multifilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.

$$CPUE = \frac{\text{number of fish}}{\text{effort}}$$

Population size structure is quantified using the indices proportional size distribution of quality-length fish (**PSD**) and proportional size distribution of preferred-length fish (**PSD-P**). These indices indicate the proportion of stock-length fish that are equal to or greater than a given length. Minimum lengths for stock, quality and preferred length fish are given in the length categories table.

$$PSD = \left(\frac{\text{number of fish} \geq \text{quality length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

$$PSD - P = \left(\frac{\text{number of fish} \geq \text{preferred length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

Relative weight (**Wr**) is used to quantify fish plumpness. Relative weight is the ratio of what a fish weighs (**W**) compared to a length-specific standard weight (**Ws**) multiplied by 100. Relative weight values of 95-105 are commonly cited as optimum values, but values in the 80s are common during summer sampling in South Dakota.

$$Wr = \left(\frac{W}{W_s} \right) \times 100$$

Confidence intervals (CI) are provided for many of the estimates calculated in this report. The confidence interval provides a range in which the true mean is expected to fall. For example, with an 80% CI we are 80% confident that the interval contains the true value.

Length categories include stock (S), quality (Q), preferred (P), memorable (M) and trophy (T). Length categories for most species have been defined based on a percentage of the world record length for that species. Some species mentioned in this report do not have defined length categories. Length categories for species used in this report are provided in the following table. Measurements are the minimum total length for each category and are reported in inches (in) and centimeters (cm).

Species Name	Stock		Quality		Preferred		Memorable		Trophy	
	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)
Black Bullhead	6	15	9	23	12	30	15	38	18	46
Black Crappie	5	13	8	20	10	25	12	30	15	38
Bluegill	3	8	6	15	8	20	10	25	12	30
Brown Trout	8	20	12	30	16	40	20	50	18	46
Channel Catfish	11	28	16	41	24	61	28	71	36	91
Freshwater Drum	8	20	12	30	15	38	20	51	25	63
Lake Trout	12	30	20	50	26	65	31	80	39	100
Largemouth Bass	8	20	12	30	15	38	20	51	25	63
Muskellunge	20	51	30	76	38	97	42	107	50	127
Northern Pike	14	35	21	53	28	71	34	86	44	112
Pumpkinseed	3	8	6	15	8	20	10	25	12	30
Rainbow Trout	10	25	16	40	20	50	26	65	31	80
Rudd	6	15	10	25	12	30	15	38	19	48
Sauger	8	20	12	30	15	38	20	51	25	63
Smallmouth Bass	7	18	11	28	14	35	17	43	20	51
Walleye	10	25	15	38	20	51	25	63	30	76
White Bass	6	15	9	23	12	30	15	38	18	46
White Crappie	5	13	8	20	10	25	12	30	15	38
Yellow Bullhead	4	10	7	18	9	23	11	28	14	36
Yellow Perch	5	13	8	20	10	25	12	30	15	38

Catch Summary of Stock Length Fish

Catch per unit effort (CPUE), proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) for species sampled in survey with 80% confidence interval (CI-80).

* **Methods/Species that ignore stock length**

Gear	Species	Sample Size (n)	Abundance		Stock Density Indices			Condition		
			CPUE	CI-80	PSD	CI-80	PSD-P	CI-80	Wr	CI-80
AFS std gill net	Common Carp	27	2.6	1.0	38	15	23	13		
	Northern Pike	1	0.1	0.1	100		0		92	
	Smallmouth Bass	22	1.8	0.7	22		22		101	2
	Walleye	35	2.3	1.6	78	14	61	16	82	2
	White Bass	12	1.2	1.1	100		100		89	2
	Yellow Perch	21	2.1	2.0	10		0		102	2
frame net (std 3/4 in)	Black Bullhead	3	0.3	0.3	100		100			
	Bluegill	32	3.2	2.9	3		0		123	8
	Common Carp	20	2.0	0.9	35	17	10			
	Northern Pike	3	0.0	0.0	0		0			
	Orangespotted Sunfish	1	0.0	0.0						
	Smallmouth Bass	7	0.7	0.5	86		57		95	5
	Walleye	8	0.7	0.5	100		43		89	4
	White Bass	3	0.3	0.2	100		100		95	5
	Yellow Bullhead	1	0.1	0.1	100		100			
	Yellow Perch	2	0.1	0.1	0		0		106	

10-Year Catch Per Unit Effort by Gear and Species

Catch per unit effort (CPUE) and average (Avg) of species across 10 years using different gear types.

Gear	Species	CPUE										Avg
		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	
AFS std gill net	Black Bullhead								6.9	2.5	0.0	3.13
	Common Carp								0.3	0.2	2.6	1.03
	Northern Pike								0.0	0.0	0.1	0.03
	Smallmouth Bass								0.9	1.2	1.8	1.30
	Walleye								6.0	4.9	2.3	4.40
	White Bass								3.7	2.4	1.2	2.43
	Yellow Bullhead								0.0	0.4	0.0	0.13
	Yellow Perch								14.4	17.7	2.1	11.40
frame net (std 3/4 in)	Black Bullhead	0.6		173.6		39.8	100.4	10.9		9.7	0.3	47.90
	Black Crappie	0.0		0.1		0.0	0.0	0.0		0.0	0.0	0.01
	Bluegill	0.4		4.1		0.0	0.0	0.0		0.2	3.2	1.13
	Common Carp	0.0		1.2		3.5	0.4	0.2		6.1	2.0	1.91
	Green Sunfish	0.2		3.0		0.0	0.2	0.0		0.0	0.0	0.49
	Largemouth Bass	0.1		0.2		0.0	0.1	0.0		0.1	0.0	0.07
	Northern Pike	0.1		0.1		0.1	0.0	0.5		0.1	0.0	0.13
	Orangespotted Sunfish	0.0		0.0		0.0	0.0	0.0		0.0	0.0	0.00
	Smallmouth Bass	0.2		0.9		1.0	0.4	1.0		2.2	0.7	0.91
	Sunfish Hybrid	0.0		0.0		0.0	0.0	0.0		0.0	0.0	0.00
	Walleye	3.6		1.7		0.6	0.7	1.6		2.2	0.7	1.59
	White Bass	0.6		2.6		0.1	0.1	5.8		2.1	0.3	1.66
	White Sucker	0.1		0.0		0.0	0.0	0.0		0.0	0.0	0.01
	Yellow Bullhead	5.2		20.1		6.7	16.7	2.3		8.1	0.1	8.46
Yellow Perch	0.9		10.1		2.8	0.6	0.1		2.5	0.1	2.44	
std exp gill net	Black Bullhead	3.3		198.7		89.6	68.0	16.5				75.22
	Common Carp	0.0		0.0		0.4	0.3	0.3				0.20
	Largemouth Bass	0.0		0.0		0.0	0.0	0.0				0.00
	Muskellunge	0.0		0.3		0.0	0.0	0.0				0.06
	Northern Pike	0.3		0.3		0.4	0.7	0.3				0.40
	Smallmouth Bass	0.0		0.0		2.0	2.7	1.8				1.30
	Walleye	33.7		13.7		5.2	30.3	7.3				18.04
	White Bass	3.3		6.0		0.6	10.3	9.0				5.84
	Yellow Bullhead	0.0		1.0		0.0	0.7	0.3				0.40
	Yellow Perch	23.7		94.7		15.8	50.3	75.8				52.06

10-Year Size Structure and Condition Statistics by Gear and Species

Species proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) collected by different gear types across 10 years.

Gear	Species	Index	Year											
			2010	2011	2012	2013	2014	2015	2016	2017	2018	2019		
AFS std gill net	Black Bullhead	PSD									98	92		
		PSD-P									97	56		
	Common Carp	PSD									67	50	38	
		PSD-P									67	50	23	
	Northern Pike	PSD											100	
		PSD-P											0	
		Wr											92	
	Smallmouth Bass	PSD										38	50	22
		PSD-P										38	25	22
		Wr										109	106	101
	Walleye	PSD										74	84	78
		PSD-P										48	61	61
		Wr										91	86	82
	White Bass	PSD										100	100	100
		PSD-P										100	100	100
		Wr										97	93	89
	Yellow Bullhead	PSD											100	
		PSD-P											100	
	Yellow Perch	PSD										61	7	10
		PSD-P										19	2	0
		Wr										101	96	102
frame net (std 3/4 in)	Black Bullhead	PSD	50		80		9	98	96			81	100	
		PSD-P	0		6		0	44	73			34	100	
		Wr	95		87									
	Bluegill	PSD	0		88								0	3
		PSD-P	0		0								0	0
		Wr	110		120								109	123
	Common Carp	PSD			75		40	100	100			61	35	
		PSD-P			0		0	50	100			49	10	
		Wr			108									
	Northern Pike	PSD	100		100		100		100			100	0	
		PSD-P	100		0		0		80			100	0	
		Wr	55		72		81		98			80		

Gear	Species	Index	Year									
			2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
frame net (std 3/4 in)	Smallmouth Bass	PSD	100		100		90	100	70		77	86
		PSD-P	50		33		70	100	50		68	57
		Wr	114		97		109	106	87		104	95
	Walleye	PSD	25		71		67	100	81		86	100
		PSD-P	14		29		17	71	75		68	43
		Wr	91		85		92	89	75		83	89
	White Bass	PSD	17		100		100	100	100		100	100
		PSD-P	17		96		100	0	86		95	100
		Wr	114		84		100	97	79		93	95
	Yellow Bullhead	PSD	100		100		91	100	100		100	100
		PSD-P	98		98		90	58	100		98	100
		Wr	100		101							
	Yellow Perch	PSD	44		7		11	83	0		8	0
		PSD-P	0		4		7	0	0		8	0
		Wr	98		78		105	96	83		95	106
std exp gill net	Black Bullhead	PSD	60		48		89	84	100			
		PSD-P	20		1		1	28	88			
		Wr	97		92							
	Common Carp	PSD					100	100	100			
		PSD-P					50	0	0			
	Muskellunge	PSD			0							
		PSD-P			0							
		Wr			91							
	Northern Pike	PSD	100		100		100	100	100			
		PSD-P	0		0		100	50	100			
		Wr	65		63		87	93	81			
	Smallmouth Bass	PSD	0				0	63	57			
		PSD-P	0				0	25	57			
		Wr					110	109	114			
	Walleye	PSD	23		85		77	44	76			
		PSD-P	1		10		31	29	31			
		Wr	91		87		90	92	88			
	White Bass	PSD	90		100		100	97	100			
PSD-P		10		94		67	81	72				
Wr		100		91		91	100	94				
Yellow Bullhead	PSD			100			100	100				
	PSD-P			67			100	100				

Gear	Species	Index	Year									
			2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
std exp gill net	Yellow Bullhead	Wr			97							
	Yellow Perch	PSD	11		57		42	90	13			
		PSD-P	0		7		24	14	10			
		Wr	95		79		95	98	98			

Length at Capture

Mean length at capture by age across years sampled, sample size (N).

Species: Walleye

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2019	35	216 (15)	338 (2)	417 (1)	445 (2)		516 (3)			589 (1)	634 (11)
2018	50	268 (4)	373 (6)	442 (7)	455 (1)	518 (2)			549 (2)	613 (18)	630 (10)
2017	54	280 (7)	382 (14)	443 (3)	462 (4)		511 (2)	616 (5)	613 (14)		650 (5)
2016	32	258 (10)	389 (3)	436 (10)		546 (1)	565 (1)	553 (5)		614 (1)	691 (1)
2015	94	260 (27)	361 (36)		471 (1)	536 (5)	546 (9)	603 (2)	542 (3)		622 (10)
2014	48	238 (27)	303 (1)	447 (3)	474 (4)	520 (11)	501 (1)		590 (1)		
2012	61	226 (25)	400 (8)	462 (24)		518 (3)		636 (1)			
2010	101	322 (78)	437 (3)	471 (20)							

Species: Yellow Perch

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2015	151	160 (13)	235 (124)	264 (7)	276 (8)						
2014	79	166 (46)	227 (2)	257 (31)							
2012	284	163 (121)	232 (160)	252 (3)							

Fish Condition



Mean relative weight (Wr) by sample size (N), length category stock to quality (S-Q), quality to preferred (Q-P), preferred to memorable (P-M), and memorable (M) for species collected across survey years with standard error (SE).

Species	Year	Length Groups							
		S-Q		Q-P		P-M		M	
		N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
Bluegill Frame Net	2018	2	109 (5.1)	0		0		0	
	2019	31	123 (6.8)	1	125	0		0	
Northern Pike Gill Net	2015	0		1	95	1	91	0	
	2016	0		0		1	81	0	
	2019	0		1	92	0		0	
Walleye Gill Net	2015	51	92 (0.8)	14	91 (1.9)	23	91 (1.5)	3	90 (2.6)
	2016	7	90 (1.6)	13	89 (1.1)	8	86 (1.2)	1	71
	2017	14	96 (1.4)	14	94 (1.5)	12	88 (3.6)	14	84 (1.2)
	2018	8	90 (2.2)	11	88 (1.6)	18	86 (1.4)	12	82 (1.3)
	2019	5	84 (2.5)	4	86 (3.4)	8	83 (2.3)	6	76 (3.1)
White Bass Gill Net	2015	1	100	5	126 (31.6)	8	97 (1.6)	17	95 (3.9)
	2016	0		10	94 (1.5)	7	95 (1.9)	19	93 (1.0)
	2017	0		0		21	98 (1.5)	12	95 (3.4)
	2018	0		0		5	90 (2.0)	19	94 (1.4)
	2019	0		0		1	94	11	89 (1.5)
Yellow Perch Gill Net	2015	15	97 (1.5)	115	98 (0.8)	21	96 (1.7)	0	
	2016	264	99 (0.8)	9	92 (1.9)	21	91 (0.5)	9	97
	2017	51	104 (0.9)	54	102 (0.8)	25	92 (0.7)	0	
	2018	164	96 (0.8)	9	98 (0.2)	4	86	0	
	2019	19	104 (1.3)	2	88 (0.7)	0		0	



Length Frequency Distribution


Length frequency histogram of species sampled by year.

Species: Black Bullhead
Gear: AFS std gill net




Species: Black Bullhead
Gear: std exp gill net










Species: Bluegill
 Gear: frame net (std 3/4 in)






Species: Common Carp
 Gear: AFS std gill net






Species: Common Carp
Gear: std exp gill net





Species: Walleye
Gear: AFS std gill net







Species: Walleye
 Gear: std exp gill net





Species: White Bass
 Gear: AFS std gill net






Species: Yellow Perch
Gear: AFS std gill net






2018




2019


Species: Yellow Perch
Gear: std exp gill net



2014



2015




2016


Historic Fish Sizes and Relative Abundance

Size distribution per net by color for species sampled by year.


Species: Black Bullhead
Gear: AFS std gill net




Species: Black Bullhead
Gear: std exp gill net




Species: Bluegill
Gear: frame net (std 3/4 in)




Species: Common Carp
Gear: AFS std gill net




Species: Common Carp
Gear: std exp gill net




Species: Northern Pike
Gear: std exp gill net




Species: Walleye
Gear: AFS std gill net




Species: Walleye
Gear: std exp gill net




Species: White Bass
Gear: AFS std gill net




Species: White Bass
Gear: std exp gill net



Species: Yellow Perch
Gear: AFS std gill net



Species: Yellow Perch
Gear: std exp gill net



Fish Stocking

Number of fish stocked by year, species, and size.

Year	Species	Size	Number
2010	Muskellunge	Large Fingerling	790
2012	Muskellunge	Large Fingerling	1,150
2014	Muskellunge	Large Fingerling	1,063
2015	Walleye	Small Fingerling	108,300
2016	Muskellunge	Large Fingerling	1,387
2017	Walleye	Fingerling	113,760
2019	Walleye	Small Fingerling	108,900