SOUTH DAKOTA BLACK HILLS COLD STREAM SURVEY

Beaver Creek (Custer Co.), Custer County 21-0014-00 2015

Table 1. Population and Biomass Estimates for Beaver Creek (Custer Co.)

 Site Number: 487
 Date Sampled:
 07/23/2015

 Site Midpoint (Latitude, Longitude): 43.58154553, -103.47631048
 Site Length (m):
 100

Survey Completed by: South Dakota Game, Fish and Parks

Mean Width (m): 3.7

Stream Classification: None Water Temperature (C): 21.4

Number of Pass: 1

Number of Pass: 1

Voltage: 275

Species	Size Class	Total Number Captured	Est. # in site	Upper 95% CI	Lower 95% CI	# per Hectacre	Kg per Hectacre	# per Km	# per Acre	lb. per Acre	# per Mile	Mean Length (mm)	Mean Weight (grams)
Creek Chub	All	3	3	3	3	80	2	30	32	1.84	48	129.7	25.7

Conductivity

(umhos/cm):

518

Stream sites are classified based on the estimates of adult trout over eight inches that exist within the site. Estimates are derived from 3-pass backpack electrofishing surveys at 100-meter sites within streams. While all fish in the site are collected and measured, only trout species are used for classifications. Sites are numbered in accordance for the distance (m) from the stream confluence of a higher order stream/river.

Based on number of trout in excess of eight inches				
Class BR1	Number of wild Brown Trout exceeds 150 per acre			
Class BR2	Number of wild Brook Trout ranges from 25 to 150 per acre			
Class BR3	Number of wild Brown Trout is less than 25 per acre			
Class BK1	Number of wild Brook Trout exceeds 150 per acre			
Class BK2	Number of wild Brook Trout ranges from 25 to 150 per acre			
Class BK3	Number of wild BrookTrout is less than 25 per acre			
Class RB1	Number of wild Rainbow Trout exceeds 25 per acre			
Class RB2	Number of wild Rainbow Trout is less than 25 per acre			

Table 2. Species composition and population estimates on Beaver Creek (Custer Co.), 2005-2015

Site 487


Species/Size	Date	Pop Est.	(95% C.I.)	Stream Classification
Creek Chub	Jul 23, 2015	3	3-3	

Length Frequency Distribution

Length frequency histogram of species sampled by year.


Site: 487

Species: Brook Stickleback



Site: 487

Species: Fathead Minnow



Site: 569

Species: Brook Stickleback

