SOUTH DAKOTA BLACK HILLS COLD STREAM SURVEY

Boxelder - North Fork, Lawrence County

09-0069-00

1997

Table 1. Population and Biomass Estimates for Boxelder - North Fork

Site Number: 75 Site Midpoint (Latitude, Longitude): 44.22862820, -103.66355032							Date Sampled:		07/08/1997		Conductivity (umhos/cm):		290	
Survey Completed by:							Site Length (m): 100			pH:		7.5		
Stream Classification: BK2							Mean Width (m): 1.4			Water Tempera		rature (C):	e (C): 16.0	
Stream Classification: BK2							Number of Pass: 3			Voltage:			200	
Species	Size Class	Total Number Captured	Est. # in site	Upper 95% Cl	Lower 95% Cl	# per Hectacre	Kg per Hectacre	# per Km	# per Acre	lb. per Acre	# per Mile	Mean Length (mm)	Mean Weight (grams)	
Brook Trout	<200mm	66	68	72	66	4789	114	680	1939	102.08	1094	116.1	23.9	
Brook Trout	>=200mm	2	2	2	2	141	15	20	57	13.71	32	232.5	109.0	
Brook Trout	All	68	70	74	68	4930	132	700	1996	118.01	1126	119.5	26.8	
Longnose Dace	All	2	2	4	2	141	2	20	57	1.89	32	82.0	15.0	
Mountain Sucker	All	2	2	4	2	141	6	20	57	5.22	32	154.0	41.5	

8/12/2020 Page 1

Stream sites are classified based on the estimates of adult trout over eight inches that exist within the site. Estimates are derived from 3-pass backpack electrofishing surveys at 100-meter sites within streams. While all fish in the site are collected and measured, only trout species are used for classifications. Sites are numbered in accordance for the distance (m) from the stream confluence of a higher order stream/river.

Based on number of trout in excess of eight inches					
Class BR1	Number of wild Brown Trout exceeds 150 per acre				
Class BR2	Number of wild Brook Trout ranges from 25 to 150 per acre				
Class BR3	Number of wild Brown Trout is less than 25 per acre				
Class BK1	Number of wild Brook Trout exceeds 150 per acre				
Class BK2	Number of wild Brook Trout ranges from 25 to 150 per acre				
Class BK3	Number of wild BrookTrout is less than 25 per acre				
Class RB1	Number of wild Rainbow Trout exceeds 25 per acre				
Class RB2	Number of wild Rainbow Trout is less than 25 per acre				

Table 2. Species composition and population estimates on Boxelder - North Fork, 1987-1997

Site 75

Species/Size	Date	Pop Est.	(95% C.I.)	Stream Classification
Brook Trout <200mm	Jul 08, 1997	68	66-72	
Brook Trout >=200mm	Jul 08, 1997	2	2-2	BK2
Longnose Dace	Jul 08, 1997	2	2-4	
Mountain Sucker	Jul 08, 1997	2	2-4	

Length Frequency Distribution

Length frequency histogram of species sampled by year.



