SOUTH DAKOTA BLACK HILLS COLD STREAM SURVEY

Cleopatra Creek, Lawrence County 09-0055-00 2016

Table 1. Population and Biomass Estimates for Cleopatra Creek

Site Number: 2

Site Midpoint (Latitude, Longitude): 44.40059662, -103.89317768

Survey Completed by: South Dakota Game, Fish and Parks

Stream Classification: BK2, BR2, RB1

Date Sampled: 05/26/2016

Site Length (m): 100

Mean Width (m): 4.6

Number of Pass: 3

Conductivity (umhos/cm):

pH: 8.5

232

Water Temperature (C): 10.4

Voltage: 315

Species	Size Class	Total Number Captured	Est. # in site	Upper 95% CI	Lower 95% CI	# per Hectacre	Kg per Hectacre	# per Km	# per Acre	lb. per Acre	# per Mile	Mean Length (mm)	Mean Weight (grams)
Brook Trout	<200mm	71	77	86	71	1667	41	770	675	36.78	1239	108.5	24.7
Brook Trout	>=200mm	13	13	15	13	281	28	130	114	25.44	209	218.4	101.2
Brook Trout	All	86	93	102	86	2014	83	930	816	73.75	1496	125.5	41.0
Brown Trout	<200mm	14	14	16	14	303	10	140	123	8.88	225	119.0	32.8
Brown Trout	>=200mm	11	11	12	11	238	61	110	96	54.37	177	286.3	255.6
Brown Trout	All	27	30	37	27	650	94	300	263	83.65	483	192.6	144.2
Rainbow Trout	<200mm	181	189	197	181	4093	122	1890	1657	108.50	3041	96.6	29.7
Rainbow Trout	>=200mm	14	14	14	14	303	58	140	123	51.47	225	262.4	190.1
Rainbow Trout		196	202	209	196	4374	233	2020	1771	208.30	3250	108.5	53.3

Stream sites are classified based on the estimates of adult trout over eight inches that exist within the site. Estimates are derived from 3-pass backpack electrofishing surveys at 100-meter sites within streams. While all fish in the site are collected and measured, only trout species are used for classifications. Sites are numbered in accordance for the distance (m) from the stream confluence of a higher order stream/river.

Based on number of trout in excess of eight inches				
Class BR1	Number of wild Brown Trout exceeds 150 per acre			
Class BR2	Number of wild Brook Trout ranges from 25 to 150 per acre			
Class BR3	Number of wild Brown Trout is less than 25 per acre			
Class BK1	Number of wild Brook Trout exceeds 150 per acre			
Class BK2	Number of wild Brook Trout ranges from 25 to 150 per acre			
Class BK3	Number of wild BrookTrout is less than 25 per acre			
Class RB1	Number of wild Rainbow Trout exceeds 25 per acre			
Class RB2	Number of wild Rainbow Trout is less than 25 per acre			

Table 2. Species composition and population estimates on Cleopatra Creek, 2006-2016

Site 2

Species/Size	Date	Pop Est.	(95% C.I.)	Stream Classification
Brook Trout <200mm	Sep 18, 2007	73	72-76	
	Jul 09, 2008	100	100-100	
	May 26, 2016	77	71-86	
Brook Trout >=200mm	Sep 18, 2007	3	3-4	BK2
	Jul 09, 2008	1	1-1	ВК3
	May 26, 2016	13	13-15	BK2
Brown Trout <200mm	Sep 18, 2007	4	4-4	


Brown Trout <200mm	Jul 09, 2008	13	13-13	
	May 26, 2016	14	14-16	
Brown Trout >=200mm	Jul 09, 2008	1	1-1	BR3
	May 26, 2016	11	11-12	BR2
Rainbow Trout <200mm	Sep 18, 2007	56	56-56	
	Jul 09, 2008	16	16-16	
	May 26, 2016	189	181-197	
Rainbow Trout >=200mm	Sep 18, 2007	1	1-2	RB2
	Jul 09, 2008	1	1-1	RB2
	May 26, 2016	14	14-14	RB1

Length Frequency Distribution


Length frequency histogram of species sampled by year.

Site: 2

Species: Brook Trout



Site: 2 Species: Brown Trout



Site: 2 Species: Rainbow Trout

