SOUTH DAKOTA BLACK HILLS COLD STREAM SURVEY

Ice Box Gulch, Lawrence County 09-0048-00 1992

Table 1. Population and Biomass Estimates for Ice Box Gulch

Site Number: 9

Site Midpoint (Latitude, Longitude): 44.29717382, -103.85881505

Survey Completed by:

Stream Classification: BK0

Date Sampled: 10/28/1992

Site Length (m): 99

Mean Width (m): 0.0

Number of Pass: 2

Conductivity (umhos/cm):

pH:

Water Temperature (C):

Voltage:

Species	Size Class	Total Number Captured	Est. # in site	Upper 95% CI	Lower 95% CI	# per Hectacre	Kg per Hectacre	# per Km	# per Acre	lb. per Acre	# per Mile	Mean Length (mm)	Mean Weight (grams)
Black Crappie	All	7	6	10	7	0	0	61	0	0.00	98	125.9	15.7
Brook Trout	<200mm	9	9	9	9	0	0	91	0	0.00	146	112.0	16.6
Brook Trout	All	9	9	9	9	0	0	91	0	0.00	146	112.0	16.6

Stream sites are classified based on the estimates of adult trout over eight inches that exist within the site. Estimates are derived from 3-pass backpack electrofishing surveys at 100-meter sites within streams. While all fish in the site are collected and measured, only trout species are used for classifications. Sites are numbered in accordance for the distance (m) from the stream confluence of a higher order stream/river.

Based on number of trout in excess of eight inches				
Class BR1	Number of wild Brown Trout exceeds 150 per acre			
Class BR2	Number of wild Brook Trout ranges from 25 to 150 per acre			
Class BR3	Number of wild Brown Trout is less than 25 per acre			
Class BK1	Number of wild Brook Trout exceeds 150 per acre			
Class BK2	Number of wild Brook Trout ranges from 25 to 150 per acre			
Class BK3	Number of wild BrookTrout is less than 25 per acre			
Class RB1	Number of wild Rainbow Trout exceeds 25 per acre			
Class RB2	Number of wild Rainbow Trout is less than 25 per acre			

Table 2. Species composition and population estimates on Ice Box Gulch, 1982-1992

Site 9


Species/Size	Date	Pop Est.	(95% C.I.)	Stream Classification
Black Crappie	Oct 28, 1992	6	7-10	
Brook Trout <200mm	Oct 28, 1992	9	9-9	

Length Frequency Distribution

Length frequency histogram of species sampled by year.

Site: 9

Species: Black Crappie



Site: 9 Species: Brook Trout

