

**SOUTH DAKOTA BLACK HILLS COLD STREAM SURVEY**  
**Iron Creek (North), Lawrence County**  
**09-0049-00**  
**1998**

Table 1. Population and Biomass Estimates for Iron Creek (North)

<b>Site Number:</b> 76	<b>Date Sampled:</b> 06/24/1998	<b>Conductivity (umhos/cm):</b> 132
<b>Site Midpoint (Latitude, Longitude):</b> 44.36972596, -103.98788929	<b>Site Length (m):</b> 104	<b>pH:</b> 8.2
<b>Survey Completed by:</b> South Dakota Game, Fish and Parks	<b>Mean Width (m):</b> 1.2	<b>Water Temperature (C):</b> 13.0
<b>Stream Classification:</b> BK2	<b>Number of Pass:</b> 3	<b>Voltage:</b> 250

Species	Size Class	Total Number Captured	Est. # in site	Upper 95% CI	Lower 95% CI	# per Hectacre	Kg per Hectacre	# per Km	# per Acre	lb. per Acre	# per Mile	Mean Length (mm)	Mean Weight (grams)
Brook Trout	<200mm	5	5	6	5	424	17	48	172	14.76	77	141.0	39.0
Brook Trout	>=200mm	1	1	1	1	85	8	10	34	7.26	15	204.0	96.0
Brook Trout	All	6	6	7	6	508	25	58	206	22.02	93	151.5	48.5
Hatchery Rainbow Trout	<200mm	54	55	59	54	4661	66	529	1888	58.80	851	104.5	14.1
Hatchery Rainbow Trout	>=200mm	1	1	1	1	85	7	10	34	6.66	15	200.0	88.0
Hatchery Rainbow Trout	All	55	56	59	55	4746	73	538	1922	65.56	866	106.2	15.5

Stream sites are classified based on the estimates of adult trout over eight inches that exist within the site. Estimates are derived from 3-pass backpack electrofishing surveys at 100-meter sites within streams. While all fish in the site are collected and measured, only trout species are used for classifications. Sites are numbered in accordance for the distance (m) from the stream confluence of a higher order stream/river.

Based on number of trout in excess of eight inches	
<b>Class BR1</b>	Number of wild Brown Trout exceeds 150 per acre
<b>Class BR2</b>	Number of wild Brook Trout ranges from 25 to 150 per acre
<b>Class BR3</b>	Number of wild Brown Trout is less than 25 per acre
<b>Class BK1</b>	Number of wild Brook Trout exceeds 150 per acre
<b>Class BK2</b>	Number of wild Brook Trout ranges from 25 to 150 per acre
<b>Class BK3</b>	Number of wild Brook Trout is less than 25 per acre
<b>Class RB1</b>	Number of wild Rainbow Trout exceeds 25 per acre
<b>Class RB2</b>	Number of wild Rainbow Trout is less than 25 per acre

Table 2. Species composition and population estimates on Iron Creek (North), 1988-1998

**Site 76**


Species/Size	Date	Pop Est.	(95% C.I.)	Stream Classification
Brook Trout <200mm	Jun 24, 1998	5	5-6	
Brook Trout >=200mm	Jun 24, 1998	1	1-1	BK2
Hatchery Rainbow Trout <200mm	Jun 07, 1995	56	47-71	
	Jun 24, 1998	55	54-59	
Hatchery Rainbow Trout >=200mm	Jun 07, 1995	1	1-1	
	Jun 24, 1998	1	1-1	

## Length Frequency Distribution

Length frequency histogram of species sampled by year.

**Site:** 76

**Species:** Brook Trout



**Site:** 76

**Species:** Hatchery Rainbow Trout

