## SOUTH DAKOTA BLACK HILLS COLD STREAM SURVEY

### Stewart Gulch Creek, Lawrence County

#### 10120202050013

2005

Table 1. Population and Biomass Estimates for Stewart Gulch Creek

Site Number: 1	Date Sampled: 08/28/2005	Conductivity
Site Midpoint (Latitude, Longitude): 44.32588376, -103.80031007	Site Length (m): 99	(umhos/cm):
Survey Completed by: Chadwick Ecological Services	Mean Width (m): 0.0	pH:
Stream Classification: BK3	( )	Water Temperature (C):
	Number of Pass: 3	Voltage:

Species	Size Class	Total Number Captured	Est. # in site	Upper 95% CI	Lower 95% Cl	# per Hectacre	Kg per Hectacre	# per Km	# per Acre	lb. per Acre	# per Mile	Mean Length (mm)	Mean Weight (grams)
Brook Trout	<200mm	125	129	135	125	0	0	1303	0	0.00	2097	107.0	22.6
Brook Trout	>=200mm	2	2	3	2	0	0	20	0	0.00	33	213.5	111.5
Brook Trout	All	127	131	137	127	0	0	1323	0	0.00	2129	108.6	24.0

Stream sites are classified based on the estimates of adult trout over eight inches that exist within the site. Estimates are derived from 3-pass backpack electrofishing surveys at 100-meter sites within streams. While all fish in the site are collected and measured, only trout species are used for classifications. Sites are numbered in accordance for the distance (m) from the stream confluence of a higher order stream/river.

Based on number of trout in excess of eight inches				
Class BR1	Number of wild Brown Trout exceeds 150 per acre			
Class BR2	Number of wild Brook Trout ranges from 25 to 150 per acre			
Class BR3	Number of wild Brown Trout is less than 25 per acre			
Class BK1	Number of wild Brook Trout exceeds 150 per acre			
Class BK2	Number of wild Brook Trout ranges from 25 to 150 per acre			
Class BK3	Number of wild BrookTrout is less than 25 per acre			
Class RB1	Number of wild Rainbow Trout exceeds 25 per acre			
Class RB2	Number of wild Rainbow Trout is less than 25 per acre			

Table 2. Species composition and population estimates on Stewart Gulch Creek, 1995-2005

#### Site 1

Species/Size	Date	Pop Est.	(95% C.I.)	Stream Classification
Brook Trout <200mm	Sep 03, 1997	19	19-21	
	Aug 26, 1998	40	38-46	
	Aug 29, 2001	65	63-70	
	Sep 02, 2004	56	56-58	
	Aug 28, 2005	129	125-135	
Brook Trout >=200mm	Sep 03, 1997	2	2-2	BK2
	Aug 26, 1998	17	17-18	BK1

Brook Trout >=200mm	Aug 29, 2001	11	11-11	BK1
	Sep 02, 2004	6	6-6	BK2
	Aug 28, 2005	2	2-3	ВКЗ

## **Length Frequency Distribution**

Length frequency histogram of species sampled by year.

# Site: 1

Species: Brook Trout

