

Creel and Lake Information

Lake Information

Lake Name: Pactola Reservoir
Lake Code: RAP-Lake-1-000
Surface Area: 333.71 Hectares
County: Pennington
Start Date: 5/3/2016
End Date: 12/31/2016
Months Included: May, June, July, August, September, October

Table 1. Percent of angling parties interviewed primarily targeting a species (or any species) by month and overall for Pactola Reservoir during 2015 - 2016. Any Species (ANY), Bluegill (BLG), Brown Trout (BNT), Largemouth Bass (LMB), Northern Pike (NOP), Rainbow Trout (RBT), Yellow Perch (YEP), Lake Trout (LAT).

Year	Month	# of Interviews	Percent of Anglers Targeting							
			ANY	BLG	BNT	LAT	LMB	NOP	RBT	YEP
2015	May	39	0.0	5.1	0.0	7.7	2.6	5.1	74.4	0.0
	June	33	0.0	9.1	0.0	6.1	0.0	6.1	72.7	0.0
	July	29	0.0	27.6	0.0	0.0	0.0	3.4	69.0	0.0
	August	25	8.0	8.0	0.0	4.0	0.0	0.0	80.0	0.0
	Overall	126	1.6	11.9	0.0	4.8	0.8	4.0	73.8	0.0
2016	May	110	26.4	22.7	4.5	5.5	2.7	11.8	26.4	0.0
	June	52	59.6	1.9	0.0	1.9	1.9	7.7	26.9	0.0
	July	56	67.9	5.4	0.0	0.0	3.6	7.1	16.1	0.0
	August	33	54.5	0.0	3.0	0.0	3.0	0.0	39.4	0.0
	September	81	42.0	3.7	3.7	2.5	1.2	4.9	40.7	1.2
	October	50	26.0	0.0	0.0	2.0	0.0	10.0	62.0	0.0
	Overall	382	42.7	8.4	2.4	2.6	2.1	7.9	33.8	0.3

Table 2. Monthly and overall number of interviews, angler hours, angler days, mean trip length, mean party size, percent of parties interviewed that were South Dakota residents, percent of angling activity from a boat or shack and percent of angling activity that occurred on weekends and holidays at Pactola Reservoir (80% confidence interval).

Year	Month	# Interviews	Angler Hours	Angler Days	Trip Length (h)	Party Size	% SD Residents	% Boat or Shack	% Weekend/Holidays
2015	May	39	1,484 (779)	485	3.06 (1.07)	1.88 (0.57)	94.87	13	46
	June	33	916 (436)	315	2.91 (0.48)	2.02 (0.43)	93.94	6	39
	July	29	2,170 (463)	1,014	2.14 (0.36)	2.28 (0.49)	93.10	14	62
	August	25	2,865 (550)	1,290	2.22 (0.55)	2.31 (0.42)	84.00	36	44
	Overall	126	7,435 (1,146)	2,882	2.58 (0.34)	2.13 (0.24)	92.06	16	48
2016	May	110	7,013 (1,146)	2,772	2.53 (0.52)	1.85 (0.27)	90.00	16	33
	June	52	11,228 (1,168)	3,793	2.96 (0.30)	2.64 (0.43)	86.54	33	62
	July	56	7,137 (1,015)	2,131	3.35 (1.03)	2.34 (0.46)	80.36	14	70
	August	33	4,590 (716)	1,153	3.98 (1.00)	2.22 (0.56)	81.82	18	52
	September	81	2,524 (430)	791	3.19 (0.45)	2.10 (0.36)	88.89	40	49
	October	50	1,950 (421)	644	3.03 (0.74)	1.85 (0.29)	92.00	38	50
	Overall	382	34,443 (2,140)	10,865	3.17 (0.30)	2.16 (0.17)	87.43	26	49

Table 3. Estimated fishing pressure (angler hours) by month during the summer season 2016 daylight period on Pactola Reservoir (80% confidence interval).

Lake	Month						Total
	May	June	July	August	September	October	
Pactola Reservoir	7,013 (1,146)	11,228 (1,168)	7,137 (1,015)	4,590 (716)	2,524 (430)	1,950 (421)	34,443 (2,140)

Table 4. Estimated number of fish harvested, by species and month, for the summer season 2016 daylight period on Pactola Reservoir (80% confidence interval).

Species	Month						Total
	May	June	July	August	September	October	
Bluegill	2,828 (1,272)	431 (465)	469 (542)	0	34 (51)	0	3,762 (1,459)
Brown Trout	172 (120)	0	0	0	0	0	172 (120)
Lake Trout	11 (13)	0	0	0	6 (6)	0	17 (14)
Largemouth Bass	21 (28)	0	0	0	0	0	21 (28)
Northern Pike	91 (38)	160 (179)	166 (108)	32 (34)	17	44 (27)	511 (212)
Rainbow Trout	353 (153)	371 (266)	11 (10)	162 (127)	251 (229)	285 (282)	1,433 (492)
Yellow Perch	142 (122)	15 (21)	0	0	7 (10)	0	163 (124)
Total	3,618 (1,745)	976 (931)	646 (659)	194 (161)	315 (296)	329 (309)	6,078 (2,449)

Table 5a. Estimated monthly and overall angler catch rate per hour fished (C/h) for all anglers by species at Pactola Reservoir (80% confidence interval). Abbreviations for species are as follows: Bluegill (BLG), Brown Trout (BNT), Largemouth Bass (LMB), Northern Pike (NOP), Rainbow Trout (RBT), Yellow Perch (YEP), Lake Trout (LAT) and other species (Other).

Year	Month	BLG	BNT	LAT	LMB	NOP	RBT	YEP
		C/h	C/h	C/h	C/h	C/h	C/h	C/h
2015	May	0.14 (0.83)	0.00	0.01 (0.01)	0.00	0.01 (0.01)	0.33 (0.31)	0.01 (<0.01)
	June	0.62 (0.67)	0.00	0.01 (0.01)	0.00	0.01 (0.01)	0.12 (0.18)	0.01 (0.01)
	July	0.49 (0.46)	0.00	0.00	0.00	0.00	0.29 (0.50)	0.00
	August	0.19 (0.27)	0.00	0.02 (0.03)	0.00	0.00	0.29 (0.38)	0.02 (0.02)
	Overall	0.32 (0.31)	0.00	0.01 (0.01)	0.00	<0.01 (<0.01)	0.28 (0.22)	0.01 (<0.01)
	2016	May	1.39	0.14 (0.09)	0.02 (0.01)	0.09 (0.07)	0.01 (<0.01)	0.19 (0.06)
June	1.15 (0.40)	0.00	0.01 (0.01)	0.02 (0.01)	0.03 (0.02)	0.09	0.14 (0.15)	
July	0.93 (0.49)	<0.01 (<0.01)	0.00	0.03 (0.02)	0.09	0.01 (<0.01)	0.05 (0.03)	
August	0.24 (0.12)	0.00	<0.01 (<0.01)	0.01 (<0.01)	0.06 (0.04)	0.14 (0.06)	0.05 (0.05)	
September	0.18 (0.25)	<0.01 (<0.01)	0.02 (0.02)	0.00	0.07	0.24 (0.17)	0.01 (<0.01)	
October	0.09 (0.07)	0.01 (<0.01)	0.00	0.02 (0.01)	0.08	0.44 (0.15)	0.00	
Overall	0.90 (0.14)	0.03 (0.01)	0.01 (<0.01)	0.03 (0.01)	0.05 (<0.01)	0.13 (0.01)	0.07 (0.05)	

Table 5b. Estimated monthly and overall angler harvest rate per hour fished (H/h) for all anglers by species at Pactola Reservoir (80% confidence interval). Abbreviations for species are as follows: Bluegill (BLG), Brown Trout (BNT), Largemouth Bass (LMB), Northern Pike (NOP), Rainbow Trout (RBT), Yellow Perch (YEP), Lake Trout (LAT) and other species (Other).

Year	Month	BLG	BNT	LAT	LMB	NOP	RBT	YEP
		H/h	H/h	H/h	H/h	H/h	H/h	H/h
2015	May	0.00	0.00	0.00	0.00	<0.01 (<0.01)	0.11 (0.10)	<0.01 (<0.01)
	June	0.14 (0.16)	0.00	0.01 (0.01)	0.00	0.00	0.08 (0.11)	0.00
	July	0.00	0.00	0.00	0.00	0.00	0.15 (0.46)	0.00
	August	0.07 (0.09)	0.00	0.00	0.00	0.00	0.22 (0.35)	0.00
	Overall	0.04 (0.04)	0.00	<0.01 (<0.01)	0.00	<0.01 (<0.01)	0.16 (0.18)	<0.01 (<0.01)
	2016	May	0.40	0.02 (0.02)	<0.01 (<0.01)	<0.01 (<0.01)	0.01 (<0.01)	0.05 (0.02)
June	0.04 (0.04)	0.00	0.00	0.00	0.01 (0.02)	0.03 (<0.01)	<0.01 (<0.01)	
July	0.07 (0.08)	0.00	0.00	0.00	0.02 (0.03)	<0.01 (<0.01)	0.00	
August	0.00	0.00	0.00	0.00	0.01 (<0.01)	0.04 (0.04)	0.00	
September	0.01 (0.02)	0.00	<0.01 (<0.01)	0.00	0.01	0.10 (0.10)	<0.01 (<0.01)	
October	0.00	0.00	0.00	0.00	0.02 (0.02)	0.15 (0.15)	0.00	
Overall	0.11 (0.03)	<0.01 (<0.01)	<0.01 (<0.01)	<0.01 (<0.01)	0.01 (<0.01)	0.04 (0.01)	<0.01 (<0.01)	

Table 6a. Estimated monthly and overall angler catch rate per hour fished (C/h) only for anglers primarily targeting a species at Pactola Reservoir. (80% confidence interval). Abbreviations for species are as follows: Bluegill (BLG), Brown Trout (BNT), Largemouth Bass (LMB), Northern Pike (NOP), Rainbow Trout (RBT), Yellow Perch (YEP), Lake Trout (LAT) and Other Species (Other).

Year	Month	BLG	BNT	LAT	LMB	NOP	RBT	YEP
		C/h	C/h	C/h	C/h	C/h	C/h	C/h
2015	May	3.52	0.00	0.10	0.00	0.00	0.40 (1.80)	0.00
	June	1.44 (1.58)	0.00	0.07 (0.20)	0.00	1.11	0.24 (0.46)	0.00
	July	0.90 (1.86)	0.00	0.00	0.00	0.00	0.25 (0.13)	0.00
	August	3.04	0.00	0.24	0.00	0.00	0.29 (0.30)	0.00
	Overall	2.30 (0.59)	0.00	0.13 (0.06)	0.00	0.38	0.29 (0.41)	0.00
2016	May	5.55 (2.45)	2.14 (3.78)	0.09 (0.05)	0.46 (0.39)	0.04 (0.07)	0.97 (0.90)	0.00
	June	3.57	0.00	0.00	0.00	0.01 (0.02)	0.54 (2.38)	0.00
	July	11.66 (0.23)	0.00	0.00	0.27	0.26	0.00	0.00
	August	0.00	0.00	0.00	0.00	0.00	0.15 (0.09)	0.00
	September	0.72 (0.99)	0.01 (0.06)	0.00	0.00	0.28	0.52 (0.25)	6.00
	October	0.00	0.00	0.00	0.00	0.09 (0.27)	0.63 (0.30)	0.00
	Overall	5.86 (1.32)	0.79 (1.39)	0.05 (0.03)	0.23 (0.12)	0.12 (0.05)	0.52 (0.39)	6.00

Table 6b. Estimated monthly and overall angler harvest rate per hour fished (H/h) only for anglers primarily targeting a species at Pactola Reservoir. (80% confidence interval). Abbreviations for species are as follows: Bluegill (BLG), Brown Trout (BNT), Largemouth Bass (LMB), Northern Pike (NOP), Rainbow Trout (RBT), Yellow Perch (YEP), Lake Trout (LAT) and Other Species (Other).

Year	Month	BLG	BNT	LAT	LMB	NOP	RBT	YEP
		H/h	H/h	H/h	H/h	H/h	H/h	H/h
2015	May	0.00	0.00	0.00	0.00	0.00	0.11 (0.30)	0.00
	June	0.89 (3.02)	0.00	0.07 (0.20)	0.00	1.07	0.18 (0.33)	0.00
	July	0.00	0.00	0.00	0.00	0.00	0.03 (0.04)	0.00
	August	0.00	0.00	0.00	0.00	0.00	0.19 (0.13)	0.00
	Overall	0.16 (0.54)	0.00	0.02 (0.06)	0.00	0.37	0.11 (0.09)	0.00
2016	May	1.93 (1.57)	0.44 (0.91)	0.03 (0.03)	0.00	0.01 (0.03)	0.25 (0.23)	0.00
	June	0.00	0.00	0.00	0.00	0.01 (0.03)	0.21 (0.40)	0.00
	July	2.29	0.00	0.00	0.00	0.00	0.00	0.00
	August	0.00	0.00	0.00	0.00	0.00	0.06 (0.05)	0.00
	September	0.00	0.00	0.00	0.00	0.01	0.22 (0.18)	6.00
	October	0.00	0.00	0.00	0.00	0.09 (0.27)	0.24 (0.15)	0.00
	Overall	1.49 (0.84)	0.16 (0.33)	0.02 (0.02)	0.00	0.03 (0.05)	0.18 (0.09)	6.00

Table 7a. Estimated monthly and overall angler catch (C) for all anglers by species at Pactola Reservoir (80% confidence interval). Abbreviations for species are as follows: Bluegill (BLG), Brown Trout (BNT), Largemouth Bass (LMB), Northern Pike (NOP), Rainbow Trout (RBT), Yellow Perch (YEP), Lake Trout (LAT) and other species (Other).

Year	Month	BLG	BNT	LAT	LMB	NOP	RBT	YEP
		C	C	C	C	C	C	C
2015	May	211 (252)	0	12 (21)	0	15 (16)	496 (263)	13 (10)
	June	566 (296)	0	8 (13)	0	9 (10)	114 (63)	9 (10)
	July	1,062 (473)	0	0	0	0	628 (1,002)	0
	August	556 (357)	0	60 (75)	0	0	829 (423)	56 (61)
	Overall	2,396 (709)	0	80 (79)	0	25 (19)	2,067 (1,121)	79 (62)
	2016	May	9,739 (3,779)	1,005 (437)	135 (72)	656 (401)	102 (41)	1,346 (386)
June	12,916 (3,806)	0	90 (125)	222 (123)	307 (252)	1,008 (762)	1,547 (1,637)	
July	6,602 (2,787)	11 (14)	0	184 (120)	633 (271)	74 (49)	365 (317)	
August	1,114 (765)	0	11 (10)	42 (35)	260 (88)	627 (164)	218 (207)	
September	451 (328)	6 (9)	54 (60)	0	173	606 (221)	13 (13)	
October	170 (131)	11 (12)	0	29 (27)	150	865 (198)	0	
Overall	30,991 (6,102)	1,032 (438)	289 (157)	1,133 (439)	1,625 (369)	4,526 (920)	2,426 (1,698)	

Table 7b. Estimated monthly and overall angler harvest (H) for all anglers by species at Pactola Reservoir (80% confidence interval). Abbreviations for species are as follows: Bluegill (BLG), Brown Trout (BNT), Largemouth Bass (LMB), Northern Pike (NOP), Rainbow Trout (RBT), Yellow Perch (YEP), Lake Trout (LAT) and other species (Other).

Year	Month	BLG	BNT	LAT	LMB	NOP	RBT	YEP
		H	H	H	H	H	H	H
2015	May	0	0	0	0	5 (7)	158 (87)	6 (5)
	June	124 (124)	0	8 (13)	0	0	70 (41)	0
	July	0	0	0	0	0	335 (993)	0
	August	209 (281)	0	0	0	0	631 (410)	0
	Overall	332 (307)	0	8 (13)	0	5 (7)	1,194 (1,079)	6 (5)
2016	May	2,828 (1,272)	172 (120)	11 (13)	21 (28)	91 (38)	353 (153)	142 (122)
	June	431 (465)	0	0	0	160 (179)	371 (266)	15 (21)
	July	469 (542)	0	0	0	166 (108)	11 (10)	0
	August	0	0	0	0	32 (34)	162 (127)	0
	September	34 (51)	0	6 (6)	0	17	251 (229)	7 (10)
	October	0	0	0	0	44 (27)	285 (282)	0
	Overall	3,762 (1,459)	172 (120)	17 (14)	21 (28)	511 (212)	1,433 (492)	163 (124)

Table 8. Estimated number and rate (number per hour) of Bluegill (BLG), Brown Trout (BNT), Largemouth Bass (LMB), Northern Pike (NOP), Rainbow Trout (RBT), Yellow Perch (YEP), Lake Trout (LAT) caught and harvested by anglers during the summer and winter fisheries on Pactola Reservoir, (80% confidence interval).

Bluegill

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2011	28,731 (6,371)	7,197 (1,863)	1.36 (0.37)	0.34 (0.09)
Summer	2014	0	0	0.00	0.00
Summer	2015	2,396 (709)	332 (307)	0.32 (0.31)	0.04 (0.04)
Summer	2016	30,991 (6,102)	3,762 (1,459)	0.90 (0.14)	0.11 (0.03)
Winter	2011-2012	470 (264)	444 (253)	0.04 (0.02)	0.04 (0.02)

Brown Trout

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2011	171 (72)	37 (47)	0.01 (<0.01)	<0.01 (<0.01)
Summer	2014	0	0	0.00	0.00
Summer	2016	1,032 (438)	172 (120)	0.03 (0.01)	<0.01 (<0.01)
Winter	2011-2012	10 (11)	0	<0.01 (<0.01)	0.00
Winter	2013-2014	0	0	0.00	0.00

Lake Trout

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2011	244 (96)	21 (25)	0.01 (<0.01)	<0.01 (<0.01)
Summer	2014	0	0	0.00	0.00
Summer	2015	80 (79)	8 (13)	0.01 (0.01)	<0.01 (<0.01)
Summer	2016	289 (157)	17 (14)	0.01 (<0.01)	<0.01 (<0.01)
Winter	2011-2012	1,548 (698)	53 (40)	0.14 (0.08)	<0.01 (<0.01)
Winter	2013-2014	0	0	0.00	0.00

Largemouth Bass

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2011	391 (253)	14 (16)	0.02 (0.01)	<0.01 (<0.01)
Summer	2014	0	0	0.00	0.00
Summer	2016	1,133 (439)	21 (28)	0.03 (0.01)	<0.01 (<0.01)
Winter	2011-2012	18 (29)	0	<0.01 (<0.01)	0.00

Northern Pike

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2011	823 (312)	151 (138)	0.04 (0.01)	0.01 (<0.01)
Summer	2014	0	0	0.00	0.00
Summer	2015	25 (19)	5 (7)	<0.01 (<0.01)	<0.01 (<0.01)
Summer	2016	1,625 (369)	511 (212)	0.05 (<0.01)	0.01 (<0.01)
Winter	2011-2012	702 (272)	270 (107)	0.06 (0.03)	0.02 (0.01)
Winter	2013-2014	0	0	0.00	0.00

Rainbow Trout

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2011	2,714 (635)	1,006 (372)	0.13 (0.03)	0.05 (0.02)
Summer	2014	0	0	0.00	0.00
Summer	2015	2,067 (1,121)	1,194 (1,079)	0.28 (0.22)	0.16 (0.18)
Summer	2016	4,526 (920)	1,433 (492)	0.13 (0.01)	0.04 (0.01)
Winter	2011-2012	15 (15)	8 (12)	<0.01 (<0.01)	<0.01 (<0.01)
Winter	2013-2014	0	0	0.00	0.00

Yellow Perch

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2011	858 (281)	120 (88)	0.04 (0.01)	0.01 (<0.01)
Summer	2014	0	0	0.00	0.00
Summer	2015	79 (62)	6 (5)	0.01 (<0.01)	<0.01 (<0.01)
Summer	2016	2,426 (1,698)	163 (124)	0.07 (0.05)	<0.01 (<0.01)
Winter	2011-2012	97 (44)	35 (19)	0.01 (<0.01)	<0.01 (<0.01)
Winter	2013-2014	0	0	0.00	0.00

Table 9. The number of fish harvested with each species by length group (mm) for the winter and summer fisheries at Pactola Reservoir. Abbreviations for species are as follows: Bluegill (BLG), Brown Trout (BNT), Largemouth Bass (LMB), Northern Pike (NOP), Rainbow Trout (RBT), Yellow Perch (YEP), Lake Trout (LAT).

Summer 2016							
Length Group (mm)	BLG (N=132)	BNT (N=13)	LAT (N=4)	LMB (N=1)	NOP (N=11)	RBT (N=99)	YEP (N=3)
140	1						
150	1						
160	11						1
170	36						
180	33						
190	23						1
200	21						
210	6						1
230						1	
240				1			
250							
260		1				1	
270		2				1	
280		1				4	
290		3				5	
300		2				4	
310		3				4	
320		1				6	
330						10	
340						9	
350						13	
360						5	
370						7	
380					1	4	
390						5	
400						4	
410						2	
420						5	
430						3	
440						2	
450			1			1	
460							
470						1	
480					2		
490					1	1	
500						1	
510							
520					1		
530			1				
540			1				
550							
560							
570					1		
580							
590							
600							
610					1		
620					1		
630							
640							
650							
660							
670							
680			1				
690							
700							
710							
720							
730					1		
740							
750							
760					1		
770							
780							
790					1		

Figure 1a. Length frequency of angler-harvested Bluegill measured by the creel clerk during creel surveys on Pactola Reservoir.




Figure 1b. Length frequency of angler-harvested Brown Trout measured by the creel clerk during creel surveys on Pactola Reservoir.




Figure 1c. Length frequency of angler-harvested Northern Pike measured by the creel clerk during creel surveys on Pactola Reservoir.




Figure 1d. Length frequency of angler-harvested Rainbow Trout measured by the creel clerk during creel surveys on Pactola Reservoir.




Figure 2. South Dakota county of residence for winter and summer resident anglers fishing Pactola Reservoir, South Dakota between May 2015 and December 2016.




Table 10. Number of parties interviewed that harvested (or caught) a specified number of fish totaled over selected strata for a species.

Angler Harvest	Counts						
	BLG (n=126)	BNT (n=126)	LAT (n=126)	LMB (n=126)	NOP (n=126)	RBT (n=126)	YEP (n=126)
0.00	122	126	125	126	124	99	125
0.17	0	0	0	0	0	1	0
0.25	0	0	0	0	0	1	0
0.33	0	0	0	0	0	0	1
0.50	0	0	1	0	1	3	0
0.75	1	0	0	0	0	0	0
1.00	1	0	0	0	0	6	0
1.25	0	0	0	0	0	1	0
1.50	0	0	0	0	0	3	0
2.00	0	0	0	0	0	3	0
2.50	0	0	0	0	0	1	0
3.00	0	0	0	0	0	5	0
3.50	1	0	0	0	0	0	0
4.00	0	0	0	0	0	2	0
4.67	1	0	0	0	0	0	0
5.00	0	0	0	0	0	1	0
6.00	0	0	0	0	1	0	0

Summer 2016

Counts

Angler Harvest	BLG (n=382)	BNT (n=382)	LAT (n=382)	LMB (n=382)	NOP (n=382)	RBT (n=382)	YEP (n=382)
0.00	356	377	380	381	365	321	377
0.14	0	0	0	0	1	0	0
0.17	1	0	0	0	0	0	0
0.25	1	0	0	0	1	0	0
0.33	0	0	0	0	5	3	1
0.40	0	0	0	0	0	1	0
0.50	2	1	1	1	3	17	3
0.60	0	0	0	0	0	1	0
0.75	0	0	0	0	0	1	0
1.00	3	2	1	0	6	21	0
1.25	0	0	0	0	0	0	1
1.50	1	1	0	0	1	5	0
2.00	0	0	0	0	0	5	0
2.33	0	0	0	0	0	1	0
2.50	2	1	0	0	0	0	0
3.00	0	0	0	0	0	1	0
3.67	1	0	0	0	0	0	0
4.00	2	0	0	0	0	2	0
5.00	2	0	0	0	0	2	0
6.00	2	0	0	0	0	1	0
7.00	1	0	0	0	0	0	0
8.00	1	0	0	0	0	0	0
9.00	1	0	0	0	0	0	0
10.00	1	0	0	0	0	0	0
10.50	1	0	0	0	0	0	0
15.00	4	0	0	0	0	0	0

Table 11 The number (N) and percent of total interviews in supplemental-response categories by question asked during interviews at Pactola Reservoir.

Question: Considering all factors, how satisfied are you with your fishing trip today?

Response	Summer 2016 (n = 782)
Very Satisfied	48%
Moderately Satisfied	34%
Moderately Dissatisfied	4%
Very Dissatisfied	1%
Neutral	10%
No Answer	1%

Question: This lake is stocked with 11 inch Rainbow Trout, how satisfied are you with the number of Rainbow Trout you caught today?

Response	Summer 2016 (n = 782)
Very Satisfied	14%
Moderately Satisfied	7%
Moderately Dissatisfied	3%
Very Dissatisfied	5%
Neutral	3%
No Answer	68%
No Opinion	0%