

Creel and Lake Information

Lake Information

Lake Name: Pickerel
Lake Code: UBS-Lake-358-000
Surface Area: 400.41 Hectares
County: Day
Start Date: 1/3/2021
End Date: 7/27/2021
Months Included: January, February, March, May, June, July, December

Table 1. Percent of angling parties interviewed primarily targeting a species (or any species) by month and overall for Pickerel during 2020 - 2021. Any Species (ANY), Black Crappie (BLC), Bluegill (BLG), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), Yellow Perch (YEP).

Year	Month	# of Interviews	Percent of Anglers Targeting						
			ANY	BLC	BLG	NOP	SMB	WAE	YEP
2020	January	45	24.4	4.4	28.9	0.0	0.0	6.7	35.6
	February	36	30.6	5.6	2.8	8.3	0.0	5.6	47.2
	March	12	33.3	0.0	16.7	8.3	0.0	8.3	33.3
	December	13	30.8	0.0	53.8	0.0	0.0	7.7	7.7
	Overall	106	28.3	3.8	21.7	3.8	0.0	6.6	35.8
2021	January	49	26.5	2.0	44.9	0.0	0.0	2.0	24.5
	February	36	30.6	5.6	5.6	8.3	0.0	16.7	33.3
	March	6	16.7	16.7	16.7	33.3	0.0	0.0	16.7
	May	14	35.7	0.0	0.0	0.0	0.0	42.9	0.0
	June	7	28.6	0.0	0.0	0.0	28.6	42.9	0.0
	July	7	85.7	0.0	0.0	0.0	0.0	14.3	0.0
	Overall	119	31.9	3.4	21.0	4.2	1.7	14.3	21.0

Table 2. Monthly and overall number of interviews, angler hours, angler days, mean trip length, mean party size, percent of parties interviewed that were South Dakota residents, percent of angling activity from a boat or shack and percent of angling activity that occurred on weekends and holidays at Pickerel (80% confidence interval).

Year	Month	# Interviews	Angler Hours	Angler Days	Trip Length (h)	Party Size	% SD Residents	% Boat or Shack	% Weekend/Holidays
2019-2020	December	35	2,219 (1,049)	664	3.34 (0.92)	1.65 (0.24)	80.00	63	51
	January	45	5,851 (1,417)	1,536	3.81 (0.81)	2.16 (0.41)	46.67	87	20
	February	36	4,009 (1,076)	954	4.20 (0.88)	1.63 (0.15)	52.78	81	64
	March	12	9,146 (1,998)	1,654	5.53	2.31 (1.14)	41.67	58	33
	Overall	128	21,226 (2,873)	5,030	4.22 (0.38)	1.94 (0.32)	57.03	76	42
2020-2021	December	13	2,557 (750)	870	2.94 (0.67)	2.12 (0.56)	46.15	77	8
	January	49	6,128 (1,115)	1,661	3.69 (0.81)	1.86 (0.41)	51.02	78	59
	February	36	5,584 (1,315)	1,713	3.26	2.14 (0.33)	38.89	83	28
	March	6	597 (392)	297	2.01	1.19	50.00	33	67
	Overall	104	14,866 (1,921)	5,005	2.97 (0.26)	1.82 (0.19)	46.15	77	42
2021	May	14	4,419 (1,222)	847	5.22 (1.18)	1.86 (0.25)	35.71	64	71
	June	7	6,290 (1,763)	1,395	4.51	2.31	85.71	71	57
	July	7	5,568 (2,905)	1,501	3.71 (0.93)	1.57 (0.18)	100.00	71	100
	Overall	28	16,277 (3,611)	3,449	4.72 (0.54)	2.02 (0.11)	64.29	68	75

Table 3. Estimated fishing pressure (angler hours) by month during the summer season 2021 daylight period on Pickerel (80% confidence interval).

Lake	Month				Total
	May	June	July	August	
Pickerel (Day)	4,419 (1,222)	6,290 (1,763)	5,568 (2,905)	3,278 (740)	19,555 (3,686)

Table 4. Estimated number of fish harvested, by species and month, for the summer season 2021 daylight period on Pickerel (80% confidence interval).

Species	Month		
	May	June	Total
Black Crappie	0	0	0
Bluegill	0	438	438
Northern Pike	0	866 (1,330)	866 (1,330)
Smallmouth Bass	50 (102)	0	50 (102)
Walleye	3,333 (1,116)	2,399 (1,330)	5,732 (1,736)
Yellow Perch	0	0	0
Total	3,383 (1,218)	3,703 (2,659)	7,086 (3,167)

Table 5a. Estimated monthly and overall angler catch rate per hour fished (C/h) for all anglers by species at Pickerel (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), Yellow Perch (YEP) and other species (Other).

Year	Month	BLC	BLG	NOP	SMB	WAE	YEP
		C/h	C/h	C/h	C/h	C/h	C/h
2019- 2020	December	0.05 (0.03)	3.46 (3.69)	0.07 (0.05)	0.00	0.01	0.43 (0.30)
	January	0.01 (<0.01)	0.24 (0.12)	0.02 (0.01)	0.01 (<0.01)	0.02 (0.01)	1.16 (0.62)
	February	1.23 (0.31)	0.15 (0.04)	0.04 (0.02)	0.02 (<0.01)	0.03 (0.05)	1.72 (0.62)
	March	0.03 (0.01)	0.57 (0.59)	0.01 (0.01)	0.00	0.57 (0.12)	2.20 (0.36)
	Overall	0.25 (0.03)	0.70 (0.39)	0.02 (<0.01)	<0.01 (<0.01)	0.26 (0.04)	1.64 (0.27)
2020- 2021	December	0.07 (0.17)	1.79 (3.71)	0.00	0.02 (0.02)	0.07 (0.07)	2.03
	January	0.09 (0.19)	0.90 (0.29)	0.01 (<0.01)	0.06 (0.05)	0.04 (0.03)	2.72 (1.06)
	February	0.04 (0.04)	0.09 (0.05)	0.05 (0.05)	0.03 (0.03)	0.05 (0.06)	2.50 (1.71)
	March	0.04	0.04	0.07	0.04	0.00	1.28
	Overall	0.07 (0.07)	0.71 (0.44)	0.03 (0.02)	0.04 (0.02)	0.05 (0.03)	2.46 (0.91)
2021	May	0.00	0.00	0.41 (0.32)	0.07 (0.05)	1.33 (0.82)	0.00
	June	0.00	0.07	0.15 (0.22)	0.59 (0.41)	0.63 (0.27)	0.00
	July	0.00	0.00	0.02 (0.03)	0.00	0.01 (0.01)	0.00
	Overall	0.00	0.03	0.17 (0.12)	0.25 (0.14)	0.61 (0.23)	0.00

Table 5b. Estimated monthly and overall angler harvest rate per hour fished (H/h) for all anglers by species at Pickerel (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), Yellow Perch (YEP) and other species (Other).

Year	Month	BLC	BLG	NOP	SMB	WAE	YEP
		H/h	H/h	H/h	H/h	H/h	H/h
2019- 2020	December	0.03 (0.02)	1.96 (1.77)	0.06 (0.05)	0.00	0.01	0.09 (0.06)
	January	0.01 (<0.01)	0.16 (0.10)	<0.01 (<0.01)	0.00	<0.01 (<0.01)	0.20 (0.10)
	February	0.36 (0.11)	0.03 (<0.01)	0.02 (0.02)	0.00	<0.01 (<0.01)	0.40 (0.24)
	March	0.01 (<0.01)	0.18 (0.13)	0.01 (0.01)	0.00	0.00	0.62 (0.13)
	Overall	0.08 (0.01)	0.33 (0.14)	0.01 (<0.01)	0.00	<0.01 (<0.01)	0.41 (0.08)
2020- 2021	December	0.05 (0.14)	0.88 (0.42)	0.00	0.00	0.07 (0.07)	0.18 (0.12)
	January	0.06 (0.09)	0.41	<0.01 (<0.01)	<0.01 (<0.01)	0.01 (<0.01)	0.24 (0.11)
	February	0.03 (0.03)	0.07 (0.03)	0.02 (<0.01)	0.00	0.03 (0.03)	0.26 (0.02)
	March	0.04	0.04	0.07	0.00	0.00	0.04 (0.03)
	Overall	0.05 (0.04)	0.35	0.01 (<0.01)	<0.01 (<0.01)	0.03 (0.01)	0.23 (0.05)
2021	May	0.00	0.00	0.00	0.01 (0.02)	0.75 (0.33)	0.00
	June	0.00	0.07	0.14 (0.21)	0.00	0.38 (0.24)	0.00
	July	0.00	0.00	0.00	0.00	0.00	0.00
	Overall	0.00	0.03	0.05 (0.08)	<0.01 (<0.01)	0.35 (0.13)	0.00

Table 6a. Estimated monthly and overall angler catch rate per hour fished (C/h) only for anglers primarily targeting a species at Pickerel. (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), Yellow Perch (YEP) and Other Species (Other).

Year	Month	BLC	BLG	NOP	SMB	WAE	YEP
		C/h	C/h	C/h	C/h	C/h	C/h
2019-2020	December	0.26	3.69 (1.84)	0.00	0.00	0.00	0.10
	January	0.00	0.53 (0.44)	0.00	0.00	0.05 (0.13)	1.79 (1.53)
	February	7.02	0.00	0.23 (0.08)	0.00	0.00	2.88 (3.42)
	March	0.00	0.00	0.00	0.00	0.00	1.93
	Overall	3.49	2.18 (1.01)	0.11 (0.04)	0.00	0.02 (0.04)	2.14 (1.45)
2020-2021	December	0.00	2.95 (6.54)	0.00	0.00	0.14	0.00
	January	0.00	1.45 (1.16)	0.00	0.00	0.33	1.56 (3.19)
	February	0.00	0.77	0.25	0.00	0.11 (0.37)	1.10 (0.43)
	March	0.21	0.00	0.30	0.00	0.00	0.33
	Overall	0.04	1.65 (1.95)	0.26	0.00	0.18 (0.15)	0.87 (0.81)
2021	May	0.00	0.00	0.00	0.00	0.67 (0.63)	0.00
	June	0.00	0.00	0.00	0.00	0.41 (0.24)	0.00
	July	0.00	0.00	0.00	0.00	0.00	0.00
	Overall	0.00	0.00	0.00	0.00	0.47 (0.30)	0.00

Table 6b. Estimated monthly and overall angler harvest rate per hour fished (H/h) only for anglers primarily targeting a species at Pickerel. (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), Yellow Perch (YEP) and Other Species (Other).

Year	Month	BLC	BLG	NOP	SMB	WAE	YEP
		H/h	H/h	H/h	H/h	H/h	H/h
2019-2020	December	0.22	2.06 (0.88)	0.00	0.00	0.00	0.00
	January	0.00	0.46 (0.46)	0.00	0.00	0.00	0.43 (0.74)
	February	2.11	0.00	0.23 (0.08)	0.00	0.00	0.46 (0.57)
	March	0.00	0.00	0.00	0.00	0.00	0.69
	Overall	1.07	1.27 (0.50)	0.11 (0.04)	0.00	0.00	0.48 (0.30)
2020-2021	December	0.00	1.13 (2.67)	0.00	0.00	0.14	0.00
	January	0.00	0.68 (0.52)	0.00	0.00	0.33	0.29 (0.70)
	February	0.00	0.69	0.17	0.00	0.11 (0.53)	0.19 (0.13)
	March	0.21	0.00	0.30	0.00	0.00	0.00
	Overall	0.04	0.76 (0.80)	0.20	0.00	0.18 (0.21)	0.14 (0.18)
2021	May	0.00	0.00	0.00	0.00	0.33 (0.21)	0.00
	June	0.00	0.00	0.00	0.00	0.26 (0.29)	0.00
	July	0.00	0.00	0.00	0.00	0.00	0.00
	Overall	0.00	0.00	0.00	0.00	0.26 (0.15)	0.00

Table 7a. Estimated monthly and overall angler catch (C) for all anglers by species at Pickerel (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), Yellow Perch (YEP) and other species (Other).

Year	Month	BLC	BLG	NOP	SMB	WAE	YEP
		C	C	C	C	C	C
2019- 2020	December	103 (56)	7,679 (5,578)	154 (94)	0	12	964 (572)
	January	41 (30)	1,409 (570)	96 (59)	44 (51)	97 (72)	6,813 (1,910)
	February	4,915 (169)	593 (35)	176 (87)	61 (17)	139 (123)	6,881 (1,579)
	March	305 (75)	5,188 (4,734)	76 (92)	0	5,170 (92)	20,115 (2,450)
	Overall	5,365 (195)	14,869 (7,338)	502 (169)	104 (54)	5,418 (170)	34,773 (3,531)
2020- 2021	December	179 (142)	4,570 (2,321)	0	49 (60)	191 (26)	5,193
	January	580 (449)	5,514 (435)	78 (51)	364 (288)	215 (142)	16,699 (4,724)
	February	206 (162)	507 (242)	266 (151)	158 (146)	301 (328)	13,963 (8,726)
	March	27	27	44	27	0	765
	Overall	992 (498)	10,618 (2,374)	387 (160)	597 (329)	706 (359)	36,620 (7,455)
2021	May	0	0	1,797 (1,321)	295 (207)	5,871 (2,204)	0
	June	0	438	917 (1,330)	3,724 (1,980)	3,933 (1,330)	0
	July	0	0	95 (133)	0	47 (66)	0
	Overall	0	438	2,808 (1,879)	4,019 (1,991)	9,851 (2,575)	0

Table 7b. Estimated monthly and overall angler harvest (H) for all anglers by species at Pickerel (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), Yellow Perch (YEP) and other species (Other).

Year	Month	BLC	BLG	NOP	SMB	WAE	YEP
		H	H	H	H	H	H
2019- 2020	December	62 (45)	4,353 (2,269)	133 (96)	0	12	189 (100)
	January	41 (30)	939 (491)	15 (17)	0	29 (34)	1,187 (633)
	February	1,444 (27)	108 (17)	88 (83)	0	13 (15)	1,602 (513)
	March	76 (92)	1,679 (1,011)	76 (92)	0	0	5,701 (1,558)
	Overall	1,623 (111)	7,078 (2,532)	312 (158)	0	55 (38)	8,679 (1,761)
2020- 2021	December	130 (116)	2,249 (854)	0	0	191 (26)	464 (378)
	January	359 (231)	2,526	30 (32)	15 (22)	55 (50)	1,442 (539)
	February	181 (134)	365 (193)	127 (67)	0	181 (172)	1,456 (495)
	March	27	27	44	0	0	27
	Overall	696 (292)	5,167	201 (74)	15 (22)	427 (181)	3,389 (824)
2021	May	0	0	0	50 (102)	3,333 (1,116)	0
	June	0	438	866 (1,330)	0	2,399 (1,330)	0
	July	0	0	0	0	0	0
	Overall	0	438	866 (1,330)	50 (102)	5,732 (1,736)	0

Table 8. Estimated number and rate (number per hour) of Black Crappie (BLC), Bluegill (BLG), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), Yellow Perch (YEP) caught and harvested by anglers during the summer and winter fisheries on Pickerel, (80% confidence interval).

Black Crappie

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Winter	2015-2016	45	45	0.01	0.01
Winter	2018-2019	587 (108)	489 (81)	0.03 (0.01)	0.03 (<0.01)
Winter	2019-2020	5,365 (195)	1,623 (111)	0.25 (0.03)	0.08 (0.01)
Winter	2020-2021	992 (498)	696 (292)	0.07 (0.07)	0.05 (0.04)

Bluegill

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2021	438	438	0.03	0.03
Winter	2018-2019	8,897 (517)	3,951 (367)	0.46 (0.15)	0.21 (0.07)
Winter	2019-2020	14,869 (7,338)	7,078 (2,532)	0.70 (0.39)	0.33 (0.14)
Winter	2020-2021	10,618 (2,374)	5,167	0.71 (0.44)	0.35

Northern Pike

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2021	2,808 (1,879)	866 (1,330)	0.17 (0.12)	0.05 (0.08)
Winter	2015-2016	130	90	0.02	0.01
Winter	2018-2019	490 (303)	460 (303)	0.03	0.02
Winter	2019-2020	502 (169)	312 (158)	0.02 (<0.01)	0.01 (<0.01)
Winter	2020-2021	387 (160)	201 (74)	0.03 (0.02)	0.01 (<0.01)

Smallmouth Bass

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2021	4,019 (1,991)	50 (102)	0.25 (0.14)	<0.01 (<0.01)
Winter	2015-2016	761	90	0.11	0.01
Winter	2018-2019	421 (47)	0	0.02 (<0.01)	0.00
Winter	2019-2020	104 (54)	0	<0.01 (<0.01)	0.00
Winter	2020-2021	597 (329)	15 (22)	0.04 (0.02)	<0.01 (<0.01)

Walleye

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2021	9,851 (2,575)	5,732 (1,736)	0.61 (0.23)	0.35 (0.13)
Winter	2015-2016	270	139	0.04	0.02
Winter	2018-2019	1,368 (362)	29 (46)	0.07 (0.03)	<0.01 (<0.01)
Winter	2019-2020	5,418 (170)	55 (38)	0.26 (0.04)	<0.01 (<0.01)
Winter	2020-2021	706 (359)	427 (181)	0.05 (0.03)	0.03 (0.01)

Yellow Perch

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Winter	2015-2016	673	630	0.09	0.09
Winter	2018-2019	30,367 (1,288)	3,401 (799)	1.58 (0.57)	0.18 (0.08)
Winter	2019-2020	34,773 (3,531)	8,679 (1,761)	1.64 (0.27)	0.41 (0.08)
Winter	2020-2021	36,620 (7,455)	3,389 (824)	2.46 (0.91)	0.23 (0.05)

Table 9. The number of fish harvested with each species by length group (mm) for the winter and summer fisheries at Pickerel. Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), Yellow Perch (YEP).

Winter 2019-2020

Length Group (mm)	BLC (N=10)	BLG (N=182)	NOP (N=14)	SMB (N=0)	WAE (N=4)	YEP (N=83)
170		6				2
180		4				2
190		10				4
200		27				8
210		73				22
220		36				21
230	2	22				13
240	1	4				4
250	4					4
260	2					2
270						
280	1					1
300					1	
310					1	
320						
330						
340						
350					1	
360						
370						
380					1	
490			1			
500						
510						
520			1			
530						
540						
550			2			
560			1			
570			2			
580						
590			2			
600						
610						
620			1			
630			1			
640						
650						
660						
670						
680			1			
690						
700						
710						
720						
730						
740			1			
750			1			

Winter 2020-2021

Length Group (mm)	BLC (N=19)	BLG (N=118)	NOP (N=5)	SMB (N=1)	WAE (N=7)	YEP (N=74)
150						1
160						3
170		5				1
180		3				
190		32				9
200		24				8
210	3	19				15
220		29				12
230	4	5				11
240	2	1				10
250	2					1
260	5					2
270	1					1
280	2					
320					1	
330						
340					1	
350				1	1	
360					1	
370					1	
380					1	
390						
400						
410						
420			1			
430					1	
440						
450						
460						
470						
480						
490						
500						
510						
520						
530						
540			1			
550						
560						
570						
580			1			
590						
600						
610						
620						
630			1			
640						
650						
660						
670						
680						
690						
700						
710						
720						
730			1			

Summer 2021

Length Group (mm)	BLC (N=1)	BLG (N=0)	NOP (N=4)	SMB (N=1)	WAE (N=28)	YEP (N=1)
140						1
260				1		
300	1					
330					1	
340						
350						
360						
370						
380						
390					2	
400					2	
410					6	
420					3	
430					5	
440					3	
450					4	
460						
470					1	
480					1	
500			1			
510			2			
520						
530						
540						
550						
560						
570						
580						
590						
600						
610			1			

Figure 1a. Length frequency of angler-harvested Black Crappie measured by the creel clerk during creel surveys on Pickerel.





Figure 1b. Length frequency of angler-harvested Bluegill measured by the creel clerk during creel surveys on Pickerel.




Figure 1c. Length frequency of angler-harvested Northern Pike measured by the creel clerk during creel surveys on Pickerel.




Figure 1d. Length frequency of angler-harvested Walleye measured by the creel clerk during creel surveys on Pickerel.






Figure 1e. Length frequency of angler-harvested Yellow Perch measured by the creel clerk during creel surveys on Pickerel.



Winter 2019-2020
N = 83
Mean TL = 217 mm



Winter 2020-2021
N = 74
Mean TL = 214 mm

Figure 2. South Dakota county of residence for winter and summer resident anglers fishing Pickerel, South Dakota between January 2020 and July 2021.




Table 10. Number of parties interviewed that harvested (or caught) a specified number of fish totaled over selected strata for a species.

Angler Harvest	Counts					
	BLC (n=25)	BLG (n=26)	NOP (n=30)	SMB (n=29)	WAE (n=36)	YEP (n=25)
0.00	25	24	28	27	20	25
0.75	0	0	2	0	2	0
1.00	0	2	0	2	0	0
2.00	0	0	0	0	4	0
3.50	0	0	0	0	2	0
4.00	0	0	0	0	8	0

Winter 2019-2020

Counts

Angler Harvest	BLC (n=128)	BLG (n=128)	NOP (n=128)	SMB (n=128)	WAE (n=128)	YEP (n=128)
0.00	116	91	115	128	125	85
0.20	1	0	0	0	0	1
0.25	1	1	0	0	1	1
0.33	2	0	1	0	0	1
0.50	4	2	5	0	0	4
0.67	0	1	1	0	0	0
0.75	0	0	0	0	0	1
1.00	3	1	4	0	2	10
1.25	0	1	0	0	0	0
1.50	0	2	1	0	0	3
1.75	0	0	0	0	0	1
2.00	0	2	0	0	0	2
2.50	0	1	0	0	0	1
3.00	0	2	0	0	0	5
3.50	0	0	0	0	0	1
4.00	0	1	1	0	0	1
4.50	0	1	0	0	0	0
4.67	0	0	0	0	0	1
5.00	0	4	0	0	0	3
5.50	0	0	0	0	0	1
6.00	0	1	0	0	0	2
7.50	0	2	0	0	0	0
9.00	0	0	0	0	0	2
9.33	0	1	0	0	0	0
10.00	0	2	0	0	0	0
11.00	0	2	0	0	0	0
11.50	0	0	0	0	0	1
13.00	0	1	0	0	0	0
14.00	0	0	0	0	0	1
15.00	1	9	0	0	0	0

Winter 2020-2021

Counts

Angler Harvest	BLC (n=104)	BLG (n=104)	NOP (n=104)	SMB (n=104)	WAE (n=104)	YEP (n=104)
0.00	90	72	97	103	95	63
0.20	0	0	0	0	0	1
0.25	0	1	0	0	0	1
0.33	0	0	0	1	1	1
0.50	4	3	1	0	3	7
0.60	0	1	0	0	0	0
0.67	1	0	0	0	0	0
0.75	0	0	0	0	0	1
0.80	0	0	0	0	0	1
1.00	2	4	3	0	3	10
1.33	0	0	0	0	0	1
1.50	0	1	1	0	0	2
2.00	3	3	2	0	1	4
2.50	0	2	0	0	0	2
3.00	0	1	0	0	1	2
3.67	0	2	0	0	0	0
4.00	3	4	0	0	0	2
4.33	0	0	0	0	0	1
4.50	0	2	0	0	0	0
5.00	1	2	0	0	0	1
6.00	0	0	0	0	0	1
7.00	0	2	0	0	0	1
9.00	0	0	0	0	0	1
11.00	0	1	0	0	0	1
12.33	0	1	0	0	0	0
14.00	0	1	0	0	0	0
15.00	0	1	0	0	0	0

Table 11 The number (N) and percent of total interviews in supplemental-response categories by question asked during interviews at Pickerel.

Question: Considering all factors, how satisfied are you with your fishing trip today

Response	Winter 2020-2021 (n = 104)
Very Satisfied	45%
Moderately Satisfied	25%
Slightly Satisfied	9%
Neutral/No Opinion	10%
Slightly Dissatisfied	11%
Moderately Dissatisfied	1%