

**SOUTH DAKOTA STATEWIDE FISHERIES SURVEY**  
**James River Spink County Dam, Spink County**  
**MJA-Lake-461-900**  
**2021**

**Lake Information**

**Name:** James River Spink County Dam  
**County:** Spink  
**Surface Area:** 0 Acres

**Surveys and Investigations**

Survey methods used by gear type, date, and effort.

Gear	Date	Effort
boat shocker (day)	Sep 28, 2021	3590 seconds
direct observation	Sep 28, 2021	1

## **Common Fish Species Present**

Common Carp

Silver Carp

Freshwater Drum

Channel Catfish

Bigmouth Buffalo

Shorthead Redhorse

River Carpsucker

Smallmouth Buffalo

Northern Pike

Walleye

---

## Terminology

Catch per unit effort (**CPUE**) refers to the relative abundance of a species. It is defined as the number of fish captured per unit of effort (i.e., number of fish captured per net-night or number of fish captured per hour electrofishing). In this report CPUE is typically given for only stock-length fish (see length categories table for stock lengths).

A statewide effort to help make netting efforts comparable to all waters sampled across the state, occurred in 2017, with a switch to American Fisheries Society gill nets. Past gill netting efforts were completed with different style/types of nets and are not comparable side by side.

- **AFS std gill net** – 80 ft experimental gill net containing eight panels (10 ft each) of varying monofilament meshes of 0.75, 1.00, 1.25, 1.50, 1.75, 2.00, 2.25 and 2.50 inches.
- **std experimental gill net for non-Missouri River waters** - 150 ft experimental gill net containing six panels (25 ft each) of varying monofilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.
- **std experimental gill net for Missouri River reservoirs** – 300 ft experimental gill net containing six panels (50 ft each) of varying multifilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.

$$CPUE = \frac{\text{number of fish}}{\text{effort}}$$

Population size structure is quantified using the indices proportional size distribution of quality-length fish (**PSD**) and proportional size distribution of preferred-length fish (**PSD-P**). These indices indicate the proportion of stock-length fish that are equal to or greater than a given length. Minimum lengths for stock, quality and preferred length fish are given in the length categories table.

$$PSD = \left( \frac{\text{number of fish} \geq \text{quality length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

$$PSD - P = \left( \frac{\text{number of fish} \geq \text{preferred length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

Relative weight (**Wr**) is used to quantify fish plumpness. Relative weight is the ratio of what a fish weighs (**W**) compared to a length-specific standard weight (**Ws**) multiplied by 100. Relative weight values of 95-105 are commonly cited as optimum values, but values in the 80s are common during summer sampling in South Dakota.

$$Wr = \left( \frac{W}{W_s} \right) \times 100$$

Confidence intervals (CI) are provided for many of the estimates calculated in this report. The confidence interval provides a range in which the true mean is expected to fall. For example, with an 80% CI we are 80% confident that the interval contains the true value.

Length categories include stock (S), quality (Q), preferred (P), memorable (M) and trophy (T). Length categories for most species have been defined based on a percentage of the world record length for that species. Some species mentioned in this report do not have defined length categories. Length categories for species used in this report are provided in the following table. Measurements are the minimum total length for each category and are reported in inches (in) and centimeters (cm).

Species Name	Stock		Quality		Preferred		Memorable		Trophy	
	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)
Black Bullhead	6	15	9	23	12	30	15	38	18	46
Black Crappie	5	13	8	20	10	25	12	30	15	38
Bluegill	3	8	6	15	8	20	10	25	12	30
Brown Trout	8	20	12	30	16	40	20	50	18	46
Channel Catfish	11	28	16	41	24	61	28	71	36	91
Freshwater Drum	8	20	12	30	15	38	20	51	25	63
Lake Trout	12	30	20	50	26	65	31	80	39	100
Largemouth Bass	8	20	12	30	15	38	20	51	25	63
Muskellunge	20	51	30	76	38	97	42	107	50	127
Northern Pike	14	35	21	53	28	71	34	86	44	112
Pumpkinseed	3	8	6	15	8	20	10	25	12	30
Rainbow Trout	10	25	16	40	20	50	26	65	31	80
Rudd	6	15	10	25	12	30	15	38	19	48
Sauger	8	20	12	30	15	38	20	51	25	63
Smallmouth Bass	7	18	11	28	14	35	17	43	20	51
Walleye	10	25	15	38	20	51	25	63	30	76
White Bass	6	15	9	23	12	30	15	38	18	46
White Crappie	5	13	8	20	10	25	12	30	15	38
Yellow Bullhead	4	10	7	18	9	23	11	28	14	36
Yellow Perch	5	13	8	20	10	25	12	30	15	38

## Catch Summary of Stock Length Fish

Catch per unit effort (CPUE), proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) for species sampled in survey with 80% confidence interval (CI-80).

\* **Methods/Species that ignore stock length**

Gear	Species	Sample Size (n)	Abundance		Stock Density Indices			Condition	
			CPUE	CI-80	PSD	CI-80	PSD-P	CI-80	Wr
boat shocker (day)	Bigmouth Buffalo	7	6.9	5.1	100		57		
	Channel Catfish	7	7.1	4.2	100		29		
	Common Carp	114	115.4	25.2	28	6	8	4	
	Freshwater Drum	29	7.2	4.5	86		29		
	Goldeye	1	0.0	0.0					
	Grass Carp	3	0.0	0.0					
	Northern Pike	1	1.0	1.4	0		0		
	Quillback	1	0.0	0.0					
	River Carpsucker	2	1.9	1.8	100		100		
	Shorthead Redhorse	4	4.0	2.9	100		100		
	Shortnose Gar	3	0.0	0.0					
	Smallmouth Buffalo	2	1.9	1.8	50		0		
	Walleye*	1	1.0	1.4	0		0		
direct observation	Silver Carp	16	16.0	0.0					

## 10-Year Catch Per Unit Effort by Gear and Species

Catch per unit effort (CPUE) and average (Avg) of species across 10 years using different gear types.

\* Methods/Species that ignore stock length

Gear	Species	CPUE										Avg
		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	
boat shocker (day)	Bigmouth Buffalo										6.9	6.90
	Channel Catfish										7.1	7.10
	Common Carp										115.4	115.40
	Freshwater Drum										7.2	7.20
	Goldeye										0.0	0.00
	Grass Carp										0.0	0.00
	Northern Pike										1.0	1.00
	Quillback										0.0	0.00
	River Carpsucker										1.9	1.90
	Shorthead Redhorse										4.0	4.00
	Shortnose Gar										0.0	0.00
	Smallmouth Buffalo										1.9	1.90
	Walleye*									1.0	1.00	
direct observation	Silver Carp										16.0	16.00

## 10-Year Size Structure and Condition Statistics by Gear and Species

Species proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) collected by different gear types across 10 years.

Gear	Species	Index	Year														
			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021					
boat shocker (day)	Bigmouth Buffalo	PSD														100	
		PSD-P															57
	Channel Catfish	PSD															100
		PSD-P															29
	Common Carp	PSD															28
		PSD-P															8
	Northern Pike	PSD															0
		PSD-P															0
	River Carpsucker	PSD															100
		PSD-P															100
	Shorthead Redhorse	PSD															100
		PSD-P															100
	Smallmouth Buffalo	PSD															50
		PSD-P															0
	Walleye	PSD															0
		PSD-P															0