

SOUTH DAKOTA STATEWIDE FISHERIES SURVEY

Oahe Lower, Stanley County

LLO-Lake-2952-000

2022

Lake Information

Name: Oahe Lower
County: Stanley
Surface Area: 154,978 Acres

Surveys and Investigations

Survey methods used by gear type, date, and effort.

Gear	Date	Effort
AFS std gill net	Sep 05, 2022	7 net-nights
AFS std gill net	Sep 06, 2022	17 net-nights
AFS std gill net	Sep 07, 2022	24 net-nights
AFS std gill net	Sep 08, 2022	36 net-nights
AFS std gill net	Sep 09, 2022	12 net-nights

Common Fish Species Present

Channel Catfish

Walleye

Smallmouth Bass

Common Carp

Freshwater Drum

Northern Pike

White Bass

Yellow Perch

River Carpsucker

Shorthead Redhorse

Terminology

Catch per unit effort (**CPUE**) refers to the relative abundance of a species. It is defined as the number of fish captured per unit of effort (i.e., number of fish captured per net-night or number of fish captured per hour electrofishing). In this report CPUE is typically given for only stock-length fish (see length categories table for stock lengths).

A statewide effort to help make netting efforts comparable to all waters sampled across the state, occurred in 2017, with a switch to American Fisheries Society gill nets. Past gill netting efforts were completed with different style/types of nets and are not comparable side by side.

- **AFS std gill net** – 80 ft experimental gill net containing eight panels (10 ft each) of varying monofilament meshes of 0.75, 1.00, 1.25, 1.50, 1.75, 2.00, 2.25 and 2.50 inches.
- **std experimental gill net for non-Missouri River waters** - 150 ft experimental gill net containing six panels (25 ft each) of varying monofilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.
- **std experimental gill net for Missouri River reservoirs** – 300 ft experimental gill net containing six panels (50 ft each) of varying multifilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.

$$CPUE = \frac{\text{number of fish}}{\text{effort}}$$

Population size structure is quantified using the indices proportional size distribution of quality-length fish (**PSD**) and proportional size distribution of preferred-length fish (**PSD-P**). These indices indicate the proportion of stock-length fish that are equal to or greater than a given length. Minimum lengths for stock, quality and preferred length fish are given in the length categories table.

$$PSD = \left(\frac{\text{number of fish} \geq \text{quality length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

$$PSD - P = \left(\frac{\text{number of fish} \geq \text{preferred length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

Relative weight (**Wr**) is used to quantify fish plumpness. Relative weight is the ratio of what a fish weighs (*W*) compared to a length-specific standard weight (*Ws*) multiplied by 100. Relative weight values of 95-105 are commonly cited as optimum values, but values in the 80s are common during summer sampling in South Dakota.

$$Wr = \left(\frac{W}{W_s} \right) \times 100$$

Confidence intervals (CI) are provided for many of the estimates calculated in this report. The confidence interval provides a range in which the true mean is expected to fall. For example, with an 80% CI we are 80% confident that the interval contains the true value.

Length categories include stock (S), quality (Q), preferred (P), memorable (M) and trophy (T). Length categories for most species have been defined based on a percentage of the world record length for that species. Some species mentioned in this report do not have defined length categories. Length categories for species used in this report are provided in the following table. Measurements are the minimum total length for each category and are reported in inches (in) and centimeters (cm).

Species Name	Stock		Quality		Preferred		Memorable		Trophy	
	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)
Black Bullhead	6	15	9	23	12	30	15	38	18	46
Black Crappie	5	13	8	20	10	25	12	30	15	38
Bluegill	3	8	6	15	8	20	10	25	12	30
Brown Trout	8	20	12	30	16	40	20	50	18	46
Channel Catfish	11	28	16	41	24	61	28	71	36	91
Freshwater Drum	8	20	12	30	15	38	20	51	25	63
Lake Trout	12	30	20	50	26	65	31	80	39	100
Largemouth Bass	8	20	12	30	15	38	20	51	25	63
Muskellunge	20	51	30	76	38	97	42	107	50	127
Northern Pike	14	35	21	53	28	71	34	86	44	112
Pumpkinseed	3	8	6	15	8	20	10	25	12	30
Rainbow Trout	10	25	16	40	20	50	26	65	31	80
Rudd	6	15	10	25	12	30	15	38	19	48
Sauger	8	20	12	30	15	38	20	51	25	63
Smallmouth Bass	7	18	11	28	14	35	17	43	20	51
Walleye	10	25	15	38	20	51	25	63	30	76
White Bass	6	15	9	23	12	30	15	38	18	46
White Crappie	5	13	8	20	10	25	12	30	15	38
Yellow Bullhead	4	10	7	18	9	23	11	28	14	36
Yellow Perch	5	13	8	20	10	25	12	30	15	38

Catch Summary of Stock Length Fish

Catch per unit effort (CPUE), proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) for species sampled in survey with 80% confidence interval (CI-80).

* **Methods/Species that ignore stock length**

Gear	Species	Sample Size (n)	Abundance		Stock Density Indices			Condition		
			CPUE	CI-80	PSD	CI-80	PSD-P	CI-80	Wr	CI-80
AFS std gill net	Bigmouth Buffalo	2	0.0	0.0	100		100		88	
	Catfish	7	0.0	0.0						
	Channel Catfish	473	4.5	0.4	81	3	4	1	78	1
	Common Carp	65	0.7	0.2	91	6	42	9	88	2
	Freshwater Drum	27	0.3	0.1	48	15	37	15	85	2
	Gizzard Shad	5	0.0	0.0	100				104	5
	Goldeye	47	0.0	0.0						
	Northern Pike	24	0.3	0.1	100		71	15	90	2
	Redhorse	3	0.0	0.0						
	River Carpsucker	22	0.2	0.1	91		91		103	2
	Sauger	2	0.0	0.0	100		100		71	4
	Shorthead Redhorse	12	0.1	0.1	92		83		85	4
	Shortnose Gar	3	0.0	0.0						
	Smallmouth Bass	252	2.6	0.4	79	4	30	4	101	1
	Smallmouth Buffalo	5	0.1	0.0	80		20		88	11
	Walleye	363	3.7	0.4	33	3	11	2	82	1
	White Bass	26	0.3	0.1	100		100		107	1
	White Crappie	3	0.0	0.0	100		100		100	5
	White Sucker	1	0.0	0.0	100		100		91	
	Yellow Perch	29	0.3	0.1	41	14	3		84	2

10-Year Catch Per Unit Effort by Gear and Species

Catch per unit effort (CPUE) and average (Avg) of species across 10 years using different gear types.

* Methods/Species that ignore stock length

Gear	Species	CPUE										Avg
		2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	
AFS gill net (1/2 inch)*	Channel Catfish					0.0	0.0	0.1	0.1	0.1		0.06
	Common Carp					0.0	0.0	0.1	0.1	0.1		0.06
	Emerald Shiner					0.0	0.0	0.0	0.0	0.0		0.00
	Freshwater Drum					0.0	0.0	0.0	0.1	0.0		0.02
	Gizzard Shad					0.4	0.0	0.0	0.0	0.0		0.08
	Goldeye					0.0	0.0	0.0	0.0	0.0		0.00
	Northern Pike					0.0	0.0	0.0	0.0	0.0		0.00
	Rainbow Smelt					0.0	0.0	0.0	0.0	0.0		0.00
	Sauger					0.0	0.0	0.0	0.0	0.0		0.00
	Shortnose Gar					0.0	0.0	0.0	0.0	0.0		0.00
	Smallmouth Bass					0.0	0.0	0.1	0.1	0.1		0.06
	Spotfin Shiner					0.0	0.0	0.0	0.0	0.0		0.00
	Spottail Shiner					0.0	0.0	0.7	0.2	0.1		0.20
	Walleye					0.2	0.3	0.3	0.3	0.2		0.26
	White Bass					0.1	0.0	0.1	0.2	0.0		0.08
White Crappie					0.0	0.0	0.0	0.0	0.0		0.00	
Yellow Perch					0.3	0.1	2.7	1.0	0.2		0.86	
AFS std gill net	Bigmouth Buffalo					0.0	0.0	0.0	0.0	0.0	0.0	0.00
	Black Bullhead					0.0	0.0	0.0	0.0	0.0	0.0	0.00
	Black Crappie					0.0	0.0	0.0	0.0	0.0	0.0	0.00
	Catfish					0.0	0.0	0.0	0.0	0.0	0.0	0.00
	Channel Catfish					4.8	9.6	11.7	4.9	6.4	4.5	6.98
	Common Carp					0.4	0.5	0.8	0.9	0.6	0.7	0.65
	Freshwater Drum					0.4	0.4	0.7	0.5	0.3	0.3	0.43
	Gizzard Shad					0.0	0.0	0.0	0.0	0.0	0.0	0.00
	Goldeye					0.0	0.0	0.0	0.0	0.0	0.0	0.00
	Lake Herring					0.0	0.3	0.0	0.0	0.0	0.0	0.05
	Northern Pike					0.3	0.2	0.2	0.1	0.2	0.3	0.22
	Rainbow Smelt					0.0	0.0	0.0	0.0	0.0	0.0	0.00
	Redhorse					0.0	0.0	0.0	0.0	0.0	0.0	0.00
	River Carpsucker					0.2	0.1	0.2	0.3	0.4	0.2	0.23
	Sauger					0.0	0.0	0.0	0.0	0.0	0.0	0.00
Shorthead Redhorse					0.1	0.1	0.2	0.1	0.3	0.1	0.15	
Shortnose Gar					0.0	0.0	0.0	0.0	0.0	0.0	0.00	

		CPUE										
Gear	Species	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	Avg
AFS std gill net	Smallmouth Bass					1.6	1.7	1.7	1.5	2.0	2.6	1.85
	Smallmouth Buffalo					0.4	0.1	0.2	0.2	0.1	0.1	0.18
	Walleye					1.4	1.7	3.6	3.0	2.0	3.7	2.57
	White Bass					0.9	0.5	0.2	0.1	0.3	0.3	0.38
	White Crappie					0.0	0.0	0.0	0.1	0.0	0.0	0.02
	White Sucker					0.0	0.1	0.0	0.1	0.0	0.0	0.03
	Yellow Perch					0.1	0.6	1.7	0.8	0.4	0.3	0.65
boat shocker (night)	Walleye*					29.3			17.7			23.50
fall night EF- WAE*	Walleye							57.7				57.70
large seine*	Walleye	0.3	1.4		0.5	0.3	0.4	0.1				0.50
std exp gill net	Bigmouth Buffalo	0.0	0.2	0.0	0.0							0.05
	Black Crappie	0.0	0.0	0.0	0.0							0.00
	Bluegill	0.0	0.0	0.0	0.0							0.00
	Channel Catfish	13.4	18.1	8.3	17.3							14.28
	Chinook Salmon	0.0	0.0	0.0	0.0							0.00
	Common Carp	2.7	2.6	1.4	2.2							2.23
	Freshwater Drum	0.5	0.8	0.3	0.7							0.58
	Gizzard Shad	0.0	0.0	0.0	0.0							0.00
	Goldeye	0.0	0.0	0.0	0.0							0.00
	Lake Herring	0.0	0.0	103.4	0.0							25.85
	Northern Pike	0.3	0.6	0.5	0.8							0.55
	Rainbow Smelt	0.0	0.0	0.0	0.0							0.00
	River Carpsucker	0.6	1.6	0.1	0.1							0.60
	Sauger	0.1	0.0	0.0	0.0							0.03
	Shorthead Redhorse	1.3	0.6	0.5	0.0							0.60
	Shortnose Gar	0.0	0.0	0.0	0.0							0.00
	Smallmouth Bass	1.5	1.5	2.1	2.9							2.00
	Smallmouth Buffalo	0.4	0.4	0.5	0.4							0.43
	Spottail Shiner	0.0	0.0	0.0	0.0							0.00
	Walleye	10.7	10.7	3.0	3.9							7.08
White Bass	0.6	0.8	0.3	0.2							0.48	
White Crappie	0.3	0.1	0.2	0.0							0.15	
White Sucker	0.2	0.9	0.2	0.1							0.35	
Yellow Perch	0.5	0.8	1.8	0.8							0.98	
suspended gill net*	Channel Catfish				1.0	0.5	0.0			0.3		0.45
	Chinook Salmon				0.1	0.4	0.0			0.0		0.13

		CPUE										
Gear	Species	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	Avg
suspended gill net*	Lake Herring				174.3	237.4	301.0			145.3		214.5
												0
	Rainbow Smelt				2.2	14.5	41.3			7.0		16.25
	Walleye				0.5	0.1	0.0			1.0		0.40
	Yellow Perch				0.2	0.0	0.0			0.0		0.05

10-Year Size Structure and Condition Statistics by Gear and Species

Species proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) collected by different gear types across 10 years.

Gear	Species	Index	Year									
			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
AFS std gill net	Channel Catfish	PSD					60	66	66	79	89	81
		PSD-P					1	4	4	4	4	4
		Wr					79	82	82	85	81	78
	Common Carp	PSD					65	100	72	85	91	91
		PSD-P					15	49	32	37	45	42
		Wr					81	79	85	85	90	88
	Northern Pike	PSD					100	100	100	86	88	100
		PSD-P					29	62	71	71	44	71
		Wr					91	94	96	89	93	90
	River Carpsucker	PSD					100	100	94	100	100	91
		PSD-P					100	100	82	95	92	91
		Wr					101	93	96	99	98	103
	Shorthead Redhorse	PSD					60	100	100	90	100	92
		PSD-P					60	60	50	80	68	83
		Wr					92	94	95	93	92	85
	Smallmouth Bass	PSD					57	82	78	66	72	79
		PSD-P					13	39	45	33	24	30
		Wr					94	96	99	97	91	101
	Walleye	PSD					36	37	48	51	44	33
		PSD-P					19	15	13	13	16	11
		Wr					81	86	88	83	79	82
	White Bass	PSD					100	100	100	75	100	100
		PSD-P					90	97	93	75	61	100
		Wr					90	100	100	89	89	107
	Yellow Perch	PSD					25	43	29	23	43	41
		PSD-P					0	2	1	2	3	3
		Wr					84	96	95	87	79	84
boat shocker (night)	Walleye	PSD					0			4		
		PSD-P					0			0		
std exp gill net	Channel Catfish	PSD	38	31	36	49						
		PSD-P	3	3	3	2						
		Wr	79	85	78	77						

Gear	Species	Index	Year									
			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
std exp gill net	Common Carp	PSD	100	100	97	65						
		PSD-P	47	63	70	40						
		Wr	83	91	82	82						
	Northern Pike	PSD	100	100	73	100						
		PSD-P	50	90	27	40						
		Wr	78	83	88	88						
	River Carpsucker	PSD	100	100	0	100						
		PSD-P	100	100	0	100						
		Wr	104	100	837	103						
	Shorthead Redhorse	PSD	88	100	100							
		PSD-P	50	80	77							
		Wr	83	98	101							
	Smallmouth Bass	PSD	52	78	65	65						
		PSD-P	30	44	49	44						
		Wr	98	108	94	94						
	Walleye	PSD	21	19	59	59						
		PSD-P	2	1	3	36						
		Wr	75	87	81	83						
	White Bass	PSD	100	100	83	100						
		PSD-P	100	100	83	0						
		Wr	90	100	88	148						
Yellow Perch	PSD	44	27	25	27							
	PSD-P	0	7	0	0							
	Wr	88	100	85	82							
suspended gill net	Channel Catfish	PSD				100	100				100	
		PSD-P				20	0				0	
	Walleye	PSD				33	0				17	
		PSD-P				0	0				17	
	Yellow Perch	PSD				0						
		PSD-P				0						

Length at Capture

Mean length at capture by age across years sampled, sample size (N).

Species: Walleye

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2022	363	265 (7)	305 (44)	343 (158)	387 (94)	443 (15)	553 (12)	524 (4)	557 (18)	585 (5)	712 (6)
2021	219	216 (15)	287 (104)	388 (55)	461 (8)	494 (11)	513 (9)	551 (13)	604 (1)	686 (2)	612 (2)
2020	262	227 (60)	351 (83)	389 (31)	445 (25)	466 (16)	497 (35)	498 (2)	514 (2)	610 (5)	633 (4)
2019	288	253 (78)	312 (42)	369 (42)	400 (21)	434 (58)	460 (10)	492 (8)	526 (6)	643 (2)	644 (20)
2018	125	253 (7)	308 (23)	367 (12)	379 (49)	454 (15)	345 (1)	532 (4)	421 (1)	527 (10)	678 (3)
2017	86	219 (9)	286 (7)	327 (39)	354 (13)	555 (1)	506 (7)	593 (2)	535 (7)		645 (1)
2016	84	218 (2)	264 (23)	310 (16)	390 (5)	480 (10)	530 (4)	539 (24)	514 (1)		
2015	92	211 (21)	278 (16)	343 (10)	391 (13)	458 (5)	454 (28)				
2014	211	196 (13)	273 (19)	316 (37)	317 (15)	360 (123)		463 (1)	471 (1)		750 (1)
2013	211	211 (11)	274 (45)	298 (13)	353 (137)	538 (1)	496 (3)	560 (1)	521 (1)		

Fish Condition

Mean relative weight (Wr) by sample size (N), length category stock to quality (S-Q), quality to preferred (Q-P), preferred to memorable (P-M), and memorable (M) for species collected across survey years with standard error (SE).






Species	Year	Length Groups							
		S-Q		Q-P		P-M		M	
		N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
Channel Catfish Gill Net	2018	236	83 (1.1)	431	80 (0.5)	27	94 (3.5)	0	
	2019	289	85 (0.9)	520	81 (0.5)	34	82 (2.1)	0	
	2020	75	86 (2.1)	266	85 (0.6)	14	84 (3.2)	0	
	2021	67	81 (0.7)	523	81 (0.5)	22	79 (2.8)	0	
	2022	85	80 (1.2)	335	77 (0.4)	16	84 (3.2)	0	
Common Carp Gill Net	2018	0		18	82 (1.5)	17	76 (2.0)	0	
	2019	17	91 (1.2)	24	87 (1.2)	19	78 (1.4)	0	
	2020	10	88 (1.2)	33	86 (1.4)	25	82 (1.3)	0	
	2021	5	133 (45.7)	24	93 (4.0)	22	81 (4.1)	2	57 (17.4)
	2022	6	85 (1.7)	32	90 (2.6)	26	85 (2.6)	1	106
Northern Pike Gill Net	2018	0		5	96 (3.6)	6	94 (2.4)	2	85 (4.8)
	2019	0		4	96 (3.2)	6	96 (1.5)	4	95 (8.7)
	2020	1	87	1	90	3	95 (4.2)	2	80 (5.1)
	2021	2	120 (28.4)	7	91 (3.3)	3	94 (1.3)	4	81 (8.1)
	2022	0		7	90 (2.3)	9	92 (1.6)	8	90 (2.3)
Walleye Gill Net	2018	78	84 (0.7)	28	87 (1.1)	10	86 (5.5)	8	95 (2.7)
	2019	136	87 (0.5)	92	89 (0.6)	19	92 (1.6)	14	95 (2.5)
	2020	106	81 (0.6)	81	84 (0.7)	21	88 (2.0)	7	96 (2.4)
	2021	106	77 (0.5)	52	80 (0.9)	22	86 (1.8)	8	88 (3.4)
	2022	239	81 (0.4)	79	81 (0.7)	32	86 (1.9)	9	95 (4.3)
White Bass Gill Net	2018	0		1		15	106 (1.0)	17	93 (2.4)
	2019	0		1	112	3	96 (2.7)	10	100 (1.3)


Species	Year	Length Groups							
		S-Q		Q-P		P-M		M	
		N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
White Bass Gill Net	2020	1	78	0		1	96	2	91 (7.0)
	2021	0		12	91 (1.9)	11	95 (2.0)	8	79 (4.5)
	2022	0		0		25	107 (1.0)	0	
Yellow Perch Gill Net	2018	26	105 (13.6)	19	90 (1.0)	1	65	0	
	2019	86	99 (2.0)	34	86 (1.4)	1	108	0	
	2020	47	89 (1.6)	13	85 (3.8)	1	59	0	
	2021	21	83 (1.2)	15	73 (2.6)	0		1	75
	2022	17	86 (1.6)	11	81 (2.0)	1	75	0	

Length Frequency Distribution





Length frequency histogram of species sampled by year.



Species: Channel Catfish
Gear: AFS std gill net









Species: Common Carp
 Gear: AFS std gill net






Species: Northern Pike
Gear: AFS std gill net






2021




2022


Species: Walleye
Gear: AFS std gill net






2017





2018






2019








Species: White Bass
 Gear: AFS std gill net





Species: Yellow Perch
Gear: AFS std gill net







Historic Fish Sizes and Relative Abundance

Size distribution per net by color for species sampled by year.


Species: Channel Catfish
Gear: AFS std gill net




Species: Channel Catfish
Gear: std exp gill net




Species: Channel Catfish
Gear: suspended gill net




Species: Common Carp
Gear: AFS std gill net




Species: Common Carp
Gear: std exp gill net




Species: Northern Pike
Gear: AFS std gill net




Species: Northern Pike
Gear: std exp gill net




Species: Walleye
Gear: AFS std gill net




Species: Walleye
Gear: std exp gill net




Species: Walleye
Gear: suspended gill net




Species: White Bass
Gear: AFS std gill net




Species: White Bass
Gear: std exp gill net




Species: Yellow Perch
Gear: AFS std gill net



Species: Yellow Perch
Gear: std exp gill net



Species: Yellow Perch
Gear: suspended gill net



Fish Stocking

Number of fish stocked by year, species, and size.

Year	Species	Size	Number
2011	Chinook Salmon (Oahe)	Large Fingerling	10,249
2011	Chinook Salmon (Oahe)	Small Fingerling	15,000
2012	Chinook Salmon (Oahe)	Fingerling	15,000
2012	Chinook Salmon (Oahe)	Large Fingerling	10,000
2012	Gizzard Shad	Adult	893
2012	Rainbow Trout (Shasta)	Large Fingerling	12,246
2013	Chinook Salmon (Oahe)	Fingerling	61,584
2013	Chinook Salmon (Oahe)	Large Fingerling	5,000
2013	Gizzard Shad	Adult	616
2013	Rainbow Trout (Erwin x Arlee)	Fingerling	32,904
2014	Chinook Salmon (Oahe)	Fingerling	80,125
2014	Chinook Salmon (Oahe)	Large Fingerling	4,932
2014	Chinook Salmon (Oahe)	Small Fingerling	31,104
2014	Gizzard Shad	Adult	642
2015	Chinook Salmon (Oahe)	Fingerling	71,308
2015	Gizzard Shad	Adult	168
2017	Chinook Salmon (Oahe)	Fingerling	79,242
2017	Walleye	Fry	3,700,000
2017	Walleye	Small Fingerling	300,820
2018	Chinook Salmon (Oahe)	Fingerling	99,426
2018	Walleye	Small	144,460
2018	Walleye	Small Fingerling	1,830,546
2019	Burbot	Fingerling	30,550
2019	Chinook Salmon (Oahe)	Catchable 11"	10,332
2019	Chinook Salmon (Oahe)	Fingerling	62,046
2019	Walleye	Small Fingerling	364,500
2020	Chinook Salmon (Oahe)	Large Fingerling	33,975
2021	Atlantic Salmon	Adult	2,247
2021	Atlantic Salmon	Catchable 11"	3,389
2021	Atlantic Salmon	Juvenile	4,198
2021	Chinook Salmon (Oahe)	Juvenile	89,052
2021	Gizzard Shad	Adult	599
2021	Walleye	Juvenile	615,990
2022	Chinook Salmon (Oahe)	Juvenile	69,470
2022	Gizzard Shad	Adult	520