

SOUTH DAKOTA STATEWIDE FISHERIES SURVEY
Coldbrook, Fall River County
MCS-Lake-5-000
2022

Lake Information

Name: Coldbrook
County: Fall River
Surface Area: 34 Acres

Surveys and Investigations

Survey methods used by gear type, date, and effort.

Gear	Date	Effort
AFS std frame net	Jun 28, 2022	7 net-nights
AFS std gill net	Jun 28, 2022	2 net-nights
boat shocker (day)	Aug 25, 2022	2400 seconds
boat shocker (day)	Sep 13, 2022	2400 seconds

Common Fish Species Present

Rainbow Trout

Largemouth Bass

Bluegill

Yellow Perch

Northern Pike

Common Carp

Channel Catfish

Black Crappie

Terminology

Catch per unit effort (**CPUE**) refers to the relative abundance of a species. It is defined as the number of fish captured per unit of effort (i.e., number of fish captured per net-night or number of fish captured per hour electrofishing). In this report CPUE is typically given for only stock-length fish (see length categories table for stock lengths).

A statewide effort to help make netting efforts comparable to all waters sampled across the state, occurred in 2017, with a switch to American Fisheries Society gill nets. Past gill netting efforts were completed with different style/types of nets and are not comparable side by side.

- **AFS std gill net** – 80 ft experimental gill net containing eight panels (10 ft each) of varying monofilament meshes of 0.75, 1.00, 1.25, 1.50, 1.75, 2.00, 2.25 and 2.50 inches.
- **std experimental gill net for non-Missouri River waters** - 150 ft experimental gill net containing six panels (25 ft each) of varying monofilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.
- **std experimental gill net for Missouri River reservoirs** – 300 ft experimental gill net containing six panels (50 ft each) of varying multifilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.

$$CPUE = \frac{\text{number of fish}}{\text{effort}}$$

Population size structure is quantified using the indices proportional size distribution of quality-length fish (**PSD**) and proportional size distribution of preferred-length fish (**PSD-P**). These indices indicate the proportion of stock-length fish that are equal to or greater than a given length. Minimum lengths for stock, quality and preferred length fish are given in the length categories table.

$$PSD = \left(\frac{\text{number of fish} \geq \text{quality length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

$$PSD - P = \left(\frac{\text{number of fish} \geq \text{preferred length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

Relative weight (**Wr**) is used to quantify fish plumpness. Relative weight is the ratio of what a fish weighs (**W**) compared to a length-specific standard weight (**Ws**) multiplied by 100. Relative weight values of 95-105 are commonly cited as optimum values, but values in the 80s are common during summer sampling in South Dakota.

$$Wr = \left(\frac{W}{W_s} \right) \times 100$$

Confidence intervals (CI) are provided for many of the estimates calculated in this report. The confidence interval provides a range in which the true mean is expected to fall. For example, with an 80% CI we are 80% confident that the interval contains the true value.

Length categories include stock (S), quality (Q), preferred (P), memorable (M) and trophy (T). Length categories for most species have been defined based on a percentage of the world record length for that species. Some species mentioned in this report do not have defined length categories. Length categories for species used in this report are provided in the following table. Measurements are the minimum total length for each category and are reported in inches (in) and centimeters (cm).

Species Name	Stock		Quality		Preferred		Memorable		Trophy	
	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)
Black Bullhead	6	15	9	23	12	30	15	38	18	46
Black Crappie	5	13	8	20	10	25	12	30	15	38
Bluegill	3	8	6	15	8	20	10	25	12	30
Brown Trout	8	20	12	30	16	40	20	50	18	46
Channel Catfish	11	28	16	41	24	61	28	71	36	91
Freshwater Drum	8	20	12	30	15	38	20	51	25	63
Lake Trout	12	30	20	50	26	65	31	80	39	100
Largemouth Bass	8	20	12	30	15	38	20	51	25	63
Muskellunge	20	51	30	76	38	97	42	107	50	127
Northern Pike	14	35	21	53	28	71	34	86	44	112
Pumpkinseed	3	8	6	15	8	20	10	25	12	30
Rainbow Trout	10	25	16	40	20	50	26	65	31	80
Rudd	6	15	10	25	12	30	15	38	19	48
Sauger	8	20	12	30	15	38	20	51	25	63
Smallmouth Bass	7	18	11	28	14	35	17	43	20	51
Walleye	10	25	15	38	20	51	25	63	30	76
White Bass	6	15	9	23	12	30	15	38	18	46
White Crappie	5	13	8	20	10	25	12	30	15	38
Yellow Bullhead	4	10	7	18	9	23	11	28	14	36
Yellow Perch	5	13	8	20	10	25	12	30	15	38

Catch Summary of Stock Length Fish

Catch per unit effort (CPUE), proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) for species sampled in survey with 80% confidence interval (CI-80).

* **Methods/Species that ignore stock length**

Gear	Species	Sample Size (n)	Abundance		Stock Density Indices			Condition		
			CPUE	CI-80	PSD	CI-80	PSD-P	CI-80	Wr	CI-80
AFS std frame net	Bluegill	191	27.3	20.2	78	4	0	82	1	
	Largemouth Bass	1	0.0	0.0	0		0			
AFS std gill net	Black Crappie	1	0.5	1.5	100		0	82		
	Bluegill	17	8.5	1.5	100		0	83	2	
	Channel Catfish	1	0.5	1.5	100		100			
	Common Carp	1	0.5	1.5	100		100			
	Northern Pike	2	1.0	0.0	100		50	137		
	Rainbow Trout	9	4.5	1.5	0		0	68	5	
	Yellow Perch	6	3.0	0.0	0		0	90	3	
boat shocker (day)	Largemouth Bass	59	31.2	12.1	51	12	15	9	94	2

10-Year Catch Per Unit Effort by Gear and Species

Catch per unit effort (CPUE) and average (Avg) of species across 10 years using different gear types.

* **Methods/Species that ignore stock length**

Gear	Species	CPUE										Avg
		2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	
AFS std frame net	Bluegill										27.3	27.30
	Largemouth Bass										0.0	0.00
AFS std gill net	Black Crappie										0.5	0.50
	Bluegill										8.5	8.50
	Channel Catfish										0.5	0.50
	Common Carp										0.5	0.50
	Northern Pike										1.0	1.00
	Rainbow Trout										4.5	4.50
	Yellow Perch										3.0	3.00
boat shocker (day)	Largemouth Bass										31.2	31.20
frame net (1/4 inch)	Bluegill				6.0							6.00
frame net (std 3/4 in)	Black Crappie				0.3							0.30
	Bluegill				44.5							44.50
	Green Sunfish				1.8							1.80
std exp gill net	Black Crappie				8.5							8.50
	Channel Catfish				1.0							1.00
	Largemouth Bass				0.0							0.00
	Northern Pike				1.5							1.50
	Rainbow Trout				21.5							21.50
	Yellow Perch				2.5							2.50

10-Year Size Structure and Condition Statistics by Gear and Species

Species proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) collected by different gear types across 10 years.

Gear	Species	Index	Year										
			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	
AFS std frame net	Bluegill	PSD											78
		PSD-P											0
		Wr											82
	Largemouth Bass	PSD											0
		PSD-P											0
AFS std gill net	Black Crappie	PSD											100
		PSD-P											0
		Wr											82
	Bluegill	PSD											100
		PSD-P											0
		Wr											83
	Channel Catfish	PSD											100
		PSD-P											100
	Common Carp	PSD											100
		PSD-P											100
	Northern Pike	PSD											100
		PSD-P											50
		Wr											137
	Rainbow Trout	PSD											0
		PSD-P											0
		Wr											68
	Yellow Perch	PSD											0
		PSD-P											0
		Wr											90
boat shocker (day)	Largemouth Bass	PSD											51
		PSD-P											15
		Wr											94
frame net (1/4 inch)	Bluegill	PSD						0					
		PSD-P						0					
		Wr						102					
frame net (std 3/4 in)	Black Crappie	PSD						100					

Gear	Species	Index	Year									
			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
frame net (std 3/4 in)	Black Crappie	PSD-P				0						
		Wr				88						
	Bluegill	PSD				46						
		PSD-P				0						
		Wr				104						
std exp gill net	Black Crappie	PSD				100						
		PSD-P				0						
		Wr				100						
	Channel Catfish	PSD				50						
		PSD-P				50						
		Wr				125						
	Largemouth Bass	PSD				0						
		PSD-P				0						
	Northern Pike	PSD				100						
		PSD-P				100						
	Rainbow Trout	PSD				2						
		PSD-P				0						
		Wr				80						
	Yellow Perch	PSD				80						
		PSD-P				0						
		Wr				91						

Fish Condition

Mean relative weight (Wr) by sample size (N), length category stock to quality (S-Q), quality to preferred (Q-P), preferred to memorable (P-M), and memorable (M) for species collected across survey years with standard error (SE).


Species	Year	Length Groups							
		S-Q		Q-P		P-M		M	
		N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
Bluegill Frame Net	2022	42	83 (1.2)	149	82 (0.6)	0		0	
Largemouth Bass Electro Fishing	2022	20	91 (1.6)	15	93 (2.0)	6	106 (2.7)	0	
Northern Pike Gill Net	2022	0		1	137	0		1	
Rainbow Trout Gill Net	2022	9	68 (3.7)	0		0		0	
Yellow Perch Gill Net	2022	6	90 (2.0)	0		0		0	

Length Frequency Distribution

Length frequency histogram of species sampled by year.


Species: Bluegill

Gear: AFS std frame net



Species: Largemouth Bass


Gear: boat shocker (day)




Historic Fish Sizes and Relative Abundance

Size distribution per net by color for species sampled by year.


Species: Black Crappie
Gear: frame net (std 3/4 in)




Species: Bluegill
Gear: AFS std frame net




Species: Bluegill
Gear: frame net (1/4 inch)




Species: Bluegill
Gear: frame net (std 3/4 in)




Species: Channel Catfish
Gear: AFS std gill net




Species: Channel Catfish
Gear: std exp gill net




Species: Common Carp
Gear: AFS std gill net




Species: Largemouth Bass
Gear: boat shocker (day)




Species: Northern Pike
Gear: AFS std gill net




Species: Northern Pike
Gear: std exp gill net




Species: Rainbow Trout
Gear: AFS std gill net




Species: Rainbow Trout
Gear: std exp gill net



Species: Yellow Perch
Gear: AFS std gill net



Species: Yellow Perch
Gear: std exp gill net



Fish Stocking

Number of fish stocked by year, species, and size.

Year	Species	Size	Number
2011	Rainbow Trout (Erwin x Arlee)	Catchable	2,016
2011	Rainbow Trout (Erwin x Arlee)	Catchable 15"	200
2011	Rainbow Trout (McConaugRainbow Trout)	Catchable	700
2011	Rainbow Trout (Shasta)	Catchable	2,100
2012	Rainbow Trout (Erwin x Arlee)	Catchable	2,840
2012	Rainbow Trout (Erwin x Arlee)	Catchable 15"	180
2012	Rainbow Trout (Shasta)	Catchable	2,800
2013	Rainbow Trout (Erwin x Arlee)	Catchable	2,100
2013	Rainbow Trout (Erwin x Arlee)	Catchable 15"	320
2013	Rainbow Trout (Shasta)	Catchable	4,200
2014	Rainbow Trout (Erwin x Arlee)	Catchable	1,750
2014	Rainbow Trout (Erwin x Arlee)	Catchable 15"	200
2014	Rainbow Trout (Shasta)	Catchable	3,500
2015	Rainbow Trout (Erwin x Arlee)	Catchable	2,800
2015	Rainbow Trout (Erwin x Arlee)	Catchable 15"	200
2015	Rainbow Trout (Shasta)	Catchable	2,800
2016	Rainbow Trout (Erwin x Arlee)	Catchable	2,100
2016	Rainbow Trout (Erwin x Arlee)	Catchable 15"	200
2016	Rainbow Trout (Shasta)	Catchable	3,500
2017	Rainbow Trout (Eagle Lake)	Catchable	700
2017	Rainbow Trout (Erwin x Arlee)	Catchable	2,100
2017	Rainbow Trout (Shasta)	Catchable	2,800
2018	Rainbow Trout (Erwin x Arlee)	Catchable 11"	700
2018	Rainbow Trout (Shasta)	Catchable	700
2018	Rainbow Trout (Shasta)	Catchable 11"	3,500
2019	Rainbow Trout (Erwin x Arlee)	Catchable 11"	1,400
2019	Rainbow Trout (Shasta)	Catchable 11"	4,200
2020	Rainbow Trout (Arlee)	Catchable 11"	5,600
2021	Rainbow Trout (Arlee)	Adult	2,800
2021	Rainbow Trout (Arlee)	Catchable 11"	700
2021	Rainbow Trout (Shasta)	Adult	2,100
2022	Rainbow Trout (Shasta)	Adult	1,400
2022	Rainbow Trout (Trout Lodge)	Adult	2,303