

Common Fish Species Present

Largemouth Bass

Walleye

Bluegill

Black Crappie

Black Bullhead

White Bass

Yellow Perch

Northern Pike

Common Carp

Sunfish Hybrid

Terminology

Catch per unit effort (**CPUE**) refers to the relative abundance of a species. It is defined as the number of fish captured per unit of effort (i.e., number of fish captured per net-night or number of fish captured per hour electrofishing). In this report CPUE is typically given for only stock-length fish (see length categories table for stock lengths).

A statewide effort to help make netting efforts comparable to all waters sampled across the state, occurred in 2017, with a switch to American Fisheries Society gill nets. Past gill netting efforts were completed with different style/types of nets and are not comparable side by side.

- **AFS std gill net** – 80 ft experimental gill net containing eight panels (10 ft each) of varying monofilament meshes of 0.75, 1.00, 1.25, 1.50, 1.75, 2.00, 2.25 and 2.50 inches.
- **std experimental gill net for non-Missouri River waters** - 150 ft experimental gill net containing six panels (25 ft each) of varying monofilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.
- **std experimental gill net for Missouri River reservoirs** – 300 ft experimental gill net containing six panels (50 ft each) of varying multifilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.

$$CPUE = \frac{\text{number of fish}}{\text{effort}}$$

Population size structure is quantified using the indices proportional size distribution of quality-length fish (**PSD**) and proportional size distribution of preferred-length fish (**PSD-P**). These indices indicate the proportion of stock-length fish that are equal to or greater than a given length. Minimum lengths for stock, quality and preferred length fish are given in the length categories table.

$$PSD = \left(\frac{\text{number of fish} \geq \text{quality length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

$$PSD - P = \left(\frac{\text{number of fish} \geq \text{preferred length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

Relative weight (**Wr**) is used to quantify fish plumpness. Relative weight is the ratio of what a fish weighs (**W**) compared to a length-specific standard weight (**Ws**) multiplied by 100. Relative weight values of 95-105 are commonly cited as optimum values, but values in the 80s are common during summer sampling in South Dakota.

$$Wr = \left(\frac{W}{W_s} \right) \times 100$$

Confidence intervals (CI) are provided for many of the estimates calculated in this report. The confidence interval provides a range in which the true mean is expected to fall. For example, with an 80% CI we are 80% confident that the interval contains the true value.

Length categories include stock (S), quality (Q), preferred (P), memorable (M) and trophy (T). Length categories for most species have been defined based on a percentage of the world record length for that species. Some species mentioned in this report do not have defined length categories. Length categories for species used in this report are provided in the following table. Measurements are the minimum total length for each category and are reported in inches (in) and centimeters (cm).

Species Name	Stock		Quality		Preferred		Memorable		Trophy	
	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)
Black Bullhead	6	15	9	23	12	30	15	38	18	46
Black Crappie	5	13	8	20	10	25	12	30	15	38
Bluegill	3	8	6	15	8	20	10	25	12	30
Brown Trout	8	20	12	30	16	40	20	50	18	46
Channel Catfish	11	28	16	41	24	61	28	71	36	91
Freshwater Drum	8	20	12	30	15	38	20	51	25	63
Lake Trout	12	30	20	50	26	65	31	80	39	100
Largemouth Bass	8	20	12	30	15	38	20	51	25	63
Muskellunge	20	51	30	76	38	97	42	107	50	127
Northern Pike	14	35	21	53	28	71	34	86	44	112
Pumpkinseed	3	8	6	15	8	20	10	25	12	30
Rainbow Trout	10	25	16	40	20	50	26	65	31	80
Rudd	6	15	10	25	12	30	15	38	19	48
Sauger	8	20	12	30	15	38	20	51	25	63
Smallmouth Bass	7	18	11	28	14	35	17	43	20	51
Walleye	10	25	15	38	20	51	25	63	30	76
White Bass	6	15	9	23	12	30	15	38	18	46
White Crappie	5	13	8	20	10	25	12	30	15	38
Yellow Bullhead	4	10	7	18	9	23	11	28	14	36
Yellow Perch	5	13	8	20	10	25	12	30	15	38

Catch Summary of Stock Length Fish

Catch per unit effort (CPUE), proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) for species sampled in survey with 80% confidence interval (CI-80).

* **Methods/Species that ignore stock length**

Gear	Species	Sample Size (n)	Abundance		Stock Density Indices			Condition		
			CPUE	CI-80	PSD	CI-80	PSD-P	CI-80	Wr	CI-80
AFS std gill net	Black Bullhead	84	6.0	1.4	19	7	0		101	2
	Black Crappie	2	0.1	0.1	100		0		106	
	Common Carp	22	0.8	0.5	80		10		96	4
	Northern Pike	11	0.9	0.4	91		9		91	2
	Walleye	15	1.3	0.6	93		7		99	12
	White Bass	2	0.2	0.2	100		0		95	3
	Yellow Perch	12	1.0	0.4	83		0		99	3
frame net (std 3/4 in)	Black Bullhead	616	32.6	8.4	81	2	0		97	1
	Black Crappie	310	16.8	6.2	96	2	27	3	99	1
	Bluegill	66	3.7	2.0	68	8	38	9	114	2
	Channel Catfish	2	0.1	0.1	100		0		114	4
	Common Carp	15	0.8	0.4	100		40	21	95	2
	Green Sunfish	7	0.4	0.5	14		0		150	6
	Northern Pike	1	0.1	0.1	100		0		92	
	Sunfish Hybrid	12	0.7	0.4	83		0		126	10
	Walleye	29	1.3	0.6	74	15	0		90	2
	White Bass	34	1.9	0.8	100		100		91	1
	White Sucker	6	0.3	0.2	100		100		100	4
	Yellow Perch	22	1.2	0.4	59	17	5		101	3

10-Year Catch Per Unit Effort by Gear and Species

Catch per unit effort (CPUE) and average (Avg) of species across 10 years using different gear types.

* Methods/Species that ignore stock length

Gear	Species	CPUE										Avg	
		2013	2014	2015	2016	2017	2018	2019	2020	2021	2022		
AFS std frame net	Black Bullhead				85.5	196.0							140.75
	Black Crappie				9.8	2.2							6.00
	Bluegill				4.8	10.6							7.70
	Channel Catfish				0.5	0.7							0.60
	Common Carp				1.0	0.4							0.70
	Northern Pike				0.3	0.4							0.35
	Walleye				2.4	1.4							1.90
	White Bass				6.4	6.7							6.55
	White Sucker				0.4	0.3							0.35
Yellow Perch				0.3	0.0							0.15	
AFS std gill net	Black Bullhead				42.5	28.8	16.2	14.0	26.9		6.0		22.40
	Black Crappie				0.6	0.1	0.2	1.3	0.3		0.1		0.43
	Bluegill				0.1	0.3	0.6	0.2	0.1		0.0		0.22
	Channel Catfish				2.2	0.9	0.4	1.3	0.4		0.0		0.87
	Common Carp				2.3	1.1	4.1	4.0	6.2		0.8		3.08
	Northern Pike				0.1	0.2	0.1	0.4	0.0		0.9		0.28
	Walleye				2.4	0.2	1.1	4.3	1.0		1.3		1.72
	White Bass				2.8	1.0	0.3	0.4	0.0		0.2		0.78
	White Sucker				0.0	0.1	0.0	0.1	0.3		0.0		0.08
Yellow Perch				1.8	8.3	5.0	15.8	18.9		1.0		8.47	
boat shocker (night)	Walleye*				10.5	36.0							23.25
fall night EF-WAE*	Walleye						109.0	112.5	3.0	70.8	209.1		100.88
frame net (std 3/4 in)	Black Bullhead	229.2	99.2	65.2			36.4	68.9	4.1		32.6		76.51
	Black Crappie	8.1	14.3	9.4			6.1	31.7	7.6		16.8		13.43
	Bluegill	20.0	33.6	17.9			36.5	20.0	9.3		3.7		20.14
	Bluegill X Gr. Sunfish Hybrid	0.0	0.0	0.0			0.0	0.0	0.0		0.0		0.00
	Channel Catfish	0.3	0.4	0.7			0.1	1.3	0.7		0.1		0.51
	Common Carp	0.2	0.8	0.6			0.7	1.1	2.8		0.8		1.00
	Green Sunfish	0.0	0.0	0.1			0.7	0.1	0.0		0.4		0.19
	Northern Pike	0.1	0.2	0.7			0.4	0.3	0.2		0.1		0.29
	Pumpkinseed	0.0	0.0	0.0			0.0	0.0	0.0		0.0		0.00
	Smallmouth Bass	0.0	0.0	0.0			0.0	0.0	0.0		0.0		0.00

		CPUE										
Gear	Species	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	Avg
frame net (std 3/4 in)	Sunfish Hybrid	0.0	0.0	0.0			0.4	0.1	0.1		0.7	0.19
	Walleye	1.0	2.2	3.3			0.4	1.5	0.7		1.3	1.49
	Western Painted Turtle	0.0	0.0	0.0			0.0	0.0	0.0		0.0	0.00
	White Bass	4.0	2.7	3.7			0.3	4.2	3.1		1.9	2.84
	White Sucker	0.2	0.0	0.2			0.3	0.2	0.1		0.3	0.19
	Yellow Perch	0.3	1.9	0.9			9.5	47.3	21.7		1.2	11.83
std exp gill net	Black Bullhead	109.0	90.7	51.6								83.77
	Black Crappie	2.2	0.7	1.0								1.30
	Bluegill	1.0	0.2	0.0								0.40
	Channel Catfish	1.5	0.2	0.2								0.63
	Common Carp	1.5	0.8	1.4								1.23
	Northern Pike	1.0	0.5	0.4								0.63
	Walleye	4.0	1.8	7.2								4.33
	White Bass	1.5	0.2	0.2								0.63
	White Sucker	0.2	0.3	0.2								0.23
	Yellow Perch	8.3	11.3	8.8								9.47

10-Year Size Structure and Condition Statistics by Gear and Species

Species proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) collected by different gear types across 10 years.

Gear	Species	Index	Year												
			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022			
AFS std frame net	Black Bullhead	PSD				76	63								
		PSD-P				0	0								
		Wr				90	98								
	Black Crappie	PSD				84	82								
		PSD-P				24	26								
		Wr				107	102								
	Bluegill	PSD				97	91								
		PSD-P				38	15								
		Wr				119	121								
	Common Carp	PSD				100	75								
		PSD-P				83	63								
		Wr				91	101								
	Northern Pike	PSD				67	100								
		PSD-P				17	57								
		Wr				79	80								
	Walleye	PSD				16	28								
		PSD-P				2	12								
		Wr				83	79								
	White Bass	PSD				93	99								
		PSD-P				43	56								
		Wr				88	91								
Yellow Perch	PSD				40										
	PSD-P				0										
	Wr				102										
AFS std gill net	Black Bullhead	PSD				41	75	29	14	7				19	
		PSD-P				0	0	0	0	0				0	
		Wr				98	93	95	95	92				101	
	Black Crappie	PSD				57	100	0	6	75				100	
		PSD-P				29	100	0	6	0				0	
		Wr				112	100	132	115	109				106	
	Bluegill	PSD				100	100	14	100	100					
		PSD-P				0	67	14	0	0					
		Wr				140	132	125	116	119					

Gear	Species	Index	Year									
			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
AFS std gill net	Common Carp	PSD				96	54	16	46	16		80
		PSD-P				15	38	12	8	1		10
		Wr				95	99	102	93	91		96
	Northern Pike	PSD				100	100	0	80			91
		PSD-P				0	100	0	20			9
		Wr				88	77	94	91			91
	Walleye	PSD				52	0	15	29	42		93
		PSD-P				3	0	8	2	17		7
		Wr				87	83	95	86	82		99
	White Bass	PSD				91	100	100	80			100
		PSD-P				0	75	100	0			0
		Wr				92	93	109	97			95
	Yellow Perch	PSD				82	57	80	6	45		83
		PSD-P				50	21	10	1	0		0
		Wr				102	106	103	102	100		99
boat shocker (night)	Walleye	PSD				0	0					
		PSD-P				0	0					
		Wr				94	94					
frame net (std 3/4 in)	Black Bullhead	PSD	15	72	91			44	44	27		81
		PSD-P	0	0	0			0	0	0		0
		Wr	93	93	91			85	88	83		97
	Black Crappie	PSD	64	85	96			32	14	58		96
		PSD-P	0	0	5			7	3	1		27
		Wr	106	99	100			123	110	104		99
	Bluegill	PSD	98	99	96			50	60	95		68
		PSD-P	29	35	65			7	2	4		38
		Wr	112	111	113			115	111	112		114
	Common Carp	PSD	67	43	73			25	60	31		100
		PSD-P	33	43	55			8	40	12		40
		Wr	99	103	91			96	88	89		95
	Northern Pike	PSD	0	100	58			100	50	33		100
		PSD-P	0	67	33			43	17	33		0
		Wr	59	76	87			83	87	81		92
	Walleye	PSD	22	8	5			14	7	8		74
		PSD-P	6	0	0			14	0	8		0
		Wr	81	85	90			93	86	74		90

Gear	Species	Index	Year										
			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	
frame net (std 3/4 in)	White Bass	PSD	99	98	100			100	93	100		100	
		PSD-P	74	94	95			100	32	85		100	
		Wr	85	87	90			107	98	86		91	
	Yellow Perch	PSD	100	88	100			77	41	66		59	
		PSD-P	0	15	41			25	15	0		5	
		Wr	96	92	100			93	91	90		101	
	std exp gill net	Black Bullhead	PSD	15	59	76							
			PSD-P	0	0	0							
			Wr	94	108	92							
Black Crappie		PSD	54	100	60								
		PSD-P	0	0	40								
		Wr	105	103	121								
Bluegill		PSD	83	100									
		PSD-P	33	0									
		Wr	114	117									
Common Carp		PSD	78	20	57								
		PSD-P	11	20	29								
		Wr	99	102	89								
Northern Pike		PSD	100	100	50								
		PSD-P	17	0	0								
		Wr	78	88	88								
Walleye		PSD	21	27	17								
		PSD-P	8	0	0								
		Wr	84	84	93								
White Bass		PSD	100	100	100								
		PSD-P	22	100	100								
		Wr	88	93	94								
Yellow Perch	PSD	56	84	93									
	PSD-P	0	9	30									
	Wr	97	103	111									

Length at Capture

Mean length at capture by age across years sampled, sample size (N).

Species: Black Crappie

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2022	310	111 (7)	181 (12)	222 (22)	244 (251)	241 (17)			277 (1)		
2020	136	145 (1)	201 (133)	239 (1)					293 (1)		
2019	563	162 (493)	218 (51)	257 (8)	267 (12)						
2018	109	169 (74)	222 (11)	241 (18)	269 (2)	264 (1)			275 (3)		
2017	39		195 (10)	225 (11)	240 (2)		251 (11)	258 (6)			
2016	176	157 (17)	203 (46)	228 (8)	250 (7)	247 (76)	244 (20)			234 (3)	
2015	168	136 (4)	201 (6)	234 (19)	231 (114)	242 (26)					
2014	257		143 (1)	184 (1)	205 (151)	221 (81)	218 (24)				
2013	146		192 (51)	217 (95)							

Species: Bluegill

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2022	66		145 (38)		202 (12)	213 (15)	222 (1)				
2020	167		162 (58)	185 (107)	206 (2)						
2019	360	105 (59)	153 (264)	182 (32)	205 (5)						
2018	657	121 (291)	160 (290)	198 (43)	211 (25)	217 (4)			233 (4)		
2017	190	111 (15)	166 (91)	191 (64)	208 (10)	227 (2)	217 (2)	213 (6)			
2016	87		163 (24)	183 (36)	220 (4)	223 (18)	220 (4)	232 (2)			
2015	322	98 (8)	162 (56)	182 (14)	206 (160)	219 (24)	218 (20)	216 (41)			
2014	605	95 (1)	149 (8)	183 (170)	196 (271)	201 (115)	221 (40)			241 (1)	
2013	360	122 (1)	166 (114)	186 (114)	207 (121)	195 (8)	226 (3)	226 (3)			

Species: Walleye

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2022	15			389 (11)	477 (2)	519 (2)					

Mean Length (expanded sample number) at capture by age

Year	N	1	2	3	4	5	6	7	8	9	10+
2020	21	231 (9)	297 (7)	488 (4)	552 (1)						
2019	52	294 (37)	419 (9)	462 (4)				482 (1)		574 (1)	
2018	13	305 (10)	376 (2)					571 (1)			
2017	3	217 (1)		282 (1)	378 (1)						
2016	31		272 (10)	348 (7)	411 (4)	435 (9)	531 (1)				
2015	51	234 (21)	300 (14)	335 (6)	348 (6)	410 (3)		489 (1)			
2014	16	211 (4)	253 (1)	304 (8)	396 (1)	366 (1)	406 (1)				
2013	38	217 (4)	248 (20)	310 (9)	468 (2)	493 (1)	547 (2)				

Species: Yellow Perch

Mean Length (expanded sample number) at capture by age

Year	N	1	2	3	4	5	6	7	8	9	10+
2022	12		178 (2)	224 (1)	229 (9)						
2020	227	150 (4)	198 (220)	232 (2)	243 (1)						
2019	190	156 (179)	209 (3)	240 (8)							
2018	60	166 (3)	216 (40)	239 (9)		256 (5)		249 (2)		293 (1)	
2017	100	166 (42)	225 (29)	195 (1)	254 (15)		273 (11)	295 (1)	275 (1)		
2016	22	168 (3)	174 (1)	242 (6)	238 (2)	275 (7)	274 (3)				
2015	44		205 (8)	216 (6)	240 (27)	272 (1)	272 (2)				
2014	68	169 (4)		216 (45)	237 (12)	248 (8)					
2013	50		191 (22)	221 (18)	229 (10)						

Fish Condition

Mean relative weight (Wr) by sample size (N), length category stock to quality (S-Q), quality to preferred (Q-P), preferred to memorable (P-M), and memorable (M) for species collected across survey years with standard error (SE).






Species	Year	Length Groups							
		S-Q		Q-P		P-M		M	
		N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
Black Bullhead Gill Net	2018	138	96 (0.8)	56	93 (1.3)	0		0	
	2019	145	95 (0.9)	23	88 (1.3)	0		0	
	2020	299	92 (0.6)	24	88 (1.5)	0		0	
	2022	58	101 (1.8)	14	103 (3.1)	0		0	
Black Crappie Frame Net	2018	74	125 (1.1)	27	120 (1.3)	8	112 (1.9)	0	
	2019	493	112 (0.4)	58	104 (1.0)	19	101 (1.5)	0	
	2020	57	106 (2.5)	78	103 (0.6)	1	87	0	
	2022	13	115 (2.5)	209	98 (0.5)	81	97 (0.9)	0	
Bluegill Frame Net	2018	330	115 (0.7)	282	114 (0.7)	45	117 (1.4)	0	
	2019	143	113 (0.9)	210	110 (0.6)	7	103 (3.5)	0	
	2020	8	114 (2.5)	153	112 (1.0)	6	112 (5.0)	0	
	2022	21	115 (3.6)	20	113 (3.9)	25	115 (2.0)	0	
Common Carp Gill Net	2018	41	105 (1.0)	2	90 (3.8)	5	90 (3.1)	1	90
	2019	26	94 (1.1)	18	91 (1.2)	2	92 (3.5)	2	90 (0.3)
	2020	62	91 (0.6)	11	91 (1.6)	0		1	82
	2022	2	101 (0.1)	7	95 (4.1)	1	98	0	
Northern Pike Gill Net	2018	1	94	0		0		0	
	2019	1	90	3	92 (2.3)	1	90	0	
	2022	1	81	9	92 (2.0)	1	91	0	
Walleye Gill Net	2018	11	95 (1.8)	1	94	1	96	0	
	2019	37	83 (0.7)	14	94 (2.0)	1	90	0	
	2020	7	78 (1.4)	3	86 (2.7)	2	87 (4.1)	0	

Species	Year	Length Groups							
		S-Q		Q-P		P-M		M	
		N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
Walleye Gill Net	2022	1	227	13	90 (1.0)	1	89	0	
White Bass Gill Net	2018	0		0		3	109 (3.0)	0	
	2019	1	90	4	99 (1.8)	0		0	
	2022	0		2	95 (2.5)	0		0	
Yellow Perch Gill Net	2018	12	110 (2.8)	42	101 (0.8)	6	103 (2.2)	0	
	2019	179	103 (0.7)	9	93 (2.6)	2	88 (2.5)	0	
	2020	125	101 (0.6)	102	98 (0.8)	0		0	
	2022	2	104 (7.5)	10	98 (2.5)	0		0	


Length Frequency Distribution

Length frequency histogram of species sampled by year.





Species: Black Bullhead
Gear: AFS std gill net




Species: Black Crappie
Gear: AFS std frame net







Species: Black Crappie
Gear: frame net (std 3/4 in)








Species: Bluegill
Gear: AFS std frame net




Species: Bluegill
Gear: frame net (std 3/4 in)







Species: Common Carp
Gear: AFS std gill net




Species: Northern Pike
Gear: AFS std gill net







Species: Walleye
Gear: AFS std gill net




Species: White Bass
Gear: AFS std gill net



Species: Yellow Perch
Gear: AFS std gill net






2022

Historic Fish Sizes and Relative Abundance

Size distribution per net by color for species sampled by year.


Species: Black Bullhead

Gear: AFS std gill net




Species: Black Bullhead


Gear: std exp gill net




Species: Black Crappie
Gear: AFS std frame net




Species: Black Crappie
Gear: frame net (std 3/4 in)




Species: Bluegill
Gear: AFS std frame net




Species: Bluegill
Gear: frame net (std 3/4 in)




Species: Common Carp
Gear: AFS std gill net




Species: Common Carp
Gear: std exp gill net




Species: Northern Pike
Gear: AFS std gill net




Species: Northern Pike
Gear: std exp gill net




Species: Walleye
Gear: AFS std gill net




Species: Walleye
Gear: std exp gill net




Species: White Bass
Gear: AFS std gill net




Species: White Bass
Gear: std exp gill net



Species: Yellow Perch
Gear: AFS std gill net



Species: Yellow Perch
Gear: std exp gill net



Fish Stocking

Number of fish stocked by year, species, and size.

Year	Species	Size	Number
2011	Walleye	Large Fingerling	15,240
2012	Walleye	Large Fingerling	10,173
2013	Walleye	Large Fingerling	27,344
2014	Walleye	Large Fingerling	18,420
2016	Saugeye	Large Fingerling	6,030
2017	Saugeye	Small Fingerling	60,320
2018	Saugeye	Small Fingerling	62,640
2019	Saugeye	Small Fingerling	62,350
2021	Saugeye	Juvenile	63,700
2022	Saugeye	Juvenile	63,080