

# SOUTH DAKOTA STATEWIDE FISHERIES SURVEY

Oahe Lower, Stanley County

LLO-Lake-2952-000

2023

## Lake Information

**Name:** Oahe Lower  
**County:** Stanley  
**Surface Area:** 154,978 Acres

## Surveys and Investigations

Survey methods used by gear type, date, and effort.

Gear	Date	Effort
AFS std gill net	Sep 08, 2023	14 net-nights
AFS std gill net	Sep 11, 2023	10 net-nights
AFS std gill net	Sep 12, 2023	24 net-nights
AFS std gill net	Sep 13, 2023	24 net-nights
AFS std gill net	Sep 14, 2023	24 net-nights

## **Common Fish Species Present**

Walleye

Channel Catfish

Smallmouth Bass

Yellow Perch

Freshwater Drum

Common Carp

White Bass

River Carpsucker

Shorthead Redhorse

Sauger

---

## Terminology

Catch per unit effort (**CPUE**) refers to the relative abundance of a species. It is defined as the number of fish captured per unit of effort (i.e., number of fish captured per net-night or number of fish captured per hour electrofishing). In this report CPUE is typically given for only stock-length fish (see length categories table for stock lengths).

A statewide effort to help make netting efforts comparable to all waters sampled across the state, occurred in 2017, with a switch to American Fisheries Society gill nets. Past gill netting efforts were completed with different style/types of nets and are not comparable side by side.

- **AFS std gill net** – 80 ft experimental gill net containing eight panels (10 ft each) of varying monofilament meshes of 0.75, 1.00, 1.25, 1.50, 1.75, 2.00, 2.25 and 2.50 inches.
- **std experimental gill net for non-Missouri River waters** - 150 ft experimental gill net containing six panels (25 ft each) of varying monofilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.
- **std experimental gill net for Missouri River reservoirs** – 300 ft experimental gill net containing six panels (50 ft each) of varying multifilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.

$$CPUE = \frac{\text{number of fish}}{\text{effort}}$$

Population size structure is quantified using the indices proportional size distribution of quality-length fish (**PSD**) and proportional size distribution of preferred-length fish (**PSD-P**). These indices indicate the proportion of stock-length fish that are equal to or greater than a given length. Minimum lengths for stock, quality and preferred length fish are given in the length categories table.

$$PSD = \left( \frac{\text{number of fish} \geq \text{quality length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

$$PSD - P = \left( \frac{\text{number of fish} \geq \text{preferred length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

Relative weight (**Wr**) is used to quantify fish plumpness. Relative weight is the ratio of what a fish weighs (**W**) compared to a length-specific standard weight (**Ws**) multiplied by 100. Relative weight values of 95-105 are commonly cited as optimum values, but values in the 80s are common during summer sampling in South Dakota.

$$Wr = \left( \frac{W}{W_s} \right) \times 100$$

Confidence intervals (CI) are provided for many of the estimates calculated in this report. The confidence interval provides a range in which the true mean is expected to fall. For example, with an 80% CI we are 80% confident that the interval contains the true value.

Length categories include stock (S), quality (Q), preferred (P), memorable (M) and trophy (T). Length categories for most species have been defined based on a percentage of the world record length for that species. Some species mentioned in this report do not have defined length categories. Length categories for species used in this report are provided in the following table. Measurements are the minimum total length for each category and are reported in inches (in) and centimeters (cm).

Species Name	Stock		Quality		Preferred		Memorable		Trophy	
	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)
Black Bullhead	6	15	9	23	12	30	15	38	18	46
Black Crappie	5	13	8	20	10	25	12	30	15	38
Bluegill	3	8	6	15	8	20	10	25	12	30
Brown Trout	8	20	12	30	16	40	20	50	18	46
Channel Catfish	11	28	16	41	24	61	28	71	36	91
Freshwater Drum	8	20	12	30	15	38	20	51	25	63
Lake Trout	12	30	20	50	26	65	31	80	39	100
Largemouth Bass	8	20	12	30	15	38	20	51	25	63
Muskellunge	20	51	30	76	38	97	42	107	50	127
Northern Pike	14	35	21	53	28	71	34	86	44	112
Pumpkinseed	3	8	6	15	8	20	10	25	12	30
Rainbow Trout	10	25	16	40	20	50	26	65	31	80
Rudd	6	15	10	25	12	30	15	38	19	48
Sauger	8	20	12	30	15	38	20	51	25	63
Smallmouth Bass	7	18	11	28	14	35	17	43	20	51
Walleye	10	25	15	38	20	51	25	63	30	76
White Bass	6	15	9	23	12	30	15	38	18	46
White Crappie	5	13	8	20	10	25	12	30	15	38
Yellow Bullhead	4	10	7	18	9	23	11	28	14	36
Yellow Perch	5	13	8	20	10	25	12	30	15	38

## Catch Summary of Stock Length Fish

Catch per unit effort (CPUE), proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) for species sampled in survey with 80% confidence interval (CI-80).

\* **Methods/Species that ignore stock length**

Gear	Species	Sample Size (n)	Abundance		Stock Density Indices			Condition		
			CPUE	CI-80	PSD	CI-80	PSD-P	CI-80	Wr	CI-80
AFS std gill net	Bigmouth Buffalo	3	0.0	0.0	100		0		102	2
	Black Crappie	3	0.0	0.0	100		100		94	14
	Channel Catfish	326	3.2	0.5	82	3	3	1	81	1
	Common Carp	25	0.3	0.1	96		29	15	86	3
	Freshwater Drum	37	0.4	0.1	92		54	12	88	2
	Gizzard Shad	10	0.0	0.0	0					
	Goldeye	58	0.0	0.0						
	Northern Pike	15	0.1	0.1	100		92		95	4
	River Carpsucker	18	0.2	0.1	100		81		99	5
	Sauger	5	0.1	0.0	80		80		76	3
	Shorthead Redhorse	16	0.2	0.1	94		94		89	2
	Shortnose Gar	6	0.0	0.0						
	Smallmouth Bass	274	2.7	0.5	82	3	61	4	108	1
	Smallmouth Buffalo	4	0.0	0.0	100		75		85	
	Walleye	392	4.0	0.4	73	3	7	2	87	1
	White Bass	44	0.3	0.3	97		91		108	2
Yellow Perch	58	0.6	0.2	34	9	5		87	2	

## 10-Year Catch Per Unit Effort by Gear and Species

Catch per unit effort (CPUE) and average (Avg) of species across 10 years using different gear types.

\* Methods/Species that ignore stock length

Gear	Species	CPUE										Avg	
		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023		
AFS gill net (1/2 inch)*	Channel Catfish				0.0	0.0	0.1	0.1	0.1				0.06
	Common Carp				0.0	0.0	0.1	0.1	0.1				0.06
	Emerald Shiner				0.0	0.0	0.0	0.0	0.0				0.00
	Freshwater Drum				0.0	0.0	0.0	0.1	0.0				0.02
	Gizzard Shad				0.4	0.0	0.0	0.0	0.0				0.08
	Goldeye				0.0	0.0	0.0	0.0	0.0				0.00
	Northern Pike				0.0	0.0	0.0	0.0	0.0				0.00
	Rainbow Smelt				0.0	0.0	0.0	0.0	0.0				0.00
	Sauger				0.0	0.0	0.0	0.0	0.0				0.00
	Shortnose Gar				0.0	0.0	0.0	0.0	0.0				0.00
	Smallmouth Bass				0.0	0.0	0.1	0.1	0.1				0.06
	Spotfin Shiner				0.0	0.0	0.0	0.0	0.0				0.00
	Spottail Shiner				0.0	0.0	0.7	0.2	0.1				0.20
	Walleye				0.2	0.3	0.3	0.3	0.2				0.26
	White Bass				0.1	0.0	0.1	0.2	0.0				0.08
White Crappie				0.0	0.0	0.0	0.0	0.0				0.00	
Yellow Perch				0.3	0.1	2.7	1.0	0.2				0.86	
AFS std gill net	Bigmouth Buffalo				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	Black Bullhead				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	Black Crappie				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	Catfish				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	Channel Catfish				4.8	9.6	11.7	4.9	6.2	4.6	3.2	6.43	
	Common Carp				0.4	0.5	0.8	0.9	0.6	0.7	0.3	0.60	
	Freshwater Drum				0.4	0.4	0.7	0.5	0.3	0.3	0.4	0.43	
	Gizzard Shad				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	Goldeye				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	Lake Herring				0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.04
	Northern Pike				0.3	0.2	0.2	0.1	0.2	0.3	0.1	0.20	
	Rainbow Smelt				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	Redhorse				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	River Carpsucker				0.2	0.1	0.2	0.3	0.4	0.2	0.2	0.23	
	Sauger				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.01
Shorthead Redhorse				0.1	0.1	0.2	0.1	0.3	0.1	0.2	0.16		
Shortnose Gar				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	

		CPUE										
Gear	Species	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	Avg
AFS std gill net	Smallmouth Bass				1.6	1.7	1.7	1.5	2.0	2.6	2.7	1.97
	Smallmouth Buffalo				0.4	0.1	0.2	0.2	0.1	0.1	0.0	0.16
	Walleye				1.4	1.7	3.6	3.0	2.0	3.7	4.0	2.77
	White Bass				0.9	0.5	0.2	0.1	0.3	0.3	0.3	0.37
	White Crappie				0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.01
	White Sucker				0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.03
	Yellow Perch				0.1	0.6	1.7	0.8	0.4	0.3	0.6	0.64
boat shocker (night)	Walleye*				29.3			17.7				23.50
fall night EF- WAE*	Walleye						57.7					57.70
large seine*	Walleye	1.4		0.5	0.3	0.4	0.1					0.54
std exp gill net	Bigmouth Buffalo	0.2	0.0	0.0								0.07
	Black Crappie	0.0	0.0	0.0								0.00
	Bluegill	0.0	0.0	0.0								0.00
	Channel Catfish	18.1	8.3	17.3								14.57
	Chinook Salmon	0.0	0.0	0.0								0.00
	Common Carp	2.6	1.4	2.2								2.07
	Freshwater Drum	0.8	0.3	0.7								0.60
	Gizzard Shad	0.0	0.0	0.0								0.00
	Goldeye	0.0	0.0	0.0								0.00
	Lake Herring	0.0	103.4	0.0								34.47
	Northern Pike	0.6	0.5	0.8								0.63
	Rainbow Smelt	0.0	0.0	0.0								0.00
	River Carpsucker	1.6	0.1	0.1								0.60
	Sauger	0.0	0.0	0.0								0.00
	Shorthead Redhorse	0.6	0.5	0.0								0.37
	Shortnose Gar	0.0	0.0	0.0								0.00
	Smallmouth Bass	1.5	2.1	2.9								2.17
	Smallmouth Buffalo	0.4	0.5	0.4								0.43
	Walleye	10.7	3.0	3.9								5.87
	White Bass	0.8	0.3	0.2								0.43
White Crappie	0.1	0.2	0.0								0.10	
White Sucker	0.9	0.2	0.1								0.40	
Yellow Perch	0.8	1.8	0.8								1.13	
suspended gill net*	Channel Catfish			1.0	0.5	0.0			0.3			0.45
	Chinook Salmon			0.1	0.4	0.0			0.0			0.13
	Lake Herring			174.3	237.4	301.0			145.2			214.4

		CPUE										
Gear	Species	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	Avg
suspended gill net*	Rainbow Smelt			2.2	14.5	41.3			7.3			16.33
	Walleye			0.5	0.1	0.0			1.0			0.40
	Yellow Perch			0.2	0.0	0.0			0.0			0.05



## 10-Year Size Structure and Condition Statistics by Gear and Species

Species proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) collected by different gear types across 10 years.

Gear	Species	Index	Year									
			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
AFS std gill net	Channel Catfish	PSD				60	66	66	79	89	81	82
		PSD-P				1	4	4	4	4	4	3
		Wr				79	82	82	85	81	78	81
	Common Carp	PSD				65	100	72	85	91	91	96
		PSD-P				15	49	32	37	45	42	29
		Wr				81	79	85	85	90	88	86
	River Carpsucker	PSD				100	100	94	100	100	91	100
		PSD-P				100	100	82	95	92	91	81
		Wr				101	93	96	99	98	103	99
	Sauger	PSD				100		50			100	80
		PSD-P				0		50			100	80
		Wr				75		83			71	76
	Shorthead Redhorse	PSD				60	100	100	90	100	92	94
		PSD-P				60	60	50	80	68	83	94
		Wr				92	94	95	93	92	85	89
	Smallmouth Bass	PSD				57	82	78	66	72	79	82
		PSD-P				13	39	45	33	24	30	61
		Wr				94	96	99	97	91	101	108
	Walleye	PSD				36	37	48	51	44	33	73
		PSD-P				19	15	13	13	16	11	7
		Wr				81	86	88	83	79	82	87
	White Bass	PSD				100	100	100	75	100	100	97
		PSD-P				90	97	93	75	61	100	91
		Wr				90	100	100	89	89	107	108
	Yellow Perch	PSD				25	43	29	23	43	41	34
		PSD-P				0	2	1	2	3	3	5
		Wr				84	96	95	87	79	84	87
boat shocker (night)	Walleye	PSD				0			4			
		PSD-P				0			0			
std exp gill net	Channel Catfish	PSD	31	36	49							
		PSD-P	3	3	2							
		Wr	85	78	77							

Gear	Species	Index	Year									
			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
std exp gill net	Common Carp	PSD	100	97	65							
		PSD-P	63	70	40							
		Wr	91	82	82							
	River Carpsucker	PSD	100	0	100							
		PSD-P	100	0	100							
		Wr	100	837	103							
	Shorthead Redhorse	PSD	100	100								
		PSD-P	80	77								
		Wr	98	101								
	Smallmouth Bass	PSD	78	65	65							
		PSD-P	44	49	44							
		Wr	108	94	94							
	Walleye	PSD	19	59	59							
		PSD-P	1	3	36							
		Wr	87	81	83							
	White Bass	PSD	100	83	100							
		PSD-P	100	83	0							
		Wr	100	88	148							
	Yellow Perch	PSD	27	25	27							
		PSD-P	7	0	0							
		Wr	100	85	82							
suspended gill net	Channel Catfish	PSD			100	100					100	
		PSD-P			20	0					0	
	Walleye	PSD			33	0					17	
		PSD-P			0	0					17	
	Yellow Perch	PSD			0							
		PSD-P			0							

## Length at Capture

Mean length at capture by age across years sampled, sample size (N).

Species: Sauger

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2022	2				440 (2)						
2019	2	266 (1)								470 (1)	
2017	1			341 (1)							

Species: Walleye

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2022	363	265 (7)	305 (44)	343 (158)	387 (94)	443 (15)	553 (12)	524 (4)	557 (18)	585 (5)	712 (6)
2021	219	216 (15)	287 (104)	388 (55)	461 (8)	494 (11)	513 (9)	551 (13)	604 (1)	686 (2)	612 (2)
2020	262	227 (60)	351 (83)	389 (31)	445 (25)	466 (16)	497 (35)	498 (2)	514 (2)	610 (5)	633 (4)
2019	288	253 (78)	312 (42)	369 (42)	400 (21)	434 (58)	460 (10)	492 (8)	526 (6)	643 (2)	644 (20)
2018	125	253 (7)	308 (23)	367 (12)	379 (49)	454 (15)	345 (1)	532 (4)	421 (1)	527 (10)	678 (3)
2017	86	219 (9)	286 (7)	327 (39)	354 (13)	555 (1)	506 (7)	593 (2)	535 (7)		645 (1)
2016	84	218 (2)	264 (23)	310 (16)	390 (5)	480 (10)	530 (4)	539 (24)	514 (1)		
2015	92	211 (21)	278 (16)	343 (10)	391 (13)	458 (5)	454 (28)				
2014	211	196 (13)	273 (19)	316 (37)	317 (15)	360 (123)		463 (1)	471 (1)		750 (1)

## Fish Condition

Mean relative weight (Wr) by sample size (N), length category stock to quality (S-Q), quality to preferred (Q-P), preferred to memorable (P-M), and memorable (M) for species collected across survey years with standard error (SE).






Species	Year	Length Groups							
		S-Q		Q-P		P-M		M	
		N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
Channel Catfish Gill Net	2019	289	85 (0.9)	520	81 (0.5)	34	82 (2.1)	0	
	2020	75	86 (2.1)	266	85 (0.6)	14	84 (3.2)	0	
	2021	64	81 (0.8)	512	81 (0.5)	22	79 (2.8)	0	
	2022	85	80 (1.2)	336	77 (0.4)	16	84 (3.2)	0	
	2023	54	80 (1.1)	243	82 (0.6)	7	80 (2.1)	1	83
Common Carp Gill Net	2019	17	91 (1.2)	24	87 (1.2)	19	78 (1.4)	0	
	2020	10	88 (1.2)	33	86 (1.4)	25	82 (1.3)	0	
	2021	5	133 (45.7)	24	93 (4.0)	22	81 (4.1)	2	57 (17.4)
	2022	6	85 (1.7)	32	90 (2.6)	26	85 (2.6)	1	106
	2023	1	93	16	88 (2.5)	6	82 (4.3)	1	79
Sauger Gill Net	2019	1	92	0		1	74	0	
	2022	0		0		2	71 (3.2)	0	
	2023	1	84	0		3	74 (2.4)	1	71
Walleye Gill Net	2019	136	87 (0.5)	92	89 (0.6)	19	92 (1.6)	14	95 (2.5)
	2020	106	81 (0.6)	81	84 (0.7)	21	88 (2.0)	7	96 (2.4)
	2021	106	77 (0.5)	52	80 (0.9)	22	86 (1.8)	8	88 (3.4)
	2022	239	81 (0.4)	79	81 (0.7)	32	86 (1.9)	9	95 (4.3)
	2023	105	85 (0.6)	252	87 (0.4)	13	88 (2.2)	13	89 (3.4)
White Bass Gill Net	2019	0		1	112	3	96 (2.7)	10	100 (1.3)
	2020	1	78	0		1	96	2	91 (7.0)
	2021	0		12	91 (1.9)	11	95 (2.0)	8	79 (4.5)
	2022	0		0		25	107 (1.0)	0	


Species	Year	Length Groups							
		S-Q		Q-P		P-M		M	
		N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
White Bass Gill Net	2023	1	114	2	97 (2.8)	13	106 (1.4)	16	110 (1.6)
Yellow Perch Gill Net	2019	86	99 (2.0)	34	86 (1.4)	1	108	0	
	2020	47	89 (1.6)	13	85 (3.8)	1	59	0	
	2021	21	83 (1.2)	15	73 (2.6)	0		1	75
	2022	17	86 (1.6)	11	81 (2.0)	1	75	0	
	2023	38	88 (1.7)	17	87 (2.3)	3	85 (1.2)	0	

# Length Frequency Distribution





Length frequency histogram of species sampled by year.



Species: Channel Catfish  
Gear: AFS std gill net








Species: Common Carp  
Gear: AFS std gill net










Species: Walleye  
Gear: AFS std gill net
















Species: White Bass  
 Gear: AFS std gill net





Species: Yellow Perch  
 Gear: AFS std gill net







## Historic Fish Sizes and Relative Abundance

Size distribution per net by color for species sampled by year.


Species: Channel Catfish  
Gear: AFS std gill net




Species: Channel Catfish  
Gear: std exp gill net




Species: Channel Catfish  
Gear: suspended gill net




Species: Common Carp  
Gear: AFS std gill net




Species: Common Carp  
Gear: std exp gill net




Species: Walleye  
Gear: AFS std gill net




Species: Walleye  
Gear: std exp gill net




Species: Walleye  
Gear: suspended gill net



Species: White Bass  
Gear: AFS std gill net




Species: White Bass  
Gear: std exp gill net







Species: Yellow Perch  
Gear: AFS std gill net



Species: Yellow Perch  
Gear: std exp gill net



Species: Yellow Perch  
Gear: suspended gill net



## **Fish Stocking**

Number of fish stocked by year, species, and size.

Year	Species	Size	Number
2012	Chinook Salmon (Oahe)	Fingerling	15,000
2012	Chinook Salmon (Oahe)	Large Fingerling	10,000
2012	Gizzard Shad	Adult	893
2012	Rainbow Trout (Shasta)	Large Fingerling	12,246
2013	Chinook Salmon (Oahe)	Fingerling	61,584
2013	Chinook Salmon (Oahe)	Large Fingerling	5,000
2013	Gizzard Shad	Adult	616
2013	Rainbow Trout (Erwin x Arlee)	Fingerling	32,904
2014	Chinook Salmon (Oahe)	Fingerling	80,125
2014	Chinook Salmon (Oahe)	Large Fingerling	4,932
2014	Chinook Salmon (Oahe)	Small Fingerling	31,104
2014	Gizzard Shad	Adult	642
2015	Chinook Salmon (Oahe)	Fingerling	71,308
2015	Gizzard Shad	Adult	168
2017	Chinook Salmon (Oahe)	Fingerling	79,242
2017	Walleye	Fry	3,700,000
2017	Walleye	Small Fingerling	300,820
2018	Chinook Salmon (Oahe)	Fingerling	99,426
2018	Walleye	Small	144,460
2018	Walleye	Small Fingerling	1,830,546
2019	Burbot	Fingerling	30,550
2019	Chinook Salmon (Oahe)	Catchable 11"	10,332
2019	Chinook Salmon (Oahe)	Fingerling	62,046
2019	Walleye	Small Fingerling	364,500
2020	Chinook Salmon (Oahe)	Large Fingerling	33,975
2021	Atlantic Salmon	Adult	2,247
2021	Atlantic Salmon	Catchable 11"	3,389
2021	Atlantic Salmon	Juvenile	4,198
2021	Chinook Salmon (Oahe)	Juvenile	89,052
2021	Gizzard Shad	Adult	599
2021	Walleye	Juvenile	615,990
2022	Chinook Salmon (Oahe)	Juvenile	69,470
2022	Gizzard Shad	Adult	520
2023	Chinook Salmon (Oahe)	Juvenile	45,240
2023	Walleye	Juvenile	611,888