

Curlew Lake Survey Summary

Curlew lake is a 136-acre impoundment located eight miles north, four miles east and another 1.5 miles north of the town of New Underwood. Primary species managed for include Black Crappie, Largemouth Bass, Smallmouth Bass, Walleye, with the main forage species being Gizzard Shad. Other species present in the lake are Bluegill, Yellow Perch, Black Bullhead, Northern Pike, Channel Catfish and Common Carp.

Black Crappie. Thirty-five crappie were sampled from the six frame net sample. Fish ranged 7 to 11 inches. Since the introduction of Gizzard Shad, crappie sizes have increased in Curlew.

Largemouth Bass. One hour of fall electrofishing yielded a catch rate of 10.0 fish per hour. Last year, our catch rate was 26.9 fish per hour. Turbid water may have affected our catch rates this year from flood events. Fish condition was excellent, bass sizes ranged from 4 to 14 inches.

Walleye. Our fall electro fishing captured 69 walleyes in one hour of fishing. All but two of the Walleye sampled were fish born in the spring of 2023. With the Gizzard Shad population doing so well, these fish should pass the 15-inch minimum in the summer of 2025. Curlew was stocked with 35,000 small fingerlings in 2023.

SOUTH DAKOTA STATEWIDE FISHERIES SURVEY

Curlew, Meade County

MCE-Lake-6-000

2023

Lake Information

Name: Curlew
County: Meade
Surface Area: 123 Acres

Surveys and Investigations

Survey methods used by gear type, date, and effort.

Gear	Date	Effort
boat shocker (day)	Sep 13, 2023	3600 seconds
frame net (std 3/4 in)	Jun 14, 2023	6 net-nights

Common Fish Species Present

Largemouth Bass

Gizzard Shad

Black Crappie

Walleye

Smallmouth Bass

Black Bullhead

Common Carp

Channel Catfish

Terminology

Catch per unit effort (**CPUE**) refers to the relative abundance of a species. It is defined as the number of fish captured per unit of effort (i.e., number of fish captured per net-night or number of fish captured per hour electrofishing). In this report CPUE is typically given for only stock-length fish (see length categories table for stock lengths).

A statewide effort to help make netting efforts comparable to all waters sampled across the state, occurred in 2017, with a switch to American Fisheries Society gill nets. Past gill netting efforts were completed with different style/types of nets and are not comparable side by side.

- **AFS std gill net** – 80 ft experimental gill net containing eight panels (10 ft each) of varying monofilament meshes of 0.75, 1.00, 1.25, 1.50, 1.75, 2.00, 2.25 and 2.50 inches.
- **std experimental gill net for non-Missouri River waters** - 150 ft experimental gill net containing six panels (25 ft each) of varying monofilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.
- **std experimental gill net for Missouri River reservoirs** – 300 ft experimental gill net containing six panels (50 ft each) of varying multifilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.

$$CPUE = \frac{\text{number of fish}}{\text{effort}}$$

Population size structure is quantified using the indices proportional size distribution of quality-length fish (**PSD**) and proportional size distribution of preferred-length fish (**PSD-P**). These indices indicate the proportion of stock-length fish that are equal to or greater than a given length. Minimum lengths for stock, quality and preferred length fish are given in the length categories table.

$$PSD = \left(\frac{\text{number of fish} \geq \text{quality length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

$$PSD - P = \left(\frac{\text{number of fish} \geq \text{preferred length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

Relative weight (**Wr**) is used to quantify fish plumpness. Relative weight is the ratio of what a fish weighs (*W*) compared to a length-specific standard weight (*Ws*) multiplied by 100. Relative weight values of 95-105 are commonly cited as optimum values, but values in the 80s are common during summer sampling in South Dakota.

$$Wr = \left(\frac{W}{W_s} \right) \times 100$$

Confidence intervals (CI) are provided for many of the estimates calculated in this report. The confidence interval provides a range in which the true mean is expected to fall. For example, with an 80% CI we are 80% confident that the interval contains the true value.

Length categories include stock (S), quality (Q), preferred (P), memorable (M) and trophy (T). Length categories for most species have been defined based on a percentage of the world record length for that species. Some species mentioned in this report do not have defined length categories. Length categories for species used in this report are provided in the following table. Measurements are the minimum total length for each category and are reported in inches (in) and centimeters (cm).

Species Name	Stock		Quality		Preferred		Memorable		Trophy	
	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)
Black Bullhead	6	15	9	23	12	30	15	38	18	46
Black Crappie	5	13	8	20	10	25	12	30	15	38
Bluegill	3	8	6	15	8	20	10	25	12	30
Brown Trout	8	20	12	30	16	40	20	50	18	46
Channel Catfish	11	28	16	41	24	61	28	71	36	91
Freshwater Drum	8	20	12	30	15	38	20	51	25	63
Lake Trout	12	30	20	50	26	65	31	80	39	100
Largemouth Bass	8	20	12	30	15	38	20	51	25	63
Muskellunge	20	51	30	76	38	97	42	107	50	127
Northern Pike	14	35	21	53	28	71	34	86	44	112
Pumpkinseed	3	8	6	15	8	20	10	25	12	30
Rainbow Trout	10	25	16	40	20	50	26	65	31	80
Rudd	6	15	10	25	12	30	15	38	19	48
Sauger	8	20	12	30	15	38	20	51	25	63
Smallmouth Bass	7	18	11	28	14	35	17	43	20	51
Walleye	10	25	15	38	20	51	25	63	30	76
White Bass	6	15	9	23	12	30	15	38	18	46
White Crappie	5	13	8	20	10	25	12	30	15	38
Yellow Bullhead	4	10	7	18	9	23	11	28	14	36
Yellow Perch	5	13	8	20	10	25	12	30	15	38

Catch Summary of Stock Length Fish

Catch per unit effort (CPUE), proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) for species sampled in survey with 80% confidence interval (CI-80).

* **Methods/Species that ignore stock length**

Gear	Species	Sample Size (n)	Abundance		Stock Density Indices			Condition		
			CPUE	CI-80	PSD	CI-80	PSD-P	CI-80	Wr	CI-80
boat shocker (day)	Largemouth Bass	10	3.0	4.4	100		0	117	1	
	Smallmouth Bass	2	2.0	3.0	50		0	101	2	
	Walleye*	69	69.0	21.7	50		50	91	1	
frame net (std 3/4 in)	Black Bullhead	10	1.7	0.8	20		0	93	3	
	Black Crappie	35	5.8	4.4	80	11	43	13	102	2
	Channel Catfish	5	0.2	0.2	0		0	91		
	Common Carp	10	1.7	0.7	10		0	87	4	
	Walleye	22	3.3	2.0	65	17	5	84	1	

10-Year Catch Per Unit Effort by Gear and Species

Catch per unit effort (CPUE) and average (Avg) of species across 10 years using different gear types.

* Methods/Species that ignore stock length

Gear	Species	CPUE										Avg	
		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023		
AFS gill net (1/2 inch)*	Black Bullhead						0.5						0.50
	Black Crappie						1.0						1.00
	Walleye						2.5						2.50
AFS std frame net	Black Bullhead				3.3								3.30
	Black Crappie				10.7								10.70
	Bluegill				4.5								4.50
	Common Carp				0.1								0.10
	Gizzard Shad				49.4								49.40
	Walleye				0.2								0.20
	White Sucker				0.9								0.90
AFS std gill net	Black Bullhead				1.3	0.5	0.0	12.8	2.0				3.32
	Black Crappie				3.8	2.0	0.0	0.5	2.0				1.66
	Channel Catfish				2.0	2.8	0.5	4.5	1.8				2.32
	Common Carp				1.0	0.3	0.3	2.5	3.5				1.52
	Gizzard Shad				20.3	3.0	0.3	0.5	2.8				5.38
	Largemouth Bass				0.0	0.0	0.0	0.5	0.8				0.26
	Walleye				0.8	5.5	1.5	3.3	2.3				2.68
	Yellow Perch				0.0	2.5	0.0	0.8	0.0				0.66
boat shocker (day)	Largemouth Bass								79.0	23.8	3.0		35.27
	Smallmouth Bass								14.0	3.0	2.0		6.33
	Walleye*								81.0	163.5	69.0		104.50
boat shocker (night)	Largemouth Bass	16.9	40.8	85.0	40.8	20.8	13.0	15.5					33.26
	Smallmouth Bass	1.2	9.6	5.0	2.4	7.5	0.0	12.5					5.46
	Walleye*	158.6	32.4	105.0	66.0	113.3	55.3	30.0					80.09
frame net (std 3/4 in)	Black Bullhead	56.5	82.9	31.2		11.9	10.6	11.3	38.3	2.6	1.7		27.44
	Black Crappie	39.3	48.0	48.9		29.1	62.5	89.3	233.3	62.0	5.8		68.69
	Bluegill	2.0	2.6	5.0		0.8	0.3	0.8	1.5	0.2	0.0		1.47
	Channel Catfish	0.0	0.4	0.6		0.2	1.0	0.3	0.1	0.2	0.2		0.33
	Common Carp	0.0	1.0	0.1		0.0	0.8	0.0	0.5	0.4	1.7		0.50
	Gizzard Shad	0.0	0.0	2.3		9.3	0.0	0.0	0.0	0.0	0.0		1.29
	Golden Shiner	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0		0.00
	Northern Pike	0.0	0.1	0.0		0.1	0.0	0.0	0.0	0.0	0.0		0.02
	Smallmouth Bass	0.0	0.0	0.0		0.0	0.1	0.0	1.5	0.0	0.0		0.18

		CPUE										
Gear	Species	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	Avg
frame net (std 3/4 in)	Walleye	0.8	0.3	0.3		4.6	2.1	2.5	1.4	0.4	3.3	1.74
	White Sucker	0.1	0.4	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.06
	Yellow Perch	0.3	0.5	2.0		0.5	0.4	0.0	0.6	0.0	0.0	0.48
rod and reel	Black Crappie				225.0							225.0 0
std exp gill net	Black Bullhead	0.5	23.0	13.5								12.33
	Black Crappie	17.0	3.5	5.0								8.50
	Channel Catfish	1.5	0.5	6.5								2.83
	Common Carp	0.5	0.5	0.0								0.33
	Gizzard Shad	1.5	32.0	25.5								19.67
	Golden Shiner	0.0	0.0	0.0								0.00
	Largemouth Bass	0.0	1.0	1.5								0.83
	Northern Pike	0.5	2.5	0.5								1.17
	Smallmouth Bass	0.0	0.5	0.0								0.17
	Walleye	17.0	7.5	11.5								12.00
	White Sucker	0.0	0.0	0.0								0.00
	Yellow Perch	4.5	3.0	0.0								2.50

10-Year Size Structure and Condition Statistics by Gear and Species

Species proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) collected by different gear types across 10 years.

Gear	Species	Index	Year											
			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023		
AFS std frame net	Black Bullhead	PSD				6								
		PSD-P				0								
		Wr				88								
	Black Crappie	PSD				93								
		PSD-P				27								
		Wr				96								
	Common Carp	PSD				100								
		PSD-P				0								
		Wr				87								
	Gizzard Shad	PSD				2								
		Wr				86								
	Walleye	PSD				100								
		PSD-P				50								
		Wr				78								
	AFS std gill net	Black Bullhead	PSD				0	50	0	0	0			
PSD-P						0	0	0	0	0				
Wr						74	120		88	79				
Black Crappie		PSD				7	88		50	88				
		PSD-P				0	25		50	0				
		Wr				101	109		104	110				
Channel Catfish		PSD				38	0	50	33	71				
		PSD-P				0	0	0	0	0				
		Wr				83	94	93	83	81				
Common Carp		PSD				25	100	100	30	0				
		PSD-P				0	0	0	0	0				
		Wr				82	76	76	83	82				
Gizzard Shad		PSD				6	92	100	100	82				
		Wr				87	104	79	98	98				
Largemouth Bass		PSD								0	0			
		PSD-P								0	0			
		Wr								121	104			
Walleye		PSD				100	18	67	23	33				
	PSD-P				33	18	0	0	11					

Gear	Species	Index	Year											
			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023		
AFS std gill net	Walleye	Wr				79	97	89	86	88				
boat shocker (day)	Largemouth Bass	PSD									22	91	100	
		PSD-P									4	4	0	
		Wr									109	107	117	
	Smallmouth Bass	PSD										0	33	50
		PSD-P										0	0	0
		Wr										96	104	101
	Walleye	PSD										67	54	50
		PSD-P										8	15	50
		Wr										96	91	91
boat shocker (night)	Largemouth Bass	PSD	36	32	11	21	100	13	0					
		PSD-P	7	3	5	12	20	13	0					
		Wr	115	105	101	108	117	106	115					
	Smallmouth Bass	PSD	100	13	0	0	17	0	4					
		PSD-P	0	0	0	0	17	0	0					
		Wr	109	92	96	101	109		108					
	Walleye	PSD	32	100	74	67	38	36	19					
		PSD-P	3	26	22	21	12	10	8					
		Wr	100	98	90	92	95	96	93					
frame net (std 3/4 in)	Black Bullhead	PSD	2	2	18		13	75	13	2	0	20		
		PSD-P	0	0	0		0	0	0	0	0	0		
		Wr	70	76	78		80	92	85	67	84	93		
	Black Crappie	PSD	52	80	91		29	67	29	59	67	80		
		PSD-P	35	8	25		2	10	3	30	22	43		
		Wr	90	91	97		92	98	98	98	101	102		
	Channel Catfish	PSD	0	33	33		50	20	0	0	0	0		
		PSD-P	0	0	0		0	0	0	0	0	0		
		Wr		100	105		104	91	94	88	89	91		
	Common Carp	PSD	0	75	0		0	100	0	0	50	10		
		PSD-P	0	13	0		0	0	0	0	0	0		
		Wr		81	81			81			87	87		
	Gizzard Shad	PSD		0	0		0							
		Wr					75							
	Smallmouth Bass	PSD							100		0			
		PSD-P							0		0			
		Wr							113		100			

Gear	Species	Index	Year									
			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
frame net (std 3/4 in)	Walleye	PSD	100	50	100		89	57	27	45	50	65
		PSD-P	17	50	33		43	29	13	27	0	5
		Wr	85	107	94		86	93	87	91	89	84
rod and reel	Black Crappie	PSD					96					
		PSD-P					22					
std exp gill net	Black Bullhead	PSD	0	11	0							
		PSD-P	0	0	0							
		Wr	80	88	81							
	Black Crappie	PSD	3	86	60							
		PSD-P	3	29	20							
		Wr	92	92	96							
	Channel Catfish	PSD	100	100	62							
		PSD-P	33	0	8							
		Wr	102	90	85							
	Common Carp	PSD	100	100								
		PSD-P	100	0								
		Wr		80								
	Gizzard Shad	PSD	100	13	8							
		Wr	86	90								
	Largemouth Bass	PSD		0	0							
		PSD-P		0	0							
		Wr		96	97							
	Smallmouth Bass	PSD		0								
		PSD-P		0								
		Wr		75								
	Walleye	PSD	59	87	87							
PSD-P		0	20	43								
Wr		84	89	90								

Length at Capture

Mean length at capture by age across years sampled, sample size (N).

Species: Black Crappie

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2015	784		131 (26)	212 (171)	216 (527)	252 (55)	252 (5)				
2014	544			180 (358)	255 (23)	261 (117)	274 (46)				

Species: Largemouth Bass

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2016	172	183 (8)	240 (146)	332 (8)	379 (4)	385 (2)	455 (2)	426 (2)			
2015	100	200 (78)	301 (12)	336 (10)							

Species: Walleye

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2020	13		299 (10)	390 (1)	438 (2)						
2019	5	202 (1)	362 (1)	405 (2)			502 (1)				
2018	21	276 (6)	345 (12)			565 (3)					
2016	42		342 (6)	500 (25)	511 (5)	565 (4)			596 (2)		
2015	30	276 (2)	409 (18)		535 (2)		496 (2)	531 (6)			
2014	80	217 (12)	324 (4)	379 (38)	414 (2)		439 (24)				

Fish Condition

Mean relative weight (Wr) by sample size (N), length category stock to quality (S-Q), quality to preferred (Q-P), preferred to memorable (P-M), and memorable (M) for species collected across survey years with standard error (SE).


Species	Year	Length Groups							
		S-Q		Q-P		P-M		M	
		N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
Black Bullhead Gill Net	2019	0		0		0		0	
	2020	51	88 (1.3)	0		0		0	
	2021	8	79 (3.8)	0		0		0	
Black Crappie Frame Net	2019	206	97 (0.9)	358	97 (0.4)	61	102 (0.6)	0	
	2020	382	107 (0.6)	136	89 (0.5)	18	83 (1.0)	0	
	2021	771	100 (0.4)	542	97 (0.6)	533	92 (0.9)	20	86
	2022	103	100 (0.7)	139	101 (0.9)	67	99 (2.7)	1	
	2023	7	112 (3.8)	13	103 (2.6)	15	97 (1.4)	0	
Channel Catfish Gill Net	2019	1	93	1	93	0		0	
	2020	12	85 (1.5)	6	80 (1.7)	0		0	
	2021	2	87 (2.5)	5	79 (2.6)	0		0	
Common Carp Gill Net	2019	0		1	76	0		0	
	2020	7	84 (1.7)	3	80 (1.0)	0		0	
	2021	14	82 (1.1)	0		0		0	
Largemouth Bass Electro Fishing	2019	13	105 (1.7)	0		2	112 (1.4)	0	
	2020	31	115 (1.6)	0		0		0	
	2021	62	109 (0.7)	14	108 (1.3)	3	115 (1.6)	0	
	2022	2	109 (10.1)	20	107 (1.6)	1	105	0	
	2023	0		3	117 (1.1)	0		0	
Smallmouth Bass Electro Fishing	2020	24	108 (1.5)	1	94	0		0	
	2021	14	96 (1.5)	0		0		0	
	2022	2	106 (3.4)	1	99	0		0	
	2023	1	100	1	102	0		0	

Species	Year	Length Groups							
		S-Q		Q-P		P-M		M	
		N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
Walleye Gill Net	2019	2	89 (3.8)	4	89 (1.2)	0		0	
	2020	10	88 (1.1)	3	81 (2.3)	0		0	
	2021	6	88 (2.4)	2	87 (2.0)	1	92	0	




Length Frequency Distribution




Length frequency histogram of species sampled by year.

Species: Black Bullhead
Gear: AFS std gill net





Species: Black Crappie
Gear: frame net (std 3/4 in)










Species: Channel Catfish
 Gear: AFS std gill net




Species: Common Carp
 Gear: AFS std gill net




Species: Largemouth Bass
 Gear: boat shocker (day)






2023


Species: Largemouth Bass
Gear: boat shocker (night)



2018




2019




2020

Species: Smallmouth Bass
Gear: boat shocker (day)





2021

Species: Smallmouth Bass
Gear: boat shocker (night)



Species: Walleye
Gear: AFS std gill net




Historic Fish Sizes and Relative Abundance

Size distribution per net by color for species sampled by year.


Species: Black Bullhead

Gear: AFS std gill net




Species: Black Bullhead


Gear: std exp gill net




Species: Black Crappie
Gear: AFS std frame net




Species: Black Crappie
Gear: frame net (std 3/4 in)




Species: Channel Catfish
Gear: AFS std gill net




Species: Channel Catfish
Gear: std exp gill net




Species: Common Carp
Gear: AFS std gill net




Species: Common Carp
Gear: std exp gill net




Species: Largemouth Bass
Gear: boat shocker (day)




Species: Largemouth Bass
Gear: boat shocker (night)




Species: Smallmouth Bass
Gear: boat shocker (day)




Species: Smallmouth Bass
Gear: boat shocker (night)



Species: Walleye
Gear: AFS std gill net



Species: Walleye
Gear: std exp gill net



Fish Stocking

Number of fish stocked by year, species, and size.

Year	Species	Size	Number
2012	Gizzard Shad	Adult	54
2012	Largemouth Bass	Fingerling	13,320
2013	Gizzard Shad	Adult	35
2013	Walleye	Large Fingerling	4,000
2014	Channel Catfish	Adult	200
2014	Gizzard Shad	Adult	50
2014	Largemouth Bass	Juvenile	400
2014	Yellow Perch	Adult	650
2015	Gizzard Shad	Adult	13
2015	Smallmouth Bass	Adult	380
2015	Walleye	Fingerling	900
2016	Walleye	Fingerling	25,500
2017	Walleye	Small Fingerling	20,900
2018	Walleye	Small Fingerling	50,000
2019	Walleye	Small Fingerling	21,420
2021	Walleye	Small Fingerling	30,000
2022	Walleye	Juvenile	47,624
2023	Walleye	Juvenile	35,000