

## Sheridan Lake

Sheridan Lake is a 370-acre reservoir located on Spring Creek 20 miles southwest of Rapid City on Sheridan Lake road. The primary species within the lake are Black Crappie, Largemouth Bass, Rainbow Trout, Yellow Perch, Bluegill, Smallmouth Bass and Walleye. The secondary species would be Rudd, Rock Bass, Black Bullhead and White Sucker.

**Black Crappie.** Sheridan Lake is home to a Black Crappie population, with 2023 surveys having an average of 1 fish per trap net with fish averaging 8-10 inches.

**Largemouth Bass.** Sheridan Lake has some nice Largemouth Bass. The 2023 surveys had an average of 89 fish caught per hour of nighttime boat electrofishing with the average length between 10-17 inches with several fish at 20 inches.

**Rainbow Trout.** Rainbow Trout are stocked on a yearly basis in Sheridan Lake. The 2023 surveys had .5 fish per gillnet. There were 23,403 rainbow trout stocked in 2023 with an average of 15 inches.

**Yellow Perch.** Sheridan has historically been a good yellow perch fishery. While the numbers of perch have dropped since the introduction of bluegill, fisherman still have some success targeting the perch. The surveys for 2023 had an average of 12.8 fish per gill net and 21 fish per trap net with an average length of 6-10 inches.

**Bluegill.** Sheridan Lake's bluegill population first showed up in 2015. The 2023 surveys had an average of .3 fish per gill net and 174.3 fish per trap net with an average size range of 7-8 inches.

**Smallmouth Bass.** Sheridan is home to a small population of Smallmouth Bass. The 2023 boat electrofishing survey had 2 fish caught within the 7–11-inch range.

**Walleye.** Sheridan has been stocked with walleye since 2021. In 2023 there were 66,855 juvenile and 1468 catchable fish stocked. The 2023 surveys had .3 walleye per gill net, .9 fish per trap net and 4 fish surveyed during a nighttime boat electrofishing. All fish sampled were within the 10-15 inch range.

**SOUTH DAKOTA STATEWIDE FISHERIES SURVEY**  
**Sheridan, Pennington County**  
**MCS-Lake-11-000**  
**2023**

**Lake Information**

**Name:** Sheridan  
**County:** Pennington  
**Surface Area:** 370 Acres

**Surveys and Investigations**

Survey methods used by gear type, date, and effort.

Gear	Date	Effort
AFS std gill net	Jul 11, 2023	6 net-nights
boat shocker (night)	Oct 24, 2023	3600 seconds
frame net (std 3/4 in)	Jul 11, 2023	8 net-nights

## **Common Fish Species Present**

Black Crappie

Largemouth Bass

Rainbow Trout

Yellow Perch

Bluegill

Rudd

White Sucker

Walleye

Smallmouth Bass

Rock Bass

---

## Terminology

Catch per unit effort (**CPUE**) refers to the relative abundance of a species. It is defined as the number of fish captured per unit of effort (i.e., number of fish captured per net-night or number of fish captured per hour electrofishing). In this report CPUE is typically given for only stock-length fish (see length categories table for stock lengths).

A statewide effort to help make netting efforts comparable to all waters sampled across the state, occurred in 2017, with a switch to American Fisheries Society gill nets. Past gill netting efforts were completed with different style/types of nets and are not comparable side by side.

- **AFS std gill net** – 80 ft experimental gill net containing eight panels (10 ft each) of varying monofilament meshes of 0.75, 1.00, 1.25, 1.50, 1.75, 2.00, 2.25 and 2.50 inches.
- **std experimental gill net for non-Missouri River waters** - 150 ft experimental gill net containing six panels (25 ft each) of varying monofilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.
- **std experimental gill net for Missouri River reservoirs** – 300 ft experimental gill net containing six panels (50 ft each) of varying multifilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.

$$CPUE = \frac{\text{number of fish}}{\text{effort}}$$

Population size structure is quantified using the indices proportional size distribution of quality-length fish (**PSD**) and proportional size distribution of preferred-length fish (**PSD-P**). These indices indicate the proportion of stock-length fish that are equal to or greater than a given length. Minimum lengths for stock, quality and preferred length fish are given in the length categories table.

$$PSD = \left( \frac{\text{number of fish} \geq \text{quality length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

$$PSD - P = \left( \frac{\text{number of fish} \geq \text{preferred length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

Relative weight (**Wr**) is used to quantify fish plumpness. Relative weight is the ratio of what a fish weighs (*W*) compared to a length-specific standard weight (*Ws*) multiplied by 100. Relative weight values of 95-105 are commonly cited as optimum values, but values in the 80s are common during summer sampling in South Dakota.

$$Wr = \left( \frac{W}{W_s} \right) \times 100$$

Confidence intervals (CI) are provided for many of the estimates calculated in this report. The confidence interval provides a range in which the true mean is expected to fall. For example, with an 80% CI we are 80% confident that the interval contains the true value.

Length categories include stock (S), quality (Q), preferred (P), memorable (M) and trophy (T). Length categories for most species have been defined based on a percentage of the world record length for that species. Some species mentioned in this report do not have defined length categories. Length categories for species used in this report are provided in the following table. Measurements are the minimum total length for each category and are reported in inches (in) and centimeters (cm).

Species Name	Stock		Quality		Preferred		Memorable		Trophy	
	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)
Black Bullhead	6	15	9	23	12	30	15	38	18	46
Black Crappie	5	13	8	20	10	25	12	30	15	38
Bluegill	3	8	6	15	8	20	10	25	12	30
Brown Trout	8	20	12	30	16	40	20	50	18	46
Channel Catfish	11	28	16	41	24	61	28	71	36	91
Freshwater Drum	8	20	12	30	15	38	20	51	25	63
Lake Trout	12	30	20	50	26	65	31	80	39	100
Largemouth Bass	8	20	12	30	15	38	20	51	25	63
Muskellunge	20	51	30	76	38	97	42	107	50	127
Northern Pike	14	35	21	53	28	71	34	86	44	112
Pumpkinseed	3	8	6	15	8	20	10	25	12	30
Rainbow Trout	10	25	16	40	20	50	26	65	31	80
Rudd	6	15	10	25	12	30	15	38	19	48
Sauger	8	20	12	30	15	38	20	51	25	63
Smallmouth Bass	7	18	11	28	14	35	17	43	20	51
Walleye	10	25	15	38	20	51	25	63	30	76
White Bass	6	15	9	23	12	30	15	38	18	46
White Crappie	5	13	8	20	10	25	12	30	15	38
Yellow Bullhead	4	10	7	18	9	23	11	28	14	36
Yellow Perch	5	13	8	20	10	25	12	30	15	38

## Catch Summary of Stock Length Fish

Catch per unit effort (CPUE), proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) for species sampled in survey with 80% confidence interval (CI-80).

\* **Methods/Species that ignore stock length**

Gear	Species	Sample Size (n)	Abundance		Stock Density Indices			Condition		
			CPUE	CI-80	PSD	CI-80	PSD-P	CI-80	Wr	CI-80
AFS std gill net	Bluegill	2	0.3	0.5	100		100		99	2
	Northern Pike	9	1.5	1.1	67		44		97	6
	Rainbow Trout	3	0.5	0.5	0		0		90	2
	Walleye	2	0.3	0.3	0		0		80	3
	White Sucker	32	5.3	2.7	100		100		102	3
	Yellow Perch	77	12.8	9.8	38	8	6		98	1
boat shocker (night)	Largemouth Bass	92	89.0	33.7	57	7	22	6	102	1
	Smallmouth Bass	2	2.0	3.0	0		0		92	7
	Walleye*	4	4.0	3.0	25		0		76	4
frame net (std 3/4 in)	Black Bullhead	6	0.8	0.5	83		83		96	4
	Black Crappie	8	1.0	0.9	75		38		91	9
	Bluegill	1392	174.0	55.6	65	2	33	2	108	1
	Green Sunfish	6	0.8	0.7	100		17		130	5
	Northern Pike	6	0.8	0.4	17		0		79	5
	Rock Bass	13	1.6	0.8	46	23	0		97	3
	Rudd	550	68.8	30.7	95	1	55	3		
	Walleye	7	0.9	0.7	86		14		83	4
	White Sucker	5	0.6	0.7	100		100		92	3
	Yellow Perch	169	21.0	11.5	77	5	19	4	93	1

## 10-Year Catch Per Unit Effort by Gear and Species

Catch per unit effort (CPUE) and average (Avg) of species across 10 years using different gear types.

\* Methods/Species that ignore stock length

Gear	Species	CPUE										Avg
		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	
AFS std gill net	Black Bullhead					0.4		0.0	0.1	0.0	0.0	0.10
	Black Crappie					0.1		0.3	0.3	0.0	0.0	0.14
	Bluegill					1.0		9.4	4.3	0.3	0.3	3.06
	Golden Shiner					0.0		0.0	0.0	0.0	0.0	0.00
	Largemouth Bass					0.3		0.5	0.4	0.0	0.0	0.24
	Northern Pike					2.1		1.3	1.1	1.2	1.5	1.44
	Rainbow Trout					2.5		3.8	1.0	1.0	0.5	1.76
	Rock Bass					0.5		0.0	0.1	0.0	0.0	0.12
	Rudd					0.5		0.0	4.5	0.0	0.0	1.00
	Smallmouth Bass					0.1		0.3	0.3	0.2	0.0	0.18
	Walleye					0.0		0.0	0.0	0.0	0.3	0.06
	White Sucker					1.4		1.9	2.8	3.7	5.3	3.02
	Yellow Perch					18.0		12.3	16.3	1.0	12.8	12.08
boat shocker (day)	Largemouth Bass									29.0	29.00	
boat shocker (night)	Largemouth Bass	75.0	55.0	62.0		120.0	80.4	30.0	10.0		89.0	65.18
	Smallmouth Bass	5.0	3.0	3.0		7.2	0.0	0.0	0.0		2.0	2.53
	Walleye*	0.0	0.0	0.0		1.2	1.5	0.0	0.0		4.0	0.84
frame net (std 3/4 in)	Black Bullhead		6.1			2.3			0.1		0.8	2.33
	Black Crappie		9.8			2.0			1.3		1.0	3.53
	Bluegill		0.0			24.8			81.3		174.0	70.03
	Golden Shiner		0.0			0.0			0.0		0.0	0.00
	Green Sunfish		0.6			0.3			0.6		0.8	0.58
	Largemouth Bass		0.0			0.7			0.0		0.0	0.18
	Northern Pike		0.3			0.6			0.6		0.8	0.58
	Rainbow Trout		1.8			0.1			0.0		0.0	0.48
	Rock Bass		7.8			11.9			3.8		1.6	6.28
	Rudd		3.3			30.8			18.9		68.8	30.45
	Smallmouth Bass		0.3			0.0			0.0		0.0	0.08
	Walleye		0.0			0.0			0.0		0.9	0.23
	White Sucker		0.1			0.9			0.5		0.6	0.53
Yellow Perch		14.6			13.7			10.4		21.0	14.93	
std exp gill net	Black Crappie	0.0	7.5	0.5								2.67
	Golden Shiner	0.0	0.0	0.0								0.00

CPUE

Gear	Species	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	Avg
std exp gill net	Largemouth Bass	0.0	0.0	0.0								0.00
	Northern Pike	0.5	1.5	1.5								1.17
	Rainbow Trout	2.5	6.0	1.0								3.17
	Rock Bass	1.0	0.0	0.5								0.50
	Smallmouth Bass	0.0	0.0	1.5								0.50
	White Sucker	0.5	0.0	3.0								1.17
	Yellow Perch	40.0	40.0	56.0								45.33



## 10-Year Size Structure and Condition Statistics by Gear and Species

Species proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) collected by different gear types across 10 years.

Gear	Species	Index	Year												
			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023			
AFS std gill net	Black Crappie	PSD					0	100	100						
		PSD-P					0	0	0						
		Wr					76	104	101						
	Bluegill	PSD					0	87	68	50	100				
		PSD-P					0	9	26	50	100				
		Wr					95	105	108	106	99				
	Largemouth Bass	PSD					0	75	33						
		PSD-P					0	50	0						
		Wr					94	99	112						
	Rainbow Trout	PSD					55	17	63	0	0				
		PSD-P					0	0	0	0	0				
		Wr					85	86	81	91	90				
	Rock Bass	PSD					0		100						
		PSD-P					0		0						
		Wr					81		84						
	Rudd	PSD					100		97						
		PSD-P					100		69						
	Smallmouth Bass	PSD					100	100	50	100					
PSD-P						0	100	0	100						
Wr						134	98	101	104						
Walleye	PSD													0	
	PSD-P													0	
	Wr													80	
White Sucker	PSD					100	100	100	100	100					
	PSD-P					100	100	100	100	100					
	Wr					100	93	96	100	102					
Yellow Perch	PSD					70	62	85	33	38					
	PSD-P					31	10	20	0	6					
	Wr					93	102	94	99	98					
boat shocker (day)	Largemouth Bass	PSD											72		
		PSD-P											38		
		Wr											109		

Gear	Species	Index	Year										
			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	
boat shocker (night)	Largemouth Bass	PSD	64	51	61		42	50	83	100		57	
		PSD-P	17	16	23		8	15	27	40		22	
		Wr	99	107	107		101	111	105	107		102	
	Smallmouth Bass	PSD	60	0	33		33					0	
		PSD-P	20	0	33		0					0	
		Wr	89	104	96		91					92	
	Walleye	PSD					0	0				25	
		PSD-P					0	0				0	
		Wr					103	108				76	
	frame net (std 3/4 in)	Black Crappie	PSD		37			56			90		75
			PSD-P		4			11			0		38
			Wr		104			92			94		91
Bluegill		PSD					93			53		65	
		PSD-P					8			24		33	
		Wr					126			102		108	
Largemouth Bass		PSD		0			17						
		PSD-P		0			0						
		Wr					99						
Rainbow Trout		PSD		29			100						
		PSD-P		0			0						
		Wr		81			91						
Rock Bass		PSD		19			30			27		46	
		PSD-P		0			1			7		0	
		Wr		103			93			84		97	
Rudd		PSD		100			67			96		95	
		PSD-P		69			54			44		55	
Smallmouth Bass		PSD		50									
	PSD-P		0										
	Wr		95										
Walleye	PSD										86		
	PSD-P										14		
	Wr										83		
White Sucker	PSD		100			88			100		100		
	PSD-P		100			88			100		100		
	Wr		95			87			91		92		
Yellow Perch	PSD		56			86			65		77		
	PSD-P		6			27			10		19		

Gear	Species	Index	Year									
			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
frame net (std 3/4 in)	Yellow Perch	Wr		93			94			85		93
std exp gill net	Black Crappie	PSD		47	100							
		PSD-P		0	0							
		Wr		87	99							
	Rainbow Trout	PSD	0	25	0							
		PSD-P	0	0	0							
		Wr	90	80	84							
	Rock Bass	PSD	0		0							
		PSD-P	0		0							
		Wr	85		96							
	Smallmouth Bass	PSD			0							
		PSD-P			0							
		Wr			105							
	White Sucker	PSD	100		100							
		PSD-P	100		100							
		Wr	99		102							
	Yellow Perch	PSD	40	69	82							
		PSD-P	1	3	9							
		Wr	106	101	98							

## Length at Capture

Mean length at capture by age across years sampled, sample size (N).

Species: Black Crappie

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2015	79		119 (1)		191 (67)	207 (8)	249 (3)	300 (1)			

Species: Largemouth Bass

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2015	80	330 (1)	154 (1)	181 (22)	208 (25)	263 (8)	352 (15)	387 (7)		367 (1)	
2014	100		169 (8)	179 (24)	263 (26)	303 (9)	353 (20)	350 (17)	344 (2)	422 (1)	

Species: Smallmouth Bass

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2015	2		177 (1)		260 (1)						
2014	8			186 (2)	245 (6)						

Species: Yellow Perch

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2018	144	148 (10)	151 (23)	191 (18)	253 (3)	225 (11)	250 (14)	252 (61)		281 (2)	245 (4)
2016	107	165 (1)	185 (3)	195 (19)	224 (32)	233 (32)	230 (7)	223 (2)	234 (3)	234 (6)	
2015	80	144 (2)	188 (9)	203 (43)	227 (22)	265 (2)	243 (2)				
2014	78		181 (9)	188 (47)	203 (1)	230 (6)		235 (13)			234 (2)

## Fish Condition

Mean relative weight (Wr) by sample size (N), length category stock to quality (S-Q), quality to preferred (Q-P), preferred to memorable (P-M), and memorable (M) for species collected across survey years with standard error (SE).



Species	Year	Length Groups							
		S-Q		Q-P		P-M		M	
		N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
Black Crappie Frame Net	2021	1	110	9	92 (2.1)	0		0	
	2023	2	107 (2.0)	3	95 (7.5)	3	77 (13.8)	0	
Bluegill Frame Net	2021	305	99 (0.5)	191	105 (0.5)	154	101 (0.7)	0	
	2023	489	118 (1.8)	445	113 (0.9)	458	102 (0.8)	0	
Largemouth Bass Electro Fishing	2019	24	111 (9.5)	17	108 (3.8)	7	114 (5.4)	0	
	2020	5	103 (5.3)	17	103 (2.3)	8	109 (3.0)	0	
	2021	0		3	104 (4.2)	2	110 (8.6)	0	
	2022	8	108 (4.0)	10	107 (2.3)	11	111 (1.8)	0	
	2023	38	101 (0.8)	31	103 (1.4)	20	106 (2.3)	0	
Rainbow Trout Gill Net	2020	25	87 (3.3)	5	80 (3.1)	0		0	
	2021	3	90 (2.9)	5	75 (2.5)	0		0	
	2022	6	91 (6.1)	0		0		0	
	2023	3	90 (1.3)	0		0		0	
Smallmouth Bass Electro Fishing	2023	2	92 (5.6)	0		0		0	
Walleye Gill Net	2023	2	80 (2.6)	0		0		0	
White Sucker Gill Net	2020	0		0		1	99	14	93 (2.5)
	2021	0		0		4	100 (2.5)	18	95 (2.3)
	2022	0		0		3	98 (3.5)	19	100 (1.6)
	2023	0		0		5	103 (4.5)	27	102 (2.2)
Yellow Perch Gill Net	2020	37	117 (15.3)	51	94 (0.8)	10	88 (2.2)	0	
	2021	20	95 (2.4)	84	94 (0.8)	25	93 (5.1)	1	0
	2022	4	97 (7.0)	2	102 (9.9)	0		0	

Species	Year	Length Groups							
		S-Q		Q-P		P-M		M	
		N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
Yellow Perch Gill Net	2023	48	100 (1.3)	24	97 (1.7)	5	91 (3.3)	0	



## Length Frequency Distribution


Length frequency histogram of species sampled by year.

Species: Black Crappie  
Gear: frame net (std 3/4 in)




Species: Bluegill  
Gear: frame net (std 3/4 in)









Species: Largemouth Bass  
Gear: boat shocker (day)





Species: Largemouth Bass  
Gear: boat shocker (night)










Species: Rainbow Trout  
Gear: AFS std gill net








Species: Rudd  
Gear: frame net (std 3/4 in)









Species: White Sucker  
 Gear: AFS std gill net






Species: Yellow Perch  
Gear: AFS std gill net




## Historic Fish Sizes and Relative Abundance

Size distribution per net by color for species sampled by year.


Species: Black Crappie  
Gear: frame net (std 3/4 in)




Species: Bluegill  
Gear: frame net (std 3/4 in)




Species: Largemouth Bass  
Gear: boat shocker (day)




Species: Largemouth Bass  
Gear: boat shocker (night)




Species: Rainbow Trout  
Gear: AFS std gill net




Species: Rainbow Trout  
Gear: std exp gill net




Species: Rudd  
Gear: frame net (std 3/4 in)




Species: Smallmouth Bass  
Gear: boat shocker (night)



Species: Walleye  
Gear: AFS std gill net




Species: White Sucker  
Gear: AFS std gill net







Species: White Sucker  
Gear: std exp gill net



Species: Yellow Perch  
Gear: AFS std gill net



Species: Yellow Perch  
Gear: std exp gill net



## **Fish Stocking**

Number of fish stocked by year, species, and size.

Year	Species	Size	Number
2012	Rainbow Trout (Erwin x Arlee)	Catchable	9,000
2012	Rainbow Trout (McConaugRainbow Trout)	Catchable	5,000
2012	Rainbow Trout (McConaugRainbow Trout)	Catchable 11"	5,000
2012	Smallmouth Bass	Adult	285
2013	Rainbow Trout (Erwin x Arlee)	Catchable	9,000
2013	Rainbow Trout (McConaugRainbow Trout)	Catchable 11"	10,000
2013	Smallmouth Bass	Fingerling	6,890
2014	Rainbow Trout (Erwin x Arlee)	Catchable	1,000
2014	Rainbow Trout (Shasta)	Catchable	8,079
2014	Rainbow Trout (Shasta)	Catchable 11"	10,000
2015	Rainbow Trout (Ennis)	Catchable 11"	3,139
2015	Rainbow Trout (Shasta)	Catchable 11"	15,861
2016	Rainbow Trout (Shasta)	Catchable 11"	19,421
2016	Smallmouth Bass	Adult	300
2017	Rainbow Trout (Erwin x Arlee)	Catchable 11"	10,190
2017	Rainbow Trout (Shasta)	Catchable 11"	10,188
2017	Smallmouth Bass	Adult	275
2017	Walleye	Large Fingerling	14,000
2018	Rainbow Trout (Erwin x Arlee)	Catchable	7,296
2018	Rainbow Trout (Erwin x Arlee)	Catchable 11"	2,276
2018	Rainbow Trout (Shasta)	Catchable	9,877
2018	Rainbow Trout (Shasta)	Catchable 11"	524
2018	Rainbow Trout (Shasta)	Juvenile	2,800
2018	Smallmouth Bass	Juvenile	250
2019	Rainbow Trout (Erwin x Arlee)	Catchable	1,420
2019	Rainbow Trout (Erwin x Arlee)	Catchable 11"	7,482
2019	Rainbow Trout (Shasta)	Catchable 11"	10,968
2019	Walleye	Large Fingerling	4,080
2019	Walleye	Small Fingerling	21,420
2020	Rainbow Trout (Arlee)	Catchable 11"	2,980
2020	Rainbow Trout (Gerrard)	Adult	3,066
2020	Rainbow Trout (Shasta)	Adult	5,695
2020	Rainbow Trout (Shasta)	Catchable 11"	6,450
2020	Rainbow Trout (Shasta)	Catchable 15"	666

2021	Rainbow Trout (Arlee)	Adult	10,191
2021	Rainbow Trout (Gerrard)	Adult	5,546
2021	Rainbow Trout (Trout Lodge)	Adult	6,384
2021	Walleye	Juvenile	6,975
2021	Walleye	Small Fingerling	15,000
2022	Rainbow Trout (Arlee)	Adult	2,054
2022	Rainbow Trout (Gerrard)	Adult	8,252
2022	Rainbow Trout (Shasta)	Adult	10,292
2022	Walleye	Fry	85,000
2022	Walleye	Juvenile	21,024
2023	Rainbow Trout	Adult	23,403
2023	Walleye	Adult	1,468
2023	Walleye	Juvenile	66,855

---