

SOUTH DAKOTA STATEWIDE FISHERIES SURVEY
New Underwood Dam, Pennington County
MCE-Lake-8-000
2024

Lake Information

Name: New Underwood Dam
County: Pennington
Surface Area: 18 Acres

Surveys and Investigations

Survey methods used by gear type, date, and effort.

Gear	Date	Effort
boat shocker (night)	Oct 23, 2024	1150 seconds
frame net (std 3/4 in)	Jul 15, 2024	4 net-nights

Common Fish Species Present

Largemouth Bass

Yellow Perch

Channel Catfish

Bluegill

Black Crappie

Black Bullhead

Northern Pike

Golden Shiner

Terminology

Catch per unit effort (**CPUE**) refers to the relative abundance of a species. It is defined as the number of fish captured per unit of effort (i.e., number of fish captured per net-night or number of fish captured per hour electrofishing). In this report CPUE is typically given for only stock-length fish (see length categories table for stock lengths).

A statewide effort to help make netting efforts comparable to all waters sampled across the state, occurred in 2017, with a switch to American Fisheries Society gill nets. Past gill netting efforts were completed with different style/types of nets and are not comparable side by side.

- **AFS std gill net** – 80 ft experimental gill net containing eight panels (10 ft each) of varying monofilament meshes of 0.75, 1.00, 1.25, 1.50, 1.75, 2.00, 2.25 and 2.50 inches.
- **std experimental gill net for non-Missouri River waters** - 150 ft experimental gill net containing six panels (25 ft each) of varying monofilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.
- **std experimental gill net for Missouri River reservoirs** – 300 ft experimental gill net containing six panels (50 ft each) of varying multifilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.

$$CPUE = \frac{\text{number of fish}}{\text{effort}}$$

Population size structure is quantified using the indices proportional size distribution of quality-length fish (**PSD**) and proportional size distribution of preferred-length fish (**PSD-P**). These indices indicate the proportion of stock-length fish that are equal to or greater than a given length. Minimum lengths for stock, quality and preferred length fish are given in the length categories table.

$$PSD = \left(\frac{\text{number of fish} \geq \text{quality length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

$$PSD - P = \left(\frac{\text{number of fish} \geq \text{preferred length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

Relative weight (**Wr**) is used to quantify fish plumpness. Relative weight is the ratio of what a fish weighs (*W*) compared to a length-specific standard weight (*Ws*) multiplied by 100. Relative weight values of 95-105 are commonly cited as optimum values, but values in the 80s are common during summer sampling in South Dakota.

$$Wr = \left(\frac{W}{W_s} \right) \times 100$$

Confidence intervals (CI) are provided for many of the estimates calculated in this report. The confidence interval provides a range in which the true mean is expected to fall. For example, with an 80% CI we are 80% confident that the interval contains the true value.

Length categories include stock (S), quality (Q), preferred (P), memorable (M) and trophy (T). Length categories for most species have been defined based on a percentage of the world record length for that species. Some species mentioned in this report do not have defined length categories. Length categories for species used in this report are provided in the following table. Measurements are the minimum total length for each category and are reported in inches (in) and centimeters (cm).

Species Name	Stock		Quality		Preferred		Memorable		Trophy	
	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)
Black Bullhead	6	15	9	23	12	30	15	38	18	46
Black Crappie	5	13	8	20	10	25	12	30	15	38
Bluegill	3	8	6	15	8	20	10	25	12	30
Brown Trout	8	20	12	30	16	40	20	50	18	46
Channel Catfish	11	28	16	41	24	61	28	71	36	91
Freshwater Drum	8	20	12	30	15	38	20	51	25	63
Lake Trout	12	30	20	50	26	65	31	80	39	100
Largemouth Bass	8	20	12	30	15	38	20	51	25	63
Muskellunge	20	51	30	76	38	97	42	107	50	127
Northern Pike	14	35	21	53	28	71	34	86	44	112
Pumpkinseed	3	8	6	15	8	20	10	25	12	30
Rainbow Trout	10	25	16	40	20	50	26	65	31	80
Rudd	6	15	10	25	12	30	15	38	19	48
Sauger	8	20	12	30	15	38	20	51	25	63
Smallmouth Bass	7	18	11	28	14	35	17	43	20	51
Walleye	10	25	15	38	20	51	25	63	30	76
White Bass	6	15	9	23	12	30	15	38	18	46
White Crappie	5	13	8	20	10	25	12	30	15	38
Yellow Bullhead	4	10	7	18	9	23	11	28	14	36
Yellow Perch	5	13	8	20	10	25	12	30	15	38

Catch Summary of Stock Length Fish

Catch per unit effort (CPUE), proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) for species sampled in survey with 80% confidence interval (CI-80).

* **Methods/Species that ignore stock length**

Gear	Species	Sample Size (n)	Abundance		Stock Density Indices			Condition		
			CPUE	CI-80	PSD	CI-80	PSD-P	CI-80	Wr	CI-80
boat shocker (night)	Largemouth Bass	88	27.8	25.2	44		0		118	6
frame net (std 3/4 in)	Black Bullhead	979	230.0	49.6	39	2	10	1	115	1
	Black Crappie	778	181.3	63.2	3	1	1	1	119	1
	Channel Catfish	1	0.3	0.4	100		100		99	
	Golden Shiner	1	0.0	0.0						
	Northern Pike	1	0.3	0.4	100		0		111	
	Yellow Perch	19	4.8	4.2	74		16		90	3

10-Year Catch Per Unit Effort by Gear and Species

Catch per unit effort (CPUE) and average (Avg) of species across 10 years using different gear types.

* Methods/Species that ignore stock length

Gear	Species	CPUE										Avg
		2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	
AFS std frame net	Black Bullhead			0.5								0.50
	Black Crappie			13.8								13.80
	Bluegill			62.8								62.80
	Golden Shiner			0.0								0.00
	Green Sunfish			0.3								0.30
	Yellow Perch			1.3								1.30
boat shocker (day)	Largemouth Bass							162.0	61.5			111.75
boat shocker (night)	Largemouth Bass				102.0	144.0				38.6	27.8	78.10
frame net (std 3/4 in)	Black Bullhead	2.3			1.7	2.7		5.3	0.8	2.5	230.0	35.04
	Black Crappie	1.3			1.7	15.3		48.5	241.5	3.5	181.3	70.44
	Bluegill	67.0			24.3	21.7		162.5	335.8	0.0	0.0	87.33
	Catfish	0.0			0.0	0.0		0.0	0.0	0.0	0.0	0.00
	Channel Catfish	0.5			0.0	0.0		0.0	0.8	0.5	0.3	0.30
	Golden Shiner	0.0			0.0	0.0		0.0	0.0	0.0	0.0	0.00
	Green Sunfish	0.8			0.0	17.7		0.0	0.0	0.0	0.0	2.64
	Largemouth Bass	0.5			0.0	0.0		0.3	1.3	0.5	0.0	0.37
	Northern Pike	0.0			0.0	0.0		0.0	0.8	0.5	0.3	0.23
	White Sucker	0.3			0.0	0.0		0.0	0.3	0.0	0.0	0.09
	Yellow Perch	55.3			4.0	3.0		9.5	3.8	30.0	4.8	15.77

10-Year Size Structure and Condition Statistics by Gear and Species

Species proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) collected by different gear types across 10 years.

Gear	Species	Index	Year											
			2015	2016	2017	2018	2019	2020	2021	2022	2023	2024		
AFS std frame net	Black Bullhead	PSD			100									
		PSD-P			100									
		Wr			89									
	Black Crappie	PSD			44									
		PSD-P			7									
		Wr			96									
	Bluegill	PSD			59									
		PSD-P			8									
		Wr			99									
Yellow Perch	PSD			60										
	PSD-P			20										
	Wr			82										
boat shocker (day)	Largemouth Bass	PSD							41	50				
		PSD-P							34	39				
		Wr							94	106				
boat shocker (night)	Largemouth Bass	PSD				41	36					56	44	
		PSD-P				12	11					6	0	
		Wr				96	100					111	118	
frame net (std 3/4 in)	Black Bullhead	PSD	100			100	100		90	100	100	39		
		PSD-P	89			60	63		10	0	50	10		
		Wr	93			99	102		107	129	102	115		
	Black Crappie	PSD	100			40	83		4	4	7	3		
		PSD-P	0			0	9		1	1	0	1		
		Wr	99			101	97		94	93	109	119		
	Bluegill	PSD	91			86	97		21	17				
		PSD-P	1			3	3		1	1				
		Wr	106			106	108		104	89				
	Channel Catfish	PSD	50								33	50	100	
		PSD-P	50								0	0	100	
		Wr	83								85	84	99	
Largemouth Bass	PSD	100							0	100	0			
	PSD-P	100							0	80	0			

Gear	Species	Index	Year										
			2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	
frame net (std 3/4 in)	Largemouth Bass	Wr	103							85	95	99	
		PSD									0	100	100
	Northern Pike	PSD-P									0	0	0
		Wr									87	92	111
	Yellow Perch	PSD	41			75	89		34	27	17	74	
		PSD-P	0			0	0		3	7	0	16	
		Wr	95			100	97		83	75	100	90	

Length at Capture

Mean length at capture by age across years sampled, sample size (N).

Species: Bluegill

Year	N	Mean Length (expanded sample number) at capture by age									
		1	2	3	4	5	6	7	8	9	10+
2017	248	94 (1)	132 (94)	158 (51)	188 (72)	192 (22)	202 (8)				

Fish Condition






Mean relative weight (Wr) by sample size (N), length category stock to quality (S-Q), quality to preferred (Q-P), preferred to memorable (P-M), and memorable (M) for species collected across survey years with standard error (SE).

Species	Year	Length Groups							
		S-Q		Q-P		P-M		M	
		N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
Black Crappie Frame Net	2021	186	97 (0.8)	6	76 (1.9)	2	83	0	
	2022	930	94 (0.4)	28	71 (1.4)	8	76	0	
	2023	13	110 (4.4)	1	97	0		0	
	2024	702	119 (0.9)	17		6	101	0	
Bluegill Frame Net	2021	515	109 (1.2)	129	94 (1.2)	6	92	0	
	2022	1113	91 (0.5)	221	86 (1.8)	9	79	0	
Largemouth Bass Electro Fishing	2021	17	91 (0.7)	2	97 (5.9)	10	99 (1.6)	0	
	2022	9	99 (2.1)	2	119 (8.4)	7	112 (4.4)	0	
	2023	14	114 (4.5)	16	111 (3.1)	2	93 (25.5)	0	
	2024	5	126 (7.1)	4	109 (2.9)	0		0	




Length Frequency Distribution

Length frequency histogram of species sampled by year.



Species: Black Crappie
Gear: frame net (std 3/4 in)






Species: Bluegill
 Gear: frame net (std 3/4 in)



Species: Largemouth Bass
 Gear: boat shocker (day)




Species: Largemouth Bass
Gear: boat shocker (night)




Historic Fish Sizes and Relative Abundance

Size distribution per net by color for species sampled by year.


Species: Black Crappie
Gear: AFS std frame net




Species: Black Crappie
Gear: frame net (std 3/4 in)




Species: Bluegill
Gear: AFS std frame net




Species: Bluegill
Gear: frame net (std 3/4 in)



Species: Largemouth Bass
Gear: boat shocker (day)



Species: Largemouth Bass
Gear: boat shocker (night)



Fish Stocking

Number of fish stocked by year, species, and size.

Year	Species	Size	Number
2014	Channel Catfish	Adult	143
2014	Yellow Perch	Adult	325
2015	Channel Catfish	Adult	100
2016	Channel Catfish	Adult	200
2017	Channel Catfish	Adult	137
2018	Channel Catfish	Adult	219
2018	Largemouth Bass	Juvenile	272
2019	Channel Catfish	Adult	200
2020	Yellow Perch	Adult	600
2021	Channel Catfish	Adult	300
2022	Channel Catfish	Juvenile	40
2023	Channel Catfish	Adult	150
2023	Largemouth Bass	Adult	191
2023	Yellow Perch		1,600
2024	Channel Catfish	Adult	202
2024	Yellow Perch	Adult	700