

SOUTH DAKOTA STATEWIDE FISHERIES SURVEY

Elm, Brown County

ELM-Lake-5-800

2024

Lake Information

Name: Elm **Maximum Depth:** 34 Feet
County: Brown **Mean Depth:** 18 Feet
Surface Area: 1,221 Acres

Surveys and Investigations

Survey methods used by gear type, date, and effort.

Gear	Date	Effort
AFS std gill net	Aug 01, 2024	4 net-nights
AFS std gill net	Jul 30, 2024	4 net-nights
AFS std gill net	Jul 31, 2024	4 net-nights
frame net (std 3/4 in)	Aug 01, 2024	6 net-nights
frame net (std 3/4 in)	Jul 30, 2024	6 net-nights
frame net (std 3/4 in)	Jul 31, 2024	6 net-nights

Common Fish Species Present

Walleye

Black Crappie

Black Bullhead

Yellow Perch

White Sucker

Bluegill

Common Carp

Channel Catfish

Sunfish Hybrid

Northern Pike

Terminology

Catch per unit effort (**CPUE**) refers to the relative abundance of a species. It is defined as the number of fish captured per unit of effort (i.e., number of fish captured per net-night or number of fish captured per hour electrofishing). In this report CPUE is typically given for only stock-length fish (see length categories table for stock lengths).

A statewide effort to help make netting efforts comparable to all waters sampled across the state, occurred in 2017, with a switch to American Fisheries Society gill nets. Past gill netting efforts were completed with different style/types of nets and are not comparable side by side.

- **AFS std gill net** – 80 ft experimental gill net containing eight panels (10 ft each) of varying monofilament meshes of 0.75, 1.00, 1.25, 1.50, 1.75, 2.00, 2.25 and 2.50 inches.
- **std experimental gill net for non-Missouri River waters** - 150 ft experimental gill net containing six panels (25 ft each) of varying monofilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.
- **std experimental gill net for Missouri River reservoirs** – 300 ft experimental gill net containing six panels (50 ft each) of varying multifilament meshes of 0.5, 0.75, 1.00, 1.25, 1.50 and 2.00 inches.

$$CPUE = \frac{\text{number of fish}}{\text{effort}}$$

Population size structure is quantified using the indices proportional size distribution of quality-length fish (**PSD**) and proportional size distribution of preferred-length fish (**PSD-P**). These indices indicate the proportion of stock-length fish that are equal to or greater than a given length. Minimum lengths for stock, quality and preferred length fish are given in the length categories table.

$$PSD = \left(\frac{\text{number of fish} \geq \text{quality length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

$$PSD - P = \left(\frac{\text{number of fish} \geq \text{preferred length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

Relative weight (**Wr**) is used to quantify fish plumpness. Relative weight is the ratio of what a fish weighs (*W*) compared to a length-specific standard weight (*Ws*) multiplied by 100. Relative weight values of 95-105 are commonly cited as optimum values, but values in the 80s are common during summer sampling in South Dakota.

$$Wr = \left(\frac{W}{W_s} \right) \times 100$$

Confidence intervals (CI) are provided for many of the estimates calculated in this report. The confidence interval provides a range in which the true mean is expected to fall. For example, with an 80% CI we are 80% confident that the interval contains the true value.

Length categories include stock (S), quality (Q), preferred (P), memorable (M) and trophy (T). Length categories for most species have been defined based on a percentage of the world record length for that species. Some species mentioned in this report do not have defined length categories. Length categories for species used in this report are provided in the following table. Measurements are the minimum total length for each category and are reported in inches (in) and centimeters (cm).

Species Name	Stock		Quality		Preferred		Memorable		Trophy	
	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)
Black Bullhead	6	15	9	23	12	30	15	38	18	46
Black Crappie	5	13	8	20	10	25	12	30	15	38
Bluegill	3	8	6	15	8	20	10	25	12	30
Brown Trout	8	20	12	30	16	40	20	50	18	46
Channel Catfish	11	28	16	41	24	61	28	71	36	91
Freshwater Drum	8	20	12	30	15	38	20	51	25	63
Lake Trout	12	30	20	50	26	65	31	80	39	100
Largemouth Bass	8	20	12	30	15	38	20	51	25	63
Muskellunge	20	51	30	76	38	97	42	107	50	127
Northern Pike	14	35	21	53	28	71	34	86	44	112
Pumpkinseed	3	8	6	15	8	20	10	25	12	30
Rainbow Trout	10	25	16	40	20	50	26	65	31	80
Rudd	6	15	10	25	12	30	15	38	19	48
Sauger	8	20	12	30	15	38	20	51	25	63
Smallmouth Bass	7	18	11	28	14	35	17	43	20	51
Walleye	10	25	15	38	20	51	25	63	30	76
White Bass	6	15	9	23	12	30	15	38	18	46
White Crappie	5	13	8	20	10	25	12	30	15	38
Yellow Bullhead	4	10	7	18	9	23	11	28	14	36
Yellow Perch	5	13	8	20	10	25	12	30	15	38

Catch Summary of Stock Length Fish

Catch per unit effort (CPUE), proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) for species sampled in survey with 80% confidence interval (CI-80).

* **Methods/Species that ignore stock length**

Gear	Species	Sample Size (n)	Abundance		Stock Density Indices			Condition		
			CPUE	CI-80	PSD	CI-80	PSD-P	CI-80	Wr	CI-80
AFS std gill net	Black Bullhead	228	19.0	4.5	68	4	0		105	1
	Black Crappie	12	1.0	0.6	92		8		113	3
	Channel Catfish	18	1.5	0.6	100		94		110	4
	Common Carp	13	1.1	0.5	92		69		91	3
	Northern Pike	6	0.5	0.3	100		50		88	3
	Walleye	14	1.1	0.5	69		23		83	3
	White Sucker	46	3.8	1.3	100		80	9	99	1
frame net (std 3/4 in)	Yellow Perch	64	5.3	1.6	77	8	0		103	2
	Black Bullhead	1369	76.1	22.5	83	1	0		94	1
	Black Crappie	1357	74.9	22.3	96	1	4	1	109	1
	Bluegill	57	3.2	1.2	81	8	16	7	111	2
	Channel Catfish	35	1.4	0.7	68	15	56	16	103	2
	Common Carp	43	2.4	1.5	98		67	11	84	2
	Green Sunfish	1	0.1	0.1	100		0		108	
	Northern Pike	12	0.6	0.3	90		20		80	3
	Sunfish Hybrid	10	0.6	0.4	0		0		116	3
	Walleye	27	1.2	0.3	19		10		80	1
	White Sucker	11	0.6	0.2	100		91		93	2
	Yellow Perch	122	6.8	1.9	72	6	1		103	1

10-Year Catch Per Unit Effort by Gear and Species

Catch per unit effort (CPUE) and average (Avg) of species across 10 years using different gear types.

* Methods/Species that ignore stock length

Gear	Species	CPUE										Avg
		2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	
AFS std frame net	Black Bullhead	181.2										181.20
	Black Crappie	10.0										10.00
	Channel Catfish	1.6										1.60
	Common Carp	9.3										9.30
	Northern Pike	0.8										0.80
	Walleye	0.3										0.30
	White Sucker	0.2										0.20
AFS std gill net	Black Bullhead	32.1		10.8	1.9	1.4		4.6		19.0		11.63
	Black Crappie	0.8		0.8	0.2	1.0		0.1		1.0		0.65
	Bluegill	0.0		0.0	0.0	0.0		0.2		0.0		0.03
	Channel Catfish	1.6		3.3	0.7	1.8		0.8		1.5		1.62
	Common Carp	3.5		3.5	3.2	5.1		1.1		1.1		2.92
	Northern Pike	0.7		0.1	0.2	0.2		0.2		0.5		0.32
	Walleye	1.0		3.3	1.1	3.1		5.3		1.1		2.48
	White Sucker	2.9		3.1	1.0	1.0		3.1		3.8		2.48
	Yellow Perch	0.4		0.6	0.4	0.8		1.8		5.3		1.55
boat shocker (night)	Walleye*	117.5										117.50
fall night EF-WAE*	Walleye			114.0	153.0	55.0	126.0					112.00
frame net (std 3/4 in)	Black Bullhead									76.1		76.10
	Black Crappie									74.9		74.90
	Bluegill									3.2		3.20
	Channel Catfish									1.4		1.40
	Common Carp									2.4		2.40
	Green Sunfish									0.1		0.10
	Northern Pike									0.6		0.60
	Sunfish Hybrid									0.6		0.60
	Walleye									1.2		1.20
	White Sucker									0.6		0.60
Yellow Perch									6.8		6.80	

10-Year Size Structure and Condition Statistics by Gear and Species

Species proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) collected by different gear types across 10 years.

Gear	Species	Index	Year													
			2015	2016	2017	2018	2019	2020	2021	2022	2023	2024				
AFS std frame net	Black Bullhead	PSD		8												
		PSD-P		0												
		Wr		91												
	Black Crappie	PSD		74												
		PSD-P		1												
		Wr		105												
	Channel Catfish	PSD		52												
		PSD-P		28												
		Wr		98												
	Common Carp	PSD		21												
		PSD-P		10												
		Wr		84												
	Northern Pike	PSD		93												
		PSD-P		73												
		Wr		84												
	Walleye	PSD		20												
		PSD-P		0												
		Wr		95												
White Sucker	PSD		100													
	PSD-P		100													
	Wr		90													
AFS std gill net	Black Bullhead	PSD		5		100	100	47		62		68				
		PSD-P		0		0	0	0		0		0				
		Wr		90		85	82	94		92		105				
	Black Crappie	PSD		90		89	50	100		0		92				
		PSD-P		0		67	50	100		0		8				
		Wr		105		100	116	106		120		113				
	Bluegill	PSD									100					
		PSD-P									50					
		Wr									129					
	Channel Catfish	PSD		79		92	100	100		100		100			100	
		PSD-P		26		18	13	23		67		94				
		Wr		107		96	102	97		97		110				

Gear	Species	Index	Year										
			2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	
AFS std gill net	Common Carp	PSD		14		98	100	97		85		92	
		PSD-P		7		0	3	11		54		69	
		Wr		86		91	86	88		89		91	
	Northern Pike	PSD		100		100	100	0		100		100	
		PSD-P		100		100	0	0		100		50	
		Wr		88		83	80	79		90		88	
	Walleye	PSD		100		10	0	30		44		69	
		PSD-P		75		10	0	0		3		23	
		Wr		88		82	83	84		89		83	
	White Sucker	PSD		100		100	100	92		100		100	
		PSD-P		80		95	100	92		100		80	
		Wr		89		97	94	100		100		99	
	Yellow Perch	PSD		80		100	0	80		90		77	
		PSD-P		0		0	0	0		52		0	
		Wr		101		103	102	103		101		103	
boat shocker (night)	Walleye	PSD		0									
		PSD-P		0									
		Wr		86									
frame net (std 3/4 in)	Black Bullhead	PSD										83	
		PSD-P										0	
		Wr										94	
	Black Crappie	PSD											96
		PSD-P											4
		Wr											109
	Bluegill	PSD											81
		PSD-P											16
		Wr											111
	Channel Catfish	PSD											68
		PSD-P											56
		Wr											103
	Common Carp	PSD											98
		PSD-P											67
		Wr											84
	Northern Pike	PSD											90
		PSD-P											20
		Wr											80

Gear	Species	Index	Year										
			2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	
frame net (std 3/4 in)	Walleye	PSD											19
		PSD-P											10
		Wr											80
	White Sucker	PSD											100
		PSD-P											91
		Wr											93
	Yellow Perch	PSD											72
		PSD-P											1
		Wr											103

Length at Capture

Mean length at capture by age across years sampled, sample size (N).

Species: Black Crappie

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2024	1357	154 (35)	213 (1166)	244 (138)					307 (18)		
2016	180	153 (9)	203 (112)	229 (59)							

Species: Walleye

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2024	14	176 (1)	262 (3)	406 (2)	443 (1)	509 (2)	488 (4)				685 (1)
2022	64	246 (3)	331 (8)	364 (26)	397 (19)		453 (4)	443 (1)	419 (2)		630 (1)
2020	42	244 (7)	301 (14)	361 (6)	420 (3)	369 (4)	394 (6)	508 (1)			
2019	20	214 (6)	242 (1)	292 (3)	275 (2)	340 (7)	364 (1)				
2018	46	230 (6)	280 (6)	277 (4)	322 (26)				531 (1)	539 (3)	
2016	29	196 (1)	214 (16)	392 (1)			591 (1)	547 (10)			

Species: Yellow Perch

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2024	64	159 (1)	210 (63)								
2022	21	185 (2)	229 (6)	265 (8)	271 (5)						
2019	5	163 (5)									
2018	7		222 (5)	247 (1)		247 (1)					
2016	5	154 (1)	202 (1)	225 (3)							

Fish Condition

Mean relative weight (Wr) by sample size (N), length category stock to quality (S-Q), quality to preferred (Q-P), preferred to memorable (P-M), and memorable (M) for species collected across survey years with standard error (SE).





Species	Year	Length Groups							
		S-Q		Q-P		P-M		M	
		N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
Black Bullhead Gill Net	2020	9	93 (2.3)	8	96 (1.9)	0		0	
	2022	21	93 (2.2)	34	91 (1.8)	0		0	
	2024	72	108 (1.0)	156	103 (0.9)	0		0	
Black Crappie Frame Net	2024	59	111 (1.2)	1231	109 (0.4)	49	103 (1.6)	9	88
Bluegill Frame Net	2024	11	108 (4.5)	37	113 (1.2)	9	108 (2.5)	0	
Channel Catfish Gill Net	2020	0		17	96 (1.1)	3	99 (5.5)	2	105 (18.6)
	2022	0		3	101 (3.8)	3	93 (2.9)	3	97 (8.1)
	2024	0		1	111	12	112 (3.7)	5	99 (8.2)
Common Carp Gill Net	2020	2	112 (3.2)	52	87 (0.9)	7	84 (1.9)	0	
	2022	2	101 (3.2)	4	88 (2.1)	7	86 (1.8)	0	
	2024	1	100	3	93 (3.6)	9	90 (3.5)	0	
Northern Pike Gill Net	2020	2	79 (6.3)	0		0		0	
	2022	0		0		2	90 (2.4)	0	
	2024	0		3	84 (2.1)	3	91 (2.8)	0	
Walleye Gill Net	2020	26	83 (0.9)	11	87 (1.3)	0		0	
	2022	35	89 (1.0)	26	89 (1.2)	1	93	1	103
	2024	4	84 (3.2)	6	80 (0.7)	2	79 (3.3)	1	103
White Sucker Gill Net	2020	1	96	0		3	98 (3.1)	8	101 (1.6)
	2022	0		0		4	101 (2.9)	33	99 (1.0)
	2024	0		9	95 (1.8)	8	100 (1.1)	29	100 (1.2)
Yellow Perch Gill Net	2020	2	114 (1.4)	8	101 (1.7)	0		0	
	2022	2	105 (0.2)	8	99 (2.2)	11	101 (1.8)	0	

Species	Year	Length Groups							
		S-Q		Q-P		P-M		M	
		N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
Yellow Perch Gill Net	2024	15	108 (1.7)	49	101 (2.2)	0		0	


Length Frequency Distribution

Length frequency histogram of species sampled by year.


Species: Black Bullhead
Gear: AFS std gill net





Species: Black Crappie
 Gear: frame net (std 3/4 in)







Species: Bluegill
 Gear: frame net (std 3/4 in)




Species: Channel Catfish
 Gear: AFS std gill net






Species: Common Carp
 Gear: AFS std gill net







Species: Walleye
 Gear: AFS std gill net








Species: White Sucker
 Gear: AFS std gill net





Species: Yellow Perch
 Gear: AFS std gill net




Historic Fish Sizes and Relative Abundance

Size distribution per net by color for species sampled by year.


Species: Black Bullhead

Gear: AFS std gill net




Species: Black Crappie


Gear: AFS std frame net




Species: Black Crappie
Gear: frame net (std 3/4 in)




Species: Bluegill
Gear: frame net (std 3/4 in)




Species: Channel Catfish
Gear: AFS std gill net




Species: Common Carp
Gear: AFS std gill net




Species: Northern Pike
Gear: AFS std gill net




Species: Walleye
Gear: AFS std gill net



Species: White Sucker
Gear: AFS std gill net



Species: Yellow Perch
Gear: AFS std gill net



Fish Stocking

Number of fish stocked by year, species, and size.

Year	Species	Size	Number
2013	Walleye	Large	1,976
2013	Walleye	Large Fingerling	26,619
2014	Walleye	Small Fingerling	121,350
2015	Walleye	Small Fingerling	122,290
2016	Saugeye	Small Fingerling	121,080
2017	Saugeye	Small Fingerling	91,520
2018	Saugeye	Small Fingerling	91,120
2019	Saugeye	Small Fingerling	92,075
2021	Saugeye	Juvenile	91,000
2022	Saugeye	Juvenile	90,470
2023	Saugeye	Juvenile	92,004
2024	Saugeye	Juvenile	100,100