

Creel and Lake Information

Lake Information

Lake Name: Poinsett
Lake Code: MBS-Lake-405-000
Surface Area: 3,228.74 Hectares
County: Hamlin
Start Date: 1/7/2017
End Date: 8/27/2017
Months Included: January, February, March, May, June, July, August

Table 1. Percent of angling parties interviewed primarily targeting a species (or any species) by month and overall for Poinsett during 2016 - 2017. Any Species (ANY), Black Bullhead (BLB), Black Crappie (BLC), Channel Catfish (CCF), Common Carp (COC), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP).

Year	Month	# of Interviews	Percent of Anglers Targeting										
			ANY	BLB	BLC	CCF	COC	NOP	SMB	WAE	WHB	YEP	
2016	December	72	22.2	0.0	1.4	0.0	0.0	0.0	0.0	0.0	18.1	0.0	58.3
	Overall	72	22.2	0.0	1.4	0.0	0.0	0.0	0.0	0.0	18.1	0.0	58.3
2017	January	93	19.4	0.0	1.1	0.0	0.0	0.0	0.0	1.1	24.7	0.0	53.8
	February	51	27.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.5	0.0	47.1
	March	4	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	0.0	0.0	75.0
	May	115	3.5	0.0	1.7	0.0	0.9	0.9	0.9	0.9	92.2	0.0	0.0
	June	165	1.2	0.0	5.5	0.0	0.0	0.0	0.0	0.0	90.3	3.0	0.0
	July	86	5.8	0.0	0.0	0.0	0.0	0.0	0.0	2.3	89.5	1.2	1.2
	August	71	1.4	0.0	0.0	0.0	0.0	0.0	0.0	2.8	62.0	0.0	33.8
	Overall	585	7.5	0.0	2.1	0.0	0.2	0.3	1.0	1.0	70.4	1.0	17.4

Table 2. Monthly and overall number of interviews, angler hours, angler days, mean trip length, mean party size, percent of parties interviewed that were South Dakota residents, percent of angling activity from a boat or shack and percent of angling activity that occurred on weekends and holidays at Poinsett (80% confidence interval).

Year	Month	# Interviews	Angler Hours	Angler Days	Trip Length (h)	Party Size	% SD Residents	% Boat or Shack	% Weekend/Holidays
2016-2017	January	93	18,667 (10,018)	3,496	5.34 (1.71)	1.68 (0.41)	80	66	34
	February	51	41,766 (14,608)	13,473	3.10	1.88 (0.73)	67	27	67
	March	4	21,945 (9,209)	7,593	2.89	3.75	25	0	100
	Overall	148	84,639 (20,075)	20,898	4.05 (0.75)	2.03 (0.36)	75	65	32
2017	May	115	8,810 (3,605)	1,540	5.72 (2.97)	2.24 (0.84)	87	75	31
	June	165	25,504 (6,902)	4,459	5.72 (1.02)	2.26 (0.48)	85	91	63
	July	86	20,487 (6,378)	3,526	5.81 (0.13)	2.37 (0.11)	86	95	64
	August	71	12,865 (3,108)	1,914	6.72	2.21 (0.60)	92	99	59
	Overall	437	67,666 (10,535)	11,222	6.03 (0.54)	2.28 (0.25)	87	89	54

Table 3. Estimated fishing pressure (angler hours) by month during the summer season 2017 daylight period on Poinsett (80% confidence interval).

Lake	Month				Total
	April	May	June	July	
Lake Poinsett	0	0	0	0	67,666 (10,535)
Poinsett	8,810 (3,605)	25,504 (6,902)	20,487 (6,378)	12,865 (3,108)	67,666 (10,535)

Table 4. Estimated number of fish harvested, by species and month, for the summer season 2017 daylight period on Poinsett (80% confidence interval).

Species	Month				Total
	May	June	July	August	
Black Bullhead	0	0	0	0	0
Black Crappie	215 (166)	3,358 (1,929)	311 (218)	98 (79)	3,883 (2,313)
Channel Catfish	0	0	0	0	0
Common Carp	0	0	0	0	0
Northern Pike	13 (15)	14 (12)	33 (43)	0	59 (70)
Smallmouth Bass	104 (77)	212 (79)	20 (56)	93 (101)	336 (211)
Walleye	1,694 (633)	5,512 (1,525)	3,799 (1,495)	463 (187)	11,004 (3,653)
White Bass	951 (484)	193	268 (306)	0	1,413 (791)
Yellow Perch	18 (18)	509 (294)	1,874 (790)	2,896 (1,644)	2,401 (1,102)
Total	2,995 (1,392)	9,798 (3,839)	6,305 (2,908)	3,549 (2,011)	19,097 (8,140)

Table 5a. Estimated monthly and overall angler catch rate per hour fished (C/h) for all anglers by species at Poinsett (80% confidence interval). Abbreviations for species are as follows: Black Bullhead (BLB), Black Crappie (BLC), Channel Catfish (CCF), Common Carp (COC), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and other species (Other).

Year	Month	BLB	BLC	CCF	COC	NOP	SMB	WAE	WHB	YEP
		C/h	C/h	C/h	C/h	C/h	C/h	C/h	C/h	C/h
2016-2017	January	0.00	0.01	0.00	<0.01	0.01	0.00	0.46	0.00	0.16
	February	0.00	<0.01	0.00	0.00	<0.01	0.02	2.05	0.00	0.12
	March	0.00	0.04	0.00	0.00	0.03	0.00	0.14	0.01	0.21
	Overall	0.00	0.01	0.00	<0.01	0.01	0.01	1.15	<0.01	0.15
2017	May	0.00	0.02 (0.02)	0.00	<0.01 (<0.01)	0.01	0.06 (0.04)	1.08 (0.92)	0.32 (0.30)	<0.01 (<0.01)
	June	0.00	0.19 (0.19)	0.00	0.00	<0.01 (<0.01)	0.08 (0.05)	2.09 (1.32)	0.07 (0.10)	0.03 (0.03)
	July	<0.01 (<0.01)	0.02 (0.02)	0.00	0.00	<0.01 (<0.01)	0.08 (0.20)	2.99 (2.44)	0.11 (0.14)	0.11 (0.08)
	August	0.00	0.01 (0.01)	<0.01 (<0.01)	0.00	<0.01 (<0.01)	0.22 (0.10)	1.23 (0.73)	0.06 (0.02)	0.24 (0.14)
	Overall	<0.01 (<0.01)	0.08 (0.06)	<0.01 (<0.01)	<0.01 (<0.01)	<0.01 (<0.01)	0.11 (0.07)	2.07 (0.84)	0.11 (0.07)	0.09 (0.04)

Table 5b. Estimated monthly and overall angler harvest rate per hour fished (H/h) for all anglers by species at Poinsett (80% confidence interval). Abbreviations for species are as follows: Black Bullhead (BLB), Black Crappie (BLC), Channel Catfish (CCF), Common Carp (COC), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and other species (Other).

Year	Month	BLB	BLC	CCF	COC	NOP	SMB	WAE	WHB	YEP
		H/h	H/h	H/h	H/h	H/h	H/h	H/h	H/h	H/h
2016-2017	January	0.00	0.01	0.00	0.00	0.01	0.00	0.03	0.00	0.15
	February	0.00	<0.01	0.00	0.00	<0.01	0.00	0.04	0.00	0.11
	March	0.00	0.04	0.00	0.00	0.03	0.00	0.01	0.00	0.20
	Overall	0.00	0.01	0.00	0.00	0.01	0.00	0.03	0.00	0.14
2017	May	0.00	0.02 (0.02)	0.00	0.00	<0.01 (<0.01)	0.01 (0.01)	0.19 (0.15)	0.11	<0.01 (<0.01)
	June	0.00	0.13 (0.13)	0.00	0.00	<0.01 (<0.01)	0.01	0.22 (0.12)	0.01	0.02 (0.03)
	July	0.00	0.02 (0.01)	0.00	0.00	<0.01 (<0.01)	<0.01 (<0.01)	0.19 (0.10)	0.01 (0.02)	0.09 (0.07)
	August	0.00	0.01 (<0.01)	0.00	0.00	0.00	0.01 (<0.01)	0.04 (0.02)	0.00	0.23 (0.14)
	Overall	0.00	0.06 (0.04)	0.00	0.00	<0.01 (<0.01)	0.01 (<0.01)	0.17 (0.05)	0.02	0.08 (0.04)

Table 6a. Estimated monthly and overall angler catch rate per hour fished (C/h) only for anglers primarily targeting a species at Poinsett. (80% confidence interval). Abbreviations for species are as follows: Black Bullhead (BLB), Black Crappie (BLC), Channel Catfish (CCF), Common Carp (COC), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and Other Species (Other).

Year	Month	BLB C/h	BLC C/h	CCF C/h	COC C/h	NOP C/h	SMB C/h	WAE C/h	WHB C/h	YEP C/h
2016- 2017	January	0.00	0.00	0.00	0.00	0.00	0.00	0.49(0.26)	0.00	0.47 (0.16)
	February	0.00	0.00	0.00	0.00	0.00	0.00	2.24(1.41)	0.00	0.28 (0.04)
	March	0.00	0.00	0.00	0.00	0.29	0.00	0.00	0.00	0.88
	Overall	0.00	0.00	0.00	0.00	0.29	0.00	1.37(0.72)	0.00	0.40 (0.07)
2017	May	0.00	0.38	0.00	0.00	0.00	0.00	1.19(0.30)	0.00	0.00
	June	0.00	1.34 (1.40)	0.00	0.00	0.00	0.00	2.25(1.15)	1.70 (2.84)	0.00
	July	0.00	0.00	0.00	0.00	0.00	3.58	3.09(1.79)	0.17	0.00
	August	0.00	0.00	0.00	0.00	0.00	1.41	0.99(0.66)	0.00	0.60 (1.25)
	Overall	0.00	1.16 (1.13)	0.00	0.00	0.00	2.09	1.83(0.51)	1.35 (2.18)	0.35 (0.73)

Table 6b. Estimated monthly and overall angler harvest rate per hour fished (H/h) only for anglers primarily targeting a species at Poinsett. (80% confidence interval). Abbreviations for species are as follows: Black Bullhead (BLB), Black Crappie (BLC), Channel Catfish (CCF), Common Carp (COC), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and Other Species (Other).

Year	Month	BLB	BLC	CCF	COC	NOP	SMB	WAE	WHB	YEP
		H/h	H/h	H/h	H/h	H/h	H/h	H/h	H/h	H/h
2016- 2017	January	0.00	0.00	0.00	0.00	0.00	0.00	0.02 (0.01)	0.00	0.44 (0.15)
	February	0.00	0.00	0.00	0.00	0.00	0.00	0.14 (0.02)	0.00	0.22 (0.03)
	March	0.00	0.00	0.00	0.00	0.29	0.00	0.00	0.00	0.83
	Overall	0.00	0.00	0.00	0.00	0.29	0.00	0.08 (0.01)	0.00	0.34 (0.07)
2017	May	0.00	0.38	0.00	0.00	0.00	0.00	0.21 (0.06)	0.00	0.00
	June	0.00	0.95 (0.88)	0.00	0.00	0.00	0.00	0.22 (0.10)	0.00	0.00
	July	0.00	0.00	0.00	0.00	0.00	0.00	0.20 (0.16)	0.17	0.00
	August	0.00	0.00	0.00	0.00	0.00	0.00	0.03 (0.10)	0.00	0.57 (0.60)
	Overall	0.00	0.84 (0.71)	0.00	0.00	0.00	0.00	0.18 (0.05)	0.04	0.34 (0.35)

Table 7a. Estimated monthly and overall angler catch (C) for all anglers by species at Poinsett (80% confidence interval). Abbreviations for species are as follows: Black Bullhead (BLB), Black Crappie (BLC), Channel Catfish (CCF), Common Carp (COC), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and other species (Other).

Year	Month	BLB	BLC	CCF	COC	NOP	SMB	WAE	WHB	YEP
		C	C	C	C	C	C	C	C	C
2016-2017	January	0	215	0	10	216	0	8,623	0	2,951
	February	0	150	0	0	21	642	85,829	0	4,983
	March	0	902	0	0	644	0	3,093	258	4,639
	Overall	0	1,267	0	10	881	642	97,544	258	12,573
2017	May	0	215 (166)	0	20 (18)	77 (44)	531 (221)	9,497 (4,196)	2,816 (1,274)	25 (24)
	June	0	4,953 (2,695)	0	0	74 (47)	2,158 (1,046)	53,361 (17,603)	1,815 (1,117)	708 (350)
	July	33 (42)	416 (270)	0	0	58 (53)	1,622 (1,421)	61,262 (26,262)	2,154 (1,835)	2,353 (885)
	August	0	123 (99)	10 (13)	0	10 (13)	2,815 (714)	15,810 (6,081)	753 (145)	3,143 (1,684)
	Overall	33 (42)	5,707 (2,715)	10 (13)	20 (18)	219 (85)	7,125 (1,916)	139,929 (32,468)	7,539 (2,502)	6,228 (1,934)

Table 7b. Estimated monthly and overall angler harvest (H) for all anglers by species at Poinsett (80% confidence interval). Abbreviations for species are as follows: Black Bullhead (BLB), Black Crappie (BLC), Channel Catfish (CCF), Common Carp (COC), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and other species (Other).

Year	Month	BLB	BLC	CCF	COC	NOP	SMB	WAE	WHB	YEP
		H	H	H	H	H	H	H	H	H
2016-2017	January	0	156	0	0	108	0	520	0	2,757
	February	0	139	0	0	21	0	1,682	0	4,782
	March	0	902	0	0	644	0	258	0	4,382
	Overall	0	1,198	0	0	773	0	2,460	0	11,921
2017	May	0	215 (166)	0	0	13 (15)	104 (77)	1,694 (633)	951 (484)	18 (18)
	June	0	3,358 (1,929)	0	0	14 (12)	212 (79)	5,512 (1,525)	193	509 (294)
	July	0	311 (218)	0	0	33 (43)	20 (56)	3,799 (1,495)	268 (306)	1,874 (790)
	August	0	98 (79)	0	0	0	93 (101)	463 (187)	0	2,896 (1,644)
	Overall	0	3,981 (1,950)	0	0	59 (47)	428 (159)	11,467 (2,235)	1,413 (428)	5,297 (1,848)

Table 8. Estimated number and rate (number per hour) of Black Bullhead (BLB), Black Crappie (BLC), Channel Catfish (CCF), Common Carp (COC), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) caught and harvested by anglers during the summer and winter fisheries on Poinsett, (80% confidence interval).

Black Bullhead

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2012	277 (133)	0	<0.01 (<0.01)	0.00
Summer	2013	16 (21)	0	<0.01 (<0.01)	0.00
Summer	2017	33 (42)	0	<0.01 (<0.01)	0.00

Black Crappie

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2012	13 (17)	13 (17)	<0.01 (<0.01)	<0.01 (<0.01)
Summer	2017	5,707 (2,715)	3,981 (1,950)	0.08 (0.06)	0.06 (0.04)
Winter	2016-2017	1,267	1,198	0.01	0.01

Channel Catfish

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2012	71 (64)	0	<0.01 (<0.01)	0.00
Summer	2013	261	261	0.01	0.01
Summer	2017	10 (13)	0	<0.01 (<0.01)	0.00

Common Carp

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2012	213 (134)	40 (62)	<0.01 (<0.01)	<0.01 (<0.01)
Summer	2013	66 (75)	0	<0.01 (<0.01)	0.00
Summer	2017	20 (18)	0	<0.01 (<0.01)	0.00
Winter	2016-2017	10	0	<0.01	0.00

Northern Pike

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2012	29,035 (4,652)	2,408 (803)	0.38 (0.10)	0.03 (0.01)
Summer	2013	7,819 (2,008)	1,398 (591)	0.18 (0.07)	0.03 (0.02)
Summer	2017	219 (85)	59 (47)	<0.01 (<0.01)	<0.01 (<0.01)
Winter	2016-2017	881	773	0.01	0.01

Smallmouth Bass

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2012	10,890 (4,759)	1,284 (536)	0.14 (0.06)	0.02 (<0.01)
Summer	2013	5,294 (2,451)	501 (448)	0.12 (0.06)	0.01 (0.01)
Summer	2017	7,125 (1,916)	428 (159)	0.11 (0.07)	0.01 (<0.01)
Winter	2016-2017	642	0	0.01	0.00

Walleye

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2012	34,576 (8,800)	11,662 (2,421)	0.46 (0.18)	0.15 (0.05)
Summer	2013	7,456 (1,969)	4,002 (1,091)	0.17 (0.08)	0.09 (0.05)
Summer	2017	139,929 (32,468)	11,467 (2,235)	2.07 (0.84)	0.17 (0.05)
Winter	2016-2017	97,544	2,460	1.15	0.03

White Bass

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2012	14,377 (3,711)	615 (186)	0.19 (0.06)	0.01 (<0.01)
Summer	2013	953 (363)	227 (165)	0.02 (<0.01)	0.01 (<0.01)
Summer	2017	7,539 (2,502)	1,413 (428)	0.11 (0.07)	0.02
Winter	2016-2017	258	0	<0.01	0.00

Yellow Perch

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2012	16,415 (3,172)	13,181 (2,698)	0.22 (0.08)	0.17 (0.07)
Summer	2013	610 (321)	345 (205)	0.01 (0.02)	0.01 (<0.01)
Summer	2017	6,228 (1,934)	5,297 (1,848)	0.09 (0.04)	0.08 (0.04)
Winter	2016-2017	12,573	11,921	0.15	0.14


Table 9. The number of fish harvested with each species by length group (mm) for the winter and summer fisheries at Poinsett. Abbreviations for species are as follows: Black Bullhead (BLB), Black Crappie (BLC), Channel Catfish (CCF), Common Carp (COC), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP).

Winter 2016-2017									
Length Group (mm)	BLB (N=0)	BLC (N=57)	CCF (N=1)	COC (N=0)	NOP (N=9)	SMB (N=0)	WAE (N=56)	WHB (N=0)	YEP (N=127)
190									2
200									1
210									1
220									1
230		1							4
240		4							9
250		10							10
260		16							11
270		7							20
280		6							32
290		1							23
300		3							11
310		7							2
320		1							
330		1							
350							2		
360							4		
370							7		
380							16		
390							12		
400							3		
410							8		
420							1		
430									
440							1		
450									
460									
470									
480									
490							1		
500									
510							1		
680					1				
690			1						
700									
710									
720									
730									
740									
750					2				
760									
770									
780									
790									
800					1				
810									
820									
830					1				
840									
850									
860									
870									
880					1				
890					1				
900									
910					1				
920									
930									
940									
950									
960					1				


Summer 2017

Length Group (mm)	BLB (N=0)	BLC (N=126)	CCF (N=0)	COC (N=0)	NOP (N=3)	SMB (N=24)	WAE (N=886)	WHB (N=12)	YEP (N=323)
150									1
160									
170									
180									
190									
200									1
210									2
220									2
230						1			4
240		2							15
250		38							12
260		17				2		1	29
270		32							49
280		13				2			65
290		5							55
300		11				1		1	70
310		3						3	13
320		2							4
330						4	1	1	1
340		1				4		1	
350						2		1	
360							1	1	
370		1					13	3	
380		1				2	415		
390							237		
400							94		
410						1	42		
420						1	9		
430							18		
440						1			
450						2	8		
460							4		
470							3		
480							5		
490							6		
500						1	3		
510							1		
520							2		
530							5		
540							1		
550							2		
560							1		
570									
580							5		
590									
600									
610							3		
620							1		
630									
640							1		
650									
660							1		
670							2		
680									
690									
700									
710					1				
720							2		
730									
740									
750									
760					2				

Length frequency of angler-harvested Black Crappie measured by the creel clerk during creel surveys on Poinsett.




Winter 2016-2017
N = 57
Mean TL = 270 mm





Summer 2017
N = 126
Mean TL = 270 mm


Length frequency of angler-harvested Smallmouth Bass measured by the creel clerk during creel surveys on Poinsett.




Length frequency of angler-harvested Walleye measured by the creel clerk during creel surveys on Poinsett.




Length frequency of angler-harvested White Bass measured by the creel clerk during creel surveys on Poinsett.



Length frequency of angler-harvested Yellow Perch measured by the creel clerk during creel surveys on Poinsett.




Winter 2016-2017
N = 127
Mean TL = 270 mm



Summer 2017
N = 323
Mean TL = 279 mm

South Dakota county of residence for winter and summer resident anglers fishing Poinsett, South Dakota between December 2016 and August 2017.

Winter 2016-2017



Summer 2017





Table 10. Number of parties or anglers interviewed that harvested (or caught) a specified number of fish total over selected strata for a species.

Angler Harvest	Count								
	BLB (n=0)	BLC (n=123)	CCF (n=0)	COC (n=5)	NOP (n=5)	SMB (n=0)	WAE (n=947)	WHB (n=3)	YEP (n=503)
0.00	0	0	0	0	0	0	0	0	0
0.25	0	0	0	0	0	0	3	0	0
0.33	0	0	0	0	0	0	11	0	0
0.50	0	0	0	0	0	0	30	0	0
0.67	0	0	0	0	0	0	22	0	0
0.75	0	0	0	0	0	0	6	0	0
0.80	0	0	0	0	0	0	4	0	0
1.00	0	2	0	0	0	0	98	3	0
1.20	0	0	0	0	0	0	6	0	0
1.25	0	0	0	0	0	0	10	0	0
1.33	0	0	0	0	0	0	24	0	0
1.50	0	0	0	0	0	0	69	0	0
1.67	0	5	0	0	0	0	15	0	0
1.75	0	0	0	0	0	0	7	0	0
2.00	0	0	0	0	0	0	134	0	8
2.20	0	0	0	0	0	0	11	0	0
2.25	0	0	0	0	0	0	9	0	0
2.33	0	0	0	0	0	0	14	0	0
2.50	0	0	0	0	0	0	75	0	0
2.67	0	0	0	0	0	0	24	0	8
2.75	0	0	0	0	0	0	11	0	0
3.00	0	0	0	0	0	0	132	0	12
3.33	0	0	0	0	0	0	10	0	0
4.00	0	0	0	0	0	0	164	0	16
4.50	0	0	0	0	0	0	9	0	18
5.00	0	30	0	0	0	0	0	0	15
5.75	0	23	0	0	0	0	0	0	0
6.00	0	0	0	0	0	0	18	0	0
7.00	0	0	0	0	0	0	0	0	14
7.50	0	0	0	0	0	0	0	0	15
8.00	0	0	0	0	0	0	0	0	16
10.00	0	20	0	0	0	0	0	0	30
11.00	0	0	0	0	0	0	0	0	11
12.00	0	12	0	0	0	0	0	0	12
15.00	0	30	0	0	0	0	0	0	15

Winter 2016-2017

Count

Angler Harvest	BLB (n=0)	BLC (n=123)	CCF (n=0)	COC (n=5)	NOP (n=5)	SMB (n=0)	WAE (n=947)	WHB (n=3)	YEP (n=503)
0.00	0	0	0	0	0	0	0	0	0
0.20	0	0	0	0	0	0	0	0	1
0.25	0	0	0	0	0	0	1	0	2
0.33	0	0	0	0	0	0	1	0	0
0.50	0	1	0	0	0	0	5	0	11
0.67	0	0	0	0	0	0	0	0	2
1.00	0	0	0	0	0	0	7	0	14
1.33	0	0	0	0	0	0	0	0	4
1.50	0	0	0	0	0	0	0	0	3
1.67	0	0	0	0	5	0	0	0	0
2.00	0	0	0	0	0	0	12	0	26
2.40	0	0	0	0	0	0	0	0	12
2.50	0	0	0	0	0	0	5	0	10
3.00	0	0	0	0	0	0	0	0	33
4.00	0	0	0	0	0	0	0	0	24
4.40	0	0	0	0	0	0	0	0	22
5.00	0	0	0	0	0	0	0	0	5
6.00	0	0	0	0	0	0	0	0	54
7.50	0	0	0	0	0	0	0	0	15
9.00	0	0	0	0	0	0	0	0	9
11.00	0	0	0	0	0	0	0	0	22
14.00	0	0	0	0	0	0	0	0	14
15.00	0	0	0	0	0	0	0	0	30

Table 11 The number (N) and percent of total interviews in supplemental-response categories by question asked during interviews at Poinsett.

Question: Considering all factors, how satisfied are you with your fishing trip today?

Response	Summer 2017 (n = 430)
Moderately Satisfied/no min (4 daily)/oppose <input type="checkbox"/>	47%
Moderately Dissatisfied <input type="checkbox"/>	1%
Neutral/other <input type="checkbox"/>	2%
Slightly Dissatisfied/no opinion <input type="checkbox"/>	5%
Slightly Satisfied/no min (2 daily)/no opinion <input type="checkbox"/>	26%
Very Dissatisfied <input type="checkbox"/>	0%
Very Satisfied/15" min (4 daily)/support <input type="checkbox"/>	18%

Question: Which of the following walleye harvest regulation options would you prefer on this lake?

Response	Summer 2017 (n = 436)
Moderately Satisfied/no min (4 daily)/oppose <input type="checkbox"/>	30%
Neutral/other <input type="checkbox"/>	8%
Slightly Dissatisfied/no opinion <input type="checkbox"/>	8%
Slightly Satisfied/no min (2 daily)/no opinion <input type="checkbox"/>	1%
Very Satisfied/15" min (4 daily)/support <input type="checkbox"/>	53%