

# Creel and Lake Information

## Lake Information

**Lake Name:** Oahe  
**Lake Code:** LLO-Lake-2952-800  
**Surface Area:** 113,252.36 Hectares  
**County:** Dewey  
**Start Date:** 5/1/2015  
**End Date:** 7/31/2015  
**Months Included:** May, June, July

Table 1. Percent of angling parties interviewed primarily targeting a species (or any species) by month and overall for Oahe during 2014 - 2015. Any Species (ANY), Channel Catfish (CCF), Common Carp (COC), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP).

Year	Month	# of Interviews	Percent of Anglers Targeting							
			ANY	CCF	COC	NOP	SMB	WAE	WHB	YEP
2014	May	375	17.6	0.8	0.0	5.3	1.6	74.7	0.0	0.0
	June	429	11.9	0.2	0.0	0.7	2.1	85.1	0.0	0.0
	July	393	9.7	0.3	0.0	0.0	1.0	88.3	0.0	0.0
	Overall	1197	12.9	0.4	0.0	1.9	1.6	82.9	0.0	0.0
2015	May	395	15.7	0.3	0.0	2.5	0.8	79.0	0.3	0.0
	June	667	7.8	0.3	0.0	0.1	0.7	91.0	0.0	0.0
	July	488	0.8	0.4	0.0	0.0	0.4	98.0	0.0	0.0
	Overall	1550	7.6	0.3	0.0	0.7	0.6	90.1	0.1	0.0

Table 2. Monthly and overall number of interviews, angler hours, angler days, mean trip length, mean party size, percent of parties interviewed that were South Dakota residents, percent of angling activity from a boat or shack and percent of angling activity that occurred on weekends and holidays at Oahe (80% confidence interval).

Year	Month	# Interviews	Angler Hours	Angler Days	Trip Length (h)	Party Size	% SD Residents	% Boat or Shack	% Weekend/Holidays
2014	May	375	132,161 (45,285)	28,239	4.68 (1.12)	2.49 (0.45)	83	82	52
	June	429	410,538 (67,187)	88,669	4.63 (0.36)	2.70 (0.35)	68	91	55
	July	393	228,719 (52,979)	46,677	4.90 (0.63)	2.95 (0.76)	81	95	64
	Overall	1197	771,418 (96,807)	162,747	4.74 (0.45)	2.71 (0.32)	77	90	57
2015	May	395	151,621 (43,878)	30,507	4.97 (0.49)	2.48 (0.38)	79	89	52
	June	667	344,587 (76,304)	71,343	4.83 (0.16)	2.62 (0.40)	72	95	49
	July	488	242,152 (65,708)	49,419	4.90	2.44 (0.26)	78	99	49
	Overall	1550	738,360 (109,842)	150,686	4.90 (0.17)	2.51 (0.20)	76	94	50

Table 3. Estimated fishing pressure (angler hours) by month during the summer season 2015 daylight period on Oahe (80% confidence interval).

Zone	Month			Total
	April	May	June	
Lower	22,857 (7,051)	72,368 (34,819)	102,277 (43,987)	270,484 (50,488)
Middle	34,759 (22,152)	149,907 (64,016)	85,708 (41,597)	270,374 (79,493)
Upper	94,005 (37,214)	122,312 (22,622)	54,166 (25,541)	197,502 (56,542)

Table 4. Estimated number of fish harvested for selected species, by zone during the May-August 2015 daylight period on Oahe (80% confidence interval).

Species	Zone			
	Lower	Middle	Upper	Total
Channel Catfish	4,022 (1,998)	5,308 (4,593)	3,386 (387)	12,716 (6,979)
Common Carp	96 (108)	36	47 (58)	180 (166)
Northern Pike	1,061 (385)	1,261 (508)	1,112 (287)	3,433 (1,180)
Smallmouth Bass	5,854 (2,691)	10,519 (3,622)	3,331 (1,739)	19,704 (8,051)
Walleye	73,270 (24,466)	114,222 (37,130)	121,021 (21,301)	308,513 (82,898)
White Bass	1,423 (797)	639 (257)	1,093 (438)	3,156 (1,492)
Yellow Perch	478 (359)	615 (189)	360 (170)	1,453 (718)

Table 5. Estimated number of fish harvested, by species and month, for the summer season 2015 daylight period on Oahe (80% confidence interval).

Species	Month			Total
	May	June	July	
Channel Catfish	4,257 (1,181)	2,713 (1,156)	5,746 (4,744)	12,716 (7,082)
Common Carp	66 (28)	47 (58)	67 (104)	180 (191)
Northern Pike	1,078 (306)	1,505 (510)	851 (368)	3,433 (1,184)
Smallmouth Bass	4,233 (2,451)	11,404 (3,791)	4,067 (1,733)	19,704 (7,975)
Walleye	50,499 (18,096)	163,909 (37,035)	94,106 (27,055)	308,513 (82,185)
White Bass	1,114 (664)	1,493 (583)	548 (335)	3,156 (1,582)
Yellow Perch	226 (40)	769 (275)	458 (341)	1,453 (656)
Total	61,472 (22,767)	181,840 (43,406)	105,843 (34,681)	349,155 (100,854)

Table 6a. Estimated monthly and overall angler catch rate per hour fished (C/h) for all anglers by species at Oahe (80% confidence interval). Abbreviations for species are as follows: Channel Catfish (CCF), Common Carp (COC), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and other species (Other).

Year	Month	CCF	COC	NOP	SMB	WAE	WHB	YEP
		C/h	C/h	C/h	C/h	C/h	C/h	C/h
2014	May	0.04 (0.02)	<0.01 (<0.01)	0.07 (0.06)	0.07 (0.04)	1.28 (1.00)	0.02 (<0.01)	<0.01 (<0.01)
	June	0.07 (0.02)	<0.01 (<0.01)	0.04 (0.01)	0.12 (0.04)	1.31 (0.55)	0.02 (0.01)	<0.01 (<0.01)
	July	0.15 (0.08)	<0.01 (<0.01)	0.03 (0.02)	0.07 (0.05)	0.99 (0.53)	0.02 (0.01)	<0.01 (<0.01)
	Overall	0.09 (0.02)	<0.01 (<0.01)	0.04 (0.01)	0.10 (0.03)	1.21 (0.37)	0.02 (<0.01)	<0.01 (<0.01)
2015	May	0.04 (0.02)	<0.01 (<0.01)	0.03 (0.03)	0.08 (0.04)	0.51 (0.43)	0.03 (0.02)	0.01 (<0.01)
	June	0.04 (0.02)	<0.01 (<0.01)	0.05 (0.02)	0.13 (0.05)	0.87 (0.31)	0.02 (0.01)	0.02 (<0.01)
	July	0.20 (0.11)	<0.01 (<0.01)	0.06 (0.03)	0.14 (0.09)	0.81 (0.42)	0.01 (<0.01)	0.02 (0.01)
	Overall	0.09 (0.03)	<0.01 (<0.01)	0.05 (0.01)	0.12 (0.04)	0.77 (0.22)	0.02 (<0.01)	0.02 (<0.01)

Table 6b. Estimated monthly and overall angler harvest rate per hour fished (H/h) for all anglers by species at Oahe (80% confidence interval). Abbreviations for species are as follows: Channel Catfish (CCF), Common Carp (COC), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and other species (Other).

Year	Month	CCF	COC	NOP	SMB	WAE	WHB	YEP
		H/h	H/h	H/h	H/h	H/h	H/h	H/h
2014	May	0.01 (<0.01)	0.00	0.02 (0.01)	0.02 (0.02)	0.49 (0.38)	0.01 (<0.01)	<0.01 (<0.01)
	June	0.03 (0.01)	<0.01 (<0.01)	0.01 (<0.01)	0.03 (<0.01)	0.51 (0.21)	<0.01 (<0.01)	<0.01 (<0.01)
	July	0.03 (0.01)	0.00	<0.01 (<0.01)	0.01 (<0.01)	0.42 (0.22)	<0.01 (<0.01)	<0.01 (<0.01)
	Overall	0.03 (<0.01)	<0.01 (<0.01)	0.01 (<0.01)	0.03 (<0.01)	0.48 (0.14)	<0.01 (<0.01)	<0.01 (<0.01)
2015	May	0.03 (0.01)	<0.01 (<0.01)	0.01 (<0.01)	0.03 (0.02)	0.33 (0.28)	0.01 (<0.01)	<0.01 (<0.01)
	June	0.01 (<0.01)	<0.01 (<0.01)	<0.01 (<0.01)	0.03 (0.01)	0.48 (0.17)	<0.01 (<0.01)	<0.01 (<0.01)
	July	0.02 (0.02)	<0.01 (<0.01)	<0.01 (<0.01)	0.02 (<0.01)	0.39 (0.21)	<0.01 (<0.01)	<0.01 (<0.01)
	Overall	0.02 (<0.01)	<0.01 (<0.01)	<0.01 (<0.01)	0.03 (<0.01)	0.42 (0.12)	<0.01 (<0.01)	<0.01 (<0.01)

Table 7a. Estimated monthly and overall angler catch rate per hour fished (C/h) only for anglers primarily targeting a species at Oahe. (80% confidence interval). Abbreviations for species are as follows: Channel Catfish (CCF), Common Carp (COC), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and Other Species (Other).

Year	Month	CCF	COC	NOP	SMB	WAE	WHB	YEP
		C/h	C/h	C/h	C/h	C/h	C/h	C/h
2014	May	0.90	0.00	0.33 (0.29)	1.93 (0.53)	1.59 (0.86)	0.00	0.00
	June	0.00	0.00	0.13	1.48 (0.10)	1.31 (2.71)	0.00	0.00
	July	2.50	0.00	0.00	1.71 (2.21)	1.08 (0.38)	0.00	0.00
	Overall	1.23	0.00	0.27 (0.19)	1.63 (0.25)	1.38 (0.79)	0.00	0.00
2015	May	1.73	0.00	0.10 (0.26)	1.05	0.47 (0.15)	0.00	0.00
	June	4.03	0.00	0.00	0.93	0.90 (0.26)	0.00	0.00
	July	6.71	0.00	0.00	0.86	0.83 (0.39)	0.00	0.00
	Overall	4.85	0.00	0.07 (0.18)	0.98	0.70 (0.14)	0.00	0.00



Table 7b. Estimated monthly and overall angler harvest rate per hour fished (H/h) only for anglers primarily targeting a species at Oahe. (80% confidence interval). Abbreviations for species are as follows: Channel Catfish (CCF), Common Carp (COC), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and Other Species (Other).

Year	Month	CCF	COC	NOP	SMB	WAE	WHB	YEP
		H/h	H/h	H/h	H/h	H/h	H/h	H/h
2014	May	0.90	0.00	0.14 (0.12)	0.55 (0.41)	0.57 (0.61)	0.00	0.00
	June	0.00	0.00	0.12	0.30 (0.28)	0.51 (1.39)	0.00	0.00
	July	2.50	0.00	0.00	0.21 (0.50)	0.46 (0.20)	0.00	0.00
	Overall	1.23	0.00	0.13 (0.08)	0.37 (0.22)	0.53 (0.45)	0.00	0.00
2015	May	1.73	0.00	0.01 (0.02)	0.00	0.36 (0.14)	0.00	0.00
	June	1.11	0.00	0.00	0.13	0.50 (0.17)	0.00	0.00
	July	6.45	0.00	0.00	0.00	0.39 (0.16)	0.00	0.00
	Overall	4.14	0.00	0.01 (0.01)	0.06	0.41 (0.09)	0.00	0.00

Table 8a. Estimated monthly and overall angler catch (C) for all anglers by species at Oahe (80% confidence interval). Abbreviations for species are as follows: Channel Catfish (CCF), Common Carp (COC), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and other species (Other).

Year	Month	CCF	COC	NOP	SMB	WAE	WHB	YEP
		C	C	C	C	C	C	C
2014	May	5,049 (1,794)	48 (12)	9,466 (2,982)	9,472 (3,337)	169,130 (78,712)	2,666 (615)	218 (70)
	June	28,616 (8,412)	554 (290)	15,734 (4,066)	48,466 (15,645)	537,949 (111,895)	7,620 (3,285)	933 (731)
	July	33,665 (10,407)	407 (236)	7,043 (2,052)	15,485 (5,164)	225,300 (57,328)	4,348 (1,512)	735 (324)
	Overall	67,329 (13,502)	1,009 (374)	32,243 (5,443)	73,422 (16,809)	932,379 (148,332)	14,634 (3,668)	1,885 (802)
2015	May	6,456 (1,564)	296 (110)	5,090 (1,712)	12,491 (4,754)	77,024 (30,095)	4,733 (1,899)	1,722 (92)
	June	13,653 (4,744)	797 (348)	16,547 (4,212)	43,492 (12,923)	298,148 (65,009)	7,684 (2,426)	5,422 (2,456)
	July	47,869 (17,881)	866 (346)	13,326 (3,927)	33,872 (10,983)	196,492 (55,777)	3,276 (1,592)	5,648 (1,861)
	Overall	67,978 (18,566)	1,959 (503)	34,963 (6,008)	89,855 (17,613)	571,664 (90,791)	15,694 (3,468)	12,792 (3,082)

Table 8b. Estimated monthly and overall angler harvest (H) for all anglers by species at Oahe (80% confidence interval). Abbreviations for species are as follows: Channel Catfish (CCF), Common Carp (COC), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and other species (Other).

Year	Month	CCF	COC	NOP	SMB	WAE	WHB	YEP
		H	H	H	H	H	H	H
2014	May	1,480 (267)	0	2,666 (770)	3,032 (1,469)	65,045 (27,589)	784 (145)	58
	June	12,453 (6,834)	133 (177)	2,896 (1,041)	14,074 (4,862)	208,318 (41,122)	1,245 (482)	154 (169)
	July	6,219 (3,299)	0	1,119 (485)	3,033 (1,264)	96,565 (25,612)	401 (249)	361 (245)
	Overall	20,152 (7,594)	133 (177)	6,681 (1,383)	20,139 (5,234)	369,928 (55,750)	2,430 (562)	573 (298)
2015	May	4,257 (1,181)	66 (28)	1,078 (306)	4,233 (2,451)	50,499 (18,096)	1,114 (664)	226 (40)
	June	2,713 (1,156)	47 (58)	1,505 (510)	11,404 (3,791)	163,909 (37,035)	1,493 (583)	769 (275)
	July	5,746 (4,744)	67 (104)	851 (368)	4,067 (1,733)	94,106 (27,055)	548 (335)	458 (341)
	Overall	12,716 (5,024)	180 (123)	3,433 (699)	19,704 (4,835)	308,513 (49,305)	3,156 (945)	1,453 (440)

Table 9. Estimated number and rate (number per hour) of Channel Catfish (CCF), Common Carp (COC), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) caught and harvested by anglers during the summer and winter fisheries on Oahe, (80% confidence interval).

**Channel Catfish**

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2006	31,847 (5,327)	7,763 (1,758)	0.05 (<0.01)	0.01 (<0.01)
Summer	2007	35,084 (4,191)	9,516 (2,443)	0.05 (0.01)	0.01 (<0.01)
Summer	2008	33,212 (4,516)	15,038 (2,267)	0.04 (<0.01)	0.02 (<0.01)
Summer	2009	28,679 (5,609)	10,648 (2,551)	0.03 (<0.01)	0.01 (<0.01)
Summer	2010	51,353 (10,876)	12,189 (1,831)	0.04 (0.01)	0.01 (<0.01)
Summer	2011	64,884 (12,353)	16,777 (2,453)	0.05 (0.01)	0.01 (<0.01)
Summer	2012	68,406 (11,608)	14,885 (2,048)	0.06 (0.01)	0.01 (<0.01)
Summer	2013	103,981 (15,378)	17,820 (3,119)	0.10 (0.02)	0.02 (<0.01)
Summer	2014	67,329 (13,502)	20,152 (7,594)	0.09 (0.02)	0.03 (<0.01)
Summer	2015	67,978 (18,566)	12,716 (5,024)	0.09 (0.03)	0.02 (<0.01)

**Common Carp**

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2006	1,744 (364)	13 (18)	<0.01 (<0.01)	<0.01 (<0.01)
Summer	2007	2,610 (718)	15 (20)	<0.01 (<0.01)	<0.01 (<0.01)
Summer	2008	2,872 (822)	6 (6)	<0.01 (<0.01)	<0.01 (<0.01)
Summer	2009	2,134 (303)	163 (77)	<0.01 (<0.01)	<0.01 (<0.01)
Summer	2010	6,511 (1,085)	337 (173)	0.01 (<0.01)	<0.01 (<0.01)
Summer	2011	3,108 (452)	309 (98)	<0.01 (<0.01)	<0.01 (<0.01)
Summer	2012	1,365 (93)	0	<0.01 (<0.01)	0.00
Summer	2013	3,202 (329)	1,909 (109)	<0.01 (<0.01)	<0.01 (<0.01)
Summer	2014	1,009 (374)	133 (177)	<0.01 (<0.01)	<0.01 (<0.01)
Summer	2015	1,959 (503)	180 (123)	<0.01 (<0.01)	<0.01 (<0.01)

**Northern Pike**

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2006	955 (164)	346 (71)	<0.01 (<0.01)	<0.01 (<0.01)
Summer	2007	487 (77)	239 (33)	<0.01 (<0.01)	<0.01 (<0.01)
Summer	2008	1,748 (388)	668 (221)	<0.01 (<0.01)	<0.01 (<0.01)
Summer	2009	4,152 (568)	1,461 (200)	<0.01 (<0.01)	<0.01 (<0.01)
Summer	2010	49,865 (7,028)	6,570 (1,022)	0.04 (<0.01)	0.01 (<0.01)
Summer	2011	132,285 (16,473)	18,282 (2,681)	0.10 (0.02)	0.01 (<0.01)
Summer	2012	230,186 (24,158)	29,514 (3,776)	0.19 (0.04)	0.02 (<0.01)
Summer	2013	84,072 (13,593)	11,075 (1,655)	0.08 (0.02)	0.01 (<0.01)
Summer	2014	32,243 (5,443)	6,681 (1,383)	0.04 (0.01)	0.01 (<0.01)
Summer	2015	34,963 (6,008)	3,433 (699)	0.05 (0.01)	<0.01 (<0.01)

**Smallmouth Bass**

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2006	16,863 (2,213)	2,214 (380)	0.02 (<0.01)	<0.01 (<0.01)
Summer	2007	56,016 (9,145)	7,342 (1,765)	0.08 (0.02)	0.01 (<0.01)
Summer	2008	56,048 (8,872)	7,955 (1,122)	0.06 (0.01)	0.01 (<0.01)
Summer	2009	46,183 (7,488)	6,853 (974)	0.05 (0.01)	0.01 (<0.01)
Summer	2010	184,016 (29,285)	24,828 (3,380)	0.16 (0.03)	0.02 (<0.01)
Summer	2011	191,392 (23,602)	25,321 (4,200)	0.14 (0.04)	0.02 (<0.01)
Summer	2012	323,113 (38,190)	61,832 (7,687)	0.27 (0.06)	0.05 (0.01)
Summer	2013	147,810 (23,867)	30,913 (5,316)	0.14 (0.03)	0.03 (<0.01)
Summer	2014	73,422 (16,809)	20,139 (5,234)	0.10 (0.03)	0.03 (<0.01)
Summer	2015	89,855 (17,613)	19,704 (4,835)	0.12 (0.04)	0.03 (<0.01)

**Walleye**

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2006	168,884 (36,780)	112,714 (22,615)	0.24 (0.06)	0.16 (0.04)
Summer	2007	415,398 (70,664)	211,112 (33,632)	0.62 (0.23)	0.31 (0.11)
Summer	2008	543,581 (74,393)	304,646 (42,233)	0.62 (0.12)	0.35 (0.07)
Summer	2009	363,668 (53,011)	235,740 (31,599)	0.39 (0.08)	0.25 (0.05)
Summer	2010	416,887 (60,377)	270,989 (40,997)	0.36 (0.07)	0.24 (0.05)
Summer	2011	1,812,634 (228,412)	579,823 (68,549)	1.37 (0.41)	0.44 (0.12)
Summer	2012	2,342,623 (296,718)	691,188 (80,259)	1.94 (0.49)	0.57 (0.15)
Summer	2013	1,725,691 (308,472)	781,868 (122,620)	1.61 (0.42)	0.73 (0.18)
Summer	2014	932,379 (148,332)	369,928 (55,750)	1.21 (0.37)	0.48 (0.14)
Summer	2015	571,664 (90,791)	308,513 (49,305)	0.77 (0.22)	0.42 (0.12)

**White Bass**

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2006	14,193 (2,369)	3,354 (616)	0.02 (<0.01)	<0.01 (<0.01)
Summer	2007	35,102 (9,889)	8,175 (2,653)	0.05 (0.02)	0.01 (<0.01)
Summer	2008	18,314 (3,199)	4,262 (758)	0.02 (<0.01)	<0.01 (<0.01)
Summer	2009	24,337 (5,347)	8,701 (1,566)	0.03 (<0.01)	0.01 (<0.01)
Summer	2010	22,070 (3,363)	6,130 (971)	0.02 (<0.01)	0.01 (<0.01)
Summer	2011	34,893 (6,729)	8,409 (2,225)	0.03 (<0.01)	0.01 (<0.01)
Summer	2012	34,379 (4,415)	9,597 (2,001)	0.03 (<0.01)	0.01 (<0.01)
Summer	2013	37,323 (7,316)	7,866 (1,563)	0.03 (<0.01)	0.01 (<0.01)
Summer	2014	14,634 (3,668)	2,430 (562)	0.02 (<0.01)	<0.01 (<0.01)
Summer	2015	15,694 (3,468)	3,156 (945)	0.02 (<0.01)	<0.01 (<0.01)

**Yellow Perch**

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2006	11,559 (3,179)	786 (203)	0.02 (<0.01)	<0.01 (<0.01)
Summer	2007	9,023 (1,949)	568 (192)	0.01 (<0.01)	<0.01 (<0.01)
Summer	2008	8,557 (1,875)	813 (114)	0.01 (<0.01)	<0.01 (<0.01)
Summer	2009	24,235 (4,549)	3,065 (652)	0.03 (<0.01)	<0.01 (<0.01)
Summer	2010	172,416 (33,427)	9,281 (1,821)	0.15 (0.04)	0.01 (<0.01)
Summer	2011	101,466 (17,828)	6,967 (1,700)	0.08 (0.02)	0.01 (<0.01)
Summer	2012	18,011 (1,706)	3,354 (608)	0.01 (<0.01)	<0.01 (<0.01)
Summer	2013	5,847 (1,297)	1,027 (130)	0.01 (<0.01)	<0.01 (<0.01)
Summer	2014	1,885 (802)	573 (298)	<0.01 (<0.01)	<0.01 (<0.01)
Summer	2015	12,792 (3,082)	1,453 (440)	0.02 (<0.01)	<0.01 (<0.01)

Table 10. The number of fish harvested with each species by length group (mm) for the winter and summer fisheries at Oahe. Abbreviations for species are as follows: Channel Catfish (CCF), Common Carp (COC), Northern Pike (NOP), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP).

<b>Summer 2014</b>							
Length Group (mm)	CCF (N=0)	COC (N=0)	NOP (N=0)	SMB (N=131)	WAE (N=3273)	WHB (N=0)	YEP (N=0)
220					1		
230							
240					2		
250					2		
260							
270				1	4		
280				1	6		
290				1	12		
300				4	35		
310				3	76		
320				6	162		
330				8	271		
340				6	320		
350				12	349		
360				10	363		
370				15	354		
380				13	335		
390				15	239		
400				8	183		
410				13	152		
420				8	102		
430				4	74		
440					40		
450				2	42		
460					27		
470				1	18		
480					17		
490					7		
500					8		
510					6		
520					10		
530					5		
540					6		
550					6		
560					4		
570					7		
580					3		
590					2		
600					4		
610					4		
620					3		
630					3		
640					1		
650					1		
660							
670					1		
680							
690					2		
700							
710					1		
720					2		
730							
740							
750					1		




---

**Summer 2015**


Length Group (mm)	CCF (N=0)	COC (N=0)	NOP (N=0)	SMB (N=80)	WAE (N=1686)	WHB (N=0)	YEP (N=0)
230				1			
240				1			
250							
260							
270				2	1		
280					1		
290				3	2		
300					4		
310				2	6		
320				1	21		
330				5	33		
340				5	58		
350				1	103		
360				4	118		
370				8	154		
380				11	158		
390				6	177		
400				4	156		
410				7	174		
420				4	131		
430				7	124		
440				4	57		
450					50		
460				3	38		
470				1	33		
480					17		
490					29		
500					18		
510					4		
520					7		
530					2		
540					1		
550					2		
560							
570							
580							
590					4		
600							
610					1		
620							
630							
640							
650							
660							
670							
680							
690							
700					1		
710							
720							
730					1		

---

Length frequency of angler-harvested Smallmouth Bass measured by the creel clerk during creel surveys on Oahe.





Summer 2014  
N = 131  
Mean TL = 371 mm




Summer 2015  
N = 80  
Mean TL = 377 mm

Length frequency of angler-harvested Walleye measured by the creel clerk during creel surveys on Oahe.



South Dakota county of residence for winter and summer resident anglers fishing Oahe,  
South Dakota between May 2014 and July 2015.

Summer 2014



Summer 2015





Table 11. Number of parties or anglers interviewed that harvested (or caught) a specified number of fish total over selected strata for a species.

Angler Harvest	Count						
	CCF (n=179)	COC (n=0)	NOP (n=23)	SMB (n=14191)	WAE (n=14191)	WHB (n=0)	YEP (n=0)
0.00	0	0	0	0	0	0	0
0.20	0	0	1	0	2	0	0
0.25	0	0	1	0	5	0	0
0.33	0	0	0	1	7	0	0
0.40	0	0	0	0	2	0	0
0.43	0	0	0	0	3	0	0
0.50	0	0	1	0	34	0	0
0.60	0	0	0	0	21	0	0
0.67	0	0	0	2	28	0	0
0.75	0	0	0	0	12	0	0
0.80	0	0	0	0	12	0	0
0.83	0	0	0	0	10	0	0
1.00	2	0	3	7	161	0	0
1.20	0	0	0	0	6	0	0
1.25	0	0	0	0	15	0	0
1.33	4	0	4	0	76	0	0
1.40	0	0	0	0	7	0	0
1.50	0	0	6	0	135	0	0
1.60	0	0	0	0	24	0	0
1.67	0	0	0	0	80	0	0
1.71	0	0	0	0	12	0	0
1.75	0	0	0	0	35	0	0
2.00	0	0	6	0	270	0	0
2.17	0	0	0	0	13	0	0
2.25	0	0	0	0	27	0	0
2.33	0	0	0	0	63	0	0
2.40	0	0	0	0	12	0	0
2.50	0	0	0	0	170	0	0
2.60	0	0	0	0	39	0	0
2.67	0	0	0	0	160	0	0
2.75	0	0	0	0	77	0	0
2.80	0	0	0	0	14	0	0
3.00	0	0	0	0	387	0	0
3.20	0	0	0	0	48	0	0
3.25	0	0	0	0	13	0	0
3.33	0	0	0	0	180	0	0
3.50	0	0	0	7	336	0	0
3.67	0	0	0	0	165	0	0
3.75	0	0	0	0	60	0	0
3.80	0	0	0	0	19	0	0
3.83	0	0	0	0	23	0	0

4.00	0	0	0	0	3404	0	0
4.50	0	0	0	9	9	0	0
5.00	5	0	0	35	0	0	0
6.00	0	0	0	0	12	0	0
7.50	0	0	0	0	15	0	0
8.00	0	0	0	0	8	0	0
11.67	35	0	0	0	0	0	0
40.00	0	0	0	0	80	0	0

---

Angler Harvest	Count						
	CCF (n=179)	COC (n=0)	NOP (n=23)	SMB (n=14191)	WAE (n=14191)	WHB (n=0)	YEP (n=0)
0.00	0	0	0	0	0	0	0
0.17	0	0	1	0	1	0	0
0.25	0	0	0	0	11	0	0
0.29	0	0	0	0	2	0	0
0.33	0	0	0	0	19	0	0
0.40	0	0	0	0	6	0	0
0.50	0	0	0	0	55	0	0
0.60	0	0	0	0	3	0	0
0.67	0	0	0	2	42	0	0
0.75	0	0	0	0	33	0	0
0.80	0	0	0	0	28	0	0
0.83	0	0	0	0	5	0	0
0.86	0	0	0	0	6	0	0
0.88	0	0	0	0	7	0	0
1.00	0	0	0	0	253	0	0
1.25	0	0	0	0	35	0	0
1.33	0	0	0	0	96	0	0
1.40	0	0	0	0	14	0	0
1.50	0	0	0	0	198	0	0
1.60	0	0	0	0	32	0	0
1.67	0	0	0	0	90	0	0
1.75	0	0	0	0	70	0	0
2.00	0	0	0	2	468	0	0
2.25	0	0	0	0	54	0	0
2.33	0	0	0	0	161	0	0
2.40	0	0	0	0	36	0	0
2.50	0	0	0	0	295	0	0
2.60	0	0	0	0	13	0	0
2.67	0	0	0	0	272	0	0
2.75	0	0	0	0	110	0	0
2.80	0	0	0	0	14	0	0
3.00	0	0	0	0	621	0	0
3.20	0	0	0	0	48	0	0
3.25	0	0	0	0	78	0	0
3.33	0	0	0	0	210	0	0
3.40	0	0	0	0	34	0	0
3.50	0	0	0	0	378	0	0
3.67	0	0	0	0	176	0	0
3.75	0	0	0	0	60	0	0
3.80	0	0	0	0	38	0	0
4.00	0	0	0	0	3696	0	0
4.50	0	0	0	0	18	0	0
5.00	0	0	0	0	25	0	0

5.33	0	0	0	0	16	0	0
5.50	0	0	0	0	11	0	0
6.00	0	0	0	0	36	0	0
7.00	14	0	0	0	0	0	0
8.00	0	0	0	0	16	0	0
9.50	19	0	0	0	0	0	0
10.00	0	0	0	0	10	0	0
13.33	40	0	0	0	0	0	0
15.00	0	0	0	0	0	0	0
20.00	60	0	0	0	0	0	0

---