

Creel and Lake Information

Lake Information

Lake Name: Enemy Swim
Lake Code: UBS-Lake-196-000
Surface Area: 884.65 Hectares
County: Day
Start Date: 1/10/2015
End Date: 12/29/2015
Months Included: January, February, March, May, June, July, August

Table 1. Percent of angling parties interviewed primarily targeting a species (or any species) by month and overall for Enemy Swim during 2014 - 2015. Any Species (ANY), Black Crappie (BLC), Bluegill (BLG), Largemouth Bass (LMB), Northern Pike (NOP), Rock Bass (ROB), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP).

Year	Month	# of Interviews	Percent of Anglers Targeting									
			ANY	BLC	BLG	LMB	NOP	ROB	SMB	WAE	WHB	YEP
2014	January	68	10.3	10.3	70.6	0.0	1.5	0.0	0.0	7.4	0.0	0.0
	February	57	17.5	7.0	70.2	0.0	0.0	0.0	0.0	5.3	0.0	0.0
	March	45	6.7	2.2	80.0	0.0	0.0	0.0	0.0	6.7	0.0	4.4
	May	8	12.5	0.0	25.0	0.0	0.0	0.0	37.5	25.0	0.0	0.0
	June	34	32.4	0.0	8.8	0.0	0.0	0.0	8.8	47.1	0.0	0.0
	July	38	28.9	0.0	42.1	0.0	0.0	0.0	13.2	10.5	0.0	0.0
	August	28	25.0	0.0	50.0	3.6	0.0	0.0	10.7	7.1	0.0	0.0
	December	32	21.9	6.3	59.4	0.0	6.3	0.0	0.0	3.1	0.0	3.1
	Overall	310	18.4	4.5	57.4	0.3	1.0	0.0	4.5	11.6	0.0	1.0
2015	January	59	8.5	10.2	67.8	0.0	0.0	0.0	0.0	10.2	0.0	3.4
	February	53	13.2	15.1	66.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0
	March	40	10.0	0.0	87.5	0.0	0.0	0.0	0.0	0.0	0.0	2.5
	May	6	33.3	0.0	33.3	0.0	0.0	0.0	16.7	16.7	0.0	0.0
	June	17	23.5	0.0	41.2	0.0	0.0	0.0	5.9	29.4	0.0	0.0
	July	18	27.8	0.0	16.7	0.0	0.0	0.0	5.6	50.0	0.0	0.0
	August	8	0.0	0.0	37.5	12.5	12.5	0.0	12.5	25.0	0.0	0.0
	December	16	6.3	25.0	68.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Overall	217	12.9	8.3	62.7	0.5	0.5	0.0	1.8	12.0	0.0	1.4

Table 2. Monthly and overall number of interviews, angler hours, angler days, mean trip length, mean party size, percent of parties interviewed that were South Dakota residents, percent of angling activity from a boat or shack and percent of angling activity that occurred on weekends and holidays at Enemy Swim (80% confidence interval).

Year	Month	# Interviews	Angler Hours	Angler Days	Trip Length (h)	Party Size	% SD Residents	% Boat or Shack	% Weekend/Holidays
2013-2014	January	68	3,540 (925)	796	4.45 (3.72)	2.07 (1.17)	25	88	38
	February	57	10,517 (8,623)	2,125	4.95	2.28	51	100	77
	March	45	6,700 (1,627)	1,634	4.10 (0.74)	2.30 (0.66)	18	60	71
	Overall	170	29,131 (9,380)	6,459	4.51 (1.30)	2.21 (0.45)	34	86	62
2014	May	8	6,483 (2,380)	1,240	5.23 (2.71)	2.17 (0.59)	38	88	13
	June	34	20,683 (7,106)	4,556	4.54 (0.99)	2.68 (0.59)	62	91	47
	July	38	14,851 (5,467)	3,100	4.79	2.66 (0.24)	53	97	50
	August	28	12,203 (5,664)	2,490	4.90	2.36	50	100	64
	Overall	108	54,220 (10,869)	11,226	4.83 (0.55)	2.46 (0.22)	54	95	50
2014-2015	January	59	3,199 (960)	501	6.38 (3.45)	2.09 (0.79)	49	53	61
	February	53	12,980 (4,779)	1,462	8.88 (2.48)	1.81 (0.45)	30	94	60
	March	40	7,248 (2,123)	1,600	4.53 (2.00)	2.65 (1.16)	40	20	63
	Overall	152	36,339 (7,616)	5,448	6.67 (1.59)	2.17 (0.48)	40	61	60
2015	May	6	2,103 (834)	541	3.89	1.50	50	100	0
	June	17	4,269 (1,249)	748	5.71	2.43	29	100	76
	July	18	6,304 (2,756)	1,081	5.83	2.33	78	94	67
	August	8	6,593 (1,086)	2,424	2.72	2.76 (0.61)	38	75	63
	Overall	49	19,269 (3,321)	4,198	4.59	2.33 (0.17)	51	94	61

Table 3. Estimated fishing pressure (angler hours) by month during the summer season 2015 daylight period on Enemy Swim (80% confidence interval).

Lake	Month				Total
	April	May	June	July	
Enemy Swim	2,103 (834)	4,269 (1,249)	6,304 (2,756)	6,593 (1,086)	19,269 (3,321)

Table 4. Estimated number of fish harvested, by species and month, for the summer season 2015 daylight period on Enemy Swim (80% confidence interval).

Species	Month				Total
	May	June	July	August	
Black Crappie	0	29 (20)	87 (67)	0	117 (87)
Bluegill	0	1,637 (1,250)	1,924 (413)	2,106 (501)	3,561 (1,664)
Largemouth Bass	0	0	0	0	0
Northern Pike	0	20 (13)	51 (65)	33 (8)	71 (78)
Rock Bass	37 (8)	73 (164)	0	0	110 (172)
Smallmouth Bass	0	213 (71)	87 (79)	0	300 (150)
Walleye	0	291 (82)	230 (262)	33 (8)	521 (343)
White Bass	0	10 (19)	24 (2)	0	34 (21)
Yellow Perch	0	10 (7)	51 (65)	0	61 (72)
Total	37 (8)	2,283 (1,626)	2,456 (953)	2,172 (517)	4,776 (2,587)

Table 5a. Estimated monthly and overall angler catch rate per hour fished (C/h) for all anglers by species at Enemy Swim (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Largemouth Bass (LMB), Northern Pike (NOP), Rock Bass (ROB), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and other species (Other).

Year	Month	BLC	BLG	LMB	NOP	ROB	SMB	WAE	WHB	YEP
		C/h	C/h	C/h	C/h	C/h	C/h	C/h	C/h	C/h
2013-2014	January	0.08	2.51	<0.01	0.01	<0.01	<0.01	0.02	0.00	0.13
	February	0.02	0.99	0.00	0.01	0.00	0.01	<0.01	0.00	0.05
	March	0.05	1.70	0.01	0.01	0.00	0.03	0.09	<0.01	0.34
	Overall	0.03	1.05	<0.01	0.01	<0.01	0.01	0.02	<0.01	0.11
2014	May	0.04 (0.04)	0.04 (0.07)	0.09 (0.09)	0.09 (0.06)	0.00	0.70 (0.46)	0.56 (0.28)	0.00	0.00
	June	0.02 (0.01)	0.26 (0.41)	0.01 (0.02)	0.05 (0.04)	0.07 (0.06)	0.41 (0.25)	0.78 (0.61)	0.00	0.04 (0.07)
	July	0.02 (0.02)	1.00 (0.88)	0.07 (0.07)	0.05 (0.04)	0.00	0.43 (0.38)	0.19 (0.15)	<0.01 (<0.01)	0.04 (0.02)
	August	0.12 (0.19)	0.95 (1.56)	0.07 (0.10)	0.02 (0.03)	0.02 (0.02)	0.52 (0.76)	0.33 (0.51)	0.04 (0.05)	0.02 (0.02)
	Overall	0.04 (0.03)	0.59 (0.41)	0.05 (0.03)	0.05 (0.02)	0.03 (0.02)	0.48 (0.23)	0.49 (0.26)	0.01 (<0.01)	0.03 (0.03)
2014-2015	January	0.05	0.36	<0.01	0.03	<0.01	0.04	0.05	<0.01	0.07
	February	0.07	0.48	<0.01	0.01	<0.01	0.05	0.12	0.00	0.09
	March	0.20	0.79	0.02	0.01	0.01	0.17	0.02	0.01	0.06
	Overall	0.07	0.36	<0.01	0.01	<0.01	0.05	0.05	<0.01	0.05
2015	May	0.00	0.00	0.04 (0.02)	0.33	0.02 (<0.01)	0.11 (0.05)	0.04 (0.02)	0.04 (0.02)	0.00
	June	0.01 (<0.01)	0.59 (0.76)	0.05 (0.02)	0.03 (0.03)	0.03 (0.04)	0.51 (0.33)	0.32 (0.39)	<0.01 (<0.01)	0.02 (0.03)
	July	0.01 (0.01)	0.46 (0.44)	<0.01 (<0.01)	0.04 (0.07)	0.00	0.20 (0.31)	0.39 (0.79)	0.02 (<0.01)	0.01 (0.01)
	August	0.00	0.50 (0.13)	0.00	0.01 (<0.01)	0.00	0.13 (0.22)	0.02 (<0.01)	0.00	0.12 (0.03)
	Overall	0.01 (<0.01)	0.45 (0.22)	0.02 (<0.01)	0.06 (0.04)	0.01 (<0.01)	0.24 (0.14)	0.21 (0.22)	0.01 (<0.01)	0.05 (0.02)

Table 5b. Estimated monthly and overall angler harvest rate per hour fished (H/h) for all anglers by species at Enemy Swim (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Largemouth Bass (LMB), Northern Pike (NOP), Rock Bass (ROB), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and other species (Other).

Year	Month	BLC	BLG	LMB	NOP	ROB	SMB	WAE	WHB	YEP
		H/h	H/h	H/h	H/h	H/h	H/h	H/h	H/h	H/h
2013-2014	January	0.07	1.45	0.00	0.01	0.00	0.00	<0.01	0.00	<0.01
	February	0.02	0.51	0.00	0.01	0.00	0.00	<0.01	0.00	<0.01
	March	0.04	0.99	0.00	0.00	0.00	0.00	0.01	0.00	0.00
	Overall	0.02	0.59	0.00	<0.01	0.00	0.00	<0.01	0.00	<0.01
2014	May	0.00	0.00	0.00	0.00	0.00	0.00	0.25 (0.13)	0.00	0.00
	June	0.02 (0.01)	0.21 (0.36)	0.00	0.02 (0.02)	0.01 (0.02)	0.02 (0.02)	0.06 (0.05)	0.00	0.02 (0.04)
	July	0.01 (0.01)	0.70 (0.60)	0.00	0.01 (<0.01)	0.00	0.02 (0.02)	0.02 (0.02)	0.00	0.00
	August	0.11 (0.19)	0.62 (0.86)	0.00	<0.01 (<0.01)	<0.01 (<0.01)	0.02 (0.02)	0.01 (0.01)	0.00	0.00
	Overall	0.03 (0.03)	0.41 (0.27)	0.00	0.01 (<0.01)	0.01 (<0.01)	0.02 (0.01)	0.06 (0.02)	0.00	0.01 (0.01)
2014-2015	January	0.03	0.26	0.00	0.01	0.00	0.00	<0.01	<0.01	0.01
	February	0.06	0.31	0.00	<0.01	<0.01	0.00	0.03	0.00	<0.01
	March	0.18	0.48	0.00	<0.01	0.00	0.00	0.01	<0.01	<0.01
	Overall	0.06	0.23	0.00	<0.01	<0.01	0.00	0.01	<0.01	<0.01
2015	May	0.00	0.00	0.00	0.00	0.02 (<0.01)	0.00	0.00	0.00	0.00
	June	0.01 (<0.01)	0.38 (0.47)	0.00	<0.01 (<0.01)	0.02 (0.04)	0.05 (0.02)	0.07 (0.04)	<0.01 (<0.01)	<0.01 (<0.01)
	July	0.01 (0.01)	0.31 (0.34)	0.00	0.01 (0.02)	0.00	0.01 (0.03)	0.04 (0.09)	<0.01 (<0.01)	0.01 (0.01)
	August	0.00	0.32 (0.09)	0.00	<0.01 (<0.01)	0.00	0.00	<0.01 (<0.01)	0.00	0.00
	Overall	0.01 (<0.01)	0.29 (0.15)	0.00	0.01 (<0.01)	0.01 (<0.01)	0.02 (0.01)	0.03 (0.03)	<0.01 (<0.01)	<0.01 (<0.01)

Table 6a. Estimated monthly and overall angler catch rate per hour fished (C/h) only for anglers primarily targeting a species at Enemy Swim. (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Largemouth Bass (LMB), Northern Pike (NOP), Rock Bass (ROB), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and Other Species (Other).

Year	Month	BLC C/h	BLG C/h	LMB C/h	NOP C/h	ROB C/h	SMB C/h	WAE C/h	WHB C/h	YEP C/h
2013- 2014	January	0.03 (0.04)	3.18 (2.10)	0.00	0.17	0.00	0.00	0.23	0.00	0.00
	February	0.04 (0.01)	2.31 (2.73)	0.00	0.00	0.00	0.00	0.01	0.00	0.00
	March	2.12	4.00 (2.33)	0.00	0.00	0.00	0.00	0.07	0.00	0.00
	Overall	0.30 (0.02)	3.25 (1.37)	0.00	0.17	0.00	0.00	0.10	0.00	0.00
2014	May	0.00	0.49 (0.92)	0.00	0.00	0.00	1.80 (0.51)	0.69	0.00	0.00
	June	0.00	0.15 (0.05)	0.00	0.00	0.00	0.55 (0.39)	0.93(0.85)	0.00	0.00
	July	0.00	1.36 (1.44)	0.00	0.00	0.00	0.76 (0.28)	0.62(0.54)	0.00	0.00
	August	0.00	1.33 (1.48)	0.33	0.00	0.00	1.09 (3.31)	1.10	0.00	0.00
	Overall	0.00	1.05 (0.74)	0.33	0.00	0.00	0.95 (0.39)	0.85(0.25)	0.00	0.00
2014- 2015	January	0.41 (0.12)	0.60 (0.12)	0.00	0.00	0.00	0.00	1.59 (<0.01)	0.00	0.20
	February	0.11 (0.09)	1.16 (1.16)	0.00	0.00	0.00	0.00	0.51	0.00	0.00
	March	0.00	3.99 (0.99)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Overall	0.17 (0.07)	1.62 (0.35)	0.00	0.00	0.00	0.00	1.05 (<0.01)	0.00	0.12
2015	May	0.00	0.00	0.00	0.00	0.00	0.44	0.00	0.00	0.00
	June	0.00	1.41 (1.18)	0.00	0.00	0.00	0.00	0.40(0.44)	0.00	0.00
	July	0.00	2.62 (16.85)	0.00	0.00	0.00	1.22	0.27(0.01)	0.00	0.00
	August	0.00	1.24	0.00	0.17	0.00	4.00	0.09(0.20)	0.00	0.00
	Overall	0.00	1.16 (1.73)	0.00	0.17	0.00	1.83	0.24(0.15)	0.00	0.00

Table 6b. Estimated monthly and overall angler harvest rate per hour fished (H/h) only for anglers primarily targeting a species at Enemy Swim. (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Largemouth Bass (LMB), Northern Pike (NOP), Rock Bass (ROB), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and Other Species (Other).

Year	Month	BLC	BLG	LMB	NOP	ROB	SMB	WAE	WHB	YEP
		H/h	H/h	H/h	H/h	H/h	H/h	H/h	H/h	H/h
2013- 2014	January	0.03 (0.05)	1.92 (1.81)	0.00	0.17	0.00	0.00	<0.01	0.00	0.00
	February	0.04 (0.02)	1.18 (1.63)	0.00	0.00	0.00	0.00	<0.01	0.00	0.00
	March	1.84	2.46 (4.07)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Overall	0.26 (0.02)	1.93 (1.55)	0.00	0.17	0.00	0.00	<0.01	0.00	0.00
2014	May	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.00
	June	0.00	0.02 (0.05)	0.00	0.00	0.00	0.00	0.04 (0.07)	0.00	0.00
	July	0.00	1.03 (0.96)	0.00	0.00	0.00	0.00	0.04 (0.07)	0.00	0.00
	August	0.00	0.80 (0.64)	0.00	0.00	0.00	0.00	0.06	0.00	0.00
	Overall	0.00	0.63 (0.40)	0.00	0.00	0.00	0.00	0.08 (0.02)	0.00	0.00
2014- 2015	January	0.31 (0.33)	0.42 (0.12)	0.00	0.00	0.00	0.00	0.10	0.00	0.00
	February	0.09 (0.15)	0.89 (1.18)	0.00	0.00	0.00	0.00	0.13	0.00	0.00
	March	0.00	2.10 (0.74)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Overall	0.13 (0.14)	0.96 (0.30)	0.00	0.00	0.00	0.00	0.11	0.00	0.00
2015	May	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	June	0.00	0.78 (1.67)	0.00	0.00	0.00	0.00	0.12 (0.03)	0.00	0.00
	July	0.00	1.03 (4.34)	0.00	0.00	0.00	0.00	0.01 (0.02)	0.00	0.00
	August	0.00	0.92	0.00	0.09	0.00	0.00	0.00	0.00	0.00
	Overall	0.00	0.68 (0.71)	0.00	0.09	0.00	0.00	0.04 (0.01)	0.00	0.00

Table 7a. Estimated monthly and overall angler catch (C) for all anglers by species at Enemy Swim (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Largemouth Bass (LMB), Northern Pike (NOP), Rock Bass (ROB), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and other species (Other).

Year	Month	BLC	BLG	LMB	NOP	ROB	SMB	WAE	WHB	YEP
		C	C	C	C	C	C	C	C	C
2013-2014	January	278	8,888	6	25	3	3	83	0	446
	February	211	10,393	0	105	0	81	31	0	574
	March	322	11,380	90	74	0	173	606	3	2,270
	Overall	811	30,661	96	204	3	257	721	3	3,289
2014	May	234 (235)	280 (459)	561 (563)	608 (305)	0	4,534 (2,183)	3,654 (628)	0	0
	June	334 (276)	5,385 (4,994)	303 (442)	1,087 (703)	1,406 (963)	8,576 (3,916)	16,091 (8,706)	0	859 (865)
	July	240 (168)	14,851 (7,203)	991 (882)	686 (375)	0	6,437 (3,777)	2,848 (1,257)	54 (83)	583 (238)
	August	1,431 (925)	11,580 (7,706)	897 (1,126)	209 (168)	236 (195)	6,296 (4,208)	4,083 (2,256)	440 (326)	278 (268)
	Overall	2,238 (1,008)	32,097 (11,679)	2,752 (1,599)	2,590 (869)	1,643 (982)	25,843 (7,216)	26,675 (9,103)	494 (336)	1,721 (937)
2014-2015	January	165	1,150	4	92	11	133	146	2	240
	February	908	6,257	9	105	47	598	1,619	0	1,205
	March	1,457	5,741	152	53	49	1,264	117	49	407
	Overall	2,530	13,148	165	249	107	1,996	1,883	51	1,852
2015	May	0	0	74 (17)	701 (904)	37 (8)	221 (51)	74 (17)	74 (17)	0
	June	29 (20)	2,509 (1,971)	206 (116)	147 (99)	120 (153)	2,195 (648)	1,369 (964)	20 (14)	105 (85)
	July	87 (67)	2,914 (1,098)	12 (16)	254 (122)	0	1,266 (585)	2,437 (2,002)	96 (8)	63 (67)
	August	0	3,294 (695)	0	66 (16)	0	853 (1,420)	132 (31)	0	782 (173)
	Overall	117 (70)	8,718 (2,360)	292 (118)	1,168 (918)	157 (153)	4,535 (1,667)	4,012 (2,223)	190 (23)	951 (204)

Table 7b. Estimated monthly and overall angler harvest (H) for all anglers by species at Enemy Swim (80% confidence interval). Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Largemouth Bass (LMB), Northern Pike (NOP), Rock Bass (ROB), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) and other species (Other).

Year	Month	BLC	BLG	LMB	NOP	ROB	SMB	WAE	WHB	YEP
		H	H	H	H	H	H	H	H	H
2013-2014	January	245	5,143	0	19	0	0	10	0	16
	February	194	5,385	0	77	0	0	9	0	41
	March	252	6,622	0	0	0	0	46	0	0
	Overall	690	17,149	0	96	0	0	65	0	57
2014	May	0	0	0	0	0	0	1,593 (282)	0	0
	June	334 (276)	4,399 (4,536)	0	379 (482)	260 (237)	431 (388)	1,217 (902)	0	455 (459)
	July	178 (140)	10,467 (5,040)	0	81 (129)	0	255 (215)	267 (150)	0	0
	August	1,371 (899)	7,626 (3,625)	0	30 (49)	60 (97)	218 (243)	159 (115)	0	0
	Overall	1,883 (951)	22,492 (7,689)	0	490 (502)	320 (256)	905 (506)	3,236 (964)	0	455 (459)
2014-2015	January	104	819	0	33	0	0	12	2	32
	February	841	4,062	0	19	10	0	372	0	59
	March	1,309	3,471	0	<1	0	0	52	<1	8
	Overall	2,255	8,352	0	53	10	0	435	2	98
2015	May	0	0	0	0	37 (8)	0	0	0	0
	June	29 (20)	1,637 (1,250)	0	20 (13)	73 (164)	213 (71)	291 (82)	10 (19)	10 (7)
	July	87 (67)	1,924 (413)	0	51 (65)	0	87 (79)	230 (262)	24 (2)	51 (65)
	August	0	2,106 (501)	0	33 (8)	0	0	33 (8)	0	0
	Overall	117 (70)	5,668 (1,409)	0	104 (67)	110 (164)	300 (106)	554 (274)	34 (19)	61 (65)

Table 8. Estimated number and rate (number per hour) of Black Crappie (BLC), Bluegill (BLG), Largemouth Bass (LMB), Northern Pike (NOP), Rock Bass (ROB), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP) caught and harvested by anglers during the summer and winter fisheries on Enemy Swim, (80% confidence interval).

Black Crappie

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2006	476 (235)	425 (231)	0.01 (<0.01)	0.01 (<0.01)
Summer	2007	1,231 (341)	191 (108)	0.05 (0.01)	0.01 (<0.01)
Summer	2009	44 (70)	0	<0.01 (<0.01)	0.00
Summer	2010	13 (13)	0	<0.01 (<0.01)	0.00
Summer	2011	136	136	0.01	0.01
Summer	2013	2,018 (655)	1,254 (513)	0.04 (0.02)	0.03 (0.02)
Summer	2014	2,238 (1,008)	1,883 (951)	0.04 (0.03)	0.03 (0.03)
Summer	2015	117 (70)	117 (70)	0.01 (<0.01)	0.01 (<0.01)
Winter	2005-2006	234	219	0.03	0.03
Winter	2006-2007	316	267	0.03	0.02
Winter	2007-2008	230	151	0.03	0.02
Winter	2008-2009	75	75	0.01	0.01
Winter	2009-2010	4	0	<0.01	0.00
Winter	2013-2014	811	690	0.03	0.02
Winter	2014-2015	2,530	2,255	0.07	0.06

Bluegill

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2006	20,312 (12,334)	8,745 (5,076)	0.53 (0.38)	0.23 (0.16)
Summer	2007	26,244 (11,359)	7,705 (3,092)	0.98 (0.42)	0.29 (0.12)
Summer	2008	3,034 (793)	1,401 (82)	0.14 (0.07)	0.07 (0.03)
Summer	2009	4,124 (1,266)	44 (70)	0.19 (0.07)	<0.01 (<0.01)
Summer	2010	7,976 (6,270)	2,041 (1,606)	0.37 (0.31)	0.09 (0.08)
Summer	2011	10,089 (4,497)	2,976 (442)	0.53 (0.27)	0.16 (0.05)
Summer	2013	59,846 (13,046)	33,680 (6,987)	1.31 (0.29)	0.74 (0.18)
Summer	2014	32,097 (11,679)	22,492 (7,689)	0.59 (0.41)	0.41 (0.27)
Summer	2015	8,718 (2,360)	5,668 (1,409)	0.45 (0.22)	0.29 (0.15)
Winter	2005-2006	6,016	785	0.79	0.10
Winter	2006-2007	14,907	3,577	1.25	0.30
Winter	2007-2008	6,461	700	0.74	0.08
Winter	2008-2009	23,474	451	1.93	0.04
Winter	2009-2010	421	113	0.22	0.06
Winter	2010-2011	187	94	0.12	0.06
Winter	2013-2014	30,661	17,149	1.05	0.59
Winter	2014-2015	13,148	8,352	0.36	0.23

Largemouth Bass

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2006	4,825 (2,228)	67 (64)	0.13 (0.07)	<0.01 (<0.01)
Summer	2007	2,243 (896)	138 (160)	0.08 (0.04)	0.01 (<0.01)
Summer	2008	2,242 (1,171)	0	0.11 (0.06)	0.00
Summer	2009	3,664 (2,459)	37 (37)	0.17 (0.12)	<0.01 (<0.01)
Summer	2010	1,679 (884)	58 (53)	0.08 (0.05)	<0.01 (<0.01)
Summer	2011	2,219	0	0.12	0.00
Summer	2013	7,523 (3,556)	361 (682)	0.17 (0.09)	0.01 (0.02)
Summer	2014	2,752 (1,599)	0	0.05 (0.03)	0.00
Summer	2015	292 (118)	0	0.02 (<0.01)	0.00
Winter	2006-2007	88	0	0.01	0.00
Winter	2007-2008	10	0	<0.01	0.00
Winter	2013-2014	96	0	<0.01	0.00
Winter	2014-2015	165	0	<0.01	0.00

Northern Pike

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2006	480 (346)	158 (120)	0.01 (0.01)	<0.01 (<0.01)
Summer	2007	434 (173)	112 (66)	0.02 (<0.01)	<0.01 (<0.01)
Summer	2008	224 (142)	17 (18)	0.01 (<0.01)	<0.01 (<0.01)
Summer	2009	702 (748)	0	0.03 (0.03)	0.00
Summer	2010	589 (173)	96	0.03 (0.01)	<0.01 (<0.01)
Summer	2011	1,541 (88)	139 (74)	0.08 (0.02)	0.01 (<0.01)
Summer	2013	1,698 (772)	50 (65)	0.04 (0.02)	<0.01 (<0.01)
Summer	2014	2,590 (869)	490 (502)	0.05 (0.02)	0.01 (<0.01)
Summer	2015	1,168 (918)	104 (67)	0.06 (0.04)	0.01 (<0.01)
Winter	2005-2006	184	95	0.02	0.01
Winter	2006-2007	46	43	<0.01	<0.01
Winter	2007-2008	135	31	0.02	<0.01
Winter	2008-2009	201	190	0.02	0.02
Winter	2009-2010	2	2	<0.01	<0.01
Winter	2010-2011	16	16	0.01	0.01
Winter	2013-2014	204	96	0.01	<0.01
Winter	2014-2015	249	53	0.01	<0.01

Rock Bass

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2006	650 (289)	154 (88)	0.02 (0.01)	<0.01 (<0.01)
Summer	2007	132 (100)	42 (45)	<0.01 (<0.01)	<0.01 (<0.01)
Summer	2008	1,273 (904)	341 (336)	0.06 (0.05)	0.02 (0.01)
Summer	2009	499 (166)	0	0.02 (<0.01)	0.00
Summer	2010	422 (245)	58 (53)	0.02 (0.01)	<0.01 (<0.01)
Summer	2011	1,060 (450)	355 (369)	0.06 (0.03)	0.02 (0.02)
Summer	2013	2,138 (2,417)	359 (179)	0.05 (0.05)	0.01 (<0.01)
Summer	2014	1,643 (982)	320 (256)	0.03 (0.02)	0.01 (<0.01)
Summer	2015	157 (153)	110 (164)	0.01 (<0.01)	0.01 (<0.01)
Winter	2006-2007	71	0	0.01	0.00
Winter	2008-2009	17	9	<0.01	<0.01
Winter	2013-2014	3	0	<0.01	0.00
Winter	2014-2015	107	10	<0.01	<0.01

Smallmouth Bass

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2006	13,733 (2,888)	322 (136)	0.36 (0.14)	0.01 (<0.01)
Summer	2007	14,973 (3,893)	139 (81)	0.56 (0.18)	0.01 (<0.01)
Summer	2008	8,322 (2,769)	218 (205)	0.40 (0.21)	0.01 (0.01)
Summer	2009	10,631 (3,650)	0	0.48 (0.27)	0.00
Summer	2010	12,325 (4,053)	85 (115)	0.57 (0.27)	<0.01 (<0.01)
Summer	2011	18,448 (1,941)	1,823 (306)	0.98 (0.30)	0.10 (0.04)
Summer	2013	20,368 (3,077)	314 (86)	0.45 (0.11)	0.01 (<0.01)
Summer	2014	25,843 (7,216)	905 (506)	0.48 (0.23)	0.02 (0.01)
Summer	2015	4,535 (1,667)	300 (106)	0.24 (0.14)	0.02 (0.01)
Winter	2005-2006	1,078	0	0.14	0.00
Winter	2006-2007	995	34	0.08	<0.01
Winter	2007-2008	1,039	0	0.12	0.00
Winter	2008-2009	5,312	0	0.44	0.00
Winter	2009-2010	7	0	<0.01	0.00
Winter	2013-2014	257	0	0.01	0.00
Winter	2014-2015	1,996	0	0.05	0.00

Walleye

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2006	6,606 (2,139)	3,507 (1,011)	0.17 (0.10)	0.09 (0.05)
Summer	2007	4,635 (1,877)	1,494 (620)	0.17 (0.08)	0.06 (0.03)
Summer	2008	1,046 (517)	891 (451)	0.05 (0.04)	0.04 (0.03)
Summer	2009	141	0	0.01	0.00
Summer	2010	451 (272)	201 (335)	0.02 (0.01)	0.01 (0.02)
Summer	2011	2,924 (309)	0	0.15 (0.03)	0.00
Summer	2013	11,166 (2,151)	1,862 (262)	0.25 (0.08)	0.04 (<0.01)
Summer	2014	26,675 (9,103)	3,236 (964)	0.49 (0.26)	0.06 (0.02)
Summer	2015	4,012 (2,223)	554 (274)	0.21 (0.22)	0.03 (0.03)
Winter	2005-2006	106	70	0.01	0.01
Winter	2006-2007	538	267	0.05	0.02
Winter	2007-2008	501	38	0.06	<0.01
Winter	2009-2010	2	2	<0.01	<0.01
Winter	2013-2014	721	65	0.02	<0.01
Winter	2014-2015	1,883	435	0.05	0.01

White Bass

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2006	28 (33)	28 (33)	<0.01 (<0.01)	<0.01 (<0.01)
Summer	2007	466 (662)	0	0.02 (0.02)	0.00
Summer	2008	223 (177)	17 (18)	0.01 (<0.01)	<0.01 (<0.01)
Summer	2009	208 (62)	0	0.01 (<0.01)	0.00
Summer	2011	104 (38)	74	0.01 (<0.01)	<0.01 (<0.01)
Summer	2013	110 (24)	66	<0.01 (<0.01)	<0.01 (<0.01)
Summer	2014	494 (336)	0	0.01 (<0.01)	0.00
Summer	2015	190 (23)	34 (19)	0.01 (<0.01)	<0.01 (<0.01)
Winter	2007-2008	2	2	<0.01	<0.01
Winter	2013-2014	3	0	<0.01	0.00
Winter	2014-2015	51	2	<0.01	<0.01

Yellow Perch

Season	Year	Catch	Harvest	Catch Rate	Harvest Rate
Summer	2006	3,272 (1,467)	314 (156)	0.09 (0.04)	0.01 (<0.01)
Summer	2007	4,868 (1,626)	183 (144)	0.18 (0.07)	0.01 (<0.01)
Summer	2008	1,140 (541)	17 (19)	0.05 (0.03)	<0.01 (<0.01)
Summer	2009	3,333 (744)	0	0.15 (0.04)	0.00
Summer	2010	10,997 (8,196)	218 (283)	0.51 (0.40)	0.01 (0.01)
Summer	2011	2,904 (836)	68	0.15 (0.01)	<0.01 (<0.01)
Summer	2013	3,204 (1,313)	239 (64)	0.07 (0.04)	0.01 (<0.01)
Summer	2014	1,721 (937)	455 (459)	0.03 (0.03)	0.01 (0.01)
Summer	2015	951 (204)	61 (65)	0.05 (0.02)	<0.01 (<0.01)
Winter	2005-2006	391	41	0.05	0.01
Winter	2006-2007	2,524	482	0.21	0.04
Winter	2007-2008	1,799	49	0.21	0.01
Winter	2008-2009	1,292	6	0.11	<0.01
Winter	2009-2010	54	0	0.03	0.00
Winter	2013-2014	3,289	57	0.11	<0.01
Winter	2014-2015	1,852	98	0.05	<0.01

Table 9. The number of fish harvested with each species by length group (mm) for the winter and summer fisheries at Enemy Swim. Abbreviations for species are as follows: Black Crappie (BLC), Bluegill (BLG), Largemouth Bass (LMB), Northern Pike (NOP), Rock Bass (ROB), Smallmouth Bass (SMB), Walleye (WAE), White Bass (WHB), Yellow Perch (YEP).

Winter 2013-2014

Length Group (mm)	BLC (N=39)	BLG (N=221)	LMB (N=0)	NOP (N=10)	ROB (N=0)	SMB (N=0)	WAE (N=1)	WHB (N=0)	YEP (N=0)
180		6							
190		50							
200		82							
210		67							
220	1	15							
230	2								
240	2	1							
250	8								
260	4								
270	6								
280	11								
290	3								
300	2								
390							1		
500				1					
510									
520				1					
530									
540									
550									
560									
570									
580									
590				1					
600									
610									
620				1					
630				1					
640									
650				1					
660									
670									
680									
690									
700									
710									
720									
730									
740				1					
750									
760									
770									
780									
790									
800									
810									
820									
830									
840									
850									
860				1					
870									
880									
890									
900				1					
910									
920				1					

Summer 2014

Length Group (mm)	BLC (N=40)	BLG (N=257)	LMB (N=0)	NOP (N=9)	ROB (N=9)	SMB (N=19)	WAE (N=24)	WHB (N=0)	YEP (N=2)
160		1							
170									
180									
190		6							
200		50							
210		129			2				1
220		64							
230	1	6			3				1
240	2				1	1			
250	2	1			2				
260	4				1	5			
270	11					3			
280	7					2			
290	10					3			
300	2					1			
310	1					3			
320									
330						1			
380							9		
390							3		
400							2		
410							4		
420							2		
430							2		
440									
450									
460									
470									
480									
490									
500									
510				1			1		
520									
530				1					
540									
550				2					
560				3					
570							1		
580									
590									
600									
610				1					
620									
630									
640									
650									
660									
670									
680									
690									
700									
710									
720									
730									
740									
750									
760									
770				1					

Winter 2014-2015

Length Group (mm)	BLC (N=46)	BLG (N=261)	LMB (N=1)	NOP (N=8)	ROB (N=0)	SMB (N=0)	WAE (N=5)	WHB (N=2)	YEP (N=9)
170		3							
180		6							1
190		6							1
200		28							2
210		85							
220		99							2
230		27							
240	1	4							3
250	4	2							

260	4		
270	13		
280	13		
290	8		
300	1		
310	2		
320			
330			1
340			
350			
360			
370			
380		1	1
390			2
400			
410			
420			1
430			
440			1
450			
460			
470			
480			
490			
500			
510			
520			
530		2	
540		1	
550			
560			
570			
580		1	
590			
600			
610			
620		1	
630			
640			
650			
660			
670			
680			1
690			
700			
710		1	
720			
730			
740			
750			
760			
770			
780			
790			
800			
810			
820			
830			
840			
850			
860		1	
870			
880			
890			
900			
910			
920			
930			
940		1	
950			
960			
970			
980			
990			


1000
1010
1020
1030
1040
1050
1060
1070
1080
1090
1100
1110
1120
1130
1140
1150
1160
1170
1180
1190
1200
1210
1220
1230
1240
1250
1260
1270
1280
1290
1300
1310
1320
1330
1340
1350
1360
1370
1380
1390
1400
1410
1420
1430
1440
1450
1460
1470
1480
1490
1500
1510
1520
1530
1540
1550
1560
1570
1580
1590
1600
1610
1620
1630
1640
1650
1660
1670
1680
1690
1700
1710
1720
1730

1740
1750
1760
1770
1780
1790
1800
1810
1820
1830
1840
1850
1860
1870
1880
1890
1900
1910
1920
1930
1940
1950
1960
1970
1980
1990
2000
2010
2020
2030
2040
2050
2060
2070
2080
2090
2100
2110
2120
2130
2140
2150
2160
2170
2180
2190
2200
2210
2220
2230
2240
2250
2260
2270
2280
2290
2300
2310
2320
2330
2340
2350
2360
2370
2380
2390
2400
2410
2420
2430
2440
2450
2460
2470


Summer 2015

Length Group (mm)	BLC (N=3)	BLG (N=86)	LMB (N=0)	NOP (N=2)	ROB (N=3)	SMB (N=3)	WAE (N=14)	WHB (N=3)	YEP (N=1)
160					1				
170									
180									
190		2							
200		5							
210		17							
220		31							
230		26				1			
240		3			1				1
250	1	2							
260					1				
270									
280						1			
290	2								
300									
310									
320						1			
340							1	1	
350								1	
360									
370							1		
380							3	1	
390							1		
400							1		
410									
420							1		
430							1		
440							2		
450									
460									
470							1		
480									
490							2		
540				1					
550									
560									
570									
580									
590									
600									
610									
620									
630									
640									
650									
660									
670				1					


Length frequency of angler-harvested Black Crappie measured by the creel clerk during creel surveys on Enemy Swim.



Winter 2013-2014
N = 39
Mean TL = 265 mm




Summer 2014
N = 40
Mean TL = 274 mm




Winter 2014-2015
N = 46
Mean TL = 275 mm


Length frequency of angler-harvested Bluegill measured by the creel clerk during creel surveys on Enemy Swim.




Winter 2013-2014
 N = 221
 Mean TL = 201 mm



Summer 2014
 N = 257
 Mean TL = 210 mm




Winter 2014-2015
 N = 261
 Mean TL = 222 mm




Summer 2015
 N = 86
 Mean TL = 220 mm


Length frequency of angler-harvested Northern Pike measured by the creel clerk during creel surveys on Enemy Swim.




Length frequency of angler-harvested Smallmouth Bass measured by the creel clerk during creel surveys on Enemy Swim.



Length frequency of angler-harvested Walleye measured by the creel clerk during creel surveys on Enemy Swim.




Summer 2014
N = 24
Mean TL = 408 mm




Summer 2015
N = 14
Mean TL = 415 mm

South Dakota county of residence for winter and summer resident anglers fishing Enemy Swim, South Dakota between January 2014 and December 2015.


Winter 2013-2014



Summer 2014



Winter 2014-2015



Summer 2015





Table 10. Number of parties or anglers interviewed that harvested (or caught) a specified number of fish total over selected strata for a species.

Angler Harvest	Count								
	BLC (n=153)	BLG (n=3856)	LMB (n=0)	NOP (n=0)	ROB (n=0)	SMB (n=0)	WAE (n=31)	WHB (n=0)	YEP (n=0)
0.00	0	0	0	0	0	0	0	0	0
0.20	0	1	0	0	0	0	0	0	0
0.25	0	0	0	0	0	0	2	0	0
0.33	0	0	0	0	0	0	4	0	0
0.50	0	4	0	0	0	0	4	0	0
0.67	0	0	0	0	0	0	2	0	0
1.00	0	3	0	0	0	0	0	0	0
1.50	0	3	0	0	0	0	0	0	0
2.00	0	22	0	0	0	0	0	0	0
2.25	0	9	0	0	0	0	0	0	0
2.50	0	10	0	0	0	0	0	0	0
2.67	0	8	0	0	0	0	0	0	0
2.75	0	11	0	0	0	0	0	0	0
3.50	0	7	0	0	0	0	0	0	0
4.00	0	12	0	0	0	0	0	0	0
5.00	0	15	0	0	0	0	0	0	0
5.67	0	17	0	0	0	0	0	0	0
6.67	0	20	0	0	0	0	0	0	0
8.50	0	17	0	0	0	0	0	0	0
8.67	0	26	0	0	0	0	0	0	0
10.00	0	30	0	0	0	0	0	0	0
12.50	0	50	0	0	0	0	0	0	0
13.33	0	40	0	0	0	0	0	0	0
14.00	0	28	0	0	0	0	0	0	0
14.50	0	29	0	0	0	0	0	0	0

Angler Harvest	Count								
	BLC (n=153)	BLG (n=3856)	LMB (n=0)	NOP (n=0)	ROB (n=0)	SMB (n=0)	WAE (n=31)	WHB (n=0)	YEP (n=0)
0.00	0	0	0	0	0	0	0	0	0
0.20	0	1	0	0	0	0	0	0	0
0.33	0	0	0	1	0	0	2	0	0
0.67	0	2	0	0	0	0	0	0	0
1.00	0	5	0	0	0	0	3	0	0
1.50	0	3	0	0	0	0	0	0	0
2.00	0	0	0	0	0	0	4	0	0
3.00	0	12	0	0	0	0	0	0	0
6.50	0	13	0	0	0	0	0	0	0
10.00	0	60	0	0	0	0	0	0	0
15.00	0	60	0	0	0	0	0	0	0

Winter 2013-2014

Count

Angler Harvest	BLC (n=153)	BLG (n=3856)	LMB (n=0)	NOP (n=0)	ROB (n=0)	SMB (n=0)	WAE (n=31)	WHB (n=0)	YEP (n=0)
0.00	0	0	0	0	0	0	0	0	0
0.25	0	0	0	0	0	0	1	0	0
0.33	1	1	0	0	0	0	0	0	0
0.50	2	3	0	2	0	0	1	0	0
0.67	2	2	0	0	0	0	0	0	0
1.00	0	8	0	5	0	0	0	0	0
1.25	5	0	0	0	0	0	0	0	0
1.50	0	15	0	6	0	0	0	0	0
2.00	0	6	0	0	0	0	0	0	0
2.33	0	7	0	0	0	0	0	0	0
2.50	0	10	0	0	0	0	0	0	0
2.60	13	0	0	0	0	0	0	0	0
3.00	0	30	0	0	0	0	0	0	0
3.33	0	20	0	0	0	0	0	0	0
3.50	0	7	0	0	0	0	0	0	0
3.75	0	15	0	0	0	0	0	0	0
4.00	0	16	0	0	0	0	0	0	0
4.33	0	26	0	0	0	0	0	0	0
5.00	0	10	0	0	0	0	0	0	0
5.67	0	17	0	0	0	0	0	0	0
6.00	0	6	0	0	0	0	0	0	0
7.50	30	15	0	0	0	0	0	0	0
8.00	0	32	0	0	0	0	0	0	0
8.50	0	17	0	0	0	0	0	0	0
9.00	0	9	0	0	0	0	0	0	0
9.33	0	56	0	0	0	0	0	0	0
10.00	0	140	0	0	0	0	0	0	0
10.50	0	21	0	0	0	0	0	0	0
11.00	0	22	0	0	0	0	0	0	0
11.50	0	23	0	0	0	0	0	0	0
12.00	0	12	0	0	0	0	0	0	0
12.50	0	50	0	0	0	0	0	0	0
12.67	0	38	0	0	0	0	0	0	0
13.00	0	39	0	0	0	0	0	0	0
13.50	0	54	0	0	0	0	0	0	0
14.00	0	56	0	0	0	0	0	0	0
15.00	0	1110	0	0	0	0	0	0	0
20.00	0	20	0	0	0	0	0	0	0
45.00	0	45	0	0	0	0	0	0	0

Winter 2014-2015

Count

Angler Harvest	BLC (n=153)	BLG (n=3856)	LMB (n=0)	NOP (n=0)	ROB (n=0)	SMB (n=0)	WAE (n=31)	WHB (n=0)	YEP (n=0)
0.00	0	0	0	0	0	0	0	0	0
0.33	0	2	0	0	0	0	2	0	0
0.50	2	3	0	1	0	0	0	0	0
0.67	0	4	0	0	0	0	0	0	0
1.00	3	10	0	0	0	0	0	0	0
1.33	0	0	0	4	0	0	0	0	0
1.50	0	6	0	0	0	0	0	0	0
1.88	0	15	0	0	0	0	0	0	0
2.00	4	14	0	0	0	0	6	0	0
2.50	0	5	0	0	0	0	0	0	0
3.00	3	9	0	0	0	0	0	0	0
3.50	14	7	0	0	0	0	0	0	0
3.60	0	18	0	0	0	0	0	0	0
4.00	0	20	0	0	0	0	0	0	0
4.17	0	25	0	0	0	0	0	0	0
5.00	0	45	0	0	0	0	0	0	0
5.25	0	21	0	0	0	0	0	0	0
5.33	0	16	0	0	0	0	0	0	0
5.50	0	11	0	0	0	0	0	0	0
6.50	0	13	0	0	0	0	0	0	0
6.67	0	20	0	0	0	0	0	0	0
7.00	0	21	0	0	0	0	0	0	0
7.50	0	30	0	0	0	0	0	0	0
8.33	0	50	0	0	0	0	0	0	0
9.00	0	18	0	0	0	0	0	0	0
10.00	0	70	0	0	0	0	0	0	0
11.00	0	11	0	0	0	0	0	0	0
12.00	36	48	0	0	0	0	0	0	0
12.50	25	25	0	0	0	0	0	0	0
13.00	13	0	0	0	0	0	0	0	0
13.33	0	40	0	0	0	0	0	0	0
14.00	0	56	0	0	0	0	0	0	0
14.50	0	58	0	0	0	0	0	0	0
14.75	0	59	0	0	0	0	0	0	0
15.00	0	630	0	0	0	0	0	0	0

Table 11 The number (N) and percent of total interviews in supplemental-response categories by question asked during interviews at Enemy Swim.

Question: Considering all factors, how satisfied are you with you fishing trip today?

Response	Winter 2014-2015 (n = 175)
Being with Friends/Slightly Dissatisfied <input type="checkbox"/>	9%
Catching Fish/Neutral <input type="checkbox"/>	17%
Harvesting Fish/Moderately satisfied <input type="checkbox"/>	21%
Other/Moderately Dissatisfied <input type="checkbox"/>	9%
Participating/Slightly Satisfied <input type="checkbox"/>	8%
Relaxation/Very Satisfied <input type="checkbox"/>	31%
Very Dissatisfied <input type="checkbox"/>	6%

Question: Considering all factors, how satisfied are you with your fishing trip today?

Response	Summer 2015 (n = 49)
Being with friends/Slightly Dissatisfied <input type="checkbox"/>	2%
Catching Fish/Neutral <input type="checkbox"/>	20%
Harvesting Fish/Moderately Satisfied <input type="checkbox"/>	16%
Other/Moderately Dissatisfied <input type="checkbox"/>	4%
Participating/Slightly Satisfied <input type="checkbox"/>	20%
Relaxation/Very Satisfied <input type="checkbox"/>	37%

Question: What is the most important factor to you in defining a successful fishing trip?

Response	Summer 2015 (n = 49)
Being with friends/Slightly Dissatisfied <input type="checkbox"/>	8%
Catching Fish/Neutral <input type="checkbox"/>	31%
Harvesting Fish/Moderately Satisfied <input type="checkbox"/>	8%
Other/Moderately Dissatisfied <input type="checkbox"/>	8%
Participating/Slightly Satisfied <input type="checkbox"/>	14%
Relaxation/Very Satisfied <input type="checkbox"/>	31%