

Common Fish Species Present

Walleye

Northern Pike

Yellow Perch

White Bass

Common Carp

Rock Bass

Terminology

Catch per unit effort (**CPUE**) refers to the relative abundance of a species. It is defined as the number of fish captured per unit of effort (i.e., number of fish captured per net-night or number of fish captured per hour electrofishing). In this report CPUE is typically given for only stock-length fish (see length categories table for stock lengths).

$$CPUE = \frac{\text{number of fish}}{\text{effort}}$$

Population size structure is quantified using the indices proportional size distribution of quality-length fish (**PSD**) and proportional size distribution of preferred-length fish (**PSD-P**). These indices indicate the proportion of stock-length fish that are equal to or greater than a given length. Minimum lengths for stock, quality and preferred length fish are given in the length categories table.

$$PSD = \left(\frac{\text{number of fish} \geq \text{quality length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

$$PSD - P = \left(\frac{\text{number of fish} \geq \text{preferred length}}{\text{number of fish} \geq \text{stock length}} \right) \times 100$$

Relative weight (**Wr**) is used to quantify fish plumpness. Relative weight is the ratio of what a fish weighs (W) compared to a length-specific standard weight (Ws) multiplied by 100. Relative weight values of 95-105 are commonly cited as optimum values, but values in the 80s are common during summer sampling in South Dakota.

$$Wr = \left(\frac{W}{W_s} \right) \times 100$$

Confidence intervals (**CI**) are provided for many of the estimates calculated in this report. The confidence interval provides a range in which the true mean is expected to fall. For example, with an 80% CI we are 80% confident that the interval contains the true value.

Length categories include stock (**S**), quality (**Q**), preferred (**P**), memorable (**M**) and trophy (**T**). Length categories for most species have been defined based on a percentage of the world record length for that species. Some species mentioned in this report do not have defined length categories. Length categories for species used in this report are provided in the following table. Measurements are the minimum total length for each category and are reported in inches (in) and centimeters (cm).

Species Name	Stock		Quality		Preferred		Memorable		Trophy	
	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)
Bigmouth Buffalo	11	28	18	46	24	61	30	76	37	94
Black Bullhead	6	15	9	23	12	30	15	38	18	46
Black Crappie	5	13	8	20	10	25	12	30	15	38

Species Name	Stock		Quality		Preferred		Memorable		Trophy	
	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)
Blue Catfish	12	30	20	51	30	76	35	89	45	114
Bluegill	3	8	6	15	8	20	10	25	12	30
Bluegill X Gr. Sunfish Hybrid	3	8	6	15	8	20	10	25	12	30
Brown Bullhead	5	13	8	20	11	28	14	36	17	43
Burbot	8	20	15	38	21	53	26	67	32	82
Channel Catfish	11	28	16	41	24	61	28	71	36	91
Common Carp	11	28	16	41	21	53	26	66	33	84
Flathead Catfish	14	35	20	51	28	71	34	86	40	102
Freshwater Drum	8	20	12	30	15	38	20	51	25	63
Gizzard Shad	7	18	11	28						
Green Sunfish	3	8	6	15	8	20	10	25	12	30
Lake Herring	5	13	8	20	11	28	14	35	17	43
Largemouth Bass	8	20	12	30	15	38	20	51	25	63
Longnose Gar	16	41	27	69	36	91	45	114	55	140
Muskellunge	20	51	30	76	38	97	42	107	50	127
Northern Pike	14	35	21	53	28	71	34	86	44	112
Paddlefish	16	41	26	66	33	84	41	104	51	130
Pumpkinseed	3	8	6	15	8	20	10	25	12	30
Redear Sunfish	4	10	7	18	9	23	11	28	13	33
River Carpsucker	7	18	11	28	14	36	18	46	22	56
Rock Bass	4	10	7	18	9	23	11	28	13	33
Rudd	6	15	10	25	12	30	15	38	19	48
Sauger	8	20	12	30	15	38	20	51	25	63
Saugeye	9	23	14	35	18	46	22	56	27	69
Shorthead Redhorse	6	15	10	25	13	33	16	41	20	51
Smallmouth Bass	7	18	11	28	14	35	17	43	20	51
Smallmouth Buffalo	11	28	18	46	24	61	30	76	37	94
Spotted Bass	7	18	11	28	14	35	17	43	20	51
Striped Bass	12	30	20	51	30	76	35	89	45	114
Striped Bass Hybrid (wiper)	8	20	12	30	15	38	20	51	25	63
Walleye	10	25	15	38	20	51	25	63	30	76
White Bass	6	15	9	23	12	30	15	38	18	46
White Crappie	5	13	8	20	10	25	12	30	15	38
White Perch	5	13	8	20	10	25	12	30	15	38
White Sucker	6	15	10	25	13	33	16	41	20	51
Yellow Bass	4	10	7	18	9	23	11	28	13	33
Yellow Bullhead	4	10	7	18	9	23	11	28	14	36
Yellow Perch	5	13	8	20	10	25	12	30	15	38

Catch Summary of Stock Length Fish

Catch per unit effort (CPUE), proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) for species sampled in survey with 80% confidence interval (CI-80).

Gear	Species	Abundance		Stock Density Indices			Condition		
		CPUE	CI-80	PSD	CI-80	PSD-P	CI-80	Wr	CI-80
AFS std gill net	Common Carp	1.9	0.6	77	12	58	14	111	2
	Northern Pike	0.5	0.2	100		38		86	3
	Rock Bass	0.1	0.1	0		0		127	
	Walleye	10.5	1.9	49	5	2		92	1
	White Bass	5.3	2.1	92	5	32	7	116	1
	Yellow Perch	5.3	1.5	31	7	15	6	120	1
boat shocker (night)	Walleye	136.0	54.8	0		0		98	1

10-Year Catch Per Unit Effort by Gear and Species

Catch per unit effort (CPUE) and average (Avg) of species across 10 years using different gear types.

Gear	Species	CPUE										Avg
		2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	
AFS std gill net	Black Crappie									0.1		0.1
	Common Carp									0.4	1.9	1.2
	Gizzard Shad									0.7		0.7
	Northern Pike									0.7	0.5	0.6
	Rock Bass										0.1	0.1
	Walleye									12.8	10.5	11.7
	White Bass									1.0	5.3	3.2
	White Sucker									0.2		0.2
	Yellow Perch									9.3	5.3	7.3
boat shocker (night)	Walleye	138.9	422.2		377.0	36.0	34.0	9.6	2.0	37.0	136.0	132.5
frame net (std 3/4 in)	Black Bullhead						0.2					0.2
	Common Carp						1.4					1.4
	Northern Pike						2.3					2.3
	Walleye						5.7					5.7
	White Bass						0.2					0.2
	Yellow Perch						0.2					0.2
std exp gill net	Black Crappie			0.0	0.2							0.1
	Common Carp	0.1		0.1	0.5	0.1	0.0	1.4	0.1			0.3
	Northern Pike	0.4	0.2	0.3	0.5	5.0	4.1	1.5	1.5			1.7
	Rock Bass					0.4						0.4
	Spottail Shiner				0.0							0.0
	Walleye	9.1	3.7	16.9	6.7	19.8	18.0	38.8	41.4			19.3
	White Bass	0.1			0.0	0.1	0.0	1.9	0.5			0.4
	White Sucker		0.1	0.1	0.1		0.4					0.2
	Yellow Perch	4.1	6.9	8.6	13.0	67.3	21.4	5.8	8.4			16.9

10-Year Size Structure and Condition Statistics by Gear and Species

Species proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) collected by different gear types across 10 years.

Gear	Species	Index	Year										
			2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	
AFS std gill net	Black Crappie	PSD										0	
		PSD-P										0	
		Wr										133	
	Northern Pike	PSD										91	100
		PSD-P										36	38
		Wr										88	86
	Walleye	PSD										50	49
		PSD-P										5	2
		Wr										89	92
Yellow Perch	PSD										72	31	
	PSD-P										31	15	
	Wr										120	120	
boat shocker (night)	Walleye	PSD	0	0		0	0	0	0	0	0	0	
		PSD-P	0	0		0	0	0	0	0	0	0	
		Wr	97	106		96	87	91	95	95	93	98	
frame net (std 3/4 in)	Northern Pike	PSD							76				
		PSD-P							17				
		Wr							78				
	Walleye	PSD							11				
		PSD-P							3				
		Wr							85				
	Yellow Perch	PSD							33				
		PSD-P							0				
		Wr							111				
std exp gill net	Black Crappie	PSD				0	25						
		PSD-P				0	0						
		Wr				137	128						
	Northern Pike	PSD	100	100	63	100	98	100	100	100	100		
		PSD-P	100	25	13	33	28	18	50	33			
		Wr	75	88	93	89	86	76	75	78			
	Walleye	PSD	81	24	19	76	58	30	8	14			

Gear	Species	Index	Year									
			2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
std exp gill net	Walleye	PSD-P	8	2	3	4	4	6	3	1		
		Wr	92	95	102	93	86	83	91	89		
	Yellow Perch	PSD	42	34	29	84	59	78	80	40		
		PSD-P	24	13	22	14	40	49	48	21		
		Wr	114	117	107	110	106	111	111	112		

Length at Capture

Mean length at capture by age across years sampled, sample size (N).

Species: Walleye

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2017	202	254 (77)	333 (18)	370 (23)	401 (13)	411 (6)	421 (61)		558 (4)		
2016	207	264 (6)	319 (33)	346 (13)	377 (18)	395 (120)		531 (11)	623 (1)	653 (1)	607 (3)
2015	348	228 (18)	290 (15)	315 (10)	356 (297)		479 (6)			606 (1)	538 (1)
2014	329	202 (18)	255 (13)	321 (280)	416 (2)	486 (12)	575 (1)		543 (1)	551 (1)	675 (1)
2013	150	209 (4)	276 (102)	389 (3)	471 (33)	499 (3)	503 (1)		528 (2)		584 (2)
2012	203	251 (107)	387 (15)	447 (73)	527 (4)			592 (2)			679 (2)
2011	161	313 (6)	397 (137)	464 (11)	474 (1)		545 (2)			653 (1)	594 (3)
2010	408	306 (328)	407 (42)	443 (16)		513 (15)		561 (1)	543 (3)	635 (1)	559 (2)
2009	88	287 (53)	358 (15)	457 (3)	474 (13)			483 (1)		496 (1)	574 (2)
2008	80	271 (19)	355 (1)	431 (50)			508 (4)	509 (2)	495 (1)	598 (1)	525 (2)

Species: Yellow Perch

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2017	84	169 (54)	205 (9)	255 (12)	259 (5)	297 (3)		301 (1)			
2016	148	169 (9)	206 (79)	237 (21)	277 (4)	298 (12)	312 (13)	314 (8)			
2015	70	141 (27)	194 (22)	243 (3)	248 (9)	303 (3)	312 (6)				
2014	48	135 (8)	194 (3)	239 (19)	264 (7)	303 (10)	313 (1)				
2013	171	147 (1)	200 (65)	266 (20)	267 (82)	285 (3)					
2012	565	152 (249)	227 (53)	265 (251)	302 (12)	335 (2)					
2011	312	171 (28)	227 (268)	291 (11)	324 (6)						
2010	207	172 (152)	258 (48)	285 (8)							
2009	166	173 (108)	238 (55)	263 (2)	263 (2)						

Fish Condition

Mean relative weight (Wr) by sample size (N), length category stock to quality (S-Q), quality to preferred (Q-P), preferred to memorable (P-M), and memorable (M) for species collected across survey years with standard error (SE).



Species	Year	Length Groups							
		S-Q		Q-P		P-M		M	
		N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
Northern Pike Gill Net	2013	0		27	75 (1.3)	4	83 (3.2)	2	78 (12.9)
	2014	0		6	74 (3.3)	5	76 (3.4)	1	78
	2015	0		8	78 (3.1)	4	78 (3.3)	0	
	2016	1	94	6	90 (6.0)	3	84 (2.8)	1	81
	2017	0		5	89 (2.8)	2	82 (2.7)	1	74
Walleye Gill Net	2013	101	83 (0.5)	35	82 (0.8)	8	83 (1.8)	0	
	2014	285	92 (0.3)	17	85 (1.5)	7	77 (2.4)	1	75
	2015	286	90 (0.3)	41	87 (0.9)	4	77 (1.7)	0	
	2016	103	89 (0.6)	91	90 (0.5)	9	90 (2.7)	2	84 (1.1)
	2017	85	93 (1.2)	80	91 (0.7)	3	95 (3.1)	0	
Yellow Perch Gill Net	2013	38	108 (1.2)	49	112 (1.3)	79	112 (0.8)	5	103 (3.4)
	2014	9	106 (4.0)	15	116 (1.9)	14	110 (2.6)	8	110 (1.4)
	2015	40	112 (1.3)	13	118 (2.5)	8	104 (6.0)	6	110 (2.4)
	2016	42	122 (1.7)	60	124 (1.3)	22	115 (1.6)	24	110 (1.8)
	2017	58	121 (1.3)	13	120 (2.6)	9	115 (4.4)	4	112 (5.0)

Length Frequency Distribution

Length frequency histogram of species sampled by year.



Species: Northern Pike


Gear: AFS std gill net



Species: Northern Pike


Gear: std exp gill net






2015

Species: Walleye
Gear: AFS std gill net




2016





2017



Species: Walleye
Gear: std exp gill net






2013



Species: Yellow Perch
 Gear: AFS std gill net




Species: Yellow Perch
Gear: std exp gill net




Historic Fish Sizes and Relative Abundance

Size distribution per net by color for species sampled by year.

Species: Northern Pike
Gear: Gill Net



Species: Walleye
Gear: Gill Net



Species: Yellow Perch
Gear: Gill Net

