SOUTH DAKOTA STATEWIDE FISHERIES SURVEY

Mitchell, Pennington County MCS-Lake-39-000 2016

Lake Information

Name: Mitchell

County: Pennington

Surface Area: 8 Acres

Surveys and Investigations

Survey methods used by gear type, date, and effort.

Gear	Date	Effort	
frame net (1/4 inch)	June 21, 2016	1 net-nights	
frame net (std 3/4 in)	June 21, 2016	2 net-nights	
minnow trap	June 21, 2016	2	
std exp gill net	June 21, 2016	2 net-nights	

Common Fish Species Present

Rainbow Trout	
White Sucker	
Yellow Perch	
Black Bullhead	
Rock Bass	
Creek Chub	

Terminology

Catch per unit effort (**CPUE**) refers to the relative abundance of a species. It is defined as the number of fish captured per unit of effort (i.e., number of fish captured per net-night or number of fish captured per hour electrofishing). In this report CPUE is typically given for only stock-length fish (see length categories table for stock lengths).

$$\mathit{CPUE} = \frac{\mathit{number of fish}}{\mathit{effort}}$$

Population size structure is quantified using the indices proportional size distribution of quality-length fish (**PSD**) and proportional size distribution of preferred-length fish (**PSD-P**). These indices indicate the proportion of stock-length fish that are equal to or greater than a given length. Minimum lengths for stock, quality and preferred length fish are given in the length categories table.

$$\textit{PSD} = \left(\frac{number\ of\ fish \geq quality\ length}{number\ of\ fish \geq stock\ length}\right) \ge 100$$

$$\textit{PSD} - \textit{P} = \left(\frac{number\ of\ fish\ \geq preferred\ length}{number\ of\ fish\ \geq stock\ length}\right) \times 100$$

Relative weight (**Wr**) is used to quantify fish plumpness. Relative weight is the ratio of what a fish weighs (W) compared to a length-specific standard weight (Ws) multiplied by 100. Relative weight values of 95-105 are commonly cited as optimum values, but values in the 80s are common during summer sampling in South Dakota.

$$Wr = \left(\frac{W}{Ws}\right) \times 100$$

Confidence intervals (CI) are provided for many of the estimates calculated in this report. The confidence interval provides a range in which the true mean is expected to fall. For example, with an 80% CI we are 80% confident that the interval contains the true value.

Length categories include stock (**S**), quality (**Q**), preferred (**P**), memorable (**M**) and trophy (**T**). Length categories for most species have been defined based on a percentage of the world record length for that species. Some species mentioned in this report do not have defined length categories. Length categories for species used in this report are provided in the following table. Measurements are the minimum total length for each category and are reported in inches (in) and centimeters (cm).

	St	ock	Qu	ality	Pref	erred	Mem	orable	Tro	ophy
Species Name	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)
Bigmouth Buffalo	11	28	18	46	24	61	30	76	37	94
Black Bullhead	6	15	9	23	12	30	15	38	18	46
Black Crappie	5	13	8	20	10	25	12	30	15	38

7/16/2018 Page 3

	St	ock	Qu	ality	Pref	erred	Mem	orable	Tro	pphy
Species Name	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)
Blue Catfish	12	30	20	51	30	76	35	89	45	114
Bluegill	3	8	6	15	8	20	10	25	12	30
Bluegill X Gr. Sunfish Hybrid	3	8	6	15	8	20	10	25	12	30
Brown Bullhead	5	13	8	20	11	28	14	36	17	43
Burbot	8	20	15	38	21	53	26	67	32	82
Channel Catfish	11	28	16	41	24	61	28	71	36	91
Common Carp	11	28	16	41	21	53	26	66	33	84
Flathead Catfish	14	35	20	51	28	71	34	86	40	102
Freshwater Drum	8	20	12	30	15	38	20	51	25	63
Gizzard Shad	7	18	11	28						
Green Sunfish	3	8	6	15	8	20	10	25	12	30
Lake Herring	5	13	8	20	11	28	14	35	17	43
Largemouth Bass	8	20	12	30	15	38	20	51	25	63
Longnose Gar	16	41	27	69	36	91	45	114	55	140
Muskellunge	20	51	30	76	38	97	42	107	50	127
Northern Pike	14	35	21	53	28	71	34	86	44	112
Paddlefish	16	41	26	66	33	84	41	104	51	130
Pumpkinseed	3	8	6	15	8	20	10	25	12	30
Redear Sunfish	4	10	7	18	9	23	11	28	13	33
River Carpsucker	7	18	11	28	14	36	18	46	22	56
Rock Bass	4	10	7	18	9	23	11	28	13	33
Rudd	6	15	10	25	12	30	15	38	19	48
Sauger	8	20	12	30	15	38	20	51	25	63
Saugeye	9	23	14	35	18	46	22	56	27	69
Shorthead Redhorse	6	15	10	25	13	33	16	41	20	51
Smallmouth Bass	7	18	11	28	14	35	17	43	20	51
Smallmouth Buffalo	11	28	18	46	24	61	30	76	37	94
Spotted Bass	7	18	11	28	14	35	17	43	20	51
Striped Bass	12	30	20	51	30	76	35	89	45	114
Striped Bass Hybrid (wiper)	8	20	12	30	15	38	20	51	25	63
Walleye	10	25	15	38	20	51	25	63	30	76
White Bass	6	15	9	23	12	30	15	38	18	46
White Crappie	5	13	8	20	10	25	12	30	15	38
White Perch	5	13	8	20	10	25	12	30	15	38
White Sucker	6	15	10	25	13	33	16	41	20	51
Yellow Bass	4	10	7	18	9	23	11	28	13	33
Yellow Bullhead	4	10	7	18	9	23	11	28	14	36
Yellow Perch	5	13	8	20	10	25	12	30	15	38

Catch Summary of Stock Length Fish

Catch per unit effort (CPUE), proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) for species sampled in survey with 80% confidence interval (CI-80).

		Abun	dance	S	tock De	nsity Indi	ces	Co	ndition
Gear	Species	CPUE	CI-80	PSD	CI-80	PSD-P	CI-80	Wr	CI-80
frame net (1/4 inch)	Black Bullhead	2.0		C)	C)	90) 3
	Creek Chub	0.0							
	Rock Bass	2.0		50)	C)	10	0
	White Sucker	3.0		C)	C)	78	6
	Yellow Perch	2.0		C)	C)	109	8
frame net (std 3/4 in)	Rainbow Trout	0.0	0.0						
	Rock Bass	1.5	4.6	100)	C)	106	5 11
	White Sucker	181.5	275.5	72	2 3	3 23	3 3	3 116	5 19
	Yellow Perch	39.5	121.6	29) 7	7 0)	10	5 2
std exp gill net	White Sucker	11.0		77	15	5 50) 17	7 8	7 2
	Yellow Perch	0.5		C)	C)		

10-Year Catch Per Unit Effort by Gear and Species

Catch per unit effort (CPUE) and average (Avg) of species across 10 years using different gear types.

							CPUE					
Gear	Species	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	Avg
frame net (1/4	Black Bullhead										2.0	2.0
inch)	Creek Chub										0.0	0.0
	Green Sunfish				4.0							4.0
	Rock Bass				1.0						2.0	1.5
	White Sucker				1.0						3.0	2.0
	Yellow Perch										2.0	2.0
frame net (std	Black Crappie				4.5							4.5
3/4 in)	Rainbow Trout				0.0						0.0	0.0
	Rock Bass										1.5	1.5
	White Sucker				13.0						181.5	97.3
	Yellow Perch				5.5						39.5	22.5
std exp gill net	White Sucker										11.0	11.0
	Yellow Perch										0.5	0.5

10-Year Size Structure and Condition Statistics by Gear and Species


Species proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) collected by different gear types across 10 years.

	Year											
Species	Index	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	
Yellow Perch	PSD										0	
	PSD-P										0	
	Wr										109	
Black Crappie	PSD				0							
	PSD-P				0							
	Wr				94							
Yellow Perch	PSD				45						29	
	PSD-P				36						0	
	Wr				97						105	
Yellow Perch	PSD										0	
	PSD-P										0	
	Yellow Perch Black Crappie Yellow Perch	Yellow Perch PSD PSD-P Wr Black Crappie PSD PSD-P Wr Yellow Perch PSD PSD-P Wr Yellow Perch PSD	Yellow Perch PSD PSD-P Wr Black Crappie PSD PSD-P Wr Yellow Perch PSD Yellow Perch PSD-P Wr PSD-P Wr PSD-P	Yellow Perch PSD PSD-P Wr Black Crappie PSD PSD-P Wr Yellow Perch PSD PSD-P Wr Yellow Perch PSD Yellow Perch PSD	Yellow Perch PSD PSD-P Wr Black Crappie PSD PSD-P Wr Yellow Perch PSD PSD-P Wr Yellow Perch PSD PSD-P Wr	Yellow Perch PSD PSD-P Wr Black Crappie PSD 0 PSD-P 0 Wr 94 Yellow Perch PSD 45 PSD-P 36 Wr 97 Yellow Perch PSD	Species Index 2007 2008 2009 2010 2011 Yellow Perch PSD-P Wr V Y	Species Index 2007 2008 2009 2010 2011 2012 Yellow Perch PSD P Wr Wr Wr 0 Wr 0 Wr 94 Yellow Perch PSD-P 36 Wr 97 Yellow Perch PSD Yellow Perch Yellow Perch PSD Yellow Perch Yellow Perch PSD Yellow Perch Yellow Perch Yellow Perch PSD Yellow Perch Yell	Species Index 2007 2008 2009 2010 2011 2012 2013 Yellow Perch PSD-P Wr V	Species Index 2007 2008 2009 2010 2011 2012 2013 2014 Yellow Perch PSD-P Wr FSD-P TSD-P TSD-P	Species Index 2007 2008 2009 2010 2011 2012 2013 2014 2015 Yellow Perch PSD-P Wr FSD-P 0 FSD-P 0 FSD-P 0 FSD-P FSD-P 45 FSD-P FSD-P <t< td=""></t<>	

Length Frequency Distribution

Length frequency histogram of species sampled by year.


Species: Yellow Perch Gear: std exp gill net




Historic Fish Sizes and Relative Abundance

Size distribution per net by color for species sampled by year.

Species: Black Crappie Gear: Frame Net



Species: Yellow Perch Gear: Gill Net



Fish Stocking

Number of fish stocked by year, species, and size.

Year	Species	Size	Number
2005	Rainbow Trout (Eagle Lake)	Catchable	100
2005	Rainbow Trout (Ennis)	Catchable	300
2005	Rainbow Trout (McConaugRainbow Trout	Catchable	125
2005	Rainbow Trout (Shasta)	Catchable	375
2006	Rainbow Trout (Shasta)	Catchable	625
2007	Rainbow Trout (Erwin)	Catchable	40
2007	Rainbow Trout (Shasta)	Catchable	38
2007	Rainbow Trout (Shasta)	Catchable 11"	76
2008	Rainbow Trout (Shasta)	Catchable 11"	152
2009	Rainbow Trout (Sand Creek)	Catchable	125
2009	Rainbow Trout (Shasta)	Catchable 11"	625
2010	Rainbow Trout (Erwin x Arlee)	Catchable	250
2010	Rainbow Trout (Shasta)	Catchable	500
2011	Rainbow Trout (Erwin x Arlee)	Catchable	132
2011	Rainbow Trout (Shasta)	Catchable	625
2012	Rainbow Trout (Erwin x Arlee)	Catchable	250
2012	Rainbow Trout (Shasta)	Catchable	500
2013	Rainbow Trout (Erwin x Arlee)	Catchable	125
2013	Rainbow Trout (Shasta)	Catchable	750
2014	Rainbow Trout (Erwin x Arlee)	Catchable	125
2014	Rainbow Trout (Shasta)	Catchable	625
2015	Rainbow Trout (Erwin x Arlee)	Catchable	250
2015	Rainbow Trout (Shasta)	Catchable	500
2016	Rainbow Trout (Erwin x Arlee)	Catchable	250
2016	Rainbow Trout (Shasta)	Catchable	500