SOUTH DAKOTA STATEWIDE FISHERIES SURVEY

Roosevelt, Tripp County PON-Lake-203-000 2016

Lake Information

Name: Roosevelt Maximum Depth: 6 Feet

County: Tripp Mean Depth: 18 Feet

Legal Description: T97-R74-S20

Surface Area: 86 Acres

Surveys and Investigations

Survey methods used by gear type, date, and effort.

Gear	Date	Effort
boat shocker (night)	September 27, 2016	3600 seconds
boat shocker (night)	October 04, 2016	3600 seconds

Common Fish Species Present

Walleye

Largemouth Bass

Bluegill

Black Crappie

Terminology

Catch per unit effort (**CPUE**) refers to the relative abundance of a species. It is defined as the number of fish captured per unit of effort (i.e., number of fish captured per net-night or number of fish captured per hour electrofishing). In this report CPUE is typically given for only stock-length fish (see length categories table for stock lengths).

$$\mathit{CPUE} = \frac{\mathit{number of fish}}{\mathit{effort}}$$

Population size structure is quantified using the indices proportional size distribution of quality-length fish (**PSD**) and proportional size distribution of preferred-length fish (**PSD-P**). These indices indicate the proportion of stock-length fish that are equal to or greater than a given length. Minimum lengths for stock, quality and preferred length fish are given in the length categories table.

$$\textit{PSD} = \left(\frac{number\ of\ fish \geq quality\ length}{number\ of\ fish \geq stock\ length}\right) \ge 100$$

$$\textit{PSD} - \textit{P} = \left(\frac{number\ of\ fish\ \geq preferred\ length}{number\ of\ fish\ \geq stock\ length}\right) \times 100$$

Relative weight (**Wr**) is used to quantify fish plumpness. Relative weight is the ratio of what a fish weighs (W) compared to a length-specific standard weight (Ws) multiplied by 100. Relative weight values of 95-105 are commonly cited as optimum values, but values in the 80s are common during summer sampling in South Dakota.

$$Wr = \left(\frac{W}{Ws}\right) \times 100$$

Confidence intervals (CI) are provided for many of the estimates calculated in this report. The confidence interval provides a range in which the true mean is expected to fall. For example, with an 80% CI we are 80% confident that the interval contains the true value.

Length categories include stock (**S**), quality (**Q**), preferred (**P**), memorable (**M**) and trophy (**T**). Length categories for most species have been defined based on a percentage of the world record length for that species. Some species mentioned in this report do not have defined length categories. Length categories for species used in this report are provided in the following table. Measurements are the minimum total length for each category and are reported in inches (in) and centimeters (cm).

	Stock Qua		ality	Pref	erred	Memorable		Trophy		
Species Name	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)
Bigmouth Buffalo	11	28	18	46	24	61	30	76	37	94
Black Bullhead	6	15	9	23	12	30	15	38	18	46
Black Crappie	5	13	8	20	10	25	12	30	15	38

7/16/2018 Page 3

	St	ock	Qu	ality	Pref	erred	Mem	orable	Tro	pphy
Species Name	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)	(in)	(cm)
Blue Catfish	12	30	20	51	30	76	35	89	45	114
Bluegill	3	8	6	15	8	20	10	25	12	30
Bluegill X Gr. Sunfish Hybrid	3	8	6	15	8	20	10	25	12	30
Brown Bullhead	5	13	8	20	11	28	14	36	17	43
Burbot	8	20	15	38	21	53	26	67	32	82
Channel Catfish	11	28	16	41	24	61	28	71	36	91
Common Carp	11	28	16	41	21	53	26	66	33	84
Flathead Catfish	14	35	20	51	28	71	34	86	40	102
Freshwater Drum	8	20	12	30	15	38	20	51	25	63
Gizzard Shad	7	18	11	28						
Green Sunfish	3	8	6	15	8	20	10	25	12	30
Lake Herring	5	13	8	20	11	28	14	35	17	43
Largemouth Bass	8	20	12	30	15	38	20	51	25	63
Longnose Gar	16	41	27	69	36	91	45	114	55	140
Muskellunge	20	51	30	76	38	97	42	107	50	127
Northern Pike	14	35	21	53	28	71	34	86	44	112
Paddlefish	16	41	26	66	33	84	41	104	51	130
Pumpkinseed	3	8	6	15	8	20	10	25	12	30
Redear Sunfish	4	10	7	18	9	23	11	28	13	33
River Carpsucker	7	18	11	28	14	36	18	46	22	56
Rock Bass	4	10	7	18	9	23	11	28	13	33
Rudd	6	15	10	25	12	30	15	38	19	48
Sauger	8	20	12	30	15	38	20	51	25	63
Saugeye	9	23	14	35	18	46	22	56	27	69
Shorthead Redhorse	6	15	10	25	13	33	16	41	20	51
Smallmouth Bass	7	18	11	28	14	35	17	43	20	51
Smallmouth Buffalo	11	28	18	46	24	61	30	76	37	94
Spotted Bass	7	18	11	28	14	35	17	43	20	51
Striped Bass	12	30	20	51	30	76	35	89	45	114
Striped Bass Hybrid (wiper)	8	20	12	30	15	38	20	51	25	63
Walleye	10	25	15	38	20	51	25	63	30	76
White Bass	6	15	9	23	12	30	15	38	18	46
White Crappie	5	13	8	20	10	25	12	30	15	38
White Perch	5	13	8	20	10	25	12	30	15	38
White Sucker	6	15	10	25	13	33	16	41	20	51
Yellow Bass	4	10	7	18	9	23	11	28	13	33
Yellow Bullhead	4	10	7	18	9	23	11	28	14	36
Yellow Perch	5	13	8	20	10	25	12	30	15	38

Catch Summary of Stock Length Fish

Catch per unit effort (CPUE), proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) for species sampled in survey with 80% confidence interval (CI-80).

		Abun	dance	St	ock De	nsity Indic	ces	Co	ndition
Gear	Species	CPUE	CI-80	PSD	CI-80	PSD-P	CI-80	Wr	CI-80
boat shocker (night)	Largemouth Bass	82.5	14.6	33	5	33		5 111	1

10-Year Catch Per Unit Effort by Gear and Species

Catch per unit effort (CPUE) and average (Avg) of species across 10 years using different gear types.

							CPUE					
Gear	Species	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	Avg
boat shocker	Largemouth Bass		68.0			99.0		65.0			82.5	78.6
(night)	Walleye					1.0						1.0
frame net (std	Black Bullhead		2.2			1.7		1.1				1.7
3/4 in)	Black Crappie		9.2			6.1		10.0				8.4
	Bluegill		10.2			10.0		10.0				10.1
	Green Sunfish		0.1			0.8						0.5
	Largemouth Bass					0.1		0.7				0.4
	Northern Pike		0.2			0.1		0.7				0.3
	Walleye		0.2			0.1		0.1				0.1
	Yellow Perch		0.5			1.0		1.9				1.1
std exp gill net	Black Bullhead		2.0			2.0		0.5				1.5
	Black Crappie		0.5			5.0		1.0				2.2
	Bluegill		0.5			3.0		3.5				2.3
	Golden Shiner					0.0						0.0
	Largemouth Bass		0.5					0.0				0.3
	Northern Pike		2.5			4.5		3.5				3.5
	Walleye		1.0			1.5		0.5				1.0
	Yellow Perch		9.5			15.5						12.5

10-Year Size Structure and Condition Statistics by Gear and Species

Species proportional size distribution (PSD), proportional size distribution of preferred length fish (PSD-P), and relative weight (Wr) collected by different gear types across 10 years.

Species Index 2007 2008 2009 2010 2011 2012 2013 2014 2015	
(night) PSD-P 0 Wr 1111 frame net (std 3/4 in) Black Crappie PSD 87 59 24 PSD-P 5 3 0 Wr 105 105 112 Northern Pike PSD 100 100 86 PSD-P 0 0 57 Wr 79 92 88 Wr 79 92 88 Wr 79 92 88 PSD-P 50 100 100 Wr 96 83 90 PSD-P 40 100 84 PSD-P 40 100 42 Wr 166 87 93 std exp gill net Black Crappie PSD 100 0 100 PSD-P 0 0 0 0 Wr 99 104 104 PSD-P 0 22 57 Wr 81 93 84	5 2016
FSD-P Wr 1111 frame net (std 3/4 in) FSD-P FSD	
frame net (std 3/4 in) Black Crappie PSD	
3/4 in) PSD-P 5 3 0 105 112 Wr 105 105 112 Northern Pike PSD 100 100 86 PSD-P 0 0 57 Wr 79 92 88 Walleye PSD 100 100 100 100 PSD-P 50 100 100 100 Wr 96 83 90 Yellow Perch PSD 80 100 84 PSD-P 40 100 42 Wr 166 87 93 std exp gill net Black Crappie PSD 100 0 100 PSD-P 0 0 0 0 Wr 99 104 104 Northern Pike PSD-P 0 0 22 57 Wr 81 93 84	
Northern Pike PSD-P 5 3 0	
Northern Pike	
PSD-P 0 0 57 Wr 79 92 88 Walleye PSD 100 100 100 PSD-P 50 100 100 100 Wr 96 83 90 Yellow Perch PSD 80 100 84 PSD-P 40 100 42 Wr 166 87 93 Std exp gill net Black Crappie PSD 100 0 0 Wr 99 104 104 Northern Pike PSD 100 89 100 PSD-P 0 22 57 Wr 81 93 84	
Walleye PSD 100 100 100 100 100 PSD-P 50 100 100 100 100 Wr 96 83 90 92 88 90 96 83 90 90 90 90 90 90 90 9	
Walleye PSD 100 100 100 PSD-P 50 100 100 Wr 96 83 90 Yellow Perch PSD 80 100 84 PSD-P 40 100 42 Wr 166 87 93 std exp gill net Black Crappie PSD 100 0 100 PSD-P 0 0 0 0 Wr 99 104 104 Northern Pike PSD-P 0 22 57 Wr 81 93 84	
PSD-P 50 100 100 Wr 96 83 90 Yellow Perch PSD 80 100 84 PSD-P 40 100 42 Wr 166 87 93 std exp gill net Black Crappie PSD 100 0 100 PSD-P 0 0 0 0 Wr 99 104 104 Northern Pike PSD 100 89 100 PSD-P 0 22 57 Wr 81 93 84	
Yellow Perch PSD 80 100 84 PSD-P 40 100 42 Wr 166 87 93 std exp gill net Black Crappie PSD 100 0 100 PSD-P 0 0 0 0 Wr 99 104 104 Northern Pike PSD-P 0 22 57 Wr 81 93 84	
Yellow Perch PSD 80 100 84 PSD-P 40 100 42 Wr 166 87 93 std exp gill net Black Crappie PSD 100 0 100 PSD-P 0 0 0 0 Wr 99 104 104 Northern Pike PSD 100 89 100 PSD-P 0 22 57 Wr 81 93 84	
Std exp gill net Black Crappie PSD-P 40 100 87 93 Std exp gill net Black Crappie PSD 100 0 100 0 100 0 0 0 0 0 0 0 0 0 0 0	
std exp gill net Black Crappie PSD 100 0 100 PSD-P 0 0 0 0 Wr 99 104 104 Northern Pike PSD 100 89 100 PSD-P 0 22 57 Wr 81 93 84	
std exp gill net Black Crappie PSD 100 0 100 PSD-P 0 0 0 0 Wr 99 104 104 Northern Pike PSD 100 89 100 PSD-P 0 22 57 Wr 81 93 84	
PSD-P 0 0 0 0 Wr 99 104 104 Northern Pike PSD 100 89 100 PSD-P 0 22 57 Wr 81 93 84	
Wr 99 104 104 Northern Pike PSD 100 89 100 PSD-P 0 22 57 Wr 81 93 84	
Northern Pike PSD 100 89 100 PSD-P 0 22 57 Wr 81 93 84	
PSD-P 0 22 57 Wr 81 93 84	
Wr 81 93 84	
Walleve PSD 0 100 100	
100 100 100	
PSD-P 0 33 0	
Wr 96 77 90	
Yellow Perch PSD 63 13	
PSD-P 5 0	
Wr 90 98	

Length at Capture

Mean length at capture by age across years sampled, sample size (N).

Species: Black Crappie

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2013	102		146 (56)	126 (2)	199 (32)	205 (13)				-	
2011	73	85 (1)	135 (34)	191 (2)	214 (34)	253 (2)					
2008	105	104 (13)	185 (3)	209 (71)	220 (15)	269 (2)	288 (1)				

Species: Yellow Perch

Mean Length (expanded sample number) at capture by age											
Year	N	1	2	3	4	5	6	7	8	9	10+
2011	31		145 (27)			235 (3)	247 (1)				
2008	19		180 (5)	195 (1)	222 (11)	243 (1)	251 (1)				

Fish Condition


Mean relative weight (Wr) by sample size (N), length category stock to quality (S-Q), quality to preferred (Q-P), preferred to memorable (P-M), and memorable (M) for species collected across survey years with standard error (SE).

					Length	Group	S		
		S-Q			Q-P	P-M			М
Species	Year	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)	N	Wr (SE)
Black Crappie Frame Net	2013	76	113 (1.0)	24	109 (1.1)	0		0	
Northern Pike Gill Net	2013	0		3	89	4	83 (0.9)	0	
Walleye Gill Net	2013	0		1	90	0		0	


Length Frequency Distribution

Length frequency histogram of species sampled by year.


Species: Black Crappie Gear: frame net (std 3/4 in)



Species: Northern Pike Gear: std exp gill net




Species: Walleye Gear: std exp gill net




Historic Fish Sizes and Relative Abundance

Size distribution per net by color for species sampled by year.


Species: Black Crappie Gear: Frame Net




Species: Northern Pike Gear: Gill Net



Species: Walleye Gear: Gill Net



Species: Yellow Perch Gear: Gill Net



Fish Stocking

Number of fish stocked by year, species, and size.

Year	Species	Size	Number
2005	Walleye	Fingerling	1,230
2008	Walleye	Large Fingerling	845
2011	Walleye	Large Fingerling	1,705
2013	Walleye	Large Fingerling	2,356
2015	Walleye	Large Fingerling	540