

Advertisement of Highway Bid Letting

Electronic Bids for the following construction projects will be received by the South Dakota Department of Transportation (SDDOT) via the South Dakota Electronic Bid System (SDEBS) until 10 A.M. Central time, on January 22, 2025, at which time the SDDOT will open bids. All bids will be checked for qualifications with results posted on the SDDOT website.

ITEM NO.	PROJECT NUMBER	COUNTY	LENGTH MILES	TYPE OF WORK	DESCRIPTION OF LOCATION
1.	BRO-B 8065(20) (PCN 08N6)	Walworth SWPPP = 0.43 AC	---	Structure (2-12'x6' CIP RCBC) & Approach Grading	Structure in the SE corner of Selby on 1st Ave over a Ck (City Owned) SN 65-215-065
2.	BRO-B 8047(32) (PCN 08NW)	Meade SWPPP = 0.90 AC	0.200	Structure Removal (51' Steel Beam Bridge) & Pipe Installation	Structure 4.4 E & 3.5 N of Sturgis on a State Park Rd over a Ck (GF&P OWNED) SN 47-074-395
3.	BRO-B 8052(76) (PCN 08N2)	Pennington SWPPP = 0.54 AC	0.057	Structure (50' Concrete Rigid Frame) & Approach Grading	Structure 0.9 E & 1.5 S of Johnson Siding on Thunderhead Falls Rd over Rapid Ck SN 52-317-313
4.	NH 0083(88)40 (PCN 074F)	Mellette SWPPP = 1.93 AC	0.152	Replace Pipe & Drainage Improvements	US83 - 1.25 S of the S US83/SD44 Jct
5.	NH 0212(189)155, PH 000S(416) (PCN 06CM, 06U9)	Dewey, Regionwide SWPPP = 4.00 AC	32.126	Cold Milling, Asphalt Concrete Resurfacing, Modify Intersection, Pipe Work, Rumble Stripes & High Grade Polymer Pavement Markins	US212 - Fm Eagle Butte to LaPlant, Various locations in Pierre Region
6.	NH-CR 0081(122)3, P 0046(87)334 (PCN 07V2, 09P4)	Yankton SWPPP = 35.00 AC	8.900	Asphalt Concrete Surfacing/Resurfacing, PCC Surfacing	US81 N & S - Fm 0.7 N of the N SD50 Jct to the end of the Divided Lanes; US81 - Fm the End of the Divided Lanes to 303rd St N of Yankton; US81- Fm 300th St to SD46
* 7.	P 0047(122)58, 049-392 (PCN 06Q8, I7AG)	Lyman, Tripp SWPPP = 2.10 AC	9.516	Cold Milling, Asphalt Concrete Resurfacing, Pipe Work	SD47 - Fm N of SD49 to I90
* 8.	P 0047(117)67, P 0248(13)261 (PCN 069Q, 06YC)	Lyman SWPPP = 20.10 AC	20.195	Cold Milling, Asphalt Concrete Resurfacing, Approach Guardrail, Pipe Work, Landslide Repair, Rumble Strips	SD47 - From I90 to W of Fort Thompson; SD248 - Fm Reliance to I90
* 9.	P 0047(113)42 (PCN 05UN)	Lyman SWPPP = 87.80 AC	16.070	Cold Milling, Asphalt Concrete Resurfacing, Pipe Work	SD47 - Fm 2.5 N of the Gregory/Lyman Co Line to SD49
10.	NH 0081(120)145 (PCN 07YW)	Codington, Hamlin SWPPP = 1.25 AC	10.325	Cold Milling, Asphalt Concrete Resurfacing & Pipe Work	US81 - Fm SD 22 N to Watertown

* Indicates combination bids

<> Indicates Optional Combination Bids

SWPPP = Storm Water Pollution Prevention Plan

ITEMS INVOLVED ARE AS FOLLOWS

1. **BRO-B 8065(20)** **Area Engineer: John Villbrandt, PO Box 488, Mobridge, SD, 57601-0488** **Phone: 605/845-3844**

Work Type 9

DBE Goal: Not Specified

Contract Id: 9128

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Construction Staking	LS	1.000
3	Engineer Directed Surveying/Staking	Hour	20.000
4	Clear and Grub Tree	Each	12.000
5	Clearing	LS	1.000
6	Remove Fence	Ft	410.000
7	Remove Sediment	CuYd	1.000
8	Remove Erosion Control Wattle	Ft	100.000
9	Remove Silt Fence	Ft	550.000
10	Unclassified Excavation	CuYd	963.000
11	Placing Topsoil	CuYd	182.000
12	Incidental Work, Structure	LS	1.000
13	Structure Excavation, Box Culvert	CuYd	63.000
14	Box Culvert Undercut	CuYd	173.000
15	Class A45 Concrete, Box Culvert	CuYd	119.400
16	Reinforcing Steel	Lb	17,554.000
17	Type 2 Object Marker	Each	4.000
18	Traffic Control Signs	SqFt	109.000
19	Traffic Control, Miscellaneous	LS	1.000
20	Type 3 Barricade	Each	8.000
21	Class B Riprap	Ton	181.800
22	Erosion Control	LS	1.000
23	12" Diameter Erosion Control Wattle	Ft	200.000
24	Remove and Reset Erosion Control Wattle	Ft	50.000
25	High Flow Silt Fence	Ft	550.000
26	Mucking Silt Fence	CuYd	38.000
27	Repair Silt Fence	Ft	138.000
28	Type B Drainage Fabric	SqYd	194.000

2. **BRO-B 8047(32)** **Area Engineer: John Matthesen, W Hwy 34, Belle Fourche, SD, 57717-0786** **Phone: 605/892-2872**

Work Type 2 or Work Type 12

DBE Goal: Not Specified

Contract Id: 9339

See Special Provisions for Completion Requirements

1	Mobilization	LS	1.000
2	Clearing	LS	1.000
3	Remove Asphalt Concrete Pavement	SqYd	553.000
4	Remove Sediment	CuYd	1.000
5	Salvage Traffic Sign	Each	5.000
6	Unclassified Excavation	CuYd	1,440.000
7	Placing Topsoil	CuYd	200.000
8	Incidental Work, Structure	LS	1.000
9	Base Course	Ton	277.000
10	Gravel Surfacing	Ton	187.000
11	Pipe Culvert Undercut	CuYd	22.000
12	36" RCP Class 2, Furnish	Ft	56.000
13	36" RCP, Install	Ft	56.000
14	36" RCP Flared End, Furnish	Each	2.000
15	36" RCP Flared End, Install	Each	2.000
16	Traffic Control Signs	SqFt	10.000
17	Traffic Control, Miscellaneous	LS	1.000
18	Type 3 Barricade	Each	1.000
19	Class B Riprap	Ton	90.000
20	Erosion Control	LS	1.000
21	Type 2 Erosion Control Blanket	SqYd	2,112.000
22	12" Diameter Erosion Control Wattle	Ft	200.000
23	Remove and Reset Erosion Control Wattle	Ft	200.000

24	Shaping for Erosion Control Blanket	Ft	387.000
25	Type B Drainage Fabric	SqYd	120.000

3. **BRO-B 8052(76)** **Area Engineer: Mike Carlson, 2300 Eglin St, Rapid City, SD, 57709-1970** **Phone: 605/394-2244**
Work Type 9 **DBE Goal: Not Specified** **Contract Id: 9340** **See Special Provisions for Completion Requirements**

1	Maintenance of Traffic Diversion(s)	LS	1.000
2	Remove Traffic Diversion(s)	LS	1.000
3	Mobilization	LS	1.000
4	Construction Staking	LS	1.000
5	Engineer Directed Surveying/Staking	Hour	10.000
6	Concrete Penetrating Sealer	SqYd	150.000
7	Clearing	LS	1.000
8	Remove Fence	Ft	233.000
9	Remove Asphalt Concrete Pavement	SqYd	615.400
10	Unclassified Excavation	CuYd	159.000
11	Contractor Furnished Borrow Excavation	CuYd	564.000
12	Placing Topsoil	CuYd	95.000
13	Incidental Work, Structure	LS	1.000
14	Base Course	Ton	323.200
15	Gravel Surfacing	Ton	83.000
16	Asphalt Concrete Composite	Ton	158.700
17	Structure Excavation, Bridge	CuYd	436.000
18	Bridge End Embankment	CuYd	469.000
19	Granular Bridge End Backfill	CuYd	44.700
20	Class A45 Concrete, Bridge Deck	CuYd	88.600
21	Class A45 Concrete, Bridge	CuYd	52.700
22	Type T101 Bridge Railing	Ft	132.000
23	Reinforcing Steel	Lb	5,192.000
24	Epoxy Coated Reinforcing Steel	Lb	19,266.000
25	Extract Pile	Each	2.000
26	HP 10 Pile Tip Reinforcement	Each	10.000
27	HP 10x57 Steel Test Pile, Furnish and Drive	Ft	40.000
28	HP 10x57 Steel Bearing Pile, Furnish and Drive	Ft	120.000
29	Noise Wall Panel	SqFt	400.000
30	Special Right-of-Way Fence	Ft	233.000
31	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	11.000
32	High Build Waterborne Pavement Marking Paint, 4" White	Ft	600.000
33	High Build Waterborne Pavement Marking Paint, 4" Yellow	Ft	600.000
34	Flagging	Hour	20.000
35	Traffic Control Signs	SqFt	291.400
36	Traffic Control, Miscellaneous	LS	1.000
37	Type 3 Barricade	Each	6.000
38	Temporary Flexible Vertical Markers (Tabs)	Ft	840.000
39	4" Temporary Pavement Marking Tape Type I	Ft	120.000
40	Traffic Control Movable Concrete Barrier	Each	2.000
41	Portable Temporary Traffic Control Signal	Unit	2.000
42	2" Rigid Conduit, Schedule 40	Ft	16.000
43	Class B Riprap	Ton	329.800
44	Sodding	SqYd	280.000
45	Erosion Control	LS	1.000
46	Type 2 Erosion Control Blanket	SqYd	150.000
47	Low Flow Silt Fence	Ft	215.000
48	Mucking Silt Fence	CuYd	10.000
49	Repair Silt Fence	Ft	54.000
50	Floating Silt Curtain	Ft	330.000
51	Type B Drainage Fabric	SqYd	639.000

52	Refurbish Single Mailbox	Each	1.000
53	Orange Plastic Safety Fence	Ft	100.000
54	Modify Sprinkler System	LS	1.000

4. NH 0083(88)40 **Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771** **Phone: 605/842-0810**
Work Type 2 or Work Type 12 **DBE Goal: Not Specified** **Contract Id: 8802** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Construction Staking	Mile	0.220
3	Engineer Directed Surveying/Staking	Hour	40.000
4	Remove Delineator	Each	2.000
5	Remove Fence	Ft	247.000
6	Remove Asphalt Concrete Pavement	SqYd	467.000
7	Remove Silt Fence	Ft	107.000
8	Unclassified Excavation	CuYd	6,220.000
9	Water for Embankment	MGal	55.000
10	Remove and Replace Topsoil	LS	1.000
11	Incidental Work, Grading	LS	1.000
12	Base Course	Ton	332.000
13	Asphalt Concrete Composite	Ton	155.100
14	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	0.100
15	Pipe Culvert Undercut	CuYd	226.000
16	72" RCP Arch Class 2, Furnish	Ft	212.000
17	72" RCP Arch, Install	Ft	212.000
18	72" RCP Arch Flared End, Furnish	Each	4.000
19	72" RCP Arch Flared End, Install	Each	4.000
20	Controlled Density Fill	CuYd	38.000
21	Type 2 Right-of-Way Fence	Ft	120.000
22	Type 4 Right-of-Way Fence	Ft	127.000
23	Type 1 Temporary Fence	Ft	247.000
24	2 Post Panel	Each	8.000
25	Type 2 Object Marker	Each	4.000
26	High Build Waterborne Pavement Marking Paint, 4" White	Ft	200.000
27	High Build Waterborne Pavement Marking Paint, 4" Yellow	Ft	38.000
28	Flagging	Hour	100.000
29	Traffic Control Signs	SqFt	195.400
30	Traffic Control, Miscellaneous	LS	1.000
31	Type 3 Barricade	Each	2.000
32	4" Temporary Pavement Marking Tape Type I	Ft	2,400.000
33	Temporary Pavement Marking	Ft	48.000
34	Class C Riprap	Ton	598.000
35	Bank and Channel Protection Gabion	CuYd	21.500
36	Type F Permanent Seed Mixture	Lb	50.000
37	Fertilizing	Ton	1.370
38	Mulching	Ton	4.700
39	Type 3 Erosion Control Blanket	SqYd	900.000
40	Erosion Bale	Each	66.000
41	Shaping for Erosion Control Blanket	Ft	242.000
42	Low Flow Silt Fence	Ft	87.000
43	High Flow Silt Fence	Ft	342.000
44	Mucking Silt Fence	CuYd	30.000
45	Repair Silt Fence	Ft	107.000
46	Type B Drainage Fabric	SqYd	567.000
47	Articulated Concrete Mattress	SqYd	208.500

5. NH 0212(189)155, PH 000S(416) **Area Engineer: John Villbrandt, PO Box 488, Mobridge, SD, 57601-0488** **Phone: 605/845-3844**
Work Type 5 **DBE Goal: Not Specified** **Contract Id: 9660** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
---	--------------	----	-------

2	Construction Staking	Mile	32.179
3	Grade Staking	Mile	20.946
4	Miscellaneous Staking	Mile	32.179
5	Slope Staking	Mile	0.576
6	Engineer Directed Surveying/Staking	Hour	40.000
7	Bridge Elevation Survey	LS	1.000
8	Checker	LS	1.000
9	Construction Schedule, Category II	LS	1.000
10	Training Program	Hour	1,000.000
11	Remove Concrete Bridge Approach Slab	SqYd	172.300
12	Remove Delineator	Each	736.000
13	Remove Pipe Culvert	Ft	70.000
14	Remove Pipe End Section	Each	2.000
15	Remove Beam Guardrail	Ft	825.000
16	Remove Asphalt Concrete Pavement	SqYd	2,409.000
17	Remove Sediment	CuYd	2.300
18	Remove Pipe End Section for Reset	Each	3.000
19	Unclassified Excavation	CuYd	8,696.000
20	Unclassified Excavation, Digouts	CuYd	1,606.000
21	Contractor Furnished Borrow Excavation	CuYd	2,553.000
22	Undercutting	CuYd	4,775.000
23	Water for Granular Material	MGal	863.600
24	Shoulder Clearing	Mile	64.000
25	Shoulder Preparation	Mile	42.634
26	Placing Topsoil	CuYd	1,248.000
27	Base Course	Ton	4,969.900
28	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	3,097.900
29	Full Depth Reclamation, Shoulder	SqYd	116,885.000
30	Asphalt Concrete Composite	Ton	803.000
31	Asphalt Concrete Blade Laid	Ton	4,862.100
32	Grind 6" Rumble Stripe in Asphalt Concrete	Mile	5.400
33	Grind 8" Rumble Strip or Stripe in Asphalt Concrete	Mile	26.900
34	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	64.200
35	Grind Centerline Rumble Stripe in Asphalt Concrete	Mile	32.100
36	Grind 6" Transverse Rumble Strip in Asphalt Concrete	Ft	1,224.000
37	MC-70 Asphalt for Prime	Ton	334.600
38	SS-1h or CSS-1h Asphalt for Tack	Ton	391.500
39	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	169.600
40	Blotting Sand for Prime	Ton	10.000
41	Sand for Flush Seal	Ton	1,690.500
42	Cold Milling Asphalt Concrete	SqYd	515,878.000
43	Membrane Sealant Expansion Joint	Ft	75.800
44	Bridge End Embankment	CuYd	4.000
45	Granular Bridge End Backfill	CuYd	22.200
46	Approach Slab Underdrain Excavation	CuYd	2.900
47	Precast Concrete Headwall for Drain	Each	4.000
48	30" RCP Arch Class 2, Furnish	Ft	24.000
49	30" RCP Arch, Install	Ft	24.000
50	18" CMP 12 Gauge, Furnish	Ft	52.000
51	18" CMP, Install	Ft	52.000
52	18" CMP Safety End, Furnish	Each	2.000
53	18" CMP Safety End, Install	Each	2.000
54	Reset Pipe End Section	Each	3.000
55	Class A45 Concrete, Bridge Repair	CuYd	4.800
56	Concrete Approach Slab for Bridge	SqYd	172.400
57	Concrete Approach Sleeper Slab for Bridge	SqYd	37.800

58	Breakout Structural Concrete	CuYd	5.000
59	Install Dowel in Concrete	Each	16.000
60	Epoxy Coated Reinforcing Steel	Lb	824.000
61	No. 4 Rebar Splice	Each	28.000
62	No. 5 Rebar Splice	Each	32.000
63	No. 6 Rebar Splice	Each	44.000
64	Galvanic Anode	Each	28.000
65	Type III Field Laboratory	Each	1.000
66	Type 1 MGS	Ft	450.000
67	Type 1 Guardrail Transition	Each	4.000
68	Type 1 Retrofit Guardrail Transition	Each	4.000
69	MGS MASH Tangent End Terminal	Each	8.000
70	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	730.000
71	Guardrail Delineator	Each	32.000
72	Type 2 Object Marker Back to Back	Each	6.000
73	Cold Applied Plastic Pavement Marking, 4"	Ft	18,704.000
74	Cold Applied Plastic Pavement Marking, 24"	Ft	194.000
75	Cold Applied Plastic Pavement Marking, Area	SqFt	22.000
76	Cold Applied Plastic Pavement Marking, Arrow	Each	6.000
77	High Build Waterborne Pavement Marking Paint, White	Gal	2,316.000
78	High Build Waterborne Pavement Marking Paint, Yellow	Gal	597.000
79	Grooving for Cold Applied Plastic Pavement Marking, 4"	Ft	18,704.000
80	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	194.000
81	Grooving for Cold Applied Plastic Pavement Marking, Area	SqFt	22.000
82	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	6.000
83	Flagging	Hour	970.000
84	Pilot Car	Hour	460.000
85	Traffic Control Signs	SqFt	1,768.400
86	Traffic Control, Miscellaneous	LS	1.000
87	Temporary Raised Pavement Markers	Ft	5,996.000
88	Linear Delineation System Panel, Barrier Mounted	Each	36.000
89	4" Temporary Pavement Marking Tape Type I	Ft	288.000
90	Temporary Pavement Marking	Mile	160.600
91	Traffic Control Movable Concrete Barrier	Each	36.000
92	Remove and Reset Traffic Control Movable Concrete Barrier	Each	29.000
93	Temporary Concrete Barrier End Protection	Each	2.000
94	Remove and Reset Temporary Concrete Barrier End Protection	Each	2.000
95	Temporary Concrete Barrier End Protection Module Set or Repair Kit	Each	1.000
96	Detour and Restriction Signing	SqFt	777.000
97	4" Underdrain Pipe	Ft	120.000
98	Porous Backfill	Ton	5.500
99	Erosion Control	LS	1.000
100	12" Diameter Erosion Control Wattle	Ft	990.000
101	Remove and Reset Erosion Control Wattle	Ft	248.000
102	Refurbish Single Mailbox	Each	5.000
103	Refurbish Double Mailbox	Each	2.000
104	Storage Unit	Each	1.000
105	Base Course, Salvaged	Ton	9,410.700
106	Base Course, Salvaged Asphalt Mix	Ton	12,379.100
107	PG 58-34 Asphalt Binder	Ton	4,981.200
108	Class Q3R Hot Mixed Asphalt Concrete	Ton	99,341.200
109	Hydrated Lime	Ton	1,007.800
110	Base Course, Salvaged	Ton	9,980.600
111	Base Course, Salvaged Asphalt Mix	Ton	11,879.400
112	PG 58-34 Asphalt Binder	Ton	4,178.800
113	Class Q3R Hot Mixed Asphalt Concrete	Ton	101,928.600

51	Cold Milling Asphalt Concrete	SqYd	45,985.000
52	8" Nonreinforced PCC Pavement	SqYd	112,186.200
53	Fast Track Concrete	SqYd	1,500.000
54	Dowel Bar	Each	73,036.000
55	Insert Steel Bar in PCC Pavement	Each	34.000
56	Membrane Sealant Expansion Joint	Ft	104.000
57	Type III Field Laboratory	Each	1.000
58	Type 1 MGS	Ft	387.500
59	Type 1 Retrofit Guardrail Transition	Each	2.000
60	Type 3 Guardrail Transition	Each	2.000
61	MGS MASH Tangent End Terminal	Each	4.000
62	Reset Type 1 MGS	Ft	600.000
63	Reset MGS MASH Tangent End Terminal	Each	4.000
64	Reset Type 1 Guardrail Transition	Each	4.000
65	Reset Delineator	Each	80.000
66	Guardrail Delineator	Each	38.000
67	Reset Sign	Each	25.000
68	High Build Waterborne Pavement Marking Paint, White	Gal	281.000
69	High Build Waterborne Pavement Marking Paint, Yellow	Gal	180.000
70	Durable Pavement Marking, 4" White	Ft	52,948.000
71	Durable Pavement Marking, 4" Yellow	Ft	46,442.000
72	Durable Pavement Marking, 8" White	Ft	1,600.000
73	Durable Pavement Marking, 24" White	Ft	880.000
74	Durable Pavement Marking, 24" Yellow	Ft	820.000
75	Durable Pavement Marking, Arrow	Each	23.000
76	Durable Pavement Marking, Message	Word	12.000
77	Surface Preparation for Pavement Marking	Ft	9,761.000
78	Surface Preparation for Pavement Marking	Each	17.000
79	Grooving for Durable Pavement Marking, 4"	Ft	91,700.000
80	Grooving for Durable Pavement Marking, 8"	Ft	1,600.000
81	Grooving for Durable Pavement Marking, 24"	Ft	540.000
82	Grooving for Durable Pavement Marking, Arrow	Each	14.000
83	Flagging	Hour	430.000
84	Pilot Car	Hour	170.000
85	Traffic Control Signs	SqFt	1,275.000
86	Traffic Control, Miscellaneous	LS	1.000
87	Traffic Control Supervisor	LS	1.000
88	Type 3 Barricade	Each	30.000
89	Temporary Raised Pavement Markers	Mile	31.500
90	Tubular Marker	Each	300.000
91	Type C Advance Warning Arrow Board	Each	2.000
92	Temporary Pavement Marking	Ft	6,500.000
93	Detour and Restriction Signing	SqFt	947.000
94	Type F68 Concrete Curb and Gutter	Ft	450.000
95	Type B Frame and Grate	Each	2.000
96	Precast Drop Inlet Collar	Each	2.000
97	Cover Crop Seeding	Bu	2.000
98	Type G Permanent Seed Mixture	Lb	59.000
99	Fertilizing	Ton	1.100
100	Mulching	Ton	3.600
101	Soil Stabilizer	Acre	0.500
102	Type 3 Erosion Control Blanket	SqYd	2,429.000
103	12" Diameter Erosion Control Wattle	Ft	2,800.000
104	Remove and Reset Erosion Control Wattle	Ft	700.000
105	Low Flow Silt Fence	Ft	2,800.000
106	High Flow Silt Fence	Ft	1,000.000

107	Mucking Silt Fence	CuYd	264.000
108	Repair Silt Fence	Ft	950.000
109	Refurbish Single Mailbox	Each	6.000
110	Refurbish Double Mailbox	Each	5.000
111	Remove and Reset Mailbox	Each	16.000
112	Construction Entrance	Each	2.000

7. **P 0047(122)58, 049-392** **Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771** **Phone: 605/842-0810**
Work Type 5 **DBE Goal: Not Specified** **Contract Id: 9499** **See Special Provisions for Completion Requirements**

1	Mobilization	LS	1.000
2	Construction Staking	LS	1.000
3	Checker	LS	1.000
4	Construction Schedule, Category I	LS	1.000
5	Remove Pipe Culvert	Ft	182.000
6	Remove Pipe End Section	Each	10.000
7	Remove Cattle Pass End Section	Each	1.000
8	Remove Fence	Ft	986.000
9	Remove Asphalt Concrete Pavement	SqYd	75.000
10	Salvage Delineator	Each	127.000
11	Remove Double Thrie Beam Guardrail for Reset	Ft	50.000
12	Remove W Beam Guardrail for Reset	Ft	100.000
13	Remove W Beam to Thrie Beam Guardrail Transition for Reset	Each	4.000
14	Remove W Beam Guardrail Flared End Terminal for Reset	Each	4.000
15	Remove Pipe for Reset	Ft	34.000
16	Remove Pipe End Section for Reset	Each	4.000
17	Remove Cattle Pass End Section for Reset	Each	1.000
18	Unclassified Excavation, Digouts	CuYd	476.000
19	Contractor Furnished Borrow Excavation	CuYd	693.000
20	Reprofiling Ditch	Sta	2.000
21	Water for Granular Material	MGal	30.500
22	Shoulder Clearing	Mile	19.000
23	Remove and Replace Topsoil	LS	1.000
24	Incidental Work	LS	1.000
25	Base Course, Salvaged	Ton	1,641.800
26	Granular Material, Furnish	Ton	2,452.900
27	Blend, Haul, and Stockpile Granular Material	Ton	3,283.600
28	Blend and Stockpile Granular Material	Ton	1,641.800
29	Asphalt Concrete Composite	Ton	240.400
30	Asphalt Concrete Blade Laid	Ton	2,854.800
31	Grind 8" Rumble Strip or Stripe in Asphalt Concrete	Mile	19.800
32	Grind Centerline Rumble Stripe in Asphalt Concrete	Mile	9.900
33	SS-1h or CSS-1h Asphalt for Tack	Ton	175.500
34	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	33.900
35	Sand for Flush Seal	Ton	504.600
36	Cold Milling Asphalt Concrete	SqYd	179,933.000
37	Pipe Culvert Undercut	CuYd	37.000
38	24" RCP Class 2, Furnish	Ft	154.000
39	24" RCP, Install	Ft	154.000
40	18" RCP Flared End, Furnish	Each	4.000
41	18" RCP Flared End, Install	Each	4.000
42	24" RCP Flared End, Furnish	Each	4.000
43	24" RCP Flared End, Install	Each	4.000
44	36" RCP Flared End, Furnish	Each	1.000
45	36" RCP Flared End, Install	Each	1.000
46	18" CMP 14 Gauge, Furnish	Ft	132.000
47	18" CMP, Install	Ft	132.000

48	18" CMP Elbow, Furnish	Each	2.000
49	18" CMP Elbow, Install	Each	2.000
50	18" CMP Flared End, Furnish	Each	1.000
51	18" CMP Flared End, Install	Each	1.000
52	Repair Culvert Joint	Ft	200.000
53	Cleanout Pipe Culvert	Each	3.000
54	Reset Pipe	Ft	34.000
55	Reset Pipe End Section	Each	4.000
56	4'x6' Reinforced Concrete Cattle Pass End Section, Furnish	Each	1.000
57	4'x6' Reinforced Concrete Cattle Pass End Section, Install	Each	1.000
58	Reset Reinforced Concrete Cattle Pass End Section	Each	1.000
59	Type III Field Laboratory	Each	1.000
60	Type 2 Right-of-Way Fence	Ft	986.000
61	Type 2 Temporary Fence	Ft	1,577.000
62	2 Post Panel	Each	20.000
63	3 Post Panel	Each	1.000
64	Beam Guardrail Post and Block	Each	80.000
65	Reset Double Thrie Beam Guardrail with Wood Posts	Ft	50.000
66	Reset W Beam Guardrail with Wood Posts	Ft	100.000
67	Reset W Beam to Thrie Beam Guardrail Transition	Each	4.000
68	Reset W Beam Guardrail Flared End Terminal	Each	4.000
69	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	127.000
70	Guardrail Delineator	Each	16.000
71	High Build Waterborne Pavement Marking Paint, White	Gal	446.000
72	High Build Waterborne Pavement Marking Paint, Yellow	Gal	383.000
73	Flagging	Hour	480.000
74	Pilot Car	Hour	200.000
75	Traffic Control Signs	SqFt	462.600
76	Traffic Control, Miscellaneous	LS	1.000
77	Remove Pavement Marking, 4" or Equivalent	Ft	100.000
78	Temporary Pavement Marking	Mile	39.500
79	PVC Coated Bank and Channel Protection Gabion	CuYd	4.500
80	Type F Permanent Seed Mixture	Lb	988.000
81	Fertilizing	Ton	28.500
82	Mulching	Ton	86.000
83	12" Diameter Erosion Control Wattle	Ft	400.000
84	Type B Drainage Fabric	SqYd	15.000
85	Refurbish Single Mailbox	Each	3.000
86	Storage Unit	Each	1.000
87	PG 58-34 Asphalt Binder	Ton	1,169.700
88	Class Q2R Hot Mixed Asphalt Concrete	Ton	19,874.500
89	Hydrated Lime	Ton	234.600
90	PG 58-34 Asphalt Binder	Ton	1,012.300
91	Class Q2R Hot Mixed Asphalt Concrete	Ton	20,389.100
92	Hydrated Lime	Ton	241.400
93	PG 58-34 Asphalt Binder	Ton	46.000
94	Contractor Furnished Asphalt Concrete	Ton	1,000.000
95	Hydrated Lime	Ton	10.000
96	PG 58-34 Asphalt Binder	Ton	37.000
97	Contractor Furnished Asphalt Concrete	Ton	1,000.000
98	Hydrated Lime	Ton	10.000

8.	P 0047(117)67, P 0248(13)261	Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771		Phone: 605/842-0810
	Work Type 5	DBE Goal: Not Specified	Contract Id: 9653	See Special Provisions for Completion Requirements
	1 Mobilization		LS	1.000
	2 Grade Staking		Mile	22.667

3	Graded Centerline Staking	Mile	20.200
4	Miscellaneous Staking	Mile	20.200
5	Slope Staking	Mile	0.057
6	Engineer Directed Surveying/Staking	Hour	45.000
7	Checker	LS	1.000
8	Construction Schedule, Category I	LS	1.000
9	Training Program	Hour	1,000.000
10	Remove Pipe Culvert	Ft	666.000
11	Remove Pipe End Section	Each	18.000
12	Remove Cattle Pass End Section	Each	10.000
13	Remove Fence	Ft	1,510.000
14	Remove Asphalt Concrete Pavement	SqYd	2,740.000
15	Remove Sediment	CuYd	3.000
16	Remove Silt Fence	Ft	1,740.000
17	Salvage Delineator	Each	450.000
18	Remove Pipe for Reset	Ft	278.000
19	Remove Pipe End Section for Reset	Each	49.000
20	Remove Cattle Pass for Reset	Ft	8.000
21	Remove Cattle Pass End Section for Reset	Each	2.000
22	Unclassified Excavation	CuYd	13,809.000
23	Unclassified Excavation, Digouts	CuYd	1,010.000
24	Contractor Furnished Borrow Excavation	CuYd	5,879.000
25	Undercutting	CuYd	2,800.000
26	Reprofiling Ditch	Sta	14.000
27	Water for Embankment	MGal	143.000
28	Water for Granular Material	MGal	507.300
29	Shoulder Clearing	Mile	40.400
30	Placing Topsoil	CuYd	11,186.000
31	Base Course	Ton	3,575.700
32	Base Course, Salvaged	Ton	1,335.000
33	Temporary Gravel Surfacing	Ton	230.000
34	Granular Material, Furnish	Ton	9,269.000
35	Blend, Haul, and Stockpile Granular Material	Ton	18,538.000
36	Full Depth Reclamation, Shoulder	SqYd	77,369.000
37	Asphalt Concrete Composite	Ton	976.000
38	Asphalt Concrete Blade Laid	Ton	3,264.900
39	Grind 8" Rumble Strip or Stripe in Asphalt Concrete	Mile	38.800
40	Grind Centerline Rumble Stripe in Asphalt Concrete	Mile	19.400
41	Grind 6" Transverse Rumble Strip in Asphalt Concrete	Ft	98.000
42	MC-70 Asphalt for Prime	Ton	151.100
43	SS-1h or CSS-1h Asphalt for Tack	Ton	325.100
44	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	107.100
45	Blotting Sand for Prime	Ton	5.000
46	Sand for Flush Seal	Ton	1,127.900
47	Cold Milling Asphalt Concrete	SqYd	402,031.000
48	Pipe Culvert Undercut	CuYd	118.000
49	24" RCP Class 2, Furnish	Ft	288.000
50	24" RCP, Install	Ft	288.000
51	30" RCP Class 2, Furnish	Ft	78.000
52	30" RCP, Install	Ft	78.000
53	36" RCP Class 2, Furnish	Ft	200.000
54	36" RCP, Install	Ft	200.000
55	48" RCP Class 2, Furnish	Ft	78.000
56	48" RCP, Install	Ft	78.000
57	24" RCP Flared End, Furnish	Each	6.000
58	24" RCP Flared End, Install	Each	6.000

59	30" RCP Flared End, Furnish	Each	2.000
60	30" RCP Flared End, Install	Each	2.000
61	36" RCP Flared End, Furnish	Each	7.000
62	36" RCP Flared End, Install	Each	7.000
63	48" RCP Flared End, Furnish	Each	2.000
64	48" RCP Flared End, Install	Each	2.000
65	24" RCP Sloped End, Furnish	Each	1.000
66	24" RCP Sloped End, Install	Each	1.000
67	24" CMP 14 Gauge, Furnish	Ft	204.000
68	24" CMP, Install	Ft	204.000
69	24" CMP Elbow, Furnish	Each	2.000
70	24" CMP Elbow, Install	Each	2.000
71	24" CMP Flared End, Furnish	Each	1.000
72	24" CMP Flared End, Install	Each	1.000
73	24" Steel Pipe, Furnish	Ft	352.000
74	24" RCP to CMP Transition, Furnish	Each	1.000
75	24" Pipe Transition, Install	Each	1.000
76	Cleanout Pipe Culvert	Each	2.000
77	Reset Pipe	Ft	278.000
78	Reset Pipe End Section	Each	49.000
79	Bore and Jack 24" Pipe	Ft	352.000
80	Cellular Grout	CuYd	334.000
81	Reset Reinforced Concrete Cattle Pass	Ft	8.000
82	Reset Reinforced Concrete Cattle Pass End Section	Each	2.000
83	Type III Field Laboratory	Each	1.000
84	Type 2 Right-of-Way Fence	Ft	1,510.000
85	Type 2 Temporary Fence	Ft	2,716.000
86	2 Post Panel	Each	16.000
87	4"x4" White Delineator Back to Back with 1.12 Lb/Ft Post	Each	450.000
88	High Build Waterborne Pavement Marking Paint, White	Gal	914.000
89	High Build Waterborne Pavement Marking Paint, Yellow	Gal	156.000
90	High Build Waterborne Pavement Marking Paint, 24" Yellow	Ft	241.000
91	High Build Waterborne Pavement Marking Paint, Arrow	Each	5.000
92	High Build Waterborne Pavement Marking Paint, Railroad Crossing	Each	2.000
93	Flagging	Hour	1,220.000
94	Pilot Car	Hour	474.000
95	Traffic Control Signs	SqFt	1,162.400
96	Traffic Control, Miscellaneous	LS	1.000
97	Temporary Pavement Marking	Mile	80.800
98	Contractor Furnished Portable Changeable Message Sign	Each	2.000
99	PVC Coated Bank and Channel Protection Gabion	CuYd	9.000
100	Type G Permanent Seed Mixture	Lb	522.000
101	Fertilizing	Ton	15.040
102	Mulching	Ton	50.100
103	Type 3 Erosion Control Blanket	SqYd	2,820.000
104	12" Diameter Erosion Control Wattle	Ft	1,540.000
105	High Flow Silt Fence	Ft	1,740.000
106	Mucking Silt Fence	CuYd	121.000
107	Repair Silt Fence	Ft	435.000
108	Type B Drainage Fabric	SqYd	30.000
109	Storage Unit	Each	1.000
110	Railroad Protective Insurance	LS	1.000
111	PG 58-34 Asphalt Binder	Ton	2,843.100
112	Class Q2R Hot Mixed Asphalt Concrete	Ton	61,763.400
113	Hydrated Lime	Ton	614.500
114	PG 58-34 Asphalt Binder	Ton	2,344.000

115	Class Q2R Hot Mixed Asphalt Concrete	Ton	63,328.900
116	Hydrated Lime	Ton	634.500
117	PG 58-34 Asphalt Binder	Ton	104.500
118	Class Q2R Hot Mixed Asphalt Concrete	Ton	2,275.900
119	Hydrated Lime	Ton	22.800
120	PG 58-34 Asphalt Binder	Ton	86.400
121	Class Q2R Hot Mixed Asphalt Concrete	Ton	2,333.500
122	Hydrated Lime	Ton	23.300

9. **P 0047(113)42** **Area Engineer: Doug Sherman, PO Box 771, Winner, SD, 57580-0771** **Phone: 605/842-0810**
Work Type 5 **DBE Goal: Not Specified** **Contract Id: 9657** **See Special Provisions for Completion Requirements**

1	Maintenance of Traffic Diversion(s)	LS	1.000
2	Remove Traffic Diversion(s)	LS	1.000
3	Mobilization	LS	1.000
4	Incentive/Disincentive Pay	Day	0.000
5	Construction Staking	LS	1.000
6	Engineer Directed Surveying/Staking	Hour	40.000
7	Checker	LS	1.000
8	Construction Schedule, Category II	LS	1.000
9	Clearing	LS	1.000
10	Remove Pipe Culvert	Ft	1,070.000
11	Remove Pipe End Section	Each	46.000
12	Remove Fence	Ft	2,933.000
13	Remove Asphalt Concrete Pavement	SqYd	7,345.300
14	Remove Sediment	CuYd	21.500
15	Remove Erosion Control Wattle	Ft	2,006.000
16	Remove Silt Fence	Ft	500.000
17	Remove Pipe for Reset	Ft	8.000
18	Remove Pipe End Section for Reset	Each	4.000
19	Unclassified Excavation	CuYd	20,878.000
20	Unclassified Excavation, Digouts	CuYd	803.000
21	Contractor Furnished Borrow Excavation	CuYd	13,000.000
22	Muck Excavation	CuYd	1,000.000
23	Undercutting	CuYd	742.000
24	Reprofiling Ditch	Sta	12.000
25	Water for Embankment	MGal	156.000
26	Shoulder Clearing	Mile	32.100
27	Remove and Replace Topsoil	LS	1.000
28	Incidental Work, Grading	LS	1.000
29	Base Course	Ton	6,638.800
30	Gravel Surfacing	Ton	877.000
31	Granular Material, Furnish	Ton	351.400
32	Asphalt Concrete Composite	Ton	1,050.800
33	Asphalt Concrete Blade Laid	Ton	2,407.500
34	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	32.000
35	Grind Centerline Rumble Stripe in Asphalt Concrete	Mile	16.000
36	SS-1h or CSS-1h Asphalt for Tack	Ton	177.200
37	Sand for Flush Seal	Ton	829.900
38	Cold Milling Asphalt Concrete	SqYd	285,508.000
39	Structure Excavation, Box Culvert	CuYd	102.000
40	Pipe Culvert Undercut	CuYd	283.000
41	Box Culvert Undercut	CuYd	275.000
42	Precast Concrete Headwall for Drain	Each	1.000
43	18" RCP Class 2, Furnish	Ft	152.000
44	18" RCP, Install	Ft	152.000
45	24" RCP Class 2, Furnish	Ft	246.000

46	24" RCP, Install	Ft	246.000
47	36" RCP Class 2, Furnish	Ft	16.000
48	36" RCP, Install	Ft	16.000
49	42" RCP Class 2, Furnish	Ft	8.000
50	42" RCP, Install	Ft	8.000
51	72" RCP Class 2, Furnish	Ft	200.000
52	72" RCP, Install	Ft	200.000
53	18" RCP Flared End, Furnish	Each	25.000
54	18" RCP Flared End, Install	Each	25.000
55	24" RCP Flared End, Furnish	Each	3.000
56	24" RCP Flared End, Install	Each	3.000
57	30" RCP Flared End, Furnish	Each	4.000
58	30" RCP Flared End, Install	Each	4.000
59	36" RCP Flared End, Furnish	Each	2.000
60	36" RCP Flared End, Install	Each	2.000
61	42" RCP Flared End, Furnish	Each	1.000
62	42" RCP Flared End, Install	Each	1.000
63	72" RCP Flared End, Furnish	Each	4.000
64	72" RCP Flared End, Install	Each	4.000
65	48" RCP Arch Flared End, Furnish	Each	2.000
66	48" RCP Arch Flared End, Install	Each	2.000
67	Tie Bolts for RCP	Each	364.000
68	24" CMP 14 Gauge, Furnish	Ft	66.000
69	24" CMP, Install	Ft	66.000
70	24" CMP Elbow, Furnish	Each	1.000
71	24" CMP Elbow, Install	Each	1.000
72	18" CMP Flared End, Furnish	Each	1.000
73	18" CMP Flared End, Install	Each	1.000
74	24" CMP Flared End, Furnish	Each	3.000
75	24" CMP Flared End, Install	Each	3.000
76	30" CMP Flared End, Furnish	Each	2.000
77	30" CMP Flared End, Install	Each	2.000
78	24" Steel Pipe, Furnish	Ft	212.000
79	30" Steel Pipe, Furnish	Ft	192.000
80	24" RCP to CMP Transition, Furnish	Each	1.000
81	24" Pipe Transition, Install	Each	1.000
82	Culvert Joint Cleaning	Ft	3,588.000
83	Repair Culvert Joint	Ft	3,588.000
84	Chemical Grout Void Fill	Gal	935.000
85	Cleanout Pipe Culvert	Each	10.000
86	Reset Pipe	Ft	8.000
87	Reset Pipe End Section	Each	4.000
88	Bore and Jack 24" Pipe	Ft	212.000
89	Bore and Jack 30" Pipe	Ft	192.000
90	Class A45 Concrete, Box Culvert	CuYd	151.200
91	Install Dowel in Concrete	Each	18.000
92	Cellular Grout	CuYd	35.900
93	Controlled Density Fill	CuYd	58.000
94	Reinforcing Steel	Lb	22,072.000
95	13'x8' Precast Concrete Box Culvert, Furnish	Ft	80.000
96	13'x8' Precast Concrete Box Culvert, Install	Ft	80.000
97	13'x8' Precast Concrete Box Culvert End Section, Furnish	Each	2.000
98	13'x8' Precast Concrete Box Culvert End Section, Install	Each	2.000
99	Type III Field Laboratory	Each	1.000
100	Type 2 Right-of-Way Fence	Ft	2,745.000
101	Type 1A Temporary Fence	Ft	2,238.000

102	Type 2 Temporary Fence	Ft	102.000
103	2 Post Panel	Each	35.000
104	Type 2 Object Marker Back to Back	Each	66.000
105	High Build Waterborne Pavement Marking Paint, White	Gal	722.000
106	High Build Waterborne Pavement Marking Paint, Yellow	Gal	459.000
107	High Build Waterborne Pavement Marking Paint, 24" Yellow	Ft	145.000
108	High Build Waterborne Pavement Marking Paint, Arrow	Each	4.000
109	Flagging	Hour	700.000
110	Pilot Car	Hour	250.000
111	Traffic Control Signs	SqFt	711.000
112	Traffic Control, Miscellaneous	LS	1.000
113	Type 3 Barricade	Each	9.000
114	Remove Pavement Marking, 4" or Equivalent	Ft	14,616.000
115	4" Temporary Pavement Marking Tape Type I	Ft	14,616.000
116	Temporary Pavement Marking	Mile	80.000
117	Detour and Restriction Signing	SqFt	506.600
118	Contractor Furnished Portable Changeable Message Sign	Each	4.000
119	4" Perforated PVC Drain Pipe with Sleeve	Ft	40.000
120	4" PVC Outlet Pipe	Ft	10.000
121	Porous Backfill	Ton	13.000
122	Class B Riprap	Ton	1,695.100
123	PVC Coated Bank and Channel Protection Gabion	CuYd	15.000
124	Type F Permanent Seed Mixture	Lb	546.000
125	Mulching	Ton	50.000
126	Type 3 Erosion Control Blanket	SqYd	8,500.000
127	Type 3 Turf Reinforcement Mat	SqYd	1,700.000
128	12" Diameter Erosion Control Wattle	Ft	8,000.000
129	Remove and Reset Erosion Control Wattle	Ft	2,006.000
130	Shaping for Erosion Control Blanket	Ft	690.000
131	Low Flow Silt Fence	Ft	1,500.000
132	High Flow Silt Fence	Ft	2,000.000
133	Mucking Silt Fence	CuYd	139.000
134	Repair Silt Fence	Ft	500.000
135	Type B Drainage Fabric	SqYd	8,033.000
136	Reinforcement Fabric (MSE)	SqYd	700.000
137	Impermeable Plastic Membrane	SqYd	20.000
138	Geogrid Reinforcement	SqYd	1,150.000
139	Orange Plastic Safety Fence	Ft	800.000
140	Construction Entrance	Each	4.000
141	Storage Unit	Each	1.000
142	PG 58-34 Asphalt Binder	Ton	1,868.700
143	Class Q2R Hot Mixed Asphalt Concrete	Ton	37,084.800
144	Hydrated Lime	Ton	393.700
145	PG 58-34 Asphalt Binder	Ton	1,566.600
146	Class Q2R Hot Mixed Asphalt Concrete	Ton	37,968.700
147	Hydrated Lime	Ton	393.700
148	Granular Material, Furnish	Ton	10,215.400
149	Blend, Haul, and Stockpile Granular Material	Ton	20,430.800
150	Granular Material, Furnish	Ton	9,990.400
151	Blend, Haul, and Stockpile Granular Material	Ton	19,980.800

10.	NH 0081(120)145	Area Engineer: Matt Brey, 5000 9th Avenue SE, Watertown, SD, 57201			Phone: 605/882-5166
	Work Type 5	DBE Goal: Not Specified	Contract Id: 9434	See Special Provisions for Completion Requirements	
	1	Mobilization	LS	1.000	
	2	Grade Staking	Mile	0.257	
3	Miscellaneous Staking	Mile	0.513		

4	Slope Staking	Mile	0.513
5	Engineer Directed Surveying/Staking	Hour	10.000
6	Remove Pipe End Section	Each	7.000
7	Remove Beam Guardrail	Ft	465.800
8	Remove Asphalt Concrete Pavement	SqYd	777.200
9	Remove Sediment	CuYd	0.500
10	Remove Silt Fence	Ft	30.000
11	Remove Pipe for Reset	Ft	250.000
12	Remove Pipe End Section for Reset	Each	35.000
13	Unclassified Excavation	CuYd	7,075.000
14	Unclassified Excavation, Digouts	CuYd	518.000
15	Contractor Furnished Borrow Excavation	CuYd	10,704.000
16	Muck Excavation	CuYd	441.000
17	Undercutting	CuYd	4,059.000
18	Water for Embankment	MGal	144.700
19	Shoulder Clearing	Mile	20.700
20	Placing Topsoil	CuYd	1,171.000
21	Remove and Replace Topsoil	LS	1.000
22	Base Course	Ton	2,616.600
23	Granular Material, Furnish	Ton	6,000.000
24	Salvage and Stockpile Asphalt Mix and Granular Base Material	Ton	3,303.700
25	Blend, Haul, and Stockpile Granular Material	Ton	12,000.000
26	PG 58-34 Asphalt Binder	Ton	1,384.100
27	PG 64-34 Asphalt Binder	Ton	963.300
28	Modified Class S Asphalt Concrete	Ton	15,441.700
29	Asphalt Concrete Composite	Ton	315.200
30	Class Q3R Hot Mixed Asphalt Concrete	Ton	26,846.900
31	Asphalt Concrete Blade Laid	Ton	1,787.700
32	Compaction Sample	Each	3.000
33	Stabilizing Additive for Asphalt Concrete	Ton	49.900
34	Hydrated Lime	Ton	273.100
35	Saw Joint in Asphalt Concrete	Ft	2,734.000
36	Grind 12" Rumble Strip or Stripe in Asphalt Concrete	Mile	18.400
37	Grind Sinusoidal Centerline Rumble Stripe in Asphalt Concrete	Mile	9.200
38	SS-1h or CSS-1h Asphalt for Tack	Ton	223.000
39	SS-1h or CSS-1h Asphalt for Flush Seal	Ton	3.500
40	Cold Milling Asphalt Concrete	SqYd	214,391.000
41	Pipe Culvert Undercut	CuYd	10.000
42	24" RCP Class 2, Furnish	Ft	8.000
43	24" RCP, Install	Ft	8.000
44	42" RCP Class 2, Furnish	Ft	18.000
45	42" RCP, Install	Ft	18.000
46	24" RCP Flared End, Furnish	Each	2.000
47	24" RCP Flared End, Install	Each	2.000
48	36" RCP Flared End, Furnish	Each	1.000
49	36" RCP Flared End, Install	Each	1.000
50	24" RCP Sloped End, Furnish	Each	1.000
51	24" RCP Sloped End, Install	Each	1.000
52	36" RCP Sloped End with Bars, Furnish	Each	1.000
53	36" RCP Sloped End, Install	Each	1.000
54	36" RCP Arch Flared End, Furnish	Each	2.000
55	36" RCP Arch Flared End, Install	Each	2.000
56	Tie Bolts for RCP	Each	22.000
57	Reset Pipe	Ft	250.000
58	Reset Pipe End Section	Each	35.000
59	Type III Field Laboratory	Each	1.000

60	Type 1 MGS	Ft	125.000
61	Type 1 Retrofit Guardrail Transition	Each	4.000
62	MGS MASH Tangent End Terminal	Each	4.000
63	Guardrail Delineator	Each	16.000
64	Type 2 Object Marker Back to Back	Each	84.000
65	Cold Applied Plastic Pavement Marking, 24"	Ft	836.000
66	Cold Applied Plastic Pavement Marking, Arrow	Each	30.000
67	Cold Applied Plastic Pavement Marking, Lane Reduction Arrow	Each	9.000
68	High Build Waterborne Pavement Marking Paint with Reflective Elements, Yellow	Gal	322.000
69	Durable Pavement Marking, 4" White	Ft	113,939.000
70	Grooving for Cold Applied Plastic Pavement Marking, 24"	Ft	836.000
71	Grooving for Cold Applied Plastic Pavement Marking, Arrow	Each	30.000
72	Grooving for Cold Applied Plastic Pavement Marking, Lane Reduction Arrow	Each	9.000
73	Grooving for Durable Pavement Marking, 4"	Ft	188,873.000
74	Flagging	Hour	450.000
75	Pilot Car	Hour	200.000
76	Traffic Control Signs	SqFt	869.800
77	Traffic Control, Miscellaneous	LS	1.000
78	Type 3 Barricade	Each	4.000
79	Type C Advance Warning Arrow Board	Each	2.000
80	Temporary Pavement Marking	Mile	41.600
81	Temporary Pavement Marking	Ft	1,200.000
82	Cover Crop Seeding	Bu	2.200
83	Type C Permanent Seed Mixture	Lb	51.000
84	Mulching	Ton	8.400
85	12" Diameter Erosion Control Wattle	Ft	200.000
86	Remove and Reset Erosion Control Wattle	Ft	50.000
87	Low Flow Silt Fence	Ft	120.000
88	Mucking Silt Fence	CuYd	8.000
89	Repair Silt Fence	Ft	30.000
90	Refurbish Single Mailbox	Each	33.000
91	Refurbish Double Mailbox	Each	6.000
92	Storage Unit	Each	1.000

Instructions

PROPOSALS, PLANS AND SPECIFICATIONS: Plans, Proposals, and Standard Specifications are available on the SDDOT Bid Letting website.

MINIMUM WAGE RATES: Minimum wage rates for 1 through 10 have been predetermined by the U.S. Department of Labor and the Department of Transportation, and the Contractor shall pay at least the highest wage set forth in the advertised specification for each job classification, according to the county(ies) in which the work is actually performed. Contractors are required to meet the provisions of the Fair Labor Standards Act of 1938, as amended. Federal-aid projects are subject to the Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

BID PREPARATION: Bids shall be completed in their entirety utilizing the SDEBS. Bidders submitting a bid on Item 7 must also submit a bid on Items 8 & 9. Award of these combinations (Items 7 & 8 & 9) will be to the same bidder based on the total combined two projects.

Please refer to the SDDOT bid letting webpage for the SDEBS user manual and further information on how to bid.

NONDISCRIMINATION ASSURANCE: The South Dakota Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

EXECUTION OF CONTRACT: In accordance with Section 7.15 of the Standard Specifications, Current Edition, all Contractors prior to execution of any contract, must file with the Department a Certificate of Liability Insurance.

Foreign Corporations, prior to execution of any contract, must file their Articles of Incorporation in accordance with the Foreign Corporation Laws of South Dakota, Chapter 47-8 of the 1967 South Dakota Compiled Laws as amended.

GENERALLY: A list of plan and proposal holders for each project is available on our website for each project in the letting. The plan holders list is updated immediately when a contractor or supplier logs into the project as indicated above.

Prior to plant operation, either a construction permit or an operating permit must be obtained from the Department of Agricultural & Natural Resources, Minerals & Mining Program, Foss Building, Pierre, SD 57501. (Phone [605] 773-4201) Allow thirty (30) days for processing.

Operation of contractor furnished material sources shall be in accordance with SDCL 45-6 governing the extraction of construction aggregate. To obtain licensing and bonding requirements contact: Minerals and Mining Program, South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501. (Phone [605] 773-4201)

Hydrostatic Testing and Excavation Dewatering shall be in accordance with the NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES), GENERAL PERMIT NUMBER SDG-100000. For further information contact the South Dakota Department of Agricultural and Natural Resources, Foss Building, Pierre, South Dakota 57501 (Phone [605] 773-3351).

The Department of Transportation reserves the right to reject any or all bids.

STATE OF SOUTH DAKOTA, DEPARTMENT OF TRANSPORTATION

BY: Joel Jundt
SECRETARY OF TRANSPORTATION